



◆ ◆ ◆
2004
Gun Safe
Catalog
◆ ◆ ◆





AMERICAN SECURITY PRODUCTS Co.

The Industry Leader for over 50 years.

AMSEC® is the world's best-known provider of security safes and security solutions. Since 1948 we have protected the assets of our clients throughout the world by providing a broad array of safes and consulting services with the highest degree of quality, integrity and responsiveness. Customers have trusted AMSEC safes for generations.

The quality of an AMSEC safe starts with our design. The design of each AMSEC safe draws on over 50 years experience on protecting the physical assets of our customers. There aren't many criminals with over 50 years of experience, so we think that gives us the advantage. After designs are completed, each safe undergoes the industry's most comprehensive testing program. AMSEC uses independent agencies, such as Underwriters Laboratories, to put our designs to the test. We maintain the tightest tolerances and highest standards of fit and finish in the industry.

Next, we use the latest in technology. We have been providing safes and security solutions to the banking industry since 1948. This type of high security technology is built right into our gun safes. Before the American Security name is attached, each safe must undergo a rigid 28-point inspection. We produce over 60,000 safes each year and we take protecting our customers' assets very seriously. That's how we got to be the largest security safe manufacturer in the world, and that's why you can't buy a better gun safe than an American Security safe.

Our commitment doesn't end there. We have built our company on the commitment to offer the best service in the industry which will insure that AMSEC remains the industry leader. Our corporate center is staffed with highly trained customer service representatives and our service department is supported by 7,500 factory trained technicians throughout the world. Technicians are available 24 hours a day, 365 days a year, to answer questions and help solve problems with any safe shipped anywhere in the world.

Simply put, our reputation is built on product design, innovative technology, and the best support in the industry. It has worked for us for over 50 years and it ensures you complete customer satisfaction. The choice is easy: American Security—the best in the business.

www.amsecusa.com
800-421-6142



Proudly Made
in the U.S.A.

Contents

Ratings, Warranty	3	Highland Series	12 - 13	Document, Handgun	16
Sierra Series	4 - 5	Vault Door	14	Accessories, Options	17 - 18
Cascade Series	6 - 7	Home Security, HC1854	15	Quick Reference	19 - 20
Teton Series	8 - 11				

We stand behind our craftsmanship!



The National Fire Protection Agency (NFPA) reported that there were 383,500 home fires in the United States accounting for \$5.5 billion of property damage.


American Security Products Co. is highly acclaimed for offering the industry's best fire protection. We manufacture the industry's broadest range of fire rated products ranging from Underwriter's Laboratories (U.L.) Listed 1 and 2 hour fire safes to our Mercury Class I, Class II and Class III fire protected gun safes.

American Security Products Co. gun safes offer the level of fire protection you need to safeguard your valuables. Our Sierra series feature a composite construction with a massive 2" to 3 1/2" body and 2 3/4" door filled with a proprietary fire resistant material, offering Mercury Class III fire protection. Our Cascade Series feature a multi-layer insulation with 2 to 3 layers of 5/8" fireboard construction, offering Mercury Class II fire protection. The Teton and Highland Series feature a multi-layer insulation with 1 to 3 layers of 5/8" fireboard construction (1 to 2 layers of 3/8" on model 5517), offering Mercury Class I fire protection.

MERCURY CLASS I & II FIRE PROTECTION

Series I Model	Mercury Class	Outside Temperature	Period (Time)	Inside Temperature Less than*
Sierra	Class III	1550°F	120 Minutes	350°F
Cascade	Class II	1275°F	60 Minutes	350°F
Teton	Class I	1200°F	45 Minutes	350°F
Highland	Class I	1200°F	45 Minutes	350°F
Highland Model 5517	Class I	1000°F	20 Minutes	350°F

*Each safe is designed to maintain an interior temperature less than 350°F. Paper products will char at approximately 405°F.




BURGLARY RATINGS

(Underwriters Laboratories [UL] testing is performed on a non-profit, impartial basis for the purpose of consumer safety.) AMSEC gun safes that proudly display the UL Residential Security Container (RSC) burglary classification demonstrated the ability to withstand rigorous prying, drilling, punching, hammering, chiseling, and tampering attacks performed by today's most experienced UL expert technicians.



Intumescent Door Seal:

When the intumescent seal is exposed to high temperature (above 250°F), it expands to as much as 8 times its original thickness. In this expanded or reactive state, it has very high thermal insulating capacity and resistance to breakdown. This provides a strong positive seal between the door and body, preventing heat influx.



The Elite SE6831-LG-F-PW-A

THE ULTIMATE IN SECURITY

The ultimate in security safes begin with the Elite. Setting the standard in style and security, the exquisite Elite provides the most advanced security and fire protection in the business.

Distinctive Style

- Select from seven hand-painted high-gloss and four textured finishes.
- Interior is fully upholstered in a handsome desert prophecy suede fabric.
- Elegant scroll work and pinstripes accompanied by the renowned American Security Logo.
- Spy-proof key locking dial with decorative 5-point handle.
- Diamond-stitched door panel with built-in mirror.
- Interior is automatically illuminated with lights when door is opened.
- Full-length mirrored back panel enhances interior.

MERCURY Fire Protection

- Mercury Class III fire at 1550°F for a period of 2 hours. Designed to maintain an interior temperature of less than 350°F.
- Massive 2" thick body and 2 3/4" door is filled with a proprietary fire resistant material ensuring the contents remain safe.
- Palusol™ door seal expands up to 8 times its original thickness when exposed to high temperatures.

Unsurpassed Security

- Equipped with a U.L. Listed Group II lock protected by a massive drill shattering hard plate and two additional spring-loaded relocking devices.
- Massive 1 1/2" diameter brass plated solid steel locking bolts surround entire door.
- Defense barrier of inner and outer steel plates filled with a fire insulating material to withstand concentrated attacks.





File No: BP6526



rra series



The Armory RE6528-LS-F-OX-A
(with optional S&G Electronic Lock)



Sportsman Interior
(w/o shelves)

THE ARMORY EDITION

Handcrafted with the highest quality, using the latest technological innovations, the Armory meets the highest standards expected from an AMSEC Sierra Series gun safe.

Distinctive Style

Select from seven hand-painted high-gloss finishes upholstered in a rich beige or silver pin-dot velour fabric.

Four textured finishes upholstered in our standard plush tan or gray velour fabric.

Elegant scrollwork and pinstripes accompanied by the renowned American Security logo.

Spy-proof key locking dial with decorative 3-point handle.

MERCURY Fire Protection

Mercury Class III fire at 1550°F for a period of 2 hours. Designed to maintain an interior temperature of less than 350°F.

Massive 3½" body encloses a high density fire resistant composite material to protect against intense fires.

Unsurpassed Security

U.L. Listed burglary resistant TL-15 and TL-30 models are built to withstand severe attacks from the sophisticated equipment used by today's burglars.

Massive 3½" body and 2¾" door built with a defense barrier of outer and inner steel plates creating a single structure enclosing a unique, burglary resistant high security composite material.

Equipped with a U.L. Listed Group 2M lock protected by a massive drill shattering hard plate and two additional spring-loaded relocking devices.

Massive 1½" diameter chrome plated solid steel locking bolts surround entire door.




A HISTORY OF INNOVATION

Combining beautiful styling with superior craftsmanship, the Cascade Series offers top-end features only found in the best safes. Styling includes many rich colors to choose from, beautiful accents that reflect high attention to detail, and an interior that is completely lined with the best fabrics. All Cascade safes offer premium fire and theft protection. A high quality standard, accompanied by the many optional style and security features of the Cascade safes, truly reflects a company with an innovative history.



The Cascade 7240-LS-F-BY-A



(optional oak storage cabinet & compact electronic safe)


ade series



The Cascade 6030-LE-F-TL-A



The Cascade 6040-LTG-F-GN-A
(with optional decorative emblem)



Distinctive Style

Select from seven hand-painted high-gloss and four textured finishes.

Interior is fully upholstered in a plush tan or gray velour fabric.

Upholstered door panel can be decorated with stylish embroidered images.

Elegant scroll work and pinstripes accompanied by the renowned American Security logo.

Spy-proof key locking dial with decorative 3-point handle (LS, LG & LE models).

Front-read key locking dial with matching "L" handle (LTG & LTE models).

MERCURY Fire Protection

Mercury Class II fire at 1275°F for a period of 60 minutes. Designed to maintain an interior temperature of less than 350°F.

Palusol™ door seal expands up to 8 times its original thickness when exposed to high temperatures.

Massive 1" door offers a defense barrier constructed of 1/8" inner and outer steel plates filled with a fire insulating material that provides an excellent barrier against extreme heat.

Unsurpassed Security

Awarded the U.L. Residential Security Container (RSC) burglary classification.

High strength unitized 11 gauge solid steel body.

4-way boltwork with 14 active 1 1/4" diameter chrome-plated steel locking bolts.

Equipped with a U.L. Listed Group II lock protected by a massive hard plate.

Concealed hinges prevents door removal and ensures smooth operation.

Bolt detent system holds bolts in the open position preventing damage to bolt work.

4 pre-cut anchor holes and 1 pre-cut electrical access hole.



File No: BP6526





the Tet

A TRADITION OF QUALITY

The Teton Series combines uncompromised security with exceptional value, making them a very popular choice. Part of that popularity stems from the tradition of quality AMSEC puts into each safe made. The Teton is loaded with industry leading technology and elegant styling at amazingly affordable prices.



*The Teton 6031-LE-F-NY-A
(shown with chrome hardware package
and optional ESL-10 electronic lock)*



(shown with optional pistol rack)

on series



The Teton 6032-LTG-F-ST-A



The Teton 6022-LG-F-CE-A

Distinctive Style

Select from seven hand-painted high-gloss and four textured finishes.

Interior is fully upholstered in a plush tan or gray velour fabric.

Elegant scrollwork and pinstripes accompanied by the renowned American Security logo.

Spy-proof key locking dial with decorative 3-point handle (LS, LG & LE models).

Front-read key locking dial with matching "L" handle (LTG & LTE models).

Sleek style is designed to fit into a closet.

MERCURY Fire Protection

Mercury Class I fire at 1200°F for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F.

Paluso™ door seal expands up to 8 times its original thickness when exposed to high temperatures sealing contents from harm.

Unsurpassed Security

Awarded the U.L. Residential Security Container (RSC) burglary classification.

High strength unitized 12 gauge solid steel body.

Solid steel 1/4" door is recessed deep within the body providing excellent pry resistance.

Defense barrier of 5 active 1 1/4" diameter chrome-plated steel locking bolts, with 5 1 1/4" deadbolts.

Equipped with a U.L. Listed Group II lock protected by a massive drill shattering hard plate.

Concealed hinges prevents door removal and ensures a lifetime of smooth operation.

Bolt detent system holds bolts in the open position preventing damage to bolt work.

4 pre-cut anchor holes and 1 pre-cut electrical access hole.



File No: BP6526





The Teton 6032-LTG-F-ST-A
(with optional ESL-10 electronic lock)

Distinctive Style

Select from seven hand-painted high-gloss and four textured finishes.
 Interior is fully upholstered in a plush tan or gray velour fabric.
 Elegant scrollwork and pinstripes accompanied by the renowned American Security logo.
 Spy-proof key locking dial with decorative 3-point handle (LS, LG & LE models).
 Front-read key locking dial with matching "L" handle (LTG & LTE models).
 Sleek style is designed to fit into a closet.

MERCURY Fire Protection

Mercury Class I fire at 1200°F for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F.
 Paluso™ door seal expands up to 8 times its original thickness when exposed to high temperatures sealing contents from harm.
 Massive 1" door offers a defense barrier constructed of 1/8" inner and outer steel plates filled with a fire insulating material that provides an excellent barrier against extreme heat.

Unsurpassed Security

Awarded the UL Residential Security Container (RSC) burglary classification.
 High strength unitized 12 ga. body and 1" thick recessed door.
 Defense barrier of 5 active 1 1/4" diameter chrome-plated steel locking bolts, with 5 dead-bolts.
 Equipped with a Group II lock protected by a drill resistant hard plate.
 Concealed hinges.
 Bolt detent system holds bolts in the open position preventing damage to bolt work.
 4 precut anchor holes and 1 precut electrical access hole.





The Teton 5924-LTG-F-BK-A
(with optional decorative emblem)

Distinctive Style

Select from seven hand-painted high-gloss and four textured finishes.

Interior is upholstered in a plush tan or gray velour fabric.

Elegant scrollwork and pinstripes accompanied by the renowned American Security logo.

Brass spy-proof dial with decorative brass "L" handle.

Sleek style is designed to fit into a closet.

MERCURY Fire Protection

Mercury Class I fire at 1200°F for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F.

Palusol™ door seal expands up to 8 times its original thickness when exposed to high temperatures sealing contents from harm.

Unsurpassed Security

High strength unitized 12 ga. body and 1/4" thick solid steel door.

Defense barrier of 5 active 1 1/4" diameter chrome-plated steel locking bolts, with 4 dead-bolts.

Equipped with a 3 wheel combination lock (U.L. Listed Group II combination or electronic lock available).

3-way boltwork with drill resistant hard plate.

4 precut anchor holes.





The Highland 6040W-LTE-F-BK-A



The Highland 6032W-LTE-F-BK-A
(Designed to fit in a closet)

DISTINCTIVE STYLE

The quality packed, affordably priced Highland series offer an unbeatable value.

Rich velour back cover and fire walls with durable American Oak wood finish interior.

Black textured finish with silver scrollwork and logo.

Large chrome plated "L" handle.

MERCURY FIRE PROTECTION

Mercury Class I fire at 1200°F, for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F.

Palusol™ door seal expands up to 8 times its original thickness when exposed to high temperatures sealing safe contents from harm.

THEFT DEFIANT

Awarded the UL Residential Security Container (RSC) burglary classification.

High strength unitized 11 gauge (6040) and 12 gauge (6032) solid steel body.

Solid steel 1/4" door is recessed deep within the body providing excellent pry-resistance.

Equipped with a Group II Key changeable 3 wheel combination lock protected by a drill resistant hard plate.

Satin-Chrome plated dial.

5 active 1 1/4" diameter chrome-plated steel locking bolts, with five 1 1/4" deadbolts.

Concealed hinges prevents door removal and ensures a lifetime of smooth operation.

Bolt detent system holds bolts in the open position while door is opened, preventing jamb and boltwork mechanism from damage.

Each safe offers 4 precut anchor holes and 1 precut electrical access hole.



land series



The Highland 5924W-LTG-F-BK-A



Lifetime Replacement Warranty

This safe meets or exceeds the standards for California-approved Firearms Safety Devices and the requirements of California Penal Code Section 12088, Gun Safe Standards

DISTINCTIVE STYLE

The quality packed, affordably priced 5924W offers an unbeatable value. Rich velour back cover and fire walls with durable American Oak wood finish interior. Elegant scrollwork accompanied by the renowned American Security Logo. Black textured finish. Brass spy-proof dial with decorative brass "L" handle. Sleek style is designed to fit into a closet.

MERCURY FIRE PROTECTION

Mercury Class I fire at 1200°F, for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F. Palusol™ door seal expands up to 8 times its original thickness when exposed to high temperatures sealing safe contents from harm.

THEFT DEFIANT

High strength unitized 12 ga. body and 1/4" thick solid steel door. Defense barrier of 5 active 1/4" diameter chrome-plated steel locking bolts, with 4 deadbolts. Equipped with a 3 wheel combination lock (U.L. Listed Group II combination or electronic lock available). 3-way boltwork with drill resistant hard plate. 4 pre-cut anchor holes and 1 pre-cut electrical access hole.



The Highland 5517-LTG-BK-11



This safe meets or exceeds the standards for California-approved Firearms Safety Devices and the requirements of California Penal Code Section 12088, Gun Safe Standards

DISTINCTIVE STYLE

The quality packed, affordably priced 5517 offers an unbeatable value. Fully carpeted interior includes one adjustable shelf, an eleven-gun storage rack and vinyl floor mat. Elegant pinstripes accompanied by the renowned American Security Products solid brass logo plate. Brass spy-proof dial with decorative brass "L" handle. Durable black powder coated finish. Sleek style is designed to fit into a closet.

MERCURY FIRE PROTECTION

Mercury Class I fire at 1000° F, for a period of 20 minutes. Designed to maintain an interior temperature of less than 350°F. Fire-resistant door seal.

THEFT DEFIANT

High strength unitized 10 ga. body and 1/4" thick solid steel recessed door. Concealed hinges prevent door removal and ensure a lifetime of smooth operation. Defense barrier of five active 1" diameter chrome-plated locking bolts. Equipped with a 3 wheel combination lock protected by a drill-resistant hard plate. 2 pre-cut anchor holes with mounting hardware included, and 1 pre-cut electrical access hole.

LIMITED WARRANTY

1-year parts and labor. Beginning from the date of first consumer purchase. Proof of purchase necessary.

Vault Door



The AMSEC VD8030-LTG-F-BK

As time goes on, all collections grow. Not just guns, but personal heirlooms, business and family records, jewelry, photographs and works of art. Instead of buying three different safes over a lifetime, the AMSEC vault door turns your room into a security center. It is designed for easy installation that retrofits a standard 80" x 30" opening.

- Massive 1" door offers a defense barrier constructed of $\frac{1}{8}$ " inner and outer steel plates filled with a fire insulating material that provides a barrier against extreme heat. Select from four textured finishes.
- Each vault door offers elegant scrollwork and pinstripes accompanied by the renowned American Security logo.
- brass spy-proof key locking dial with decorative 3-point handle is standard.
- Ten massive $1\frac{1}{4}$ " thick bolts, you can rest assured that your valuables are protected.
- Safety Lock Release: In case the door closes behind you, this safety feature allows you to exit the vault quickly.
- Minimum opening required: $79\frac{1}{2}$ "H x $29\frac{1}{2}$ "W
- Outside: $83\frac{1}{4}$ "H x $29\frac{1}{2}$ "W
- Door opening: $77\frac{1}{2}$ "H x $26\frac{1}{2}$ "W
- Weight: 550 lbs.

Make your vault room double as a storm shelter with our in-swing vault door. Offering the same features as our standard vault door, the in-swing vault door will insure opening from the inside even if debris has blocked the door.

Home Security



- Protect your important documents, cash and other valuables conveniently at home.
- Massive 3/4" steel door filled with fire insulating material.
- 1/8" formed steel body and door jamb for resistance to pry attacks.
- Seven 1" diameter chrome plated locking bolts secure a recessed door.
- **Mercury** Class I fire at 1200°F, for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F.
- Group II lock protected by drill resistant hard plate. Spy proof key locking dial provided on hi-gloss finishes and front read key locking dial provided on textured finishes.
- All safes come with plush velour interiors.
- 4 pre-cut anchor holes.

SAFE SPECIFICATION CHART

Model	Outside Dimensions	Door	Body	Bolts	Shelves	Wt.
4020	40H x 20W x 20D	3/4	1/8	7	3	318
3020	30H x 20W x 20D	3/4	1/8	7	2	215
2020	20H x 20W x 20D	3/4	1/8	7	1	145

HC1854-HCC

Attractive tan cushion and wood cabinet conceals the horizontal safe discreetly and can be used as a comfortable bench seat in a bedroom, office or den.

- Assisted by two hydraulic gas pistons, the door opens and closes gently.
- Available in oak or cherry finish.
- Inside lined with plush gray velour fabric.
- **Mercury** Class I fire at 1200°F, for a period of 45 minutes. Designed to maintain an interior temperature of less than 350°F.
- High strength double wall unitized 14 ga. body and a 3/4" thick formed door.
- Group II lock and front read dial protected by a drill resistant hardplate.
- 5 one-inch chrome-plated steel locking bolts.
- 4 pre-cut anchor holes.
- Outside Dimensions include wood cabinet: 22 1/2"H x 56 3/4"W x 24 1/4"D



3020-LS-F-PW
(shown with LS hardware package)



4020-LTG-F-ST



2020-LTG-F-GR



Security Products

Fire/Document Safes

ES/FS Safe Features:

350°F, one-hour fire safe. Offered in two sizes (13 1/8" or 17" high) with a large storage capacity of 1164 cubic inches. In addition, each safe offers a convenient knob operated locking system with two chrome plated locking bolts. Safes can be ordered with a mechanical combination lock (FS) or a state of the art electronic locking system (ES). A storage tray and rubber mounting feet are standard

DC Document Safe Features:

- DC23-DC62 is lined with Insulite™ insulation which offers a 1/2 hour 350°F fire rating at temperatures up to 1550°F.
- Heavy duty steel latch with key lock for added security.
- DC62 designed to fit up to 45 hanging file folders with tabs.



ES1310



FS1013



DC62

DC23

Handgun Security

- Features state-of-the-art electronic lock.
- Push button combination can be easily changed to your desired combination.
- Key override system.
- Secured by two steel bolts.
- Dimensions: Inside 5" x 11 7/8" x 14"
- Weight: 18 lbs.
- Constructed of 14-ga. steel — the heaviest in the industry.
- Push button combination lock offers quick entry capabilities.
- Interior cushioned with foam lining to protect your gun from scratches.
- Dimensions: Inside: 3 7/8" x 11 3/4" x 7 3/4"
- Weight: 10 lbs.



ES411



PB48

Electronic Security

Burglary resistant safes with state of the art digital electronic locking systems. Can be bolted to the wall, floor or put inside a safe. Key override system. Dual live bolts made of heavy gauge steel.



ES913



ES9137

Safe Specs

Model No.	Inside H x W x D	Outside H x W x D	Wt. Lbs
ES913	9 1/2" x 13 1/2" x 8 3/4"	9 7/8" x 13 3/4" x 10 3/8"	38
ES9137	9 5/8" x 13 1/2" x 7 1/4"	9 7/8" x 13 7/8" x 9 3/4"	52
ES411	4 1/8" x 11 5/8" x 13 3/4"	4 1/2" x 11 7/8" x 14"	18
PB48	3 7/8" x 11 3/4" x 7 3/4"	4 1/4" x 12 1/4" x 8 1/2"	10
ES1013	9 1/8" x 13 1/4" x 9 1/2"	13 1/8" x 17" x 14 5/8"	81
ES1310	13 1/4" x 9 1/8" x 9 1/2"	17" x 13" x 14 5/8"	81
FS1013	9 1/8" x 13 1/4" x 9 1/2"	13 1/8" x 17" x 14 5/8"	81
FS1310	13 1/4" x 9 1/8" x 9 1/2"	17" x 13" x 14 5/8"	81
DC23	3 1/2" x 13 3/4" x 8 1/2"	5 5/8" x 16 1/8" x 12 1/2"	22
DC62	10 1/4" x 12 1/4" x 8 1/2"	12 3/16" x 15 3/4" x 12 1/2"	44

Accessories



Mallard



Deer



Eagle



Autumn Splendor

December's Journey

Silent Outpost

A Gun Rack

This four gun pistol rack is ideal for organizing pistols inside your safe.

B Cash Box

Separate locking compartment installed for your private access.

OD: 6 x 6 x 10.

C Desiccant

Prevents rust & moisture damage.

Recommended for safes without electrical access.

D Dri-Rod

Will constantly guard your guns against the threat of rust, pitting and moisture damage. Electrical access is required.

E Jewelry Tray

Tray conveniently fits into every safe.

Burgundy felt lined. 1 $\frac{5}{8}$ x 9 $\frac{3}{8}$ x 11 $\frac{5}{8}$.

F Door Mounted Pistol Rack

One full door rack can be divided into two 27" compact racks. Comes with 4 universal holsters. Comes in 60" or 72" rack. Customer installation required.

G Embroidered Options

A beautifully embroidered image of a deer, eagle or mallard can be ordered for the inside back door of any of our safes to add that final touch of class.

H Fluorescent Light Kit

Includes three 15 $\frac{1}{2}$ " Ultra-Thin 120v lights that link together with two 24" light connector cords, one 76" power cord, adhesive wire clips and door switch.

I Oak Cabinet

Convenient oak cabinet for easy storage, fits 12-18-30 or 12-18-24-30-42 interiors. Includes easy out access gun rack with 12-18-30 interior.

O.D. 34 x 10 $\frac{3}{4}$ x 17 $\frac{3}{4}$

J Special Addition Emblems


As one of the most highly honored wildlife painters, Scott Zoellick uses his love of the outdoors to produce beautiful works of art.

Options

High-Gloss Finish Hardware Packages



LG Package
Gold Scrollwork with brass handle and dial.



LS Package
Gold and Silver scrollwork with brass and chrome handle and dial.



LE Package
Silver scrollwork with chrome handle and dial.

Textured Finish Hardware Packages



LTG Package
Gold scrollwork with brass handle and dial.



LTE Package
Silver scrollwork with chrome handle and dial.

Handle Options



Any high gloss finish safe can be ordered with a 5-point handle.



Any textured finish safe can be ordered with a 3-point handle.

Electronic Lock Options

For quick and easy entry, an electronic lock is the choice to make. Locks are powered by batteries located in the dial and you can change your combination.



AMSEC's Model ESL10 is available in both brass or chrome finish



Sargent & Greenleaf #6120 round keypad in brass or chrome finish



Sargent & Greenleaf #6120 EZ keypad in brass or chrome finish



LGBASIC in brass or chrome finish

Fabric Options



Std. Plush Velour in tan or gray



Rich Pin-dot Velour in beige or silver

Hunter Green (HG)

Burgundy (BY)

Teal (TL)

Onyx (OX)

Pearl (PW)

Champagne (CE)

Navy (NY)

Granite (GR)

Black (BK)

Sandstone (ST)

Green (GN)

Features at a Glance




	SIERRA SERIES			CASCADE SERIES			TETON SERIES						HIGHLAND SERIES				
Model	SE6831	RE6528	RF6528	7240	6040	6030	6031	603021	6032	6022	5924	HC1854-HCC	6040W	6032W	5924W	5517	
Function																	
Height*	72"	72"	72"	72"	60"	60"	60"	60"	60"	60"	59"	22½"	60"	60"	59"	55½"	
Width*	35"	35"	35"	40"	40"	30"	30"	30"	30"	22"	24"	56½"	40"	32"	24"	17½"	
Depth*	29½"	29½"	29½"	26"	26"	26"	26"	21"	21"	16"	18"	24¾"	26"	21"	18"	16"	
Interior Gun Capacity	12-18-30	12-18-30	12-18-30	12-18-24 30-42	12-18-24 30-42	12-18-30	12-18-30	8-14-22	8-14-22	6-8-14	8-8-16	8 gun	12-18-24 30-42	8-8-16	8-8-16	11 gun	
Security																	
Weight (Firelined)	1800	3310	3455	1090	960	775	600	555	545	375	400	450	800	545	375	275	
Locking Bolts	10	10	10	14	14	14	10	10	10	10	9	5	10	10	9	5	
Bolt Diameter	1½"	1½"	1½"	1¼"	1¼"	1¼"	1¼"	1¼"	1¼"	1¼"	1¼"	1"	1¼"	1¼"	1¼"	1"	
U.L. Listing	RSC	TL15	TL30	RSC	RSC	RSC	RSC	RSC	RSC	RSC	B RATE	B RATE					
Door Thickness	2¾"	2¾"	2¾"	1"	1"	1"	¼"	1"	¼"	¾"	¼"	¾"	¼"	¼"	¼"	¼"	
Body Thickness	2"	3½"	3½"	11 ga.	11 ga.	11 ga.	12 ga.	12 ga.	12 ga.	12 ga.	12 ga.	14 ga.	11 ga.	12 ga.	12 ga.	10 ga.	
MERCURY Fire Protection																	
Fireliner	Std	Std	Std	Std	Std	Std	Opt	Std	Opt	Opt	Opt	Std	Std	Std	Std	Std	
Rating	2 hour 1550°F	2 hour 1550°F	2 hour 1550°F	1 hour 1275°F	1 hour 1275°F	1 hour 1275°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	45 min 1200°F	20 min 1000°F	
Palusol Door Seal	●			●	●	●	●	●	●	●	●	N/A	●	●	●	N/A	
Style																	
GLOSS FINISH	Handle	5-point	3-point	3-point	3-point	3-point	3-point	3-point	3-point	3-point	3-point	L-shape	N/A	N/A	N/A	N/A	N/A
	Dial	Spy	Spy Proof	Spy Proof	Spy Proof	Spy Proof	Spy Proof	Spy Proof	Spy Proof	Spy Proof	Spy Proof	Spy Proof	N/A Proof	N/A	N/A	N/A	N/A
	Velour Interior	Desert Suede	Pin-dot	Pin-dot	Std	Std	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	N/A	N/A
	Pin-dot Interior		Std	Std	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	N/A	N/A	N/A	N/A	N/A
TEXTURED FINISH	Handle	5-point	3-point	3-point	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape	L-shape
	Dial	Spy Proof	Spy Proof	Spy Proof	Front Read	Front Read	Front Read	Front Read	Front Read	Front Read	Front Read	Spy Proof	Front Read	Front Read	Front Read	Spy Proof	Spy Proof
	Velour Interior	Desert Suede	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	N/A
	Pin-dot Interior	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	N/A	N/A	N/A	N/A	N/A

* Outside Dimension

Adaptable Interiors


Adjustable and removable shelving is included in all models, providing you with the convenience of converting your interior to meet your needs.

Models 7240,
60406040W




12-18-24-30-42**

Opt. for Models
7240, 6040




58 Gun

Models
603021, 6032




8-14-22*

Model
6032W




8-14-22*

Models SE6831, 6030
RE/RF6528, 6031




8-14-22*

Model 5924



8-8-16*

Model 6022




6-8-14*

Optional for
all models




All Purpose 4 Shelf

Model 5517



11 Gun


Model HC1854



8 Gun

* Includes Cover Plate that allows for shelf storage on either side of the safe.

**Includes 2 Cover Plates.



American Security Products
11925 Pacific
Fontana, CA 92335

I purchased a 300# gun safe by American Security Products in early September of this year. On the 30th of that same month, my home was broken into and we lost approximately \$10,000 worth of personal belongings.

The good news is that many of our valuables, including my guns, were not taken -- thanks to your safe. I had it lag bolted through the floor and, of course, locked. The thieves attempted to pry the door with some object and were successful in only scratching some paint. I'm very fortunate to have purchased this safe only weeks before, and believe me, it has paid for itself -- plus! My only regret is that I didn't buy the largest safe available, so that I could store even more items.

Paul Hopkins
Satisfied Customer

***It's a Once in a Lifetime Decision.
Make Sure it's the Right One.***

American Security

The Best in Design

AMERICAN SECURITY PRODUCTS COMPANY

11925 Pacific Avenue Fontana, CA 92337

(800) 421-6142

www.amsecusa.com

AMSEC reserves the right to update product as necessary.
AMSEC is not responsible for typographical errors