

Marlin[®]

Sporting
Firearms



2004



Big Bore Lever Action Rifles

NEW Model 1895RL in 480 Ruger/475 Linebaugh. Short, fast and hard-hitting, our new Model 1895RL lever action carbine is chambered for two of the world's most powerful handgun cartridges, making it an ideal companion to the big revolvers. If you're heading into the heavy brush after medium to large game animals, you simply can't find a more able companion. The 7 pound Model 1895RL features an 18½" barrel, a tubular magazine that holds six rounds of 480 Ruger or five of 475 Linebaugh, and a checkered pistol-grip American black walnut stock with ventilated recoil pad and swivel studs.

Model 1895M in 450 Marlin Working together, Marlin and Hornady Manufacturing developed a potent 45 caliber belted cartridge that is an upgrade of the classic 45/70 Government. It's the most powerful cartridge ever offered in a Marlin lever action rifle. We've harnessed all this power into a compact 7 pound package. Like the Model 1895G Guide Gun, this Marlin lever action features an 18½" Ballard-type cut rifled barrel, a 4-shot tubular magazine, and a checkered straight-grip American black walnut stock with ventilated recoil pad and swivel studs.

Model 1895MR in 450 Marlin The smashing power of the formidable 450 Marlin belted cartridge is available in a full-size rifle with a 22" barrel, ensuring full 450 Marlin ballistics of 2100 feet-per-second with the 350 grain bullet. The Model 1895MR has a blued finish, an American black walnut pistol grip stock with fluted comb, cut checkering and a ventilated recoil pad. Sights include an adjustable semi-buckhorn folding rear, and ramp front sight with brass bead and Wide-Scan™ hood. The solid-top receiver is tapped for a scope mount, and the rifle comes complete with offset hammer spur, right or left hand, for scope use.

Model 1895G "Guide Gun" The hunter who's looking for plenty of power in a compact, stow-anywhere package will find the ideal solution in our Model 1895G. The mighty 45/70 Government cartridge has proven its worth on every species of large North American game from Maine to Alaska. This rugged lever action rifle weighs only 7 pounds, and features an 18½" barrel with Ballard-type cut rifling.

Model 1895GS The lever action 45/70 carbine that can take on any kind of game can also take on any kind of weather. Our best-selling Model 1895G Guide Gun is available in stainless steel. The receiver, barrel and all major metal parts are machined from stainless steel, and most other metal parts are nickel-plated. It features an 18½" stainless steel barrel with Ballard-type cut rifling, a 4-shot tubular magazine, an adjustable semi-buckhorn folding rear sight and ramp front sight with brass bead and Wide-Scan™ hood. The stock is American black walnut with cut checkering and a ventilated recoil pad.

The Classic Model 1895 This is the tried and true configuration of this famous 45/70 rifle. It features a 22" barrel with deep-cut Ballard-type rifling and an American black walnut pistol grip stock with cut checkering and swivel studs.

Model 444 A big bore favorite that combines the power of the big 444 Marlin cartridge—which generates nearly 1½ tons of muzzle energy—with the quick and super-smooth Marlin lever action system. Its 22" barrel makes the 444 a real joy to handle, no matter what the conditions.



*NEW Model 1895RL
(Available second half of 2004)*



Model 1895M in 450 Marlin



Model 1895MR in 450 Marlin

Ideal for: Deer 

Black Bear 

Larger Game 

Specifications

(Subject to change without notice)

Model	1895RL	1895M	1895MR	1895G	1895GS	1895	444
Caliber	480 Ruger/ 475 Linebaugh	450 Marlin	450 Marlin	45/70 Gov't.	45/70 Gov't.	45/70 Gov't.	444 Marlin
Capacity	6-shot (480 Ruger) or 5-shot (475 Linebaugh) tubular magazine	4-shot tubular magazine	4-shot tubular magazine	4-shot tubular magazine	4-shot tubular magazine	4-shot tubular magazine	5-shot tubular magazine
Action	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; stainless steel receiver; barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.
Stock	American black walnut pistol grip stock with fluted comb; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs.	American black walnut straight-grip stock; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs.	American black walnut pistol grip stock with fluted comb; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs.	American black walnut straight-grip stock; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs.	American black walnut straight-grip stock; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs.	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs.	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs.
Barrel	18½" (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	22" with deep-cut Ballard-type rifling (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	22" with deep-cut Ballard-type rifling (6 grooves).	22" with deep-cut Ballard-type rifling (6 grooves).
Twist Rate	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use.						
Length	37"	37"	40½"	37"	37"	40½"	40½"
Weight	7 lbs.	7 lbs.	7½ lbs.	7 lbs.	7 lbs.	7½ lbs.	7½ lbs.



Model 1895G "Guide Gun"



Model 1895GS



Model 1895



Model 444



Lever Action Centerfire Rifles

It's hard to think of a time when the Marlin lever action centerfire hasn't been regarded as *the* American hunting rifle. No ifs, ands or buts. For well over a century, these classics have been virtually synonymous with dependability, flawless performance and accuracy, at a reasonable price. The action, for example, is as smooth as any you've ever experienced. It's made with six machined steel forgings that are heat-treated for greater strength. There's a clean, flat, solid top receiver that not only keeps out rain, snow and debris, but also makes a perfect base for mounting a scope, low and centered. There's also true side ejection, instead of the "angle ejection" you'll find in some top-opening lever action rifles.

Model 336Y "SpikeHorn" Here's the first Marlin lever action to offer the proven deer-getting power of the 30/30 cartridge in a compact format, ideal as a woods gun and equally suited to the younger or smaller-statured hunter. Only 34" in length, featuring a 16½" Micro-Groove®-rifled barrel, it weighs just 6½ pounds. And the 336Y SpikeHorn features a short (12½" length of pull) American black walnut pistol grip stock with fluted comb and cut checkering. Sights include an adjustable semi-buckhorn folding rear, and ramp front sight with brass bead and Wide-Scan™ hood. The solid-top receiver is tapped for a scope mount, and the SpikeHorn comes complete with offset hammer spur, right or left hand, for scope use.

Model 336SS Foul weather won't faze this stainless version of our field-proven Model 336 in 30/30. Most of its major metal parts are machined from stainless steel forgings, others are nickel-plated. The American walnut pistol grip stock features classic cut checkering, and sights include an adjustable rear and ramp front sight with brass bead and removable Wide-Scan™ hood.

Model 336C Known for its rugged styling, pinpoint accuracy, and incredible dependability, this popular pistol grip carbine has a flat, solid top receiver and hammer block safety. The 336C has become one of the most popular rifles in North America. Its genuine American black walnut stock is enhanced with fine cut checkering. In addition to 30/30 Win., the 336C is also available in 35 Rem., a cartridge favored by many hunters because of its reputation as a hard-hitting brush-buster.

Model 336CC Many serious hunters favor this "stealth" version of Marlin's field-proven Model 336 30/30 Win. lever action rifle. Its hardwood stock features the best-selling Mossy Oak® "Break-Up™" camouflage pattern. Other features include a 20" Micro-Groove® barrel, 6-shot tubular magazine, swivel studs, and a receiver tapped for a scope mount.

Model 336W Created for the no-nonsense deer hunter, the Model 336W lever action has a 6-shot capacity, in 30/30 Win. The 20" Micro-Groove® barrel features adjustable rear and bead front sights, and the receiver is tapped for a scope mount. It features a gold-plated steel trigger and a blued steel barrel band. The walnut finished hardwood stock has cut checkering and comes with swivels and a padded nylon sling.

Model 336A A gutsy, no-frills 30/30 with classic styling, a 6-shot tubular magazine and 20" Micro-Groove® barrel, the 336A has a lot of the same features as the 336C, but at an even more attractive price. Its hardwood stock has cut checkering and swivel studs.



Model 336Y "SpikeHorn"



Model 336SS

Ideal for: Deer 

Black Bear 

Specifications

(Subject to change without notice)

Model	336Y	336SS	336C	336CC	336W	336A
Caliber	30/30 Win.	30/30 Win.	30/30 Win. or 35 Rem.	30/30 Win.	30/30 Win.	30/30 Win.
Capacity	5-shot tubular magazine	6-shot tubular magazine	6-shot tubular magazine	6-shot tubular magazine	6-shot tubular magazine	6-shot tubular magazine
Action	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; gold-plated steel trigger; hammer block safety.	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.
Stock	American black walnut pistol grip stock with fluted comb; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; blued steel barrel band with integral swivel stud. (Length of pull - 12½")	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; nickel-plated swivel studs.	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; blued steel barrel band with integral swivel stud.	Hardwood with pistol grip and Mossy Oak® "Break-Up™" camouflage pattern; blued steel barrel band with integral swivel; hard rubber butt plate.	Walnut finished cut-checkered hardwood with pistol grip; tough Mar-Shield® finish; blued steel barrel band with integral swivel; padded nylon sling; hard rubber butt plate.	Walnut finished cut-checkered hardwood with pistol grip; tough Mar-Shield® finish; swivel studs; hard rubber butt plate; blued steel fore-end cap.
Barrel	16½" with Micro-Groove® rifling (12 grooves).	20" stainless steel with Micro-Groove® rifling (12 grooves).	20" with Micro-Groove® rifling (12 grooves).	20" with Micro-Groove® rifling (12 grooves).	20" with Micro-Groove® rifling (12 grooves).	20" with Micro-Groove® rifling (12 grooves).
Twist Rate	1:10" r.h.	1:10" r.h.	30/30 Win. - 1:10" r.h. 35 Rem. - 1:16" r.h.	1:10" r.h.	1:10" r.h.	1:10" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use.			Screw-adjustable open rear, brass bead front sight with Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use.		
Length	34"	38½"	38½"	38¼"	38¼"	38¼"
Weight	6½ lbs.	7 lbs.	7 lbs.	7 lbs.	7 lbs.	7 lbs.



Model 336C



Model 336CC



Model 336W



Model 336A



Model 1894 Centerfire Rifles

Our Model 1894's are based on an idea that made sense on the western frontier and still makes sense today: carry the same cartridge for your rifle and revolver, and you simplify your life. That's why you'll find a Model 1894 in a chambering that's right for your kind of shooting...from the ever-popular 38 Special to the mighty 44 Magnum. They all carry on the Marlin tradition of rugged reliability, superb accuracy and flawless performance.

Model 1894PG Reminiscent of the sporting lever action rifles of an earlier era, this elegant short rifle in 44 Magnum/44 Special features a 20" barrel with Ballard-type rifling, an American black walnut pistol grip stock with fluted comb, cut checkering and a rubber rifle butt pad. Sights include an adjustable semi-buckhorn folding rear, and ramp front sight with brass bead and Wide-Scan™ hood. The solid-top receiver is tapped for a scope mount, and the rifle comes complete with offset, right or left hand, hammer spur for scope use.

Model 1894FG Enthusiastic supporters of the 41 Magnum urged us to return a lever action carbine in that caliber to our line. The 1894FG offers the ideal combination of classic contours with a potent and easy-shootin' caliber. The American black walnut pistol grip stock features cut checkering, rubber rifle butt pad and sling swivel studs. The Micro-Groove® 20" round barrel is equipped with an adjustable semi-buckhorn rear sight and Wide-Scan™ hooded ramp front sight.

Model 1894SS Any weather is ideal weather for an outing with this stainless steel 44 Magnum/44 Special rifle. The 1894SS is a brush buster that spits out 10 fast shots with incredible knock-down power (in 44 Mag.), making it a favorite for deer and black bear. The stainless steel finish is complemented by a cut-checked American black walnut straight-grip stock. Deep-cut Ballard-type rifling maximizes accuracy with both jacketed and cast bullets.

Model 1894C Chambered for 357 Mag./38 Spl., the 1894C is the natural sidekick to the 357 Magnum or 38 Special revolver. An 18½" barrel with deep-cut Ballard-type rifling, and superb balance, together with six machined solid steel forgings and a checkered American black walnut straight-grip stock, make this an extremely quick-handling little carbine.



Model 1894PG

Model 1894FG

Ideal for: **Targets**
all models



Varmints
all models



Deer
44 Mag.



Black Bear
44 Mag.



Specifications

(Subject to change without notice)

Model	1894PG	1894FG	1894SS	1894C
Caliber	44 Rem. Magnum/ 44 S&W Special	41 Rem. Magnum	44 Rem. Magnum/ 44 S&W Special	357 Mag./38 Spl.*
Capacity	10-shot tubular magazine	10-shot tubular magazine	10-shot tubular magazine	9-shot tubular magazine
Action	Lever action; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety.	Lever action; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety.	Lever action with squared finger lever; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety.	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety.
Stock	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish. Blued steel fore-end cap; swivel studs.	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish. Blued steel fore-end cap; swivel studs.	Straight-grip American black walnut; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; nickel-plated steel fore-end cap and swivel studs.	Straight-grip American black walnut; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs.
Barrel	20" with deep-cut Ballard-type rifling (6 grooves).	20" with Micro-Groove® rifling (12 grooves).	20" with deep-cut Ballard-type rifling (6 grooves).	18½" with deep-cut Ballard-type rifling (6 grooves).
Twist	1:38" r.h.	1:20" r.h.	1:38" r.h.	1:16" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use.			
Length	37½"	37½"	37½"	36"
Weight	6½ lbs.	6½ lbs.	6 lbs.	6 lbs.

* Consult Owner's Manual for details on ammunition use.



Four safety features: Every Marlin centerfire lever action has these safety features:

- (1) **Two-piece firing pin.** The rear section of the pin drops out of alignment with the front until the locking bolt is fully engaged.
- (2) **Trigger block.** This device prevents the trigger from being pulled until the lever is closed.
- (3) **Half cock hammer position.** This is the traditional lever action hammer safety position.
- (4) **Hammer block safety.** When engaged, it prevents the hammer from striking the firing pin, even if the trigger is pulled.



Model 1894SS



Model 1894C



Lever Action Cowboy Rifles

Model 1894 Cowboy Competition Carbine For serious Cowboy Action shooting competitors or anyone who wants a lightning-fast carbine, our 1894 Cowboy Competition is the perfect choice. This model is chambered in 38 Special and 45 Colt. It is “factory-tuned” to meet the demands of competitive shooters, and features a 20” octagon barrel for quick sight alignment, and a western-style straight-grip walnut stock. Sights are traditional Marble adjustable semi-buckhorn rear and Marble carbine front. The receiver, bolt, trigger guard plate and lever of the 38 Special are color case-hardened for an authentic 19th Century look. (The 45 Colt has a blued bolt.) To accommodate tang sight installation, the serial number is located on the left side of the receiver.

NEW Model 1894CB in 32 H&R Magnum. For Cowboy Action Shooters who love the sport but would appreciate a lot less recoil, the new Model 1894CB-32 lever action carbine fills the bill. It’s chambered for the low-recoil 32 H&R Magnum cartridge, which still has more than enough power for metal Cowboy targets. It’s also been designed to have a 10% shorter lever throw for added speed. It will also appeal to small game hunters and plinkers looking for a low recoil, low report center-fire rifle. It features convenient loading through a port in the tubular magazine, just like our all-time classic Model 39A rimfire rifle. Weighing in at only 6½ lbs, the 1894CB-32 has a 20” octagonal barrel. The tubular magazine holds a full ten rounds, and the American black walnut straight-grip stock features a hard rubber butt plate. To accommodate tang sight installation, the serial number is located on the left side of the receiver.

Model 1894 Cowboy This handsome rifle, available in 45 Colt, 357 Mag./38 Spl. and 44 Mag./44 Spl., has become the standard by which cowboy rifles are judged. From its elegant tapered octagon barrel, with deep-cut Ballard-type rifling, to its straight-grip walnut stock and squared finger lever, this rifle is pure Old West. To accommodate tang sight installation, the serial number is located on the left side of the receiver.

Model 1895 Cowboy For top performance in those tough long-range events, the Model 1895 Cowboy is a must for Cowboy Action Shooters. It’s also an ideal big game rifle for hunters who appreciate the nostalgia of 19th Century-style firearms. This authentically Old Western-styled 45/70 features a 26” tapered octagon barrel with deep-cut Ballard-type rifling, 9-shot tubular magazine, adjustable Marble semi-buckhorn rear and Marble carbine front sight. The American black walnut stock has a straight-grip, a hard rubber butt plate and a blued steel fore-end cap. To accommodate tang sight installation, the serial number is located on the left side of the receiver.

Model 336 Cowboy For Cowboy Shooters who want a long-range rifle, we deliver the goods. And for deer hunters who appreciate the history and nostalgia of toting an octagon barreled, straight-grip rifle, this is the perfect choice. Our Model 336 Cowboy lever action in classic 38/55, fits the Old West image. It features a 24” tapered octagon barrel with deep-cut Ballard-type rifling, a full-length magazine, and a straight-grip walnut stock. To accommodate tang sight installation, the serial number is located on the left side of the receiver.



*Model 1894 Cowboy Competition
38 Special*



*Model 1894 Cowboy Competition
45 Colt*



*NEW Model 1894 Cowboy
32 H&R Magnum*

Ideal Targets
for: all models



Varmints
32 H&R Mag.
45 Colt
357 Mag./38 Spl.
44 Mag./44 Spl.



Deer
44 Mag.
45/70 Gov't.
38/55 Win.



Black Bear
44 Mag.
45/70 Gov't.
38/55 Win.



Larger Game
45/70 Gov't.



Specifications

(Subject to change without notice)

Model	1894CBC	1894CBC	1894 Cowboy	1894 Cowboy	1895 Cowboy	336 Cowboy
Caliber	38 Special*	45 Colt	32 H&R Magnum	45 Colt 357 Mag./38 Spl.* 44 Mag./44 Spl.	45/70 Gov't.	38/55 Win.
Capacity	10-shot tubular magazine	10-shot tubular magazine	10-shot tubular magazine	10-shot tubular magazine	9-shot tubular magazine	8-shot tubular magazine
Action	Lever action with squared finger lever; side ejection; color case-hardened receiver, bolt, trigger guard plate and lever; solid top receiver; hammer block safety.	Lever action with squared finger lever; side ejection; color case-hardened receiver, trigger guard plate and lever; blued bolt; solid top receiver; hammer block safety.	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety.	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety.		
Stock	Straight-grip American black walnut; hard rubber butt plate; tough Mar-Shield® finish; blued steel fore-end cap.					
Barrel	Tapered octagon with deep-cut Ballard-type rifling (6 grooves).	Tapered octagon with deep-cut Ballard-type rifling (6 grooves).	Tapered octagon (6 grooves).	Tapered octagon with deep-cut Ballard-type rifling (6 grooves).	Tapered octagon with deep-cut Ballard-type rifling (6 grooves).	Tapered octagon with deep-cut Ballard-type rifling (6 grooves).
Twist Rate	1:16" r.h.	1:16" r.h.	1:38" r.h.	357 Mag./38 Spl. and 45 Colt - 1:16" r.h. 44 Mag./44 Spl. - 1:38" r.h.	1:20" r.h.	1:18" r.h.
Sights	Adjustable Marble semi-buckhorn rear, Marble carbine front sight. Offset hammer spur (right or left hand) for scope use. Serial number is on left side of receiver, instead of tang, allowing custom installation of a tang sight by a competent gunsmith.		Adjustable Marble semi-buckhorn rear, Marble carbine front sight. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use. Serial number is on left side of receiver, instead of tang, allowing custom installation of a tang sight by a competent gunsmith.			
Length	37½"	37½"	37½"	37½"	43½"	41½"
Weight	6½ lbs.	6½ lbs.	6½ lbs.	6½ lbs.	8 lbs.	7½ lbs.

*Consult Owner's Manual for details on ammunition use.



Model 1894 Cowboy
45 Colt, 357 Mag./38 Spl. or 44 Mag./44 Spl.



Model 1895 Cowboy



Model 336 Cowboy

"Tequila", five-time Modern Class World Champion, has used Marlin rifles in chalking up all of his victories.





Lever Action Shotgun

The Marlin Model 410 shotgun is a reintroduction of a model made in the 1920's. It's an updated version of the original Model 410, a lever action 410 shotgun, and is built around the proven 336 action.

The Model 410 has a 22" cylinder bore barrel, and a 4-shot (5 with some brands) tubular magazine. It's chambered for all 2½"

shells (only), including rifled slugs, and is an ideal shotgun for small game and pests. Sights include a folding open rear, and a green fiber-optic front sight. The receiver is drilled and tapped for a scope base. Its walnut stock features a pistol grip, cut checkering, a blued steel fore-end cap, and rubber butt pad.



Model 410



Green fiber-optic front sight.

Ideal for: *Targets* 

Small Game 

Varmints 

Specifications

(Subject to change without notice)

Model	410
Gauge	410 bore, 2½"
Capacity	4-shot (5 with some brands) tubular magazine
Action	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety.
Stock	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; blued steel fore-end cap.
Barrel	22" with cylinder bore
Sights	Folding open rear, green fiber-optic front sight.
Length	40½"
Weight	7¼lbs.



Lever Action 22 Rifle

Model 39A The incomparable Marlin Golden 39A represents the oldest shoulder firearm design still being made anywhere in the world. In fact, the 39's great grandfather, the Model 1891, was the first repeating rifle to be chambered for the 22 Long Rifle cartridge.

And over the years, Marlin 22's have become legendary among people who know rifles. The fact is, the Model 39 is still the standard by which all other 22 sporting rifles are judged. Understandable when you consider the clean, flat, solid top receiver, and an action machined from solid steel forgings, which are then heat-treated for greater strength.

The Model 39A also features a rebounding hammer, a hammer block safety, and it disassembles in seconds with only a coin. And the stock is crafted from genuine American black walnut and features fine cut-checkering. Thanks to Micro-Groove® rifling, a special process that produces less bullet distortion and a better gas seal, the 39A gives you the kind of accuracy most other 22's can't touch.



Model Golden 39A



Solid steel forgings:

The breech-bolt, hammer, trigger, lever and two-piece receiver are all carefully machined from solid steel forgings, then heat-treated for even greater strength and durability.

Ideal for: Targets  *Small Game*  *Varmints* 

Specifications

(Subject to change without notice)

Model	Golden 39A
Caliber	22 Short, Long or Long Rifle
Capacity	Tubular magazine, with patented closure system, holds 26 Short, 21 Long, or 19 Long Rifle Cartridges.
Action	Lever action; solid top receiver; side ejection; rebounding hammer; hammer block safety; one-step takedown; deeply blued metal surfaces; gold plated steel trigger.
Stock	Genuine American black walnut with fluted comb; cut checkering; full pistol grip and fore-end; blued steel fore-end cap; swivel studs; grip cap; rubber butt pad; tough Mar-Shield® finish.
Barrel	24" with Micro-Groove® rifling (16 grooves).
Twist Rate	1:16" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; scope adapter base; offset hammer spur (right or left hand) for scope use.
Length	40"
Weight	6½ lbs.

Self-Loading 22's with Tubular Magazines

Nobody in the world sells more self-loading 22 rifles than Marlin. In fact, we've made well over eleven million to date. And it's pretty easy to see why they're so popular, once you see what goes into them. Their simple, fast actions are known far and wide for uncompromising reliability, and their ability to stand up under the wide range of conditions you'll encounter when shooting or hunting.

Model 60 An economically priced rifle that's earned the title of "most popular 22 in the world." Since the Model 60 was introduced in 1960, it has continuously represented a great value. It has a 19" Micro-Groove® rifled barrel, cross-bolt safety, manual bolt hold-open and a patented automatic "last-shot" bolt hold-open, a safety feature that locks the bolt open after you've fired the last shot, allowing you to see into the open action. And with features such as its sleek walnut-finished laminated hardwood stock, a brass inner magazine tube, which completely eliminates the rust problems you come up against with steel tubes, and a precision-crowned muzzle for enhanced accuracy, it's easy to see why the Model 60 continues to be one of America's best selling rifles.

NEW Model 60DL. The ever-popular Model 60 is now available with an American hardwood Monte Carlo stock finished in Walnutone™, an amazingly tough coating that closely replicates the handsome colors and grain patterns of premium-grade walnut. The new Model 60DL features a 19" Micro-Groove® rifled barrel, cross-bolt safety, manual bolt hold-open and a patented automatic last-shot bolt hold-open.

Model 60C The world's most popular 22 rifle is also available with a camouflage stock. With features identical to the Model 60, the Model 60C comes with a hardwood Monte Carlo stock featuring the popular Mossy Oak® "Break-Up™" camouflage pattern.

Model 60SSK Here's the self-loading 22 rifle that earns its keep when the weather's not fit for man nor beast. The stainless steel Model 60SSK features a black fiberglass-filled synthetic stock with molded-in checkering and nickel-plated swivel studs. Like all Model 60's, it has a 14-shot tubular magazine, cross-bolt safety, manual bolt hold-open, and automatic "last-shot" bolt hold-open.

Model 60SS How do you improve upon the simplicity and reliability of the world's most popular 22 self-loader? We've given it the all-weather versatility of stainless steel. The barrel is made from stain- and corrosion-resistant stainless steel. Most other metal parts are nickel-plated. The deluxe 60SS features a 19" tack-driving Micro-Groove® barrel, 14-shot tubular magazine, positive cross-bolt safety, manual bolt hold-open, and our patented "last-shot" bolt hold-open, which locks the bolt open after the last shot is fired. The handsome Monte Carlo stock is crafted from a striking grey/black hardwood laminate, and sports a full pistol grip, swivel studs and a rubber rifle butt pad.

Model 60SB America's favorite self-loading 22 rifle also comes in weather-proof stainless steel, with a walnut finished laminated hardwood stock. The tubular magazine holds 14 Long Rifle cartridges. The adjustable semi-buckhorn rear sight is complemented by a ramp front sight with high-visibility post and cutaway Wide-Scan™ hood.



*Model 60
The world's most popular 22 rifle.*



*NEW Model 60DL
with Walnutone™ finish*



Model 60C



Model 60SSK

Ideal for: Targets



Small Game



Varmints



Specifications

(Subject to change without notice)

Model	60	60DL	60C	60SSK	60SS	60SB
Caliber	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only
Capacity	14-shot* tubular magazine with patented closure system.	14-shot* tubular magazine with patented closure system.	14-shot* tubular magazine with patented closure system.	14-shot* tubular magazine with patented closure system.	14-shot* tubular magazine with patented closure system.	14-shot* tubular magazine with patented closure system.
Action	Self-loading; side ejection; manual and automatic "last-shot" bolt hold-opens; receiver top has serrated, non-glare finish; cross-bolt safety.			Self-loading; side ejection; manual and automatic "last-shot" bolt hold-opens; cross-bolt safety; stainless steel barrel.		
Stock	Monte Carlo walnut finished laminated hardwood; full pistol grip; tough Mar-Shield® finish.	Monte Carlo hardwood with new Walnutone™ walnut pattern finish; full pistol grip.	Monte Carlo hardwood with Mossy Oak® "Break-Up™" camouflage pattern; full pistol grip.	Monte Carlo black fiberglass-filled synthetic with nickel-plated swivel studs and molded-in checkering	Monte Carlo laminated two-tone black/grey hardwood; full pistol grip; tough Mar-Shield® finish; rubber rifle butt pad; nickel-plated swivel studs.	Monte Carlo walnut finished laminated hardwood; full pistol grip; tough Mar-Shield® finish.
Barrel	19" with Micro-Groove® rifling (16 grooves).	19" with Micro-Groove® rifling (16 grooves).	19" with Micro-Groove® rifling (16 grooves).	19" with Micro-Groove® rifling (16 grooves).	19" with Micro-Groove® rifling (16 grooves).	19" with Micro-Groove® rifling (16 grooves).
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable open rear, ramp front sight. Receiver grooved for scope mount.			Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility post and cutaway Wide-Scan™ hood. Receiver grooved for scope mount.		
Length	37½"	37½"	37½"	37½"	37½"	37½"
Weight	5½ lbs.	5½ lbs.	5½ lbs.	5 lbs.	5½ lbs.	5½ lbs.

*If rifle is loaded with the bolt closed (which is not recommended and should not be done), the magazine will hold one more round.

** Laminated stocks are available as replacements for some current and previously manufactured Marlin 22's. Contact your dealer for details.



Cross-bolt safety. All Marlin 22 caliber self-loaders feature a convenient cross-bolt safety located in the rear of the trigger guard.



Brass inner magazine tube. All Marlin tube-loading 22's have brass inner magazine tubes. Unlike steel tubes, brass can't rust.



Automatic "last-shot" bolt hold-open. An important safety feature on all Marlin self-loading 22's, our patented automatic "last-shot" bolt hold-open locks the bolt open after the last shot has been fired, allowing the shooter to see into the open action.



Laminated Stocks.** The Models 60SS, 983S and 982L feature laminated hardwood stocks. In addition to their ruggedness and good looks, laminated stocks are noted for their stability through a wide range of temperature and moisture variations.



Model 60SS



Model 60SB



Self-Loading 22's with Clip Magazines

If you're looking for a rifle that gives you the flexibility of a removable clip magazine, at a reasonable price, Marlin has 22 self-loaders that are right on target. And right on the money.

Model 7000 The super-accurate Model 7000 features an 18" heavy target barrel, a black fiberglass-reinforced synthetic stock with molded-in checkering and swivel studs, a nickel-plated 10-shot clip magazine, and an automatic "last-shot" bolt hold-open. No sights are provided . . . it's built to be scoped. 1" scope ring mounts are provided.

Model 795 This rugged, economical 22 self-loader has the wide appeal that's made it a winner. The lightning-fast Model 795 features an 18" barrel, 10-shot nickel-plated clip magazine, and an automatic "last-shot" bolt hold-open. Its stock is black fiberglass-reinforced synthetic with molded-in checkering and swivel studs. It's fitted with an adjustable open rear sight and a ramp front sight.

Model 795SS Marlin has taken the popular Model 795 self-loader and replicated it in weather-beating stainless steel. The Model 795SS is designed and built to be an all-season favorite, with a virtually indestructible black fiberglass-reinforced polycar-

bonate stock with molded-in checkering and swivel studs. An 18" Micro-Groove® rifled barrel makes for optimum 22 Long Rifle accuracy.

Model 70PSS Stainless If you like to take a rifle with you when you're backpacking, boating, four-wheeling or just taking a hike, the Model 70PSS, with its 7-shot clip magazine, is a natural for you. You can take it apart or put it together in a matter of seconds. And, this all-weather version of the famous "Papoose" enjoys the versatility of stainless steel construction, combined with a rugged fiberglass-filled black synthetic stock. It's also equipped with an automatic "last-shot" bolt hold-open, as well as a manual hold-open. It comes in a padded carrying case with built-in flotation.



Model 795

Model 795SS

Ideal for: Targets 


Small Game 

Varmints 

Specifications

(Subject to change without notice)

Model	7000	795	795SS	70PSS
Caliber	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only
Capacity	10-shot nickel-plated clip magazine	10-shot nickel-plated clip magazine	10-shot nickel-plated clip magazine	7-shot nickel-plated clip magazine
Action	Self-loading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety.	Self-loading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety.	Self-loading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety; stainless steel barrel.	Self-loading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety; stainless steel barrel.
Stock	Monte Carlo black fiberglass-filled synthetic with swivel studs and molded-in checkering.	Monte Carlo black fiberglass-filled synthetic with swivel studs and molded-in checkering.	Monte Carlo black fiberglass-filled synthetic with nickel-plated swivel studs and molded-in checkering.	Monte Carlo black fiberglass-filled synthetic with abbreviated fore-end, nickel-plated swivel studs and molded-in checkering.
Barrel	18" heavy target barrel with Micro-Groove® rifling; recessed muzzle (16 grooves).	18" with Micro-Groove® rifling (16 grooves).	18" stainless steel with Micro-Groove® rifling (16 grooves).	16¼" stainless steel with Micro-Groove® rifling (16 grooves).
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	No sights provided, but receiver grooved for scope mount. 1" scope ring mounts provided.	Adjustable open rear, ramp front sight. Receiver grooved for scope mount.	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility post and cutaway Wide-Scan™ hood. Receiver grooved for scope mount.	Adjustable open rear, ramp front sight with high-visibility orange post; cutaway Wide-Scan™ hood. Receiver grooved for scope mount.
Length	37"	37"	37"	35¼"
Weight	5¼ lbs.	4½ lbs.	4½ lbs.	3¼ lbs.



Model 7000



Automatic "Last-Shot" Bolt Hold-Open.

In addition to a manual bolt hold-open, all Marlin self-loading rifles have a feature that holds the bolt open after the last shot has been fired.



Model 70PSS

The 70PSS is an easy-to-transport, quick takedown self-loading 22 you can take with you just about anywhere in its padded, floatable Cordura® carrying case.





22 Magnum Rifles – with the New T-900™ Fire Control System

At first glance, it's hard to tell these sleek, good-looking 22's aren't true "big game" rifles. With their Monte Carlo stocks, heft and balance, they are as close to a centerfire rifle as a 22 rimfire ever gets.

All models feature legendary Marlin Micro-Groove® barrels. Unlike conventional rifling, our exclusive Micro-Groove® rifling results in considerably less distortion of the bullet and a better gas seal, for unrivaled accuracy.

And just to make sure that every rifle we make is as accurate as we say it is, each one is sighted-in on our test range, and verified by closed circuit TV.

Model 983T If you're looking for a 22 Magnum bolt action rifle at a very attractive price, and with the toughness and stability of a fiberglass-reinforced polycarbonate stock, our Model 983T fills the bill. It features a 22" Micro-Groove® barrel and a 12-shot tubular magazine.

Model 983S This was the first stainless bolt action rifle with the Marlin name on it. The barrel is made with 400 Series stainless steel. Most other parts are either stainless steel or nickel-plated. The handsome Monte Carlo two-tone brown laminated stock is equipped with swivel studs and a rubber rifle butt pad. The rear sight is an adjustable folding semi-buckhorn, and the ramp front sight has a high visibility post and cutaway Wide-Scan™ hood. The 983S has a 22" barrel, featuring famous Micro-Groove® rifling, and a tubular magazine with a big 12-shot capacity.

Model 983 Similar to the 983S, the Model 983 has a traditional walnut stock with cut checkering, and a blued steel finish. It features a semi-buckhorn folding rear sight, and a ramp front sight with a brass bead and Wide-Scan™ hood.



Red Cocking Indicator. All Marlin bolt action models show a red dot on top of the striker knob when the firearm is cocked.



New for 2004, all 900 series Marlin bolt action rimfire rifles — in 22 Long Rifle, 22 WMR and 17 HMR — will be equipped with Marlin's new T-900™ Fire Control System. This innovative trigger and safety system features a wide, serrated finger-contact surface conducive to an easy pull, a noticeably improved and consistent trigger, a newly engineered easily activated safety, with positive SAFE and FIRE positions. Marlin designers and engineers have successfully incorporated this trigger and safety system into every bolt action rimfire rifle in our line.




Model	983T	983S	983
Caliber	22 Win. Magnum Rimfire	22 Win. Magnum Rimfire	22 Win. Magnum Rimfire
Capacity	12-shot tubular magazine	12-shot tubular magazine	12-shot tubular magazine
Action	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.
Stock	Monte Carlo black fiberglass-filled synthetic with swivel studs and molded-in checkering.	Monte Carlo laminated two-tone brown hardwood with nickel-plated swivel studs and rubber rifle butt pad; tough Mar-Shield® finish.	Monte Carlo genuine American black walnut with swivel studs; full pistol grip and classic cut checkering; rubber rifle butt pad; tough Mar-Shield® finish.
Barrel	22" with Micro-Groove® rifling (20 grooves).	22" stainless steel with Micro-Groove® rifling (20 grooves).	22" with Micro-Groove® rifling (20 grooves).
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable semi-buckhorn folding rear, ramp front sight with high visibility, orange front sight post; cutaway Wide-Scan™ hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and removable Wide-Scan™ front sight hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.
Length	41"	41"	41"
Weight	6 lbs.	6 lbs.	6 lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. Please refer to the back cover of this catalog.



New drilled and tapped receivers. For 2004, all Marlin bolt action rimfire rifles have receivers drilled and tapped for scope bases. See back cover for scope base information.



The potent 22 Magnum has a significantly flatter trajectory than the 22 Long Rifle, and far more muzzle velocity and energy.



Model 983T



Model 983S



Model 983

17 Magnum Rifles and 22 Magnum Rifles – with the New T-900™ Fire Control System

Model 917V Here's fast company for smallbore hunters. Our Model 917V was the blued steel launching platform for the 17 Hornady Magnum Rimfire. Firing a high-performance V-MAX boat-tail jacketed bullet, it generates at least 25% more muzzle velocity than the 22 Win. Mag. The Model 917V features a heavy 22" barrel, double bedding screws, and special inletting to enhance accuracy. It also has a 7-shot clip, and a rugged walnut finished hardwood Monte Carlo stock with sling swivel studs.

Model 917VS Varmints beware! The Marlin Model 917VS bolt-action repeater also chambers Hornady's hot 17 Magnum Rimfire cartridge, at a muzzle velocity of 2,500 fps, the fastest rimfire round ever. It fires a high-performance 17-grain V-MAX boat-tail jacketed bullet. This 7-shot, clip-fed rifle features a heavy 22" stainless barrel. The handsome grey/black hardwood laminate Monte Carlo stock is stable in the worst of weather, and comes complete with nickel-plated sling swivel studs.

Model 982S with Fire Sights® The ideal 22 Magnum bolt action for those shooters who thrive on nasty weather. The 7-shot, clip-fed 982S features a stainless steel barrel, with other parts either stainless steel or nickel-plated. The Monte Carlo stock is made of super-rugged black fiberglass-filled polycarbonate with handsome molded-in checkering and nickel-plated swivel studs.

Model 982L This rifle offers the features of the Model 982 with the addition of a super-tough laminated hardwood stock. Proven to be very stable, even in extreme temperature and moisture conditions, laminated stocks also have a dramatic appearance.

Model 982 The 982 Magnum sports a 7-shot clip magazine for quick loading and unloading. Other features include a thumb safety, 22" Micro-Groove® barrel and a genuine American black walnut stock with handsome cut checkering and swivel studs.

Model 982VS Here's a real treat for varmint hunters. The Model 982VS is a tack-driving stainless steel 22 Magnum bolt action repeater with a heavy 22" Micro-Groove® target barrel, anchored with double bedding screws. The 7-shot clip magazine is nickel-plated. We've fitted this rifle with a black fiberglass-reinforced synthetic stock with molded-in checkering and nickel-plated swivel studs.

Model 925M This economical 22 Magnum comes with a 7-shot clip magazine, and a Monte Carlo walnut finished hardwood stock with swivel studs.

Model 925MC The economical Model 925M 22 Magnum is also available with a camouflage stock. With features identical to the Model 925M, the Model 925MC comes with a hardwood Monte Carlo stock featuring the popular Mossy Oak® "Break-Up™" pattern.

Now all Marlin bolt action rimfire rifles feature the new T-900™ Fire Control System. (see page 16 for more details.)



Model 917V



Model 917VS



Model 982S with Fire Sights



Model 982L



Model 982

Ideal for: Targets



Small Game



Varmints



Specifications

(Subject to change without notice)

Model	917V	917VS	982S	982L	982	982VS	925M	925MC
Caliber	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire
Capacity	7-shot clip	7-shot nickel-plated clip	7-shot nickel-plated clip	7-shot clip	7-shot clip	7-shot nickel-plated clip	7-shot clip	7-shot clip
Action	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.
Stock	Monte Carlo walnut finished hardwood with swivel studs; full pistol grip; tough Mar-Shield® finish.	Monte Carlo laminated grey/black hardwood with nickel-plated sling swivel studs; full pistol grip; rubber rifle butt pad; tough Mar-Shield® finish.	Monte Carlo black fiber-glass-filled synthetic with nickel-plated swivel studs; full pistol grip and molded-in checkering.	Monte Carlo laminated two-tone brown hardwood with swivel studs; full pistol grip; rubber rifle butt pad; tough Mar-Shield® finish.	Monte Carlo genuine American black walnut with swivel studs; full pistol grip; classic cut checkering; rubber rifle butt pad; tough Mar-Shield® finish.	Monte Carlo black fiberglass-filled synthetic with nickel-plated swivel studs; full pistol grip and molded-in checkering.	Monte Carlo walnut finished hardwood with swivel studs; full pistol grip; tough Mar-Shield® finish.	Monte Carlo hardwood with Mossy Oak® “Break-Up™” camouflage pattern; full pistol grip; swivel studs
Barrel	Heavy 22" (4 grooves).	Heavy 22" stainless steel (4 grooves).	22" stainless steel with Micro-Groove® rifling (20 grooves).	22" with Micro-Groove® rifling (20 grooves).	22" with Micro-Groove® rifling (20 grooves).	Heavy 22" selected stainless steel with Micro-Groove® rifling and recessed muzzle. (20 grooves)	22" with Micro-Groove® rifling (20 grooves).	22" with Micro-Groove® rifling (20 grooves).
Twist Rate	1:9" r.h.	1:9" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included).	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included).	Adjustable rear, ramp front Fire Sights with high-visibility fiber-optic inserts; cutaway Wide-Scan™ hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ front sight hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ front sight hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included).	Adjustable open rear, ramp front sight. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable open rear, ramp front sight. Receiver grooved for scope mount; drilled and tapped for scope bases*.
Length	41"	41"	41"	41"	41"	41"	41"	41"
Weight	6 lbs.	7 lbs.	6 lbs.	6¼ lbs.	6 lbs.	7 lbs.	6 lbs.	6 lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. Please refer to the back cover of this catalog.



Model 982VS



Model 925M



Model 925MC



Bolt Action 22 Rifles – with the New T-900™ Fire Control System

Classic looks and loads of features.

These bolt action 22's have the styling and features you would expect from Marlin. Our receivers are machined from solid steel bars. What's more, the barrels of all Marlin 22 rifles have our exclusive Micro-Groove® rifling to give them superior accuracy. These rifles also feature a red cocking indicator that clearly appears on top of the striker knob whenever the rifle is cocked, and a safety with high visibility "FIRE" and "SAFE" positions. Bolt handles are shaped so that you can mount most 1" scopes.

Model 980V This heavy target barrel rifle was designed to meet the demand for a highly accurate "Squirrel Rifle". It has a 7-shot clip magazine and a black synthetic stock with swivel studs. Add a barreled action with double bedding screws and you have the ideal 22 repeater for difficult shots at squirrels, other small game, and varmints.

Now all Marlin bolt action rimfire rifles feature the new T-900™ Fire Control System. (see page 16 for more details.)



Model 980S This handsome bolt action repeater is crafted from stainless steel. It also features a rugged black synthetic stock, adding even more durability and weather resistance.

Model 981T If you prefer an economically priced, tube loading repeater with classic looks and features, the Model 981T is the perfect choice. It has a 22" Micro-Groove® barrel, and a black fiberglass-filled synthetic stock with swivel studs and molded-in checkering. And its full length magazine holds 25 Short, 19 Long or 17 Long Rifle cartridges.

Model 925 This clip-loading 22 rifle represents one of the best buys around in a bolt action repeater. It features an all-business hardwood stock with swivel studs, a 22" Micro-Groove® barrel and a 7-shot clip magazine.

Model 925C Based on the sturdy, economical Model 925, this 22 clip-fed bolt action rifle has everything you want. It comes with a 22" Micro-Groove® barrel and an adjustable rear sight. The Model 925C comes with a hardwood Monte Carlo stock featuring the popular Mossy Oak® "Break-Up™" camouflage pattern. Perfect for blending into the woods.



Model 980V



Model 980S



Ideal for: **Targets** 

Small Game 

Varmints 

Specifications

(Subject to change without notice)

Model	980V	980S	981T	925	925C
Caliber	22 Long Rifle only	22 Long Rifle only	22 Short, Long or Long Rifle	22 Long Rifle only	22 Long Rifle only
Capacity	7-shot clip magazine	7-shot nickel-plated clip magazine	Tubular magazine holds 25 Short, 19 Long or 17 Long Rifle cartridges.	7-shot clip magazine	7-shot clip magazine
Action	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator.
Stock	Monte Carlo black fiberglass-filled synthetic with full pistol grip, molded-in checkering and swivel studs.	Monte Carlo black fiberglass-filled synthetic with full pistol grip, nickel-plated swivel studs and molded-in checkering.	Monte Carlo black fiberglass-filled synthetic with full pistol grip, swivel studs and molded-in checkering.	Monte Carlo walnut finished hardwood stock with full pistol grip; tough Mar-Shield® finish; swivel studs.	Monte Carlo hardwood with Mossy Oak® "Break-Up™" camouflage pattern; full pistol grip; swivel studs.
Barrel	Heavy 22" selected Micro-Groove® with recessed muzzle (16 grooves).	22" stainless steel with Micro-Groove® rifling (16 grooves).	22" with Micro-Groove® rifling (16 grooves).	22" with Micro-Groove® rifling (16 grooves).	22" with Micro-Groove® rifling (16 grooves).
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included).	Adjustable semi-buck-horn folding rear; ramp front sight with high visibility, orange front sight post; cutaway Wide-Scan™ hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*.
Length	41"	41"	41"	41"	41"
Weight	7 lbs.	6 lbs.	6 lbs.	5½ lbs.	5½ lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. Please refer to the back cover of this catalog.



Model 925



Model 925C



Model 981T






22 Single Shot Rifles – with the New T-900™ Fire Control System

Model 915Y Beginning shooters start right with the Model 915Y 22 youth rifle. This single shot is scaled down for smaller frames, it cocks on opening, and features an easy-load feed ramp and a thumb safety that can be left engaged while loading and unloading.

Model 915YS Regardless of the weather, any day spent shooting with the grown-ups is a great day for a youngster. And here's a great beginners' single shot that can shrug off rain, snow and mud. The Model 915YS is the stainless steel version of our Model 915Y, with the same easy-load feed ramp and positive safety features. The Monte Carlo walnut-finished hardwood stock features a full pistol grip.

If you're looking for long-term value and dependability in a bolt action 22, you don't need to look any further.

Now all Marlin bolt action rimfire rifles feature the new T-900™ Fire Control System. (see page 16 for more details.)



Model 915Y



Model 915YS

Ideal for: Targets 

Small Game 

Varmints 

Specifications

(Subject to change without notice)

Model	915Y	915YS
Caliber	22 Short, Long or Long Rifle	22 Short, Long or Long Rifle
Capacity	Single Shot	Single shot
Action	Bolt action; easy-load feed ramp; thumb safety; red cocking indicator.	Bolt action; easy-load feed ramp; thumb safety; red cocking indicator.
Stock	Walnut finished hardwood Monte Carlo stock with full pistol grip; tough Mar-Shield® finish. (Length of pull-12").	Walnut finished hardwood Monte Carlo stock with full pistol grip; tough Mar-Shield® finish. (Length of pull-12").
Barrel	16¼" with Micro-Groove® rifling (16 grooves)	16¼" stainless steel with Micro-Groove® rifling (16 grooves)
Twist Rate	1:16" r.h.	1:16" r.h.
Sights	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*.	Adjustable rear, ramp front fiber-optic Fire Sights; cutaway Wide-Scan™ hood. Receiver grooved for scope mount; drilled and tapped for scope bases*.
Length	33¼"	33¼"
Weight	4¼ lbs.	4¼ lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. Please refer to the back cover of this catalog.

Cartridges

(All cartridges shown actual size)

22 Short



22 Long



22 Long Rifle



22 Win. Mag.



17 HMR



32 H&R Magnum



38 Special



357 Magnum



41 Rem. Mag.



44 S&W Special



44 Rem. Mag.



45 Colt



30/30 Win.



35 Rem.



38/55 Win.



444 Marlin



45/70 Gov't



475 Linebaugh



480 Ruger



450 Marlin



410 Shotshell



Caliber and Model Reference Chart

Caliber	Models	Refer to pages:
22 Short	39A	11
	981T	20 and 21
	915Y, 915YS	22
22 Long	39A	11
	981T	20 and 21
	915Y, 915YS	22
22 Long Rifle	39A	11
	60, 60DL, 60C, 60SSK, 60SS, 60SB	12 and 13
	7000, 795, 795SS, 70PSS	14 and 15
	980V, 980S, 981T, 925, 925C	20 and 21
	915Y, 915YS	22
22 Win. Mag. Rimfire	983T, 983, 983S	16 and 17
	982S, 982L, 982, 982VS, 925M, 925MC	18 and 19
17 HMR	917V, 917VS	18 and 19
32 H&R Magnum	1894 Cowboy	8 and 9
38 Special	1894C	6 and 7
	1894CBC, 1894 Cowboy	8 and 9
357 Magnum	1894C	6 and 7
	1894 Cowboy	8 and 9
41 Rem. Mag.	1894FG	6 and 7
44 Rem. Mag./44 S&W Special	1894PG, 1894SS	6 and 7
	1894 Cowboy	8 and 9
45 Colt	1894CBC, 1894 Cowboy	8 and 9
30/30 Win.	336Y, 336SS, 336C, 336CC, 336W, 336A	4 and 5
35 Rem.	336C	4 and 5
38/55 Win.	336CB	8 and 9
444 Marlin	444	2 and 3
45/70 Gov't.	1895G, 1895GS, 1895	2 and 3
	1895CB	8 and 9
450 Marlin	1895M, 1895MR	2 and 3
480 Ruger	1895RL	2 and 3
475 Linebaugh	1895RL	2 and 3
410 Shotshell	410	10

Marlin®

America's Favorite Riflemaker




Scope Mounting Bases

Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. To order, see your dealer, or visit our website at www.marlinfirearms.com.

Drilling and tapping of older bolt action models can be done by the Marlin Gun Service Department. Call 203-239-5621 for details.

Congressional Sportsmen's Foundation



The Congressional Sportsmen's Foundation serves as American sportsmen's link to Congress in order to ensure that current and future generations will have the right and opportunity to hunt, fish, and trap.

Governed by a Board of Directors comprised of industry and conservation leaders, the Congressional Sportsmen's Foundation educates Members of Congress, staff, and federal officials to better understand and represent their hunting, angling, and trapping constituents. In this way the CSF promotes legislation and policies favorable to conservation and responsible management of our nation's fish and wildlife resources.

To learn more about CSF activities and how to become a member, write: The Congressional Sportsmen's Foundation, 110 North Carolina Avenue, SE, Washington, DC 20003, Phone: (202) 543-6850, Fax: (202) 543-6853, or online: www.sportsmenslink.org.

Buffalo Bill Historical Center



The Cody Firearms Museum, one of four outstanding museums at the world-renowned Buffalo Bill Historical Center, is home to the world's most comprehensive assemblage of American arms, as well as European arms dating back to the 16th century. To see some of Marlin's finest and most historically significant firearms, visit the Buffalo Bill Historical Center in Cody, Wyoming. Call (307) 587-4771 for more information.



100 Kenna Drive, P.O. Box 248,
North Haven, CT 06473-0905
Tel. 203-239-5621
Reach us on the Internet:
www.marlinfirearms.com

The Comprehensive History of Marlin

Written by the late William S. Brophy, Marlin's Senior Technical Manager and Official Company Historian for many years, this prodigious book details the history of the Marlin Firearms Company and its products through 1990. The hardbound volume contains 696 pages and over 2,000 illustrations.



For more information, write to Marlin Firearms Co., 100 Kenna Dr., Dept. H, P.O. Box 248, North Haven, CT 06473-0905.

The Other Branch of the Family

In November of 2000, Marlin purchased the assets of H&R 1871, Inc., a Massachusetts-based manufacturer of shotguns and rifles.

Founded in 1871 (one year after Marlin), the original company started in a plant in Worcester, Massachusetts.

The company subsequently moved to Gardner, Massachusetts, and today employs over 200 people. Marketing its products under the brand names of Harrington & Richardson® and New England Firearms®, H&R 1871® is the largest manufacturer of single shot shotguns and rifles in the world.



Support Your Sport

If we are going to preserve cherished hunting and shooting traditions, we must all get involved in spreading the truth, as well as contributing time and money to worthwhile conservation organizations.

Join a sportsmen's club. Buy Duck Stamps. Write letters to editors. And join the NRA. Learn the advantages of National Rifle Association membership. Write: National Rifle Association, 11250 Waples Mill Road, Fairfax, VA 22030.



Marlin proudly supports the
Hunting & Shooting Sports Heritage Fund.

Safety Notes

Marlin firearms are packed and shipped with an Owner's Manual. To assure safe and proper use, you should read and understand it before you load and fire your firearm. If you do not get one with your firearm, write to us, giving the model number and serial number. Write: Owner's Manual, Marlin Firearms Co., 100 Kenna Dr., P.O. Box 248, North Haven, CT 06473-0905.

Marlin firearms are designed and manufactured to handle standard factory-loaded ammunition which conforms to SAAMI (Sporting Arms and Ammunition Manufacturers' Institute Inc.) standards with dependability and safety. Due to the many bullet and load options available, the element of judgement involved, the skill required, and the fact that serious injuries have resulted from dangerous handloads, Marlin does not make any recommendations with regard to handloaded ammunition.