



SHOTGUNS . p1

RIFLES & PISTOLS

PAGES

WSM & WSSM 32
BAR™ Rifles 34
A-Bolt Rifles 37
BLR Rifles 47
BL-22 & BL-17 50
SA-22..... 51
Buck Mark Rifles 52
Buck Mark Pistols 54
Centerfire Pistols 58

CUSTOM SHOP

PAGE 60

SAFES . p65
GUN CASES . p84
ACCESSORIES . p97
KNIVES . p123
LIGHTS . p138
CLOTHING . p142





WELCOME TO THE FAMILY

~ THE 325 WSM ~

We've done it again, in a very big way. Introducing the new 325 WSM in A-Bolt and BLR rifles. With its short-action design and high-velocity, heavy-hitting bullets, the 325 WSM just might be the ultimate North American big game hunting caliber. This newest WSM caliber bridges an important gap; featuring the flat trajectory of the 300 Win. and the powerful

knockdown punch of the long action 338 Win. Mag. — without the punishing recoil and additional rifle weight. The 325 WSM will be offered in three bullet weights: 180 grain, 200 grain and 220 grain. For hunters needing high velocity and serious knockdown power from one rifle, there is no need to look beyond a Browning rifle and the new 325 WSM.



WINCHESTER SHORT MAGNUM

The Winchester Short Magnum (WSM) cartridge concept proved that “magnum” doesn’t always mean bigger. It does, however, mean better.

When directly compared to conventional, long-action calibers, the 270 WSM, 7mm WSM and 300 WSM exceed (depending on bullet weight and type) the ballistics of the 270 Win., 7mm Rem. Mag. and 300 Win. Mag.

So what about the new 325 WSM? The 325 WSM stands alone, with no direct ballistic comparison to any long-action caliber, yet it fills an important niche, providing the trajectory of the 300 Win., with the knockdown power of the proven 338 Win. Mag. — both accomplished without the harsh recoil of the 338.

Moving beyond the obvious ballistic advantages of the WSM concept, there are also huge advantages in the rifles that fire these powerhouse cartridges. Most notably, WSM rifles are built on short-action configurations.

Prior to the WSM concept, short-action cartridges capable of high muzzle velocities did so with lightweight bullets and low downrange energy. To enter the realm of high velocity and heavy knockdown energy, beefed-up, belted magnum cartridges and heavy, long-action rifles were required. However, by introducing long-action, belted magnum ballistics to the world of

lightweight, short-action rifles, WSM calibers have effectively rewritten the rules that govern what a hard-hitting, high-velocity rifle can be. Rifles chambered in WSM calibers are simply lighter and faster handling than their long action counterparts thanks to the shorter, stiffer actions and barrels used. Recoil is also reduced thanks to the short, fat case which produces a more efficient powder burn.

Better ballistics and lighter, more efficient rifles create a package that can't be beat.



(Shown actual size.)

WINCHESTER SUPER SHORT MAGNUM

When light weight, high velocity and improved accuracy are called for, look no further than a Browning rifle chambered in a Winchester Super Short Magnum (WSSM) caliber. With velocities exceeding 4,000 feet per second and tight, clover-leaf groupings, the WSSM concept has earned a reputation for being both reliable and highly effective. Their performance has been well documented, with hunters, shooters and critics all lauding the accomplishments of this innovative design.

Inspired by high-velocity benchrest cartridges like the 6mm BR and 22 PPC, the 223 WSSM, 243 WSSM and the 25 WSSM calibers were introduced. Seemingly overnight, the way people hunted, shot and perceived magnum calibers changed. These fresh new calibers took the groundbreaking short magnum concept one step further, becoming some of the hottest, highest velocity production cartridges available.

The impressive speeds of the WSSM are achieved by putting a lightweight bullet on top of a short, fat, high-volume case. This basic concept resulted in muzzle velocities of 4,060 fps with the 243, up to 3,850 fps with the 223 and 3,470 fps with the 25. The short, fat shape of the WSSM cartridges produce a more uniform powder burn, providing consistent shot-to-shot velocity and better accuracy. Also, because the burn is so efficient, a shorter, stiffer 22" barrel is used to further reduce weight while maintaining accuracy.

To ensure consistent feed reliability, the WSSM cartridges, with their short 2.36" overall length, necessitated a shorter action. A lightweight, super-short action size was perfected for the A-Bolt rifle to accommodate the WSSM cartridges. The shorter-than-short, super-short action is stiffer, quicker cycling and lighter. All this equates to WSSM rifles that shoot straighter, faster, come to the shoulder quicker and are easier to carry all day long.

CALIBER	BULLET WEIGHT (GRAINS)	OVERALL CARTRIDGE LENGTH (INCHES)	MUZZLE VELOCITY (FPS)	TRAJECTORY AT 300 YDS (100 YD ZERO)	MUZZLE ENERGY (FT. LBS.)
Ballistics Comparison » 270					
270 WSM	130 grains	2.860"	3,275 fps	-9.02	3,096
270 Win.	130 grains	3.340"	3,050 fps	-10.89	2,685
270 Wby. Mag.	130 grains	3.295"	3,200 fps	-9.57	2,955
Ballistics Comparison » 7MM					
7mm WSM	140 grains	2.860"	3,225 fps	-9.33	3,233
7mm Rem. Mag.	140 grains	3.290"	3,100 fps	-10.16	2,987
Ballistics Comparison » 300					
300 WSM	180 grains	2.860"	2,970 fps	-11.8	3,526
300 Win. Mag.	180 grains	3.340"	2,960 fps	-11.8	3,503
300 H&H	180 grains	3.600"	2,880 fps	-13.2	3,316
Ballistics Comparison » 325					
325 WSM	180 grains	2.860"	3,060 fps	-10.6	3,743
300 Win. Mag.	180 grains	3.340"	2,960 fps	-11.8	3,503
325 WSM	200 grains	2.860"	2,950 fps	-11.5	3,866
338 Win. Mag.	200 grains	3.340"	2,950 fps	-11.9	3,864
Ballistics Comparison » 223					
223 WSSM	55 grains	2.360"	3,850 fps	-4.4	1,810
223 Rem. Mag.	55 grains	2.260"	3,240 fps	-10.3	1,282
22-250 Rem.	55 grains	2.350"	3,680 fps	-7.3	1,654
Ballistics Comparison » 243					
243 WSSM	55 grains	2.360"	4,060 fps	-3.9	2,013
243 WSSM	95 grains	2.360"	3,250 fps	-5.7	2,258
243 Win.	55 grains	2.710"	3,910 fps	-6.0	1,867
243 Win.	95 grains	2.710"	3,100 fps	-10.3	2,021
Ballistics Comparison » 25					
25 WSSM	115 grains	2.360"	3,060 fps	-10.6	2,392
25-06 Rem.	115 grains	3.250"	3,060 fps	-10.6	2,392


All specifications are approximate and subject to change depending on ammunition manufacturer, barrel length, specific load and conditions. For more ballistic details, visit the Winchester Ammunition website at: www.winchester.com



With that in mind, an A-Bolt WSSM with a super-short action may become the best benchrest rifle, varmint rifle and mountain rifle all rolled into one.



(Shown actual size.)



BAR

STILL THE NUMBER ONE AUTOLOADER.

As the first autoloader to offer magnum cartridge capability, the timeless BAR continues to offer a wide range of short- and long- action calibers, including three WSM calibers: 270 WSM, 7mm WSM and 300 WSM. In addition to caliber choices, the BAR is available in the Safari, Lightweight Stalker, ShortTrac™ and LongTrac™ configurations, making the BAR line the most versatile autoloader in the industry. And don't forget the reliable gas-operated action, the high-strength receivers and the bolt-action accuracy that has made the BAR legendary.

« SAFETY »

Ambidextrous cross bolt with enlarged head.

« TRIGGER »

Short, smooth, single stage trigger assembly can be easily removed for maintenance and cleaning. Enlarged trigger guard.

« SIGHTS »

Open sights on Lightweight Stalker only. Click adjustable rear sight. Front sight is a gold bead design dovetailed into a hooded ramp.

« MAGAZINE »

Detachable box magazine with a hinged floorplate.

« STOCK AND FOREARM »

The fluted stock design incorporates a full pistol grip with an undercut and is contoured for use with open sights or a scope. The forearm is full and hand-filling. LongTrac and ShortTrac stocks are easily adjustable using six shims. Sling swivel studs are installed in the stock and forearm.

« RECEIVER »

The Safari model uses a one-piece, ordnance steel receiver that is richly blued, with scroll engraving, and drilled and tapped for scope mounts. Stalker, ShortTrac and LongTrac models have an aircraft-grade aluminum alloy receiver, drilled and tapped for scope mounts. The bolt release lever is incorporated into the receiver.


« SAFETY LOCK »

All Browning firearms are shipped with a free trigger lock, padlock (shown) or chamber lock, depending on model, to assist in the safe storage of firearms.

« ACTION »

Gas-operated autoloader with an extra strong, multiple lug rotating bolt that locks directly into the barrel. Every cartridge loaded into the chamber of the BAR is surrounded by a recessed bolt face, which is encircled by the barrel which, in turn, is surrounded by the receiver. Three rings of steel surround the cartridge. A seven-lug bolt and precise breech-to-chamber relationship give the BAR exceptional accuracy and the strength to handle magnum cartridge loads. The strong and very rigid action bar/inertia block link-up improves accuracy by reducing barrel vibration. The buffering system reduces wear and stress on the rifle's mechanism.

«BOSS®» The Ballistic Optimizing Shooting System is available as an option on BAR Safari rifles. The BOSS allows you to fine tune your rifle's accuracy to surpass that of any other autoloader. See page 46 for more information regarding BOSS technology. «BOSS-CR» The BOSS-CR is available for all BOSS-equipped rifles and offers all the accuracy advantages of the original BOSS without the muzzle brake feature. «BARREL» Individually machined from hammer-forged, heat-treated billets of steel. The Lightweight Stalker includes open sights.




THE FAST TRACK TO ACCURACY: BAR SHORTTRAC™ AND LONGTRAC™ AUTOLOADING RIFLES

Handsome European styling and unique features have made the ShortTrac and LongTrac BAR rifles popular additions to the classic BAR line. Both models are quick, compact and easy to carry due to a high-strength, aircraft-grade aluminum alloy receiver and composite trigger guard and magazine floorplate. Barrels, produced by Fabrique Nationale in Belgium, are hammer-forged to ensure superior accuracy. The proven seven-lug rotary

bolt system engages tightly into the barrel, providing the same accuracy and strength trusted for decades. Both models have shim adjustable stocks to easily tailor your rifle to your particular dimensions. The ShortTrac is offered in 270 WSM, 7mm WSM, 300 WSM, 243 Win. and 308 Win. The LongTrac is offered in 270 Win., 30-06 Sprg., 7mm Rem. Mag. and 300 Win. Mag.

BAR SHORTTRAC AND BAR SHORTTRAC, WSM




[A]

CALIBERS: 270 WSM | 7mm WSM | 300 WSM | 243 WIN | 308 WIN » SATIN FINISH

With six shims to customize the stock, the ShortTrac is built to fit your shooting style. An alloy receiver with composite trigger guard and floorplate make for a lighter weight rifle. The hammer-forged barrel is built for optimum accuracy and the gas-operated action reduces recoil. Calibers include 270 WSM, 7mm WSM, 300 WSM, 243 Win. and 308 Win. The receiver is drilled and tapped for scope mounts.

BAR LONGTRAC



[B]

CALIBERS: 270 WIN | 30-06 SPRG | 7MM REM MAG | 300 WIN MAG » SATIN FINISH

The lightweight alloy receiver with composite trigger guard and floorplate make the LongTrac a perfect rifle for a day in the field. The hammer-forged barrel is built for optimum accuracy and the gas-operated action reduces recoil. Six shims come standard to customize the stock and create a better fitting, easier to shoot rifle. Calibers include 270 Win., 30-06 Sprg., 7mm Rem. Mag. and 300 Win. Mag. Drilled and tapped for scope mounts.



Both the ShortTrac and the LongTrac come with six shims to customize the drop at comb and cast on/off.

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROP AT COMB	DROP AT REEL	LENGTH OF PULL	RATE OF TWIST
A	BAR ShortTrac and BAR ShortTrac, WSM											
	243 Win.	22"	031-219211	\$885.00	5	6 lbs. 10 oz.	41½"	—	⅝"	1½"	13¼"	1 in 10"
	308 Win.	22"	031-219218	885.00	5	6 lbs. 10 oz.	41½"	—	⅝"	1½"	13¼"	1 in 12"
	270 WSM	23"	031-219248	965.00	4	7 lbs. 4 oz.	42½"	—	⅝"	1½"	13¼"	1 in 10"
	7mm WSM	23"	031-219249	965.00	4	7 lbs. 4 oz.	42½"	—	⅝"	1½"	13¼"	1 in 10"
	300 WSM	23"	031-219246	965.00	4	7 lbs. 4 oz.	42½"	—	⅝"	1½"	13¼"	1 in 10"
B	BAR LongTrac											
	270 Win.	22"	031-218224	885.00	5	6 lbs. 15 oz.	42"	—	⅝"	1½"	13⅝"	1 in 10"
	30-06 Sprg.	22"	031-218226	885.00	5	6 lbs. 15 oz.	42"	—	⅝"	1½"	13⅝"	1 in 10"
	7mm Rem. Mag.	24"	031-218227	965.00	4	7 lbs. 8 oz.	44"	—	⅝"	1½"	13⅝"	1 in 10"
	300 Win. Mag.	24"	031-218229	965.00	4	7 lbs. 8 oz.	44"	—	⅝"	1½"	13⅝"	1 in 10"

* Total capacity includes one round in the chamber.

** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.

*** Measured from centerline of bore.


BAR LIGHTWEIGHT STALKER



CALIBERS: SEE CHART BELOW FOR CALIBER LIST » NON-GLARE COMPOSITE FINISH

Rugged, lightweight and built to take on the abuse of any big game hunt, the Stalker features a weather-resistant synthetic stock and forearm and a gas-operated action that reduces recoil. The lightweight, aircraft-grade aluminum alloy receiver balances well in your hands and is a pleasure to carry in the field. Open sights are standard.

[C]



CALIBERS: SEE CHART BELOW FOR CALIBER LIST » GLOSS FINISH

Richly blued, one piece ordnance steel receiver with scroll engraving, along with the select walnut stock and forearm, add a touch of class to an already handsome rifle. The reliable gas-operated action reduces recoil and quickly cycles every round. Shown with optional BOSS® (scope, rings and base not included).

[D]

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROP AT COMB	DROP AT HEEL	LENGTH OF PULL	RATE OF TWIST
C BAR Lightweight Stalker												
243 Win.	20"	031-008111	\$883.00	5	7 lbs. 2 oz.	41"	16"	¾"	1 ½"	13 ¾"	1 in 10"	
308 Win.	20"	031-008118	883.00	5	7 lbs. 2 oz.	41"	16"	¾"	1 ½"	13 ¾"	1 in 12"	
270 Win.	22"	031-008124	883.00	5	7 lbs. 6 oz.	43"	17 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
30-06 Sprg.	22"	031-008126	883.00	5	7 lbs. 6 oz.	43"	17 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
270 WSM	23"	031-008148	964.00	3	7 lbs. 8 oz.	44"	18 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
7mm WSM	23"	031-008149	964.00	3	7 lbs. 8 oz.	44"	18 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
300 WSM	23"	031-008146	964.00	3	7 lbs. 8 oz.	44"	18 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
300 Win. Mag.	24"	031-008129	964.00	4	7 lbs. 12 oz.	45"	19 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
338 Win. Mag.	24"	031-008131	964.00	4	7 lbs. 12 oz.	45"	19 ½"	¾"	1 ½"	13 ¾"	1 in 10"	
D BAR Safari												
243 Win.	22"	031-001211	889.00	5	7 lbs. 6 oz.	43"	—	¾"	1 ½"	13 ¾"	1 in 10"	
308 Win.	22"	031-001218	889.00	5	7 lbs. 6 oz.	43"	—	¾"	1 ½"	13 ¾"	1 in 12"	
25-06 Rem.	24"	031-001223	889.00	5	7 lbs. 9 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	
270 Win.	22"	031-001224	889.00	5	7 lbs. 6 oz.	43"	—	¾"	1 ½"	13 ¾"	1 in 10"	
30-06 Sprg.	22"	031-001226	889.00	5	7 lbs. 6 oz.	43"	—	¾"	1 ½"	13 ¾"	1 in 10"	
7mm Rem. Mag.	24"	031-001227	972.00	4	8 lbs. 3 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	
300 Win. Mag.	24"	031-001229	972.00	4	8 lbs. 3 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	
338 Win. Mag.	24"	031-001231	972.00	4	8 lbs. 3 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	
BAR Safari w/ BOSS (Shown)												
270 Win.	22"	031-001324	988.00	5	7 lbs. 6 oz.	43"	—	¾"	1 ½"	13 ¾"	1 in 10"	
30-06 Sprg.	22"	031-001326	988.00	5	7 lbs. 6 oz.	43"	—	¾"	1 ½"	13 ¾"	1 in 10"	
270 WSM	23"	031-001348	1,071.00	3	8 lbs. 4 oz.	44"	—	¾"	1 ½"	13 ¾"	1 in 10"	
7mm WSM	23"	031-001349	1,071.00	3	8 lbs. 4 oz.	44"	—	¾"	1 ½"	13 ¾"	1 in 10"	
300 WSM	23"	031-001346	1,071.00	3	8 lbs. 4 oz.	44"	—	¾"	1 ½"	13 ¾"	1 in 10"	
7mm Rem. Mag.	24"	031-001327	1,071.00	4	8 lbs. 6 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	
300 Win. Mag.	24"	031-001329	1,071.00	4	8 lbs. 6 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	
338 Win. Mag.	24"	031-001331	1,071.00	4	8 lbs. 6 oz.	45"	—	¾"	1 ½"	13 ¾"	1 in 10"	

* Total capacity includes one round in the chamber.

** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.

*** Measured from centerline of bore.

NOTE: BOSS equipped rifles are measured with BOSS installed.

A-BOLT ABSOLUTE ACCURACY.

Count on being pleasantly surprised at the A-Bolt's accuracy — right out of the box. The A-Bolt will not require additional bedding, hours at the range or extensive sight/scope adjustment.

Its reputation has been built on accuracy, its future is many fulfilling days afield.

« SAFETY LOCK »

All Browning firearms are shipped with a free trigger lock, padlock (shown) or chamber lock, depending on model, to assist in the safe storage of firearms.

«MAGAZINE CAPACITY» Standard calibers: Four in magazine, one in chamber. Magnum calibers including the WSM and WSSM family: Three in magazine, one in chamber. Micro Hunter: Three in magazine, one in chamber. Capacity of 223 Rem. is up to five in magazine, one in chamber. «SIGHTS» A-Bolt rifles feature drilled and tapped receivers for the installation of scope mounts. Open sights are included on 375 H&H (including BOSS® models). «SLING SWIVELS» Medallion and White Gold Medallion: 1" deluxe sling swivels furnished. All other models: Michaels post-type swivel studs (swivels not included). «BOSS» (Ballistic Optimizing Shooting System) Optional on all A-Bolts except Hunter, Varmint, Mountain Ti and Micro Hunter models. «BOSS-CR» This accessory is included with all BOSS-equipped A-Bolt rifles and offers all the accuracy advantages of the original BOSS without the muzzle brake feature. «BARREL» The barrel is free floating and glass bedded at the recoil lug and rear of the receiver. This maintains the proper spacing around the barrel and provides consistent accuracy. Recessed muzzle. Barrel lengths range from 20" on Micro models to 26" on some magnum rifles. Triple checked for interior finish, straightness and uniformity.

« BOLT ACTION »

With a 60° throw, the bolt utilizes a non-rotating bolt sleeve that runs the entire length of the bolt. When unlocked, three guide ribs on the bolt sleeve align with the three locking lugs to allow the bolt to slide smoothly. When locked, these three lugs provide massive bolt strength. The A-Bolt feeds very smoothly because of its unique, patented cartridge depressor. The cartridge depressor stays in position, independent of bolt rotation, as the bolt slides gently over the cartridges in the magazine.

The bolt face is also recessed, completely surrounding the cartridge base for strength.



« TRIGGER »

Chrome-plated trigger sear for cleaner, crisper trigger pull. Screw adjustable. Pre-set at approximately 4 lbs.

« MAGAZINE »

Hinged floorplate with detachable box magazine makes it simple and fast to load a spare magazine.

« SAFETY »

Top-tang, thumb-operated safety can be actuated without changing from a shooting grip.

« PERSONALIZED ENGRAVING »

To give the A-Bolt a personalized touch, your name may be engraved on the bolt sleeve or body of the rifle. Call 1-800-333-3288.



A-BOLT ACCURACY — THE REST IS UP TO YOU.

The value of a rifle hinges upon its accuracy. No other feature can compensate for the quality of groups a rifle can shoot. That's why A-Bolt rifles are designed, engineered, configured and inspected with accuracy as the foremost thought. Free floating, button-pulled rifled barrels, glass-bedded actions, recessed muzzle crowns and an extensive inspection process for a barrel's interior finish, straightness and uniformity ensure each A-Bolt produced will meet your expectations for accuracy. The A-Bolt rifle provides accuracy you can count on time after time, season after season, year after year.



[A]


A-BOLT MOUNTAIN TI



» MOSSY OAK® NEW BREAK-UP® CAMO WITH DURA-TOUCH® FINISH

CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM | 270 WSM | 7MM WSM | 300 WSM

At 5 lbs., 8 oz. for WSM calibers and 5 lbs., 6 oz. for WSSM calibers, this tough rifle is easy to carry. Weight is reduced with a rugged titanium receiver and composite bolt sleeve. The bolt locks into a hardened steel barrel extension for uncompromising strength, and the stainless steel barrel resists corrosion. The weather-resistant, lightweight fiberglass Bell and Carlson stock helps absorb recoil and is finished in Mossy Oak® New Break-Up® camo and features Dura-Touch® Armor Coating. A Pachmayr® Decelerator® pad tames recoil.




[B]

A-BOLT HUNTER, WSSM



CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM » SATIN FINISH

This super-short action rifle is chambered for the hottest and shortest calibers on the market. 223 and 243 WSSM models feature chrome-lined barrels. A walnut, classic-style stock with pistol grip and fore-end checkering fit perfectly in your hands and the 60-degree bolt throw makes for fast cycling. Compact dimensions make this an ideal mountain rifle and great for smaller shooters.



[C]

A-BOLT HUNTER FLD, WSSM



CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM » SATIN FINISH

This special short action rifle is available from Full Line and Medallion Dealers only. The low-luster bluing and select walnut Monte Carlo stock with right-hand palm swell accented with double-bordered checkering combine good looks with exceptional handling. 223 and 243 WSSM models feature durable chrome-lined barrels.



MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	STOCK - RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROOP AT COMB	DROOP AT HEEL	LENGTH OF PULL	RATE OF TWIST
A A-Bolt Mountain Ti												
NEW*	223 WSSM	22"	035-038252	\$1,690.00	4	5 lbs. 4 oz.	41¼"	—	⅝"	½"	13¾"	1 in 10"
NEW*	243 WSSM	22"	035-038253	1,690.00	4	5 lbs. 4 oz.	41¼"	—	⅝"	½"	13¾"	1 in 10"
NEW*	25 WSSM	22"	035-038272	1,690.00	4	5 lbs. 4 oz.	41¼"	—	⅝"	½"	13¾"	1 in 10"
	270 WSM	23"	035-038248	1,669.00	4	5 lbs. 8 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	7mm WSM	23"	035-038249	1,669.00	4	5 lbs. 8 oz.	42¾"	—	⅝"	½"	13¾"	1 in 9½"
	300 WSM	23"	035-038246	1,669.00	4	5 lbs. 8 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
B A-Bolt Hunter, WSSM												
	223 WSSM	22"	035-013252	755.00	4	6 lbs. 5 oz.	41¼"	—	⅝"	½"	13⅝"	1 in 10"
	243 WSSM	22"	035-013253	755.00	4	6 lbs. 5 oz.	41¼"	—	⅝"	½"	13⅝"	1 in 10"
	25 WSSM	22"	035-013272	755.00	4	6 lbs. 5 oz.	41¼"	—	⅝"	½"	13⅝"	1 in 10"
C A-Bolt Hunter FLD, WSSM												
	223 WSSM	22"	035-017252	829.00	4	6 lbs. 5 oz.	41¼"	—	⅞"	1½"	13⅝"	1 in 10"
	243 WSSM	22"	035-017253	829.00	4	6 lbs. 5 oz.	41¼"	—	⅞"	1½"	13⅝"	1 in 10"
	25 WSSM	22"	035-017272	829.00	4	6 lbs. 5 oz.	41¼"	—	⅞"	1½"	13⅝"	1 in 10"

* Total capacity includes one round in the chamber.

** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.


*** Measured from centerline of bore.

A-BOLT HUNTER / HUNTER, LEFT-HAND



CALIBERS: SEE CHART BELOW FOR CALIBER LIST » SATIN FINISH

With a sporter-style walnut stock, the Hunter has the look and feel of a traditional bolt-action rifle. The low-luster bluing reduces glare and the free-floating barrel increases accuracy. A sleeved, anti-bind bolt with 60-degree throw make for a smooth operating action, and the top-tang safety is easy to operate. Available in a host of calibers, including the new 325 WSM.




[D]

A-BOLT MICRO HUNTER / MICRO HUNTER, LEFT-HAND



CALIBERS: SEE CHART BELOW FOR CALIBER LIST » SATIN FINISH

A classic-style walnut stock with smaller dimensions and a shorter length of pull is designed for smaller shooters. A shorter barrel also reduces weight. Offered in most popular short-action calibers, including the new 325 WSM.



[E]

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	**TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROP AT COMB	LENGTH OF PULL	RATE OF TWIST	
D A-Bolt Hunter												
	223 Rem., SSA‡	22"	035-034208	\$705.00	6	6 lbs. 4 oz.	41¼"	—	⅝"	1½"	13⅝"	1 in 12"
	22-250 Rem.	22"	035-013209	705.00	5	6 lbs. 7 oz.	41¾"	—	⅝"	1½"	13⅝"	1 in 14"
	243 Win.	22"	035-013211	705.00	5	6 lbs. 7 oz.	41¾"	—	⅝"	1½"	13⅝"	1 in 10"
	308 Win.	22"	035-013218	705.00	5	6 lbs. 7 oz.	41¾"	—	⅝"	1½"	13⅝"	1 in 12"
	7mm-08 Rem.	22"	035-013216	705.00	5	6 lbs. 7 oz.	41¾"	—	⅝"	1½"	13⅝"	1 in 9½"
	270 WSM	23"	035-013248	734.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 10"
	7mm WSM	23"	035-013249	734.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 9½"
	300 WSM	23"	035-013246	734.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 10"
NEW	325 WSM	23"	035-013277	734.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 10"
	25-06 Rem.	24"	035-013223	705.00	5	6 lbs. 12 oz.	44½"	—	⅝"	1½"	13⅝"	1 in 10"
	270 Win.	22"	035-013224	705.00	5	6 lbs. 11 oz.	42½"	—	⅝"	1½"	13⅝"	1 in 10"
	30-06 Sprg.	22"	035-013226	705.00	5	6 lbs. 11 oz.	42½"	—	⅝"	1½"	13⅝"	1 in 10"
	7mm Rem. Mag.	26"	035-013227	734.00	4	7 lbs. 3 oz.	46½"	—	⅝"	1½"	13⅝"	1 in 9½"
	300 Win. Mag.	26"	035-013229	734.00	4	7 lbs. 3 oz.	46½"	—	⅝"	1½"	13⅝"	1 in 10"
	338 Win. Mag.	26"	035-013231	734.00	4	7 lbs. 3 oz.	46½"	—	⅝"	1½"	13⅝"	1 in 10"
A-Bolt Hunter, Left-Hand (Shown)												
NEW	223 Rem., SSA‡	22"	035-043208	735.00	6	6 lbs. 4 oz.	41¼"	—	⅝"	1½"	13⅝"	1 in 12"
NEW	223 WSSM	22"	035-027252	785.00	4	6 lbs. 5 oz.	41¼"	—	⅝"	1½"	13⅝"	1 in 10"
NEW	243 WSSM	22"	035-027253	785.00	4	6 lbs. 5 oz.	41¼"	—	⅝"	1½"	13⅝"	1 in 10"
NEW	25 WSSM	22"	035-027272	785.00	4	6 lbs. 5 oz.	41¼"	—	⅝"	1½"	13⅝"	1 in 10"
	270 WSM	23"	035-027248	764.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 10"
	7mm WSM	23"	035-027249	764.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 9½"
	300 WSM	23"	035-027246	764.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 10"
NEW	325 WSM	23"	035-027277	764.00	4	6 lbs. 9 oz.	42¾"	—	⅝"	1½"	13⅝"	1 in 10"
E A-Bolt Micro Hunter												
	22 Hornet	22"	035-020206	684.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 16"
	22-250 Rem.	20"	035-020209	684.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 14"
	243 Win.	20"	035-020211	684.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 10"
	308 Win.	20"	035-020218	684.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 12"
	7mm-08 Rem.	20"	035-020216	684.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 9½"
	270 WSM	22"	035-020248	714.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 10"
	7mm WSM	22"	035-020249	714.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 9½"
	300 WSM	22"	035-020246	714.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 10"
NEW	325 WSM	22"	035-020277	714.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 10"
A-Bolt Micro Hunter, Left-Hand (Shown)												
	22 Hornet	22"	035-026206	714.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 16"
	22-250 Rem.	20"	035-026209	714.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 14"
	243 Win.	20"	035-026211	714.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 10"
	308 Win.	20"	035-026218	714.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 12"
	7mm-08 Rem.	20"	035-026216	714.00	4	6 lbs. 4 oz.	39½"	—	⅝"	1½"	13⅝"	1 in 9½"
	270 WSM	22"	035-026248	744.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 10"
	7mm WSM	22"	035-026249	744.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 9½"
	300 WSM	22"	035-026246	744.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 10"
NEW	325 WSM	22"	035-026277	744.00	4	6 lbs. 6 oz.	41½"	—	⅝"	1½"	13⅝"	1 in 10"

* Total capacity includes one round in the chamber.


** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.

*** Measured from centerline of bore.

† Super-short action.



A-BOLT HUNTER FLD




CALIBERS: 270 WSM | 7MM WSM | 300 WSM | 325 WSM » SATIN FINISH

The select walnut Monte Carlo stock, accented with double-bordered checkering, sets this A-Bolt apart from the rest. A right-hand palm swell makes for a comfortable grip and the low-luster bluing won't spook game. Available in all four WSM calibers, including the new 325.



[F]

A-BOLT STAINLESS STALKER, WSSM




CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM » NON-GLARE COMPOSITE FINISH

The A-Bolt Stainless Stalker WSSM is a super-short action rifle chambered for the hottest and shortest calibers on the market: 223, 243 and 25 WSSM. The stainless barrel and receiver, along with the composite stock, are weather-resistant. 223 and 243 WSSM models feature durable chrome-lined barrels.

[G]

A-BOLT STAINLESS STALKER/STAINLESS STALKER LEFT-HAND




CALIBERS: SEE CHART ON OPPOSITE PAGE FOR CALIBER LIST » NON-GLARE COMPOSITE FINISH

Weather-resistant, stainless steel barrel and action and non-glare, textured composite stock are designed to take on any condition. Also available in left-hand models and in the new 325 WSM.

[H]

A-BOLT STAINLESS STALKER WITH BOSS® / STALKER, LEFT-HAND WITH BOSS




CALIBERS: SEE CHART ON OPPOSITE PAGE FOR CALIBER LIST » NON-GLARE COMPOSITE FINISH

All BOSS-equipped rifles include the muzzle brake BOSS and the BOSS-CR (Conventional Recoil), which offers you standard recoil and muzzle blast while maintaining optimized accuracy. Also available in left-hand models.

[I]

A-BOLT VARMINT STALKER, WSSM



CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM » DURA-TOUCH® ARMOR FINISH

The Varmint Stalker is chambered for the hot 223, 243 and 25 WSSM calibers. 223 and 243 WSSM models feature chrome-lined barrels. The composite stock with Dura-Touch® Armor Coating improves the grip and overall feel of the rifle. Matte blued metal surfaces reduce glare and the medium-heavy varmint barrel increases accuracy. The stock features a slight right-hand palm swell for precise finger-to-trigger positioning.

[J]

A-BOLT VARMINT STALKER

DURA-TOUCH®
Armor Coating

CALIBERS: 223 REM | 22-250 REM » DURA-TOUCH® ARMOR FINISH

The rugged, non-glare composite stock with Dura-Touch® Armor Coating improves the grip and overall feel of the rifle. Matte blued metal surfaces reduce glare and the stock features a slight right-hand palm swell for precise finger-to-trigger positioning. A medium-heavy varmint barrel increases accuracy. (Scope, rings and bases not included.)



[K]



MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROP AT COMB	DROP AT FEEL	LENGTH OF PULL	RATE OF TWIST
F A-Bolt Hunter FLD												
	270 WSM	23"	035-017248	\$808.00	4	6 lbs. 9 oz.	42¾"	—	⅞"	1½"	13¾"	1 in 10"
	7mm WSM	23"	035-017249	808.00	4	6 lbs. 9 oz.	42¾"	—	⅞"	1½"	13¾"	1 in 9½"
	300 WSM	23"	035-017246	808.00	4	6 lbs. 9 oz.	42¾"	—	⅞"	1½"	13¾"	1 in 10"
NEW »	325 WSM	23"	035-017277	808.00	4	6 lbs. 9 oz.	42¾"	—	⅞"	1½"	13¾"	1 in 10"
G A-Bolt Stainless Stalker, WSSM												
	223 WSSM	22"	035-008252	947.00	4	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 10"
	243 WSSM	22"	035-008253	947.00	4	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 10"
	25 WSSM	22"	035-008272	947.00	4	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 10"
H A-Bolt Stainless Stalker (Shown)												
	223 Rem., SSA‡	22"	035-036208	897.00	6	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 12"
	243 Win.	22"	035-008211	897.00	5	6 lbs. 4 oz.	41¾"	—	⅝"	½"	13¾"	1 in 10"
	7mm-08 Rem.	22"	035-008216	897.00	5	6 lbs. 4 oz.	41¾"	—	⅝"	½"	13¾"	1 in 9½"
	308 Win.	22"	035-008218	897.00	5	6 lbs. 4 oz.	41¾"	—	⅝"	½"	13¾"	1 in 12"
	270 WSM	23"	035-008248	926.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	7mm WSM	23"	035-008249	926.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 9½"
	300 WSM	23"	035-008246	926.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
NEW »	325 WSM	23"	035-008277	926.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	25-06 Rem.	24"	035-008223	897.00	5	6 lbs. 14 oz.	44½"	—	⅝"	½"	13¾"	1 in 10"
	270 Win.	22"	035-008224	897.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	280 Rem.	22"	035-008225	897.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	30-06 Sprg.	22"	035-008226	897.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	7mm Rem. Mag.	26"	035-008227	926.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 9½"
	300 Win. Mag.	26"	035-008229	926.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 10"
	338 Win. Mag.	26"	035-008231	926.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 10"
	375 H&H (open sights)	26"	035-008132	926.00	4	7 lbs. 3 oz.	46½"	20"	⅝"	½"	13¾"	1 in 12"
A-Bolt Stainless Stalker, Left-Hand												
	270 Win.	22"	035-009224	925.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	30-06 Sprg.	22"	035-009226	925.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	7mm Rem. Mag.	26"	035-009227	954.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 9½"
	300 Win. Mag.	26"	035-009229	954.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 10"
	338 Win. Mag.	26"	035-009231	954.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 10"
	375 H&H (open sights)	26"	035-009132	954.00	4	7 lbs. 3 oz.	46½"	20"	⅝"	½"	13¾"	1 in 12"
I A-Bolt Stainless Stalker w/ BOSS												
	223 WSSM	22"	035-008352	1,027.00	4	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 10"
	243 WSSM	22"	035-008353	1,027.00	4	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 10"
NEW »	25 WSSM	22"	035-008372	1,027.00	4	6 lbs. 1 oz.	40½"	—	⅝"	½"	13¾"	1 in 10"
	270 WSM	23"	035-008348	1,006.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	7mm WSM	23"	035-008349	1,006.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 9½"
	300 WSM	23"	035-008346	1,006.00	4	6 lbs. 6 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	270 Win.	22"	035-008324	977.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	30-06 Sprg.	22"	035-008326	977.00	5	6 lbs. 11 oz.	42½"	—	⅝"	½"	13¾"	1 in 10"
	7mm Rem. Mag.	26"	035-008327	1,006.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 9½"
	300 Win. Mag.	26"	035-008329	1,006.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 10"
	338 Win. Mag.	26"	035-008331	1,006.00	4	7 lbs. 3 oz.	46½"	—	⅝"	½"	13¾"	1 in 10"
	375 H&H (open sights)	24"	035-008332	1,006.00	4	7 lbs.	44½"	13"	⅝"	½"	13¾"	1 in 12"
A-Bolt Stainless Stalker, Left-Hand w/ BOSS												
	270 Win.	22"	035-009324	1,005.00	5	6 lbs. 11 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	30-06 Sprg.	22"	035-009326	1,005.00	5	6 lbs. 11 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	7mm Rem. Mag.	26"	035-009327	1,034.00	4	7 lbs. 3 oz.	46¾"	—	⅝"	½"	13¾"	1 in 9½"
	300 Win. Mag.	26"	035-009329	1,034.00	4	7 lbs. 3 oz.	46¾"	—	⅝"	½"	13¾"	1 in 10"
	338 Win. Mag.	26"	035-009331	1,034.00	4	7 lbs. 3 oz.	46¾"	—	⅝"	½"	13¾"	1 in 10"
	375 H&H (open sights)	24"	035-009332	1,034.00	4	7 lbs.	44¾"	13"	⅝"	½"	13¾"	1 in 12"
J A-Bolt Varmint Stalker, WSSM												
	223 WSSM	24"	035-024252	913.00	4	7 lbs. 13 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	243 WSSM	24"	035-024253	913.00	4	7 lbs. 13 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
	25 WSSM	24"	035-024272	913.00	4	7 lbs. 13 oz.	42¾"	—	⅝"	½"	13¾"	1 in 10"
K A-Bolt Varmint Stalker												
	223 Rem., SSA‡	24"	035-037208	860.00	6	7 lbs. 13 oz.	42¾"	—	⅝"	½"	13¾"	1 in 12"
	22-250 Rem.	26"	035-024209	860.00	5	8 lbs. 3 oz.	45¾"	—	⅝"	½"	13¾"	1 in 14"

* Total capacity includes one round in the chamber.

** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate. *** Measured from centerline of bore.

‡ Super-short action. NOTE: BOSS equipped rifles are measured with BOSS installed.

A-BOLT COMPOSITE STALKER, WSSM




CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM » NON-GLARE COMPOSITE FINISH

The A-Bolt WSSM is a super-short action rifle chambered for the hottest and shortest calibers on the market: the 223, 243 and 25 WSSM. 223 and 243 WSSM models feature chrome-lined barrels. The composite stock features a slight right-hand palm swell and the matte blued metal surfaces reduce glare.

[L]

A-BOLT COMPOSITE STALKER




CALIBERS: SEE CHART BELOW FOR CALIBER LIST » NON-GLARE COMPOSITE FINISH

A tough, non-glare composite stock features a slight right-hand palm swell for precise finger-to-trigger positioning. The matte blued metal surfaces reduce glare. Available in a range of popular calibers, including the new 325 WSM.

[M]

A-BOLT COMPOSITE STALKER WITH BOSS®



CALIBERS: SEE CHART BELOW FOR CALIBER LIST » NON-GLARE COMPOSITE FINISH

All BOSS-equipped rifles include the standard muzzle brake BOSS, and the BOSS-CR (Conventional Recoil) that offers you standard recoil and muzzle blast while maintaining optimized accuracy.

[N]

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIIUS	***DROP AT COMB	DROP AT REEL	LENGTH OF PULL	RATE OF TWIST
L A-Bolt Composite Stalker, WSSM												
	223 WSSM	22"	035-012252	\$755.00	4	6 lbs. 1 oz.	40 1/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	243 WSSM	22"	035-012253	755.00	4	6 lbs. 1 oz.	40 1/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	25 WSSM	22"	035-012272	755.00	4	6 lbs. 1 oz.	40 1/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
M A-Bolt Composite Stalker												
	223 Rem., SSA‡	22"	035-033208	705.00	6	6 lbs. 1 oz.	40 3/4"	—	5/8"	1/2"	13 3/4"	1 in 12"
	22-250 Rem.	22"	035-012209	705.00	5	6 lbs. 4 oz.	41 3/4"	—	5/8"	1/2"	13 3/4"	1 in 14"
	243 Win.	22"	035-012211	705.00	5	6 lbs. 4 oz.	41 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	7mm-08 Rem.	22"	035-012216	705.00	5	6 lbs. 4 oz.	41 3/4"	—	5/8"	1/2"	13 3/4"	1 in 9 1/2"
	308 Win.	22"	035-012218	705.00	5	6 lbs. 4 oz.	41 3/4"	—	5/8"	1/2"	13 3/4"	1 in 12"
	270 WSM	23"	035-012248	734.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	7mm WSM	23"	035-012249	734.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 9 1/2"
	300 WSM	23"	035-012246	734.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
NEW	325 WSM	23"	035-012277	734.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	25-06 Rem.	24"	035-012223	705.00	5	6 lbs. 14 oz.	44 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	270 Win.	22"	035-012224	705.00	5	6 lbs. 11 oz.	42 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	280 Rem.	22"	035-012225	705.00	5	6 lbs. 11 oz.	42 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	30-06 Sprg.	22"	035-012226	705.00	5	6 lbs. 11 oz.	42 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	7mm Rem. Mag.	26"	035-012227	734.00	4	7 lbs. 3 oz.	46 1/2"	—	5/8"	1/2"	13 3/4"	1 in 9 1/2"
	300 Win. Mag.	26"	035-012229	734.00	4	7 lbs. 3 oz.	46 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	338 Win. Mag.	26"	035-012231	734.00	4	7 lbs. 3 oz.	46 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
N A-Bolt Composite Stalker w/ BOSS												
	223 WSSM	22"	035-012352	835.00	4	6 lbs. 1 oz.	40 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	243 WSSM	22"	035-012353	835.00	4	6 lbs. 1 oz.	40 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
NEW	25 WSSM	22"	035-012372	835.00	4	6 lbs. 1 oz.	40 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	270 WSM	23"	035-012348	814.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	7mm WSM	23"	035-012349	814.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 9 1/2"
	300 WSM	23"	035-012346	814.00	4	6 lbs. 6 oz.	42 3/4"	—	5/8"	1/2"	13 3/4"	1 in 10"
	25-06 Rem.	24"	035-012323	785.00	5	6 lbs. 14 oz.	44 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	270 Win.	22"	035-012324	785.00	5	6 lbs. 11 oz.	42 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	30-06 Sprg.	22"	035-012326	785.00	5	6 lbs. 11 oz.	42 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	7mm Rem. Mag.	26"	035-012327	814.00	4	7 lbs. 3 oz.	46 1/2"	—	5/8"	1/2"	13 3/4"	1 in 9 1/2"
	300 Win. Mag.	26"	035-012329	814.00	4	7 lbs. 3 oz.	46 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"
	338 Win. Mag.	26"	035-012331	814.00	4	7 lbs. 3 oz.	46 1/2"	—	5/8"	1/2"	13 3/4"	1 in 10"

* Total capacity includes one round in the chamber.

** Weight will vary due to bore size. Weights listed are approximate.

*** Measured from centerline of bore.

‡ Super-short action.

NOTE: BOSS equipped rifles are measured with BOSS installed.






MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	STG. RETAIL	**TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	**DROP AT COMB	DROP AT HEEL	LENGTH OF FULL	RATE OF TWIST
O A-Bolt Medallion (Shown)												
	223 Rem., SSA‡	22"	035-035208	\$805.00	6	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 12"
	22-250 Rem.	22"	035-002209	805.00	5	6 lbs. 7 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 14"
	243 Win.	22"	035-002211	805.00	5	6 lbs. 7 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
	308 Win.	22"	035-002218	805.00	5	6 lbs. 7 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 12"
	270 WSM	23"	035-002248	835.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
	7mm WSM	23"	035-002249	835.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 9½"
	300 WSM	23"	035-002246	835.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
NEW »	325 WSM	23"	035-002277	835.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
	25-06 Rem.	24"	035-002223	805.00	5	6 lbs. 14 oz.	44¼"	—	5/8"	1/2"	13½"	1 in 10"
	270 Win.	22"	035-002224	805.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	280 Rem.	22"	035-002225	805.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	30-06 Sprg.	22"	035-002226	805.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	7mm Rem. Mag.	26"	035-002227	835.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 9½"
	300 Win. Mag.	26"	035-002229	835.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 10"
	338 Win. Mag.	26"	035-002231	835.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 10"
	375 H&H (open sights)	26"	035-002132	835.00	4	7 lbs. 1 oz.	46½"	20"	5/8"	1/2"	13½"	1 in 12"
A-Bolt Medallion w/ BOSS												
	223 WSSM	22"	035-002352	936.00	4	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
	243 WSSM	22"	035-002353	936.00	4	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
NEW »	25 WSSM	22"	035-002372	936.00	4	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
	270 WSM	23"	035-002348	915.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
	7mm WSM	23"	035-002349	915.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 9½"
	300 WSM	23"	035-002346	915.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
	270 Win.	22"	035-002324	885.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	30-06 Sprg.	22"	035-002326	885.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	7mm Rem. Mag.	26"	035-002327	915.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 9½"
	300 Win. Mag.	26"	035-002329	915.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 10"
	338 Win. Mag.	26"	035-002331	915.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 10"
	375 H&H (open sights)	24"	035-002332	915.00	4	7 lbs.	44¼"	13"	5/8"	1/2"	13½"	1 in 12"
P A-Bolt Medallion, Left-Hand (Shown)												
NEW »	223 Rem., SSA‡	22"	035-044208	837.00	6	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 12"
NEW »	223 WSSM	22"	035-003252	886.00	4	6 lbs. 5 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
NEW »	243 WSSM	22"	035-003253	886.00	4	6 lbs. 5 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
NEW »	25 WSSM	22"	035-003272	886.00	4	6 lbs. 5 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
	270 WSM	23"	035-003248	865.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
	7mm WSM	23"	035-003249	865.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 9½"
	300 WSM	23"	035-003246	865.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
NEW »	325 WSM	23"	035-003277	865.00	4	6 lbs. 9 oz.	42¾"	—	5/8"	1/2"	13½"	1 in 10"
	270 Win.	22"	035-003224	837.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	30-06 Sprg.	22"	035-003226	837.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	7mm Rem. Mag.	26"	035-003227	865.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 9½"
	300 Win. Mag.	26"	035-003229	865.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 10"
A-Bolt Medallion, Left-Hand w/ BOSS												
	270 Win.	22"	035-003324	917.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	30-06 Sprg.	22"	035-003326	917.00	5	6 lbs. 11 oz.	42½"	—	5/8"	1/2"	13½"	1 in 10"
	7mm Rem. Mag.	26"	035-003327	945.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 9½"
	300 Win. Mag.	26"	035-003329	945.00	4	7 lbs. 1 oz.	46½"	—	5/8"	1/2"	13½"	1 in 10"

Chart Notes:

* Total capacity includes one round in the chamber.
 ** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.
 *** Measured from centerline of bore.
 ‡ Super-short action.
 NOTE: BOSS equipped rifles are measured with BOSS installed.

A-BOLT MEDALLION




CALIBERS: SEE CHART ABOVE FOR CALIBER LIST » GLOSS FINISH

With an intricately engraved receiver and select walnut stock with contrasting rosewood grip and fore-end cap, the Medallion offers beauty and functionality. Also available in the new 325 WSM (without BOSS).

All BOSS®-equipped rifles include the standard muzzle brake BOSS, and BOSS-CR (Conventional Recoil) that offers standard recoil and muzzle blast while maintaining optimized accuracy. BOSS-equipped rifles are available in three WSM and all WSSM models. Sling swivels are included.


A-BOLT MEDALLION, LEFT-HAND



CALIBERS: SEE CHART ABOVE FOR CALIBER LIST » GLOSS FINISH

The left-handed A-Bolt Medallion's functional and aesthetic advantages are identical to the right-hand version. Sling swivels are included. The left-handed version is now available in all three WSSM calibers, the 223 Rem. in a super-short action and the new 325 WSM.

A-BOLT MEDALLION, WSSM



CALIBERS: 223 WSSM | 243 WSSM | 25 WSSM » GLOSS FINISH

The super-short action version of this popular rifle is chambered for the hot WSSM calibers: 223, 243 and 25 WSSM. 223 and 243 WSSM models feature chrome-lined barrels. An intricately engraved receiver and a select walnut stock with contrasting rosewood grip and fore-end cap makes the Medallion a tough rifle to resist. Sling swivels are included.

[Q]

RMEF A-BOLT WHITE GOLD



CALIBER: 7MM REM MAG » GLOSS FINISH

Show your support for the Rocky Mountain Elk Foundation with this special edition A-Bolt. It features an exclusive RMEF logo grip cap and gold engraved stainless receiver and stainless barrel. The select walnut stock, contrasting spacers and rosewood caps on the fore-end and pistol grip add to the aesthetics of this unique rifle. A continental-style cheekpiece positions your head for ideal scope alignment. Sling swivels are included.

[R]



RMEF grip cap detail

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	STG. RETAIL	*TOTAL CAPACITY	** AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADII	***DROP AT COMB	DROP AT REEL	LENGTH OF PULL	RATE OF TWIST
Q A-Bolt Medallion, WSSM												
	223 WSSM	22"	035-002252	\$856.00	4	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
	243 WSSM	22"	035-002253	856.00	4	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
	25 WSSM	22"	035-002272	856.00	4	6 lbs. 4 oz.	41¼"	—	5/8"	1/2"	13½"	1 in 10"
R RMEF A-Bolt White Gold												
	7mm Rem. Mag.	26"	035-030227	1,261.00	4	7 lbs. 11 oz.	46½"	—	15/16"	1¼"	13½"	1 in 9½"
S A-Bolt White Gold Medallion (Shown)												
	270 WSM	23"	035-021248	1,183.00	4	6 lbs. 6 oz.	42¾"	—	15/16"	1¼"	13¾"	1 in 10"
	7mm WSM	23"	035-021249	1,183.00	4	6 lbs. 6 oz.	42¾"	—	15/16"	1¼"	13¾"	1 in 9 ½"
	300 WSM	23"	035-021246	1,183.00	4	6 lbs. 6 oz.	42¾"	—	15/16"	1¼"	13¾"	1 in 10"
NEW »	325 WSM	23"	035-021277	1,183.00	4	6 lbs. 6 oz.	42¾"	—	15/16"	1¼"	13¾"	1 in 10"
	270 Win.	22"	035-021224	1,155.00	5	7 lbs. 3 oz.	42½"	—	15/16"	1¼"	13½"	1 in 10"
	30-06 Sprg.	22"	035-021226	1,155.00	5	7 lbs. 3 oz.	42½"	—	15/16"	1¼"	13½"	1 in 10"
	7mm Rem. Mag.	26"	035-021227	1,183.00	4	7 lbs. 11 oz.	46½"	—	15/16"	1¼"	13½"	1 in 9 ½"
	300 Win. Mag.	26"	035-021229	1,183.00	4	7 lbs. 11 oz.	46½"	—	15/16"	1¼"	13½"	1 in 10"
A-Bolt White Gold Medallion w/ BOSS												
	270 Win.	22"	035-021324	1,235.00	5	7 lbs. 3 oz.	42½"	—	15/16"	1¼"	13½"	1 in 10"
	30-06 Sprg.	22"	035-021326	1,235.00	5	7 lbs. 3 oz.	42½"	—	15/16"	1¼"	13½"	1 in 10"
	7mm Rem. Mag.	26"	035-021327	1,263.00	4	7 lbs. 11 oz.	46½"	—	15/16"	1¼"	13½"	1 in 9 ½"
	300 Win. Mag.	26"	035-021329	1,263.00	4	7 lbs. 11 oz.	46½"	—	15/16"	1¼"	13½"	1 in 10"
T A-Bolt Eclipse Hunter w/ BOSS												
	270 Win.	22"	035-005324	1,134.00	5	7 lbs. 8 oz.	42¾"	—	¾"	1/2"	13¾"	1 in 10"
	30-06 Sprg.	22"	035-005326	1,134.00	5	7 lbs. 8 oz.	42¾"	—	¾"	1/2"	13¾"	1 in 10"
	7mm Rem. Mag.	26"	035-005327	1,162.00	4	7 lbs. 12 oz.	46¾"	—	¾"	1/2"	13¾"	1 in 9 ½"
U A-Bolt M-1000 Eclipse w/ BOSS												
	300 Win. Mag.	26"	035-007329	1,168.00	4	9 lbs. 13 oz.	46½"	—	¾"	1/2"	13¾"	1 in 10"
V A-Bolt M-1000 Eclipse												
	270 WSM	26"	035-007248	1,086.00	4	9 lbs. 14 oz.	45¾"	—	5/8"	1/2"	13¾"	1 in 10"
	7mm WSM	26"	035-007249	1,086.00	4	9 lbs. 14 oz.	45¾"	—	5/8"	1/2"	13¾"	1 in 9 ½"
	300 WSM	26"	035-007246	1,086.00	4	9 lbs. 14 oz.	45¾"	—	5/8"	1/2"	13¾"	1 in 10"
W A-Bolt Stainless M-1000 Eclipse												
	270 WSM	26"	035-032248	1,292.00	4	9 lbs. 14 oz.	45¾"	—	5/8"	1/2"	13¾"	1 in 10"
	7mm WSM	26"	035-032249	1,292.00	4	9 lbs. 14 oz.	45¾"	—	5/8"	1/2"	13¾"	1 in 9 ½"
	300 WSM	26"	035-032246	1,292.00	4	9 lbs. 14 oz.	45¾"	—	5/8"	1/2"	13¾"	1 in 10"


* Total capacity includes one round in the chamber.

** Weight will vary due to bore size. Weights listed are approximate.

*** Measured from centerline of bore.

NOTE: BOSS equipped rifles are measured with BOSS installed.


A-BOLT WHITE GOLD MEDALLION



CALIBERS: SEE CHART ON OPPOSITE PAGE FOR CALIBER LIST » GLOSS FINISH

A gold engraved stainless receiver, stainless barrel and a select walnut stock with contrasting spacers and rosewood caps make the White Gold Medallion a work of art. A continental-style cheekpiece positions your head for ideal scope alignment. Available with or without the BOSS®. All WSM calibers are available, including the new 325 WSM. Sling swivels are included.


A-BOLT ECLIPSE™ HUNTER WITH BOSS®



CALIBERS: 270 WIN | 30-06 SPRG | 7MM REM MAG » SATIN FINISH

The laminated Monte Carlo-style thumbhole stock affords incredible control, making this rifle a real pleasure to shoot. A sporter weight barrel with BOSS is standard. Chambered in standard and magnum calibers.


A-BOLT M-1000 ECLIPSE™ WITH BOSS®



CALIBER: 300 WIN MAG » SATIN FINISH

An extremely comfortable laminated thumbhole stock in Monte Carlo-style gives you increased control on the bench and in the field. The heavy bull barrel with the BOSS system increases the accuracy of this A-Bolt. Offered in 300 Win. Mag. only.


A-BOLT M-1000 ECLIPSE™ WSM



CALIBERS: 270 WSM | 7MM WSM | 300 WSM » SATIN FINISH

The laminated Monte Carlo-style thumbhole stock makes this rifle attractive and very comfortable to shoot. A heavy bull barrel increases its accuracy. Chambered in three popular WSM calibers.



A-BOLT STAINLESS M-1000 ECLIPSE™ WSM



CALIBERS: 270 WSM | 7MM WSM | 300 WSM » SATIN FINISH

When you shoulder the finely sculpted, laminated Monte Carlo-style thumbhole stock, all of your accuracy worries will be over. The heavy, stainless steel bull barrel increases accuracy and resists corrosion. Chambered in three popular WSM calibers.

BROWNING RIFLES A-BOLT, BAR, BLR AND BUCK MARK EXTRA MAGAZINES



The BOSS-CR accessory offers all the accuracy and tunable advantages of the original BOSS device without the muzzle brake feature. By simply replacing the original BOSS forward weight and recoil reduction components with the one-piece, no-hole BOSS-CR accessory, only the reduced recoil of the original BOSS is sacrificed. The BOSS-CR accessory is designed to fit only BAR Mark II and A-Bolt centerfire rifles previously factory-fitted with the BOSS.



BOSS-CR ACCESSORY

- | | | |
|--|--|---|
| GLASS
A-BOLT MODELS:
MEDALLION
GOLD MEDALLION
ECLIPSE HUNTER
BAR SAFARI | MATTE
A-BOLT MODELS:
COMPOSITE STALKER
HUNTER
EURO-BOLT
VARMINT
ECLIPSE M1000
BAR STALKER | STAINLESS
A-BOLT MODELS:
MEDALLION
WHITE GOLD
STAINLESS STALKER |
|--|--|---|

CALIBER*	CODE #	CODE #	CODE #
223 Rem.	114-0011	114-0012	114-0013
223 Varmint	114-0061	114-006	—
223 WSSM	114-0011	114-0012	114-0013
243 WSSM	114-0011	114-0012	114-0013
25 WSSM	114-0011	114-0012	114-0013
22-250 Rem.	114-0011	114-0012	114-0013
22-250 Varmint	114-0061	114-0062	—
243 Win.	114-0011	114-0012	114-0013
7mm-08 Rem.	114-0011	114-0012	114-0013
308 Win.	114-0021	114-0022	114-0023
308 Varmint	114-0061	114-0062	—
25-06 Rem.	114-0011	114-0012	114-0013
260 Rem.	114-0011	114-0012	114-0013
270 WSM	114-0021	114-0022	114-0023
270 Win.	114-0011	114-0012	114-0013
280 Rem.	114-0011	114-0012	114-0013
30-06 Sprg.	114-0031	114-0032	114-0033
7mm WSM	114-0021	114-0022	114-0023
7mm Rem. Mag.	114-0021	114-0022	114-0023
300 WSM	114-0041	114-0042	114-0043
300 Win. Mag.	114-0041	114-0042	114-0043
300 Win. Mag. (M1000)	—	114-0092	—
338 Win. Mag.	114-0051	114-0052	114-0053
375 H&H	114-0071	—	114-0073

*It is important that the correct BOSS-CR be selected for a specific caliber and model of rifle.

MODEL	SUGG. RETAIL
BOSS-CR, matte blue	\$18.00
BOSS-CR, gloss blue	18.00
BOSS-CR, stainless	20.00



CALIBER	CODE NUMBER	SUGG. RETAIL
---------	-------------	--------------

BAR Mark II » Safari and Lightweight Stalker		
243 and 308 Win.	112-025011	\$55.00
270 WSM	112-025041	55.00
7mm WSM	112-025042	55.00
300 WSM	112-025030	55.00
270 Win., 25-06 Rem., 30-06 Sprg.	112-025024	55.00
300 Win. Mag.	112-025029	55.00
338 Win. Mag.	112-025031	55.00
7mm Rem. Mag.	112-025027	55.00

BAR ShortTrac		
243 and 308 Win.	112-025050	55.00
270 WSM	112-025055	55.00
7mm WSM	112-025055	55.00
300 WSM	112-025055	55.00

BAR LongTrac		
270 Win. 30-06 Sprg.	112-025024	55.00
300 Win. Mag.	112-025029	55.00
7mm Rem. Mag.	112-025027	55.00

A-Bolt » All models except Micro Hunter		
22-250 Rem.	112-022009	55.00
223 Rem.	112-022008	55.00
223 WSSM	112-022044	55.00
223 Rem. SSA	112-022060	55.00
243 Win.	112-022011	55.00
243 WSSM	112-022045	55.00
270 WSM	112-022035	55.00
7mm-08 Win.	112-022016	55.00
7mm WSM	112-022036	55.00
308 Win.	112-022018	55.00
300 WSM	112-022034	55.00
25 WSSM	112-022049	55.00
25-06 Rem.	112-022023	55.00
270 Win.	112-022024	55.00
280 Rem.	112-022025	55.00
30-06 Sprg.	112-022026	55.00
7mm Rem. Mag.	112-022027	55.00
300 Win. Mag.	112-022029	55.00
300 Ultra Mag.	112-022030	55.00
325 WSM	112-022065	55.00
338 Win. Mag.	112-022031	55.00
375 H&H	112-022032	55.00
338 Ultra Mag.	112-022038	55.00

CALIBER	CODE NUMBER	SUGG. RETAIL
---------	-------------	--------------

A-Bolt Micro Hunter		
22 Hornet	112-023006	\$55.00
223 Rem.	112-023008	55.00
22-250 Rem.	112-023009	55.00
243 Win.	112-023011	55.00
270 WSM	112-023041	55.00
7mm WSM	112-023042	55.00
7mm-08 Win.	112-023016	55.00
308 Win.	112-023018	55.00
300 WSM	112-023040	55.00

BLR Lightweight '81 » Short Action Calibers		
243 Win.	112-026011	55.00
308 Win.	112-026012	55.00
22-250 Rem.	112-026009	55.00
7mm-08 Rem.	112-026016	55.00
270 WSM	112-026030	55.00
300 WSM	112-026041	55.00
7mm WSM	112-026031	55.00

BLR Lightweight '81 » Long Action Calibers		
270 Win.	112-026024	55.00
30-06 Sprg.	112-026026	55.00
7mm Rem. Mag.	112-026027	55.00
300 Win. Mag.	112-026029	55.00
358 Win.	112-026042	55.00
450 Marlin	112-026043	55.00

Buck Mark Rifles/Pistols		
22 L.R.	112-055190	26.00

DISCONTINUED MAGAZINES

Extra Magazines » All models except Micro Hunter		
BAR Mark II Safari	112-025028	\$55.00
270 Whby. Mag.	—	—
A-Bolt 260 Rem.	112-022043	44.95
A-Bolt Micro Medallion 260 Rem.	112-023043	44.95

Magazines that are not listed above may be available only through the Browning Parts Department.

BLR SHORT-ACTION. LONG-ACTION. READY FOR ANY ACTION.

The classic straight-grip stock of the '81 or the new pistol grip and Schnabel forearm design highlights these rifles that are built to tackle every demand a hunt can dish out. The BLR is the modern lever-action rifle, chambered for standard magnum and WSM calibers, with a detachable magazine, strong rotating bolt head action with multiple locking lug breech bolt and the quality fit and feel of a Browning.

« BARREL »

Individually machined, precision button-rifled, heat-treated chromoly steel. Crowned muzzle.

« STOCK AND FOREARM »

American walnut, straight '81-style with classic round forearm or pistol grip stock with Schnabel forearm. High-gloss finish with cut checkering.

« HAMMER »

Fold-down style with two positions at half cock.

« TRIGGER »

Wide groove design trigger with short, smooth pull of approximately 4½ lbs. Trigger travels with lever.

« MAGAZINE »

Flush mounted, detachable. Capacity: Four magnum/five standard rounds in magazine, one in chamber.

« SAFETY LOCK »

All Browning firearms are shipped with a free trigger lock, cable lock, padlock (shown) or chamber lock, depending on model, to assist in the safe storage of firearms.

The rack and pinion system of the BLR is the most modern lever action design available. It is exceptionally smooth and provides magnum strength.

« ACTION »

Lever-action with rotating bolt head, multiple-lug breech bolt with recessed bolt face. Side ejection.

« SIGHTS »

Low profile, square notch, screw adjustable rear sight. Gold bead on raised ramp front sight.

« RECEIVER »


Machined aircraft-grade aluminum. Drilled and tapped for scope mounts.

«RECOIL PAD» Deluxe recoil pad standard. «SCOPE BASE» Use #123-53 for BLR Lightweight '81 and pistol grip model. #123-52 for discontinued Model '81 BLR.



[A]

New BLR LIGHTWEIGHT WITH PISTOL GRIP, LONG ACTION




[B]

CALIBERS: 270 WIN | 30-06 SPRG | 7MM REM MAG | 300 WIN MAG » GLOSS FINISH

The trim feeling Schnabel forearm and newly designed pistol grip of the new BLR makes it as comfortable as it looks. A lightweight lever-action and aluminum receiver reduce weight, making it a quick-handling, perfectly-balanced rifle. The rotating bolt ensures proper lock-up and increases accuracy. It comes equipped with open sights and is drilled and tapped for scope mounts. With a choice of four popular big game calibers, this rifle is designed and built for magnum cartridges.

BLR LIGHTWEIGHT '81, SHORT ACTION



CALIBERS: SEE CHART ON OPPOSITE PAGE FOR CALIBER LIST » GLOSS FINISH

The traditional straight-grip stock is built for comfort and ease of handling. The '81-style straight stock also gives the BLR a classic style and look. A lightweight lever-action makes for quicker handling and perfect balance. Available in the most popular short-action calibers, including the powerful 450 Marlin, 358 Win. and all four WSM calibers.

[C]

A MODERN LEVER ACTION

The Browning BLR combines the classic styling and looks of a traditional lever-action rifle with modern-day technology and features. Because of its ingenious detachable magazine design, the BLR is the only lever-action rifle on the market that is capable of shooting standard and short-action magnum calibers, a feature desired by serious big game hunters. Its smooth, crisp action is a

direct benefit of its rack and pinion system that also adds the strength needed for magnum calibers. A rotating bolt head with multiple-lug breech bolt and recessed bolt face increases the accuracy and strength of the BLR. For a lever-action rifle that is built to take on the demands of today's hunting world, nothing compares to the legendary Browning BLR.

New BLR LIGHTWEIGHT WITH PISTOL GRIP, SHORT ACTION



CALIBERS: SEE CHART BELOW FOR CALIBER LIST » GLOSS FINISH

The newly designed pistol grip and trim Schnabel forearm gives the new BLR a comfortable feel and unique look. The rotating bolt ensures proper lock-up and increases accuracy. A lightweight lever-action and aluminum receiver reduce weight, making it a quick-handling, perfectly-balanced rifle. It comes equipped with open sights and is drilled and tapped for scope mounts. Available in most popular short-action calibers, including the 450 Marlin, 358 Win. and all four WSM calibers, including the new 325 WSM.

BLR LIGHTWEIGHT '81, LONG ACTION

CALIBERS: 270 WIN | 30-06 SPRG | 7MM REM MAG | 300 WIN MAG » GLOSS FINISH

An '81-style straight stock makes this long-action rifle quicker and easier to handle and gives it a distinctive, traditional look. Designed and built for magnum cartridges, the BLR features an aluminum receiver and rotating bolt that makes it lightweight and easy to carry. Chambered in four big game calibers, this rifle is built for magnum cartridges.



[D]

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROP AT COMB	DROP AT HEEL	LENGTH OF PULL	RATE OF TWIST
A BLR Lightweight w/ Pistol Grip												
NEW »	22-250 Rem.	20"	034-009109	\$765.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 14"
NEW »	243 Win.	20"	034-009111	765.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
NEW »	7mm-08 Rem.	20"	034-009116	765.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 9 1/2"
NEW »	308 Win.	20"	034-009118	765.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 12"
NEW »	358 Win.	20"	034-009120	765.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 12"
NEW »	450 Marlin	20"	034-009150	765.00	4	7 lbs.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 20"
NEW »	270 WSM	22"	034-009148	836.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
NEW »	7mm WSM	22"	034-009149	836.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 9 1/2"
NEW »	300 WSM	22"	034-009146	836.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
NEW »	325 WSM	22"	034-009177	836.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
B BLR Lightweight w/ Pistol Grip												
NEW »	270 Win.	22"	034-009124	809.00	5	7 lbs. 4 oz.	43"	19 3/4"	1"	1 3/8"	14 1/4"	1 in 10"
NEW »	30-06 Sprg.	22"	034-009126	809.00	5	7 lbs. 4 oz.	43"	19 3/4"	1"	1 3/8"	14 1/4"	1 in 10"
NEW »	7mm Rem. Mag.	24"	034-009127	809.00	4	7 lbs. 12 oz.	45"	20"	1"	1 3/8"	14 1/4"	1 in 9 1/2"
NEW »	300 Win. Mag.	24"	034-009129	809.00	4	7 lbs. 12 oz.	45"	20"	1"	1 3/8"	14 1/4"	1 in 10"
C BLR Lightweight '81												
	22-250 Rem.	20"	034-006109	731.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 14"
	243 Win.	20"	034-006111	731.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
	7mm-08 Rem.	20"	034-006116	731.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 9 1/2"
	308 Win.	20"	034-006118	731.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 12"
	358 Win.	20"	034-006120	731.00	5	6 lbs. 8 oz.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 12"
	450 Marlin	20"	034-006150	731.00	4	7 lbs.	40"	17 3/4"	7/8"	1 1/8"	13 3/4"	1 in 20"
	270 WSM	22"	034-006148	802.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
	7mm WSM	22"	034-006149	802.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 9 1/2"
	300 WSM	22"	034-006146	802.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
	325 WSM	22"	034-006177	802.00	4	6 lbs. 12 oz.	42"	19 3/4"	7/8"	1 1/8"	13 3/4"	1 in 10"
D BLR Lightweight '81												
	270 Win.	22"	034-006124	775.00	5	7 lbs. 4 oz.	43"	19 3/4"	1"	1 3/8"	14 1/4"	1 in 10"
	30-06 Sprg.	22"	034-006126	775.00	5	7 lbs. 4 oz.	43"	19 3/4"	1"	1 3/8"	14 1/4"	1 in 10"
	7mm Rem. Mag.	24"	034-006127	775.00	4	7 lbs. 12 oz.	45"	20"	1"	1 3/8"	14 1/4"	1 in 9 1/2"
	300 Win. Mag.	24"	034-006129	775.00	4	7 lbs. 12 oz.	45"	20"	1"	1 3/8"	14 1/4"	1 in 10"

EXTRA MAGAZINES

CALIBER	CODE NUMBER	SUGG. RETAIL
Extra Magazines, Short Action Calibers		
243 Win.	112-026011	\$55.00
308 Win.	112-026012	55.00
22-250 Rem.	112-026009	55.00
7mm-08 Rem.	112-026016	55.00
270 WSM	112-026030	55.00
300 WSM	112-026041	55.00
7mm WSM	112-026031	55.00
Extra Magazines, Long Action Calibers		
270 Win.	112-026024	55.00
30-06 Sprg.	112-026026	55.00
7mm Rem. Mag.	112-026027	55.00
300 Win. Mag.	112-026029	55.00
325 WSM	112-022067	55.00
358 Win.	112-026042	55.00
450 Marlin	112-026043	55.00


* Total capacity includes one round in the chamber.
 ** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.
 *** Measured from centerline of bore.

BL-22 & BL-17

NEW LOOKS AND A NEW CALIBER.

Classic looking, fast-shooting, high-performance rifles offer The Best There Is® in rimfire caliber shooting.

New BL-22 AND BL-17 FLD SERIES, GRADE II OCTAGON



CALIBERS: 22 S, L, LR | 17 MACH 2 » SATIN FINISH

With a classic octagon barrel, cut checkering on the forearm and grip, a silver nitride receiver with scroll engraving and a gold-colored trigger, the Grade II Octagon is as beautiful as it is accurate. An adjustable buckhorn rear sight and gold bead front sight ensure its accuracy. Available in 22 Long Rifle or the new 17 Mach 2. The 22 caliber model is shown.

[A]

New BL-22 AND BL-17 FLD SERIES, GRADE I AND II




CALIBERS: 22 S, L, LR | 17 MACH 2 » SATIN FINISH

A new satin nickel receiver and high-gloss barrel add to its already great looks. The Grade II features a gold-colored trigger, cut checkering on the grip and forearm, and scroll engraving on the receiver. The practical Grade I features a blued trigger and no checkering. Available in 22 Long Rifle or the new 17 Mach 2. The 22 caliber model is shown.

[B]

New BL-22 AND BL-17 GRADE I AND II



22 S, L, LR | 17 MACH 2 » GLOSS FINISH

The stylish Grade II features a gold-colored trigger, cut checkering on the grip and forearm with scroll engraving on the receiver. The practical Grade I has a blued trigger and no checkering. Both the Grade I and II have an American walnut stock and are available in 22 Long Rifle or the new 17 Mach 2. The 22 caliber model is shown.

[C]

« ACTION »

Short-throw lever-action. The lever and trigger travels through an arc of only 33°, preventing finger pinch between the lever and trigger on the upward swing.

« RECEIVER »

Forged and milled steel. Grooved for mounting a scope.

« SIGHTS »

Precision, adjustable folding leaf rear sight. Raised bead front sight.

« TRIGGER »

Approximately 5 lbs. pull. Clean and crisp without creep. Trigger is gold colored on Grade II models.

« BARREL »

Recessed muzzle.

« SAFETY »

A disconnect system is designed to prevent firing until the lever and breech are fully closed and pressure is released from and reapplied to trigger.

« MAGAZINE »

22 caliber models are designed to handle 22 caliber ammunition (excluding 22 Mag.) in any combination from the tubular magazine. Magazine capacity of 15 Long Rifles, 17 Longs or 22 Shorts. 17 caliber models hold 15 rounds of 17 Mach 2 ammunition only.

« STOCK AND FOREARM »

Forearm and straight-grip buttstock are shaped from polished American walnut. Cut checkering on Grade II models.

« SCOPE »

Grooved receiver accepts most groove or tip-off type mounts and receiver sights.

« ENGRAVING »

Grade II receiver and trigger guard are engraved with tasteful scroll designs.

« SAFETY LOCK »

All Browning firearms are shipped with a free trigger lock, cable lock, padlock or chamber lock, depending on model, to assist in the safe storage of firearms.

17 MACH 2™ — SPEED MACHINE

As the latest introduction in rimfire shooting, the 17 Mach 2 offers a varmint and plinking caliber that packs a serious punch, while still being economical to shoot. At speeds of 2,100 feet per second, the 17 Mach 2 is nearly twice as fast as a 22 Long Rifle and shoots seven inches flatter at 150 yards. With such speed and flat

trajectory, the new Mach 2 delivers exceptional accuracy, making it a perfect caliber for varmints, target shooting, and teaching young shooters marksmanship skills. Look for the awesome 17 Mach 2, chambered in the new BL-17 rifles; they offer all the mechanical advantages of the BL-22 in this fast, accurate caliber.

SA-22

A LIVING TRIBUTE.

The SA-22 is an original John M. Browning rimfire. Its timeless, takedown design and compact features have made it the most desired 22 rifle for plinking and collecting for nearly 50 years.



The Semi-Auto 22 can be quickly taken down to a compact length of only 19" for storage or packing.

« ACTION »

Takedown autoloader with bottom eject.

« RECEIVER »

Grade I engraved with scroll design and a polished, blued finish. Grade VI models available in polished blued or satin grayed finish.

« SIGHT »

Gold bead front. Adjustable, folding leaf rear.

« BARREL »

Drilled and tapped to accept a scope mount.

« TRIGGER »

Blued on Grade I, Gold on Grade VI.

« SAFETY »

Manual trigger-blocking, mounted on trigger guard.

« MAGAZINE »

Tubular. Capacity: Eleven 22 Long Rifles.

« STOCK AND FOREARM »

Polished American walnut.


« ENGRAVING »

Grade VI models deeply engraved with game scenes. Game species are 24 karat gold-plated.

« SAFETY LOCK »

All Browning firearms are shipped with a free trigger lock, cable lock, padlock or chamber lock, depending on model, to assist in the safe storage of firearms.

SEMI-AUTO 22, GRADE I



CALIBERS: 22 LR » GLOSS FINISH

An easy-to-use tubular magazine with loading port is built directly into the buttstock. The bottom ejection and easy takedown only add to its convenience. The unique styling sets the Browning Semi-Auto 22 apart from the rest.

SEMI-AUTO 22, GRADE VI



CALIBERS: 22 LR » GLOSS FINISH

24 karat gold-plated engraved game scenes, high-grade wood, satin grayed or polished blued receiver and gold-colored trigger add beauty to an exceptional rimfire. An adjustable folding rear sight aids its accuracy.



Semi-Auto 22 Grade VI with grayed receiver is inlaid with gold animal scenes.

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*TOTAL CAPACITY	**AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	***DROP AT COMB	DROP AT REEL	LENGTH OF PULL	RATE OF TWIST
A BL-22 & BL-17 FLD Series, Grade II Octagon												
	22 S, L & L.R.	24"	024-105155	\$726.00	16 L.R.	5 lbs. 4 oz.	40¾"	19¾"	7/8"	1½"	13½"	1 in 16"
NEW »	17 Mach 2	24"	024-122176	748.00	16	5 lbs. 6 oz.	40¾"	19¾"	7/8"	1½"	13½"	1 in 9"
B BL-22 & BL-17 FLD Series, Grade I and II												
NEW Gr I	22 S, L & L.R.	20"	024-107102	494.00	16 L.R.	5 lbs.	36¾"	15¾"	7/8"	1½"	13½"	1 in 16"
NEW Gr II	22 S, L & L.R.	20"	024-108102	555.00	16 L.R.	5 lbs.	36¾"	15¾"	7/8"	1½"	13½"	1 in 16"
NEW Gr I	17 Mach 2	20"	024-120176	516.00	16	5 lbs. 2 oz.	36¾"	15¾"	7/8"	1½"	13½"	1 in 9"
NEW Gr II	17 Mach 2	20"	024-121176	577.00	16	5 lbs. 2 oz.	36¾"	15¾"	7/8"	1½"	13½"	1 in 9"
C BL-22 & BL-17, Grade I and II												
Grade I	22 S, L & L.R.	20"	024-100103	462.00	16 L.R.	5 lbs.	36¾"	15¾"	7/8"	1½"	13½"	1 in 16"
Grade II	22 S, L & L.R.	20"	024-101103	524.00	16 L.R.	5 lbs.	36¾"	15¾"	7/8"	1½"	13½"	1 in 16"
NEW Gr I	17 Mach 2	20"	024-123176	484.00	16	5 lbs. 2 oz.	36¾"	15¾"	7/8"	1½"	13½"	1 in 9"
NEW Gr II	17 Mach 2	20"	024-124176	546.00	16	5 lbs. 2 oz.	36¾"	15¾"	7/8"	1½"	13½"	1 in 9"
D Semi-Auto 22, Grade I & Grade VI w/ Blued (BL) or Grayed (GR) finish												
Grade I	22 L.R.	19¼"	021-001102	535.00	12	5 lbs. 3 oz.	37"	16¼"	1½"	2½"	13¾"	1 in 16"
Gr VI/BL	22 L.R.	19¼"	021-002102	1,145.00	12	5 lbs. 3 oz.	37"	16¼"	1½"	2½"	13¾"	1 in 16"
Gr VI/GR	22 L.R.	19¼"	021-003102	1,145.00	12	5 lbs. 3 oz.	37"	16¼"	1½"	2½"	13¾"	1 in 16"

* Total capacity includes one round in the chamber.

** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.

*** Measured from centerline of bore.

BUCK MARK RIFLES

**QUICK, ACCURATE,
COMFORTABLE.**

With the reliability of the Browning Buck Mark pistol, the lightweight Buck Mark 22 is a rifle you will fall in love with. Quick firing, comfortable fit, fun to shoot, dead-on accuracy; all the characteristics of a good 22 rifle. And, the magazines are interchangeable with those of the Buck Mark pistol.

« FRAME »

Machined to exacting tolerances from a solid billet of 7075-T6 aluminum.

« SIGHTS »

Sporter model features a Truglo®/Marble's® fiber optic sight system.

« ACTION »

Straight blowback design for enhanced simplicity and reliability.

« TRIGGER »

Light and crisp, with far less creep before the trigger breaks and far less overtravel after breaking than other guns.

« BARREL »

Sporter model features a tapered sporter-weight barrel. Target models feature a bull or carbon barrel. All chambers are hand-reamed and muzzle crowns are recessed to protect them from damage that could deteriorate accuracy.

« MAGAZINE »

Magazines are interchangeable with the Buck Mark pistol. Heat treated magazine body for long-term feed reliability. Coil spring provides a more consistent follower angle than typical z-spring. 10 round capacity.



« SLIDE RELEASE »

Manual. Can be operated with shooting or support hand.

« SAFETY LOCK »

All Browning firearms are shipped with a free trigger lock, cable lock (shown), padlock or chamber lock, depending on model, to assist in the safe storage of firearms.

« MAGAZINE RELEASE »

Positioned adjacent to the trigger guard for convenient operation.


« SAFETY »

Large manual thumb safety.

« GRIPS »

Raised for a secure grip.

BUCK MARK FLD TARGET RIFLE




CALIBER: 22 LR » SATIN FINISH

The heavy bull barrel (.900" diameter) adds accuracy to this well-balanced rimfire. A gray laminated stock and forearm are designed for strength and durability, and an integrated scope rail makes mounting a scope easy.

[A]

BUCK MARK FLD CARBON RIFLE




CALIBER: 22 LR » SATIN FINISH

A lightweight carbon composite barrel (.900" diameter) assists accuracy without adding weight. The gray laminated stock and forearm are built to be durable and rugged, and an integrated scope rail is a stable platform for mounting a red dot-type sight or scope.

[B]

BUCK MARK TARGET RIFLE




CALIBER: 22 LR » OIL FINISH

An accurate, heavy bull barrel (.900" diameter) highlights this model. An integrated rail scope mount sits atop the machined aluminum frame. The satin blue metal finish adds great looks. (Scope not included.)

[C]

BUCK MARK SPORTER RIFLE



CALIBER: 22 LR » OIL FINISH

A tapered sporter barrel and Truglo®/Marble's® fiber optic sights add a different look to this Buck Mark Rifle. The machined aluminum frame increases strength, while the 12³/₈" sight radius assists accuracy. An integrated rail scope mount allows the option of mounting a scope or red dot-type sight.

[D]

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	MSRP, RETAIL	TOTAL CAPACITY	** AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	*** DROP AT COMB	DROP AT REEL	LENGTH OF PULL	RATE OF TWIST
A Buck Mark FLD Target Rifle	22 L.R.	18"	021-030202	\$589.00	11	5 lbs. 8 oz.	33 ³ / ₈ "	—	7/8"	1 1/2"	15 1/8"	1 in 16"
B Buck Mark FLD Carbon Rifle	22 L.R.	18"	021-031202	652.00	11	3 lbs. 10 oz.	33 ³ / ₈ "	—	7/8"	1 1/2"	15 1/8"	1 in 16"
C Buck Mark Target Rifle	22 L.R.	18"	021-025202	572.00	11	5 lbs. 6 oz.	33 ³ / ₈ "	—	7/8"	1 1/2"	15 1/8"	1 in 16"
D Buck Mark Sporter Rifle	22 L.R.	18"	021-026102	572.00	11	4 lbs. 6 oz.	33 ³ / ₈ "	12 ³ / ₈ "	7/8"	1 1/2"	15 1/8"	1 in 16"

* Total capacity includes one round in the chamber.

** Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.

*** Measured from centerline of bore.

BUCK MARK PISTOLS

QUICK ACTION RIMFIRE PISTOLS FROM BROWNING.

To some, it may be “just a 22.” But to those who know Browning, it’s a pistol designed and built with years of reputable experience — it doesn’t get much better than that. Upon close examination of the Buck Mark 22, it’s obvious why we are the best and most reliable name in

22s. We don’t cut corners to cut costs, not even on a 22. From its CNC machined aluminum frame to its 16-click adjustable rear sight, the Buck Mark is a pistol that will live up to all of your expectations. And for value? It’s right on the money.

« REAR SIGHT »

The 16-click per revolution adjustable Pro-Target™ sight is standard on all models. This sight provides a finer range of adjustment over the industry’s standard of 12-clicks per revolution.

« ACTION »


Straight blowback design for enhanced reliability and accuracy.

« FRONT SIGHT »

Buck Mark Plus and Hunter feature a Truglo®/Marble’s® front sight. 5.5 Target includes a hooded target sight.

« SLIDE »

Built-in recess and raised side panels for better grip.



« SAFETY »
Large, manual thumb safety.

« BARREL »

Most models have heavy bull barrels for improved stability. Challenge model has a tapered barrel. All chambers are hand-reamed and muzzle crowns are recessed to protect them from damage that could affect accuracy.

« TRIGGER »

Compare it to the competition and see that it’s lighter and crisper with far less creep before the trigger breaks, and far less overtravel after.

« MAGAZINE RELEASE »


Positioned adjacent to the trigger guard for more convenient operation.

« MAGAZINE »

Heat treated magazine body for long-term feed reliability. Coil spring provides a more consistent follower angle than typical z-spring. 10-round capacity.

« FRAME »

While many popular 22 pistols are cast or fabricated from sheet metal stampings, each Buck Mark frame is CNC machined from 7075-T6 aluminum to exacting tolerances.



« GRIPS »

Several wood, laminated, and composite styles are standard.

« SAFETY LOCK »

All Browning pistols are shipped with a free cable lock to assist in the safe storage of firearms.





[A] *New*

BUCK MARK HUNTER

CALIBER: 22 LR

With a heavy, round 7¼" barrel, an integrated scope base for mounting a scope and a Truglo®/Marbles® front sight, this new Buck Mark gives you the accuracy you are looking for. Cocobolo target-style grips and a pistol rug are included. (Scope not included.)



[B]

BUCK MARK CAMPER

CALIBER: 22 LR

A rugged matte-blued pistol with the accuracy benefits of a tapered bull barrel. A great economical alternative for the shooter on a budget. Also available in a rust-resistant, satin-nickel finish.



[C] *New*

BUCK MARK CAMPER STAINLESS

CALIBER: 22 LR

A new stainless steel 5½" tapered bull barrel increases accuracy, and the matte finish slide enhances the great looks of this new Buck Mark. It also possesses the same great features as the standard Buck Mark Camper.



[D]

BUCK MARK MICRO NICKEL

CALIBER: 22 LR

All the features of the Buck Mark Standard, but with a 4" bull barrel and contrasting nickel and black finishes. Also available with a 5½" standard barrel.

MODEL	BARREL LENGTH	CODE NUMBER	STGR. RETAIL	*AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	FINISH	GRIPS
A NEW » Hunter	7¼"	051-384490	\$360.00	38 oz.	11½"	9¼"	Matte Blue	Cocobolo, Ambidex
B Camper	5½"	051-353490	287.00	34 oz.	9½"	8"	Matte Blue	Molded Comp., Ambidex.
C NEW » Camper Stainless	5½"	051-381490	310.00	34 oz.	9½"	8"	Matte Stainless slide & bbl.	Molded Comp., Ambidex.
Camper Nickel	5½"	051-354490	320.00	34 oz.	9½"	8"	Nickel Plated slide & bbl.	Molded Comp., Ambidex.
D Micro Nickel	4"	051-328490	377.00	32 oz.	8"	6¼"	Nickel Plated slide & bbl.	Molded Comp., Ambidex.
Nickel	5½"	051-327490	377.00	34 oz.	9½"	8"	Nickel Plated slide & bbl.	Molded Comp., Ambidex.

* Weight will vary due to various grades and density of wood. Weights listed are approximate.



[G]

BUCK MARK STANDARD

CALIBER: 22 LR

The basic Buck Mark with a 5 1/2" flat-sided bull barrel for balance and accuracy. Also available in a 4" barreled Micro version.



New

BUCK MARK STD STAINLESS

CALIBER: 22 LR

The new Buck Mark Standard Stainless features a 5 1/2" stainless steel, flat-sided bull barrel with a comfortable grip for easy shooting. Also available in a 4" barreled Micro version.

[H]



MODEL	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	*AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIUS	FINISH	GRIPS
G Standard	5 1/2"	051-325490	\$319.00	34 oz.	9 1/2"	8"	Matte Blue, polished bbl. flats	Molded Comp., Ambidex.
H NEW » Std. Stainless	5 1/2"	051-399490	345.00	34 oz.	9 1/2"	8"	Matte Stainless slide & bbl.	Molded Comp., Ambidex.
Micro Standard	4"	051-326490	319.00	32 oz.	8"	6 1/4"	Matte Blue, polished bbl. flats	Molded Comp., Ambidex.
NEW » Micro Std. Stainless	4"	051-400490	345.00	32 oz.	8"	6 1/4"	Matte Stainless slide & bbl.	Molded Comp., Ambidex.
I Plus Nickel	5 1/2"	051-331490	427.00	34 oz.	9 1/2"	8"	Nickel Plated slide & bbl.	Laminated Hardwood
J Plus	5 1/2"	051-329490	390.00	34 oz.	9 1/2"	8"	Matte Blue, polished bbl. flats	Laminated Hardwood
K Challenge	5 1/2"	051-352490	356.00	25 oz.	9 1/2"	8"	Matte Blue	Walnut
Bullseye, Std.	7 1/4"	051-333490	468.00	36 oz.	11 1/2"	9 1/2"	Matte Blue, fluted bbl.	Molded Composite, Ambidex.
L Bullseye, Target	7 1/4"	051-334490	604.00	36 oz.	11 1/2"	9 1/2"	Matte Blue, fluted bbl.	Contoured Rosewood Laminated
M NEW » 5.5 Target	5 1/2"	051-388490	511.00	35 1/2 oz.	9 3/8"	8 1/4"	Matte Blue	Cocobolo, Ambidex.
N NEW » 5.5 Field	5 1/2"	051-387490	511.00	35 oz.	9 5/8"	8"	Matte Blue	Cocobolo, Ambidex.
O FLD Plus w/ Rosewood Grips	5 1/2"	051-361490	390.00	34 oz.	9 1/2"	8"	Matte Blue, polished bbl. flats	Laminated Rosewood

* Weight will vary due to various grades and density of wood. Weights listed are approximate.




[I]

BUCK MARK PLUS NICKEL

CALIBER: 22 LR

The feel and accuracy of the Buck Mark Standard with a corrosion-resistant nickel finish. 5 1/2" barrel, laminated wood grips and a Truglo®/Marble® front sight.



[J]

BUCK MARK PLUS

CALIBERS: 22 LR

The feel and accuracy of the Buck Mark Standard with a 5 1/2" bull barrel, blue finish, handsome laminated wood grips, and a Truglo®/Marble® front sight.




[K]

BUCK MARK CHALLENGE

CALIBER: 22 LR

With a lightweight 5½" barrel and checkered walnut grips, this pistol is perfect for shooters with smaller hands or those who just prefer a slimmer grip.



[L]

BUCK MARK BULLSEYE TARGET

CALIBER: 22 LR

This target model has a 7¼" fluted bull barrel that ensures accuracy and balance. A Signature Series pistol rug is included. Available with laminated rosewood target grips (shown) or in a standard model that features contoured rubber grips.



[M]

BUCK MARK 5.5 TARGET

CALIBER: 22 LR

New target-style Cocobolo grips allow your hands to comfortably grip this very accurate target pistol. A full-length scope mount and hooded target sights with a 5½" heavy bull barrel aid accuracy.



[N]

BUCK MARK 5.5 FIELD

CALIBER: 22 LR

New target-style Cocobolo grips make this a versatile field gun for game, plinking or target shooting. Use the Pro-Target™ open sights or put a scope or dot-type sight on the full-length scope mount. The 5½" bull barrel aids accuracy.



[O]

BUCK MARK FLD PLUS WITH ROSEWOOD GRIPS

CALIBER: 22 LR

A special Truglo®/Marble's® front sight and handsome laminated rosewood grips highlight this unique and accurate Buck Mark.



CENTERFIRE PISTOLS

THE BEST THERE IS® IN TRADITION AND TECHNOLOGY.

The Browning Hi-Power and Pro Series pistols represent the evolution of centerfire pistol design here at Browning. Both are reliable, accurate, and easy to shoot. Whether you are a tried-and-true traditionalist or a shooter who needs to have the latest thing, there is a Browning centerfire pistol for you.

THE CLASSIC HI-POWER

Nothing points or handles like a Hi-Power. Just pick one up and point it. It feels like a natural extension of your arm. The sights naturally align. The grip fits comfortably, even in smaller hands. It has that crisp, precise trigger only a single-action can give. These features make the Hi-Power a pistol deserving of its legacy.

Disassemble a Hi-Power and see it's missing something: a lot of unnecessary parts. Its beauty lies in its inherent simplicity, a true Browning characteristic. Because of its simple, reliable design, it effortlessly cycles every 9mm and 40 S&W cartridge made.

- « SIGHTS » Models are available with fixed three-dot style and adjustable target sights.
- « SAFETY » Large, ambidextrous manual thumb safety.
- « CALIBER » 9mm Luger and 40 S&W.
- « MAGAZINE » 13-round magazine on 9mm, 10-round magazine on 40 S&W standard. 10-round magazines supplied where required by law.
- « TRIGGER » This crisp, light, single-action trigger is the system preferred by professionals around the world.
- « GRIPS » Wood and composite styles are available. Practical model comes with Pachmayr® wraparound rubber grips.
- « SAFETY LOCK » All Browning pistols are shipped with a free cable lock to assist in the safe storage of firearms.




PRO-9 | PRO-40

The Pro-9 and Pro-40 are modern pistols John M. Browning would have been proud of. Their lightweight polymer frames and stainless steel slides and barrels make them easy to carry and extremely durable and weather-resistant — features in demand today.

The double-action trigger and decocking safety of the Pro Series are simple and reliable. Like its predecessor the Hi-Power, its simplicity makes the Pro a pistol to be counted on.

- « SIGHTS » Fixed, three-dot style; 6" sight radius.
- « SAFETY » Ambidextrous decocker and safety.
- « CALIBER » 9mm Luger and 40 S&W.
- « MAGAZINE » 16-round magazine on 9mm, 14-round magazine on 40 S&W standard. 10-round magazines supplied where required by law.
- « TRIGGER » Double-action.
- « GRIPS » Molded composite with interchangeable backstrap inserts.
- « SAFETY LOCK » All Browning pistols are shipped with a free cable lock to assist in the safe storage of firearms.

PRO-9 | PRO-40 PISTOL




[A]

CALIBERS: 9mm | 40 S&W

A double-action design with polymer frame and stainless steel slide highlight the Pro-9/Pro-40. The under-barrel accessory rail and replaceable backstrap inserts allow you to customize this pistol to fit your needs.

HI-POWER PRACTICAL PISTOL




[B]

CALIBERS: 9mm | 40 S&W

A durable, non-glare matte finished slide contrasts nicely with the silver-chromed frame. Includes wraparound Pachmayr® rubber grips and rounded Commander-style hammer. Available with fixed sights only.

HI-POWER MARK III PISTOL



[C]

CALIBERS: 9mm | 40 S&W

A durable, non-glare matte finish with a two-piece molded grip.

HI-POWER STD PISTOL



[D]

CALIBERS: 9mm | 40 S&W

Select walnut grips are finely checkered to give a more positive grip. Shown with new, low-mount adjustable sights and polished blue finish.

MODEL	CALIBER	BARREL LENGTH	CODE NUMBER	SUGG. RETAIL	* AVERAGE WEIGHT	OVERALL LENGTH	SIGHT RADIIUS	FINISH	GRIPS
A Pro-9 PRO-40									
9mm		4"	051-251393	\$628.00	30 oz.	7¼"	6"	Composite/Stainless	Molded Composite
40 S&W		4"	051-252394	628.00	33 oz.	7¼"	6"	Composite/Stainless	Molded Composite
B HP Practical » Fixed Sights									
9mm	4½"	051-005393	846.00	36 oz.	7¾"	6½"	Black Epoxy/Silver Chrome	Pachmayr	
40 S&W	4½"	051-005394	846.00	39 oz.	7¾"	6½"	Black Epoxy/Silver Chrome	Pachmayr	
C HP Mark III » Fixed Sights									
9mm	4½"	051-001393	781.00	32 oz.	7¾"	6½"	Black Epoxy	Molded Composite	
40 S&W	4½"	051-001394	781.00	35 oz.	7¾"	6½"	Black Epoxy	Molded Composite	
D HP Standard » Fixed Sights									
9mm	4½"	051-003393	804.00	32 oz.	7¾"	6½"	Blued	Walnut	
40 S&W	4½"	051-003394	804.00	35 oz.	7¾"	6½"	Blued	Walnut	
HP Standard » Adj. Sights (Shown)									
9mm	4½"	051-003493	861.00	32 oz.	7¾"	6½"	Blued	Walnut	
40 S&W	4½"	051-003494	861.00	35 oz.	7¾"	6½"	Blued	Walnut	
Extra Hi-Power, Pro Series Magazines » (10 Shot Capacity)					Extra Hi-Power, Pro Series Magazines » (High Capacity)				
9mm, S.A., H.P., Standard	112-050193	\$39.75	9mm, S.A., H.P., Standard	13 Rnd	112-050293	\$39.75			
9mm, S.A., H.P., Practical	112-051193	39.75	9mm, S.A., H.P., Practical	13 Rnd	112-051293	39.75			
40 S&W S.A., H.P., Standard	112-050194	39.75	Pro-9	16 Rnd	112-050195	42.00			
40 S&W S.A., H.P., Practical	112-051194	39.75	Pro-40	14 Rnd	112-050145	42.00			
Pro-9	112-050199	42.00							
Pro-40	112-050140	42.00							

* Weight will vary due to various grades and density of wood and by bore size. Weights listed are approximate.

A CUSTOM BROWNING MORE THAN A GUN.


You have always dreamed of owning a custom crafted firearm; a firearm tailored and hand assembled to your individual specifications. Make sure your dreams are realized with a gun from the Browning Custom Shop. A custom Browning utilizes time proven designs — such as the famed Superposed, BAR and Hi-Power — and traditional manufacturing to ensure an investment in custom work will be enjoyed for generations. For information, call 1-801-876-2711 or visit browning.com/custom to download the Custom Shop brochure to see all of the options available.

B-25 SUPERPOSED

150 years since his birth, the powerful legacy of John M. Browning, the world's greatest firearms inventor, continues to thrive, both on the tongues of sportsmen around the world and in his original, sought after designs — many of which are still available today.

One of these designs is the Superposed, the last project undertaken by Browning before his death in 1926. The Superposed is the finest and most respected over and under design in the world. As in most of his works, the design of the Superposed reflects Browning's knowledge of the American hunter. He knew they preferred a single sighting plane and a single, selective trigger. He delivered it all, plus perfect balance, economy of proportion, and eye-appealing design. The Superposed is the culmination of firearms ingenuity and wisdom, which is why it continues to be produced to this day, exclusively in the Browning Custom Shop in Herstal, Belgium.

A custom Superposed should be revered as you would a painting or sculpture from one of the great masters, yet its flawless function outweighs its beauty, begging to be carried afield and enjoyed as Mr. Browning intended.





DIANA GRADE



MIDAS GRADE



PIGEON GRADE



B25 GRADE C11



B25 GRADE D11



B25 GOLD



B25 SPECIAL DUCK



B25 GRADE B2G



B25 GRADE C12



B25 GRADE D12



B25 SPCL. WOODCOCK



B25 EVOLUTION



B25 GRADE C2G



B25 GRADE D5G




B25 GRADE I1



B25 GRADE E1



B25 GRADE F1



B25 GRADE M1



B25 GRADE M2

BSL SIDE-BY-SIDE



BSL GRADE LC1



BSL GRADE LC2



BSL GRADE LC1



BSL GRADE LC2

The BSL is equipped with side-by-side bar-action, side-lock barrels, Holland & Holland-type locks with double triggers and automatic ejectors. This gun, which is assembled and finished by Lebeau-Courally, is offered in 12 and 20 gauge versions. Choose from grayed and case colored models. Decorative engraving shown on the LC1, and hunting scenes shown on the LC2. The BSL can also be engraved with a personal choice of motif.





BAR MARK I



BAR MKI GRADE D

This is a luxury version of the BAR, assembled at the Custom Shop. It is available in many calibers in "battue" or "affût" versions.



BAR MK I GRADE IV (RIGHT)



BAR MK I GRADE IV (LEFT)



BAR MK I GRADE D

EXPRESS RIFLES



HERSTAL

CCS 375

A solid action frame with a reinforced lock, thickened barrels, a secure pistol grip stock and a substantial recoil pad for increased shooting comfort make the Browning Express rifle the perfect choice for big game hunting and African safaris.



CCS 25 GRADE B2E



CCS 25 GRADE BAVARIAN




CCS 25 GRADE D5G



CCS 25 GRADE M1

SEMI-AUTO 22 LUXE



SA-22 GRADE III

The most widely sold and imitated 22 autoloading rifle. This gun is particularly light and efficient. The barrel and receiver are separated in an instant. It is available in various versions, including these deluxe models, which continue to be made in the Custom Shop.



SA-22 GRADE II



SA-22 GRADE III

HI-POWER LUXUS



GP GRADE I



GP RENAISSANCE ARGENT



GP GRADE B2



GP RENAISSANCE OR

The Browning Hi-Power is one of the greatest pistol designs of all time. A custom Hi-Power offers all the engineering genius of John M. Browning, embellished with the beauty and craftsmanship provided by the Browning Custom Shop. A custom Hi-Power pistol must be held to be fully appreciated.

CUSTOM MADE IN BELGIUM

The Custom Gun Shop of Fabrique Nationale and the Herstal, Belgium Engravers Cooperative make available, by special order, virtually any custom enhancement. These firearms will be fully assembled, fitted and engraved in Belgium to your personal designs and specifications.

PRICE

Prices for the basic firearm, before custom enhancement, are available from the sales department at Browning in Morgan, Utah. All prices are subject to change due to changing world currencies.

DELIVERY

Actual production time will be based on the complexity and detail of the custom order. In most cases six to eight months of production time should be allowed. More intricate specifications could require additional time. An approximate delivery date will be furnished with the factory cost quotation.

HOW TO ORDER

All inquiries for Custom Gun Shop products will be submitted to our headquarters in Morgan, Utah. Once the basic specifications have been determined, a written order should be placed with the Morgan office. The specifications will be reviewed with the Custom Shop in Belgium, a price

and delivery date determined, and a confirming order form sent to a federal firearms licensed dealer for approval. The order quote must be approved and signed by your dealer and returned to our Morgan, Utah office. The order, once placed with the factory, is considered final and non-cancelable. A deposit may be required.

HOW TO BUILD A CUSTOM GUN

Visit browning.com/custom to view or download the Browning Custom Shop brochure.

In addition to showcasing the firearms available, this brochure displays and explains the many grades, engraving patterns, checkering patterns, stock and forearm designs, and personal touches available to you.

