



WWW.STIGUNS.COM

2006 CATALOG

COMPANY STATEMENT

STI International Inc. is a world renowned manufacturer of 1911 and 2011 style pistols located in Georgetown, Texas. With over 15 years experience delivering the highest quality in 1911 and 2011 pistols, parts and components, STI International offers a wide variety of models of 1911 and 2011 pistols in multiple calibers, currently available through dealers in the US, Canada, Europe, Asia and South America.

SHIPPING

Pick-Up Service Monday-Friday by appointment only.
All pistols are shipped UPS overnight (unless otherwise noted)
All firearms and frames must be shipped to a current F.F.L. Holder
Firearms are not shipped on Fridays. *unless otherwise noted.*

PAYMENT

Acceptable payment for items and services include: Check, Mastercard/Visa and American Express.
STI does not charge credit cards until product is shipped, unless otherwise informed.
Wire transfers are also accepted, please contact STI for additional information.
Open accounts are also available for established businessmen.

ORDERING

STI International has a \$500.00 minimum order.
For orders under \$500.00 please visit our web site www.stiguns.com for a complete list of distributors and dealers.

WARRANTY STATEMENT

STI International, Inc. manufactures all of its own components except pins, springs, and scopes. The suppliers of these purchased parts are reputable manufacturers with whom we have long term business relationships. We are, therefore, supremely confident in the fit, form, and function of every firearm and firearm part that we ship to our loyal customer base. With that in mind, we unconditionally warranty our products for their intended purpose, when properly installed. Abuse and normal wear are excluded.

Call STI for a Return Authorization (RA#) for return of any item to STI.
The RA number must be marked on the outside of the box.
Packages will not be accepted without a RA number.

STI International
114 Halmar Cove
Georgetown, TX 78628

PH: 512-819-0656
FAX: 512-819-0465
WWW.STIGUNS.COM

Specifications and terms subject to change without notice



STI INTERNATIONAL Match Sponsor of World Shoot XIV

Russell Skinner, David Skinner, Pauletta Skinner, John Kestel



STI CHAMPIONS

Bennie Cooley	Michael Voigt
3 Time S.O.F. Champion	USPSA President
5 Time USPSA Limited 3 Gun Champion	IPSC World Shoot Champion
	8 Time USPSA Open 3 Gun Champion



David Skinner president of STI presents former president of Ecuador Leon Febres Cordero Rivadeneira with a Special Edition Pistol.



STI Factory Floor



STI Factory Floor

APPAREL

Gray T Shirt with Pocket



Red T Shirt with Pocket



White Golf Shirt



Gray Golf Shirt



White w/Black Bill



Khaki w/Black Bill



Black w/Black Bill

STI Team Shirt



Long Sleeve Gray Shirt



Ladies V Neck
Red, Black & Gray



STI Jacket



FIREARMS:

Grandmaster.....	1
Trubor.....	2
Stinger.....	3
Edge.....	4
Executive.....	5
IPSC 30th Anniversary.....	6
Special Edition.....	7
Trusight.....	8
Tactical.....	9
Tactical 4.15.....	10
Eagle.....	11
VIP.....	12
Trojan.....	13
LS.....	14
Legacy.....	15
Lawman.....	16
Duty One.....	17
Duty CT.....	18
Rangemaster.....	19
Rangemaster II.....	20
Targetmaster.....	21
Ranger II.....	22
FPI 2230/2260.....	23
2011 Frame Kits.....	24
1911 Frame Kits.....	25
2011 & 1911 Slide to Frame Fits.....	26
Barrels.....	27
Slides.....	28
Magazines & Components.....	29
Parts.....	30-34
Apparel.....	35

PARTS:

STI International
114 Halmar Cove
Georgetown, TX 78628

PH: 512-819-0656
FAX: 512-819-0465
WWW.STIGUNS.COM

GRANDMASTER



PARTS

The STI Recoilmaster is designed to achieve softer recoil and bring the pistol back to point of aim quicker. Using two springs for recoil versus the traditional single spring, provides at least 10 times the life of a conventional recoil system. The 5" Recoilmaster will fit all government model 1911 style pistols. The 4.15 and 3.9 are designed for STI pistols only.



STI guide plug and reverse plugs are manufactured from 4140 steel. Available for 5" & 6" pistols.

STI manufactures full length guide rods. The 5" is one piece with a takedown hole. The 6" is two piece for removal



The STI 1911 magwell is manufactured out of 4140 steel. The mainspring housing is checkered 30 LPI for a sure grip. The magwell aids in faster reloads and in grip control of the pistol.



STI Oversize Magazine Release Button



CALIBER:	9MM, 9X23, .38 SUPER, .40, .45
FRAME:	STI PATENTED MODULAR STEEL
GRIP:	BLUE GLASS FILLED NYLON POLYMER WITH STAINLESS MAGWELL
SLIDE:	5" CLASSIC FLAT TOP WITH SLIDE LIGHTNING, SABERTOOTH COCKING SERRATIONS
TRIGGER:	STI GUNSMITH TRIGGER
BARREL:	STI TRUBOR BULL BARREL, RAMPED, FULLY SUPPORTED WITH INTEGRAL COMPENSATOR
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	C-MORE SCOPE (GRAY)
O.A. LENGTH:	10.5"
WEIGHT:	44.0 OZ
FINISH:	HARD CHROME WITH COLOR INLAY (BLUE) POLISHED SIDES OF SLIDE

- OPTIONS AVAILABLE:**
- COLOR INLAY
 - SHORT OR LONG TRIGGER
 - COLORED GRIP WITH MATCHING TRIGGER
 - COLORED C-MORE SCOPE
 - OKO SCOPE
 - D/T MAG RELEASE WITH OVERSIZE BUTTON
 - ALTERNATE TOP END

- PISTOL INCLUDES:**
- ONE STI TEAM SHIRT
 - ONE STI CAP
 - TEST TARGET

PISTOL IS SHIPPED IN HARD FOAM CASE ONE 140MM MAGAZINE, AND MANUAL INCLUDED

Springs for the 1911:

Sear spring, mainspring (15lb), plunger tube spring, firing return spring, recoil spring (specify weight 8-18 lbs), Recoilmaster primary spring (specify heavy or light).

Pin Kits for the 1911:

Hammer strut pin, link pin, mainspring plunger, sear pin, ejector pin, mainspring housing retainer, mainspring plunger retainer, hammer pin, slide stop plunger, thumb safety plunger.

Pin Kits for the 2011:

Hammer strut pin, link pin, mainspring plunger, sear pin, solid ejector pin, mainspring housing retainer, mainspring plunger retainer, hammer pin, slide stop plunger, thumb safety plunger.

PARTS

Hammer & Sear: STI hammers are wire EDM cut, then precision ground and polished using A-6 tool steel. STI sears are wire EDM cut using S-7 tool steel; producing the highest quality hammer and sear for crisp and lightweight trigger pulls. STI Hammers are available in three styles.

Commander



Spur



Square



Sear



STI Hammer strut is wire EDM cut from titanium, this allows for very fast lock up and adds minimum weight to the entire trigger system aiding in even crisper and lighter trigger weight.



The STI Disconnector is made out of FN 0205 steel; a perfect addition to the STI hammer and sear.



STI slide stop is 4140 carbon steel heat treated to 38 - 42 Rockwell hardness; creating a very precise slide stop. Built for 1911 and 2011 pistols the STI slide stop will hold up to any demand put by the shooter.



The STI ejector is manufactured out of 4140 steel.

Available in the following specific calibers: .45 ACP, .40 S&W, .38 super, & 9mm extended



The STI extractor is manufactured out of high quality spring steel. Available in the following specific calibers. .45 ACP, .40 S&W, .38 super & 9mm



STI Firing pin available in stainless steel or titanium. .45/.40/.38/9mm



STI Firing pin stop in 4140 steel. Available Std. or cut for sights.



TRUBOR



CALIBER:	9MM, 38 SUPER, 9X23
FRAME:	STI PATENTED MODULAR STEEL
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH ALUMINUM MAGWELL
SLIDE:	5" CLASSIC WITH SLIDE LIGHTENING, STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED
BARREL:	STI TRUBOR BULL BARREL, RAMPED, FULLY SUPPORTED WITH INTEGRAL COMPENSATOR
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY (STAINLESS STEEL)
GUIDE ROD:	STI ONE PIECE STEEL
SIGHTS:	C-MORE SCOPE (BLACK)
O.A. LENGTH:	10.5"
WEIGHT:	42.0 oz
FINISH:	BLUED WITH SIDES OF SLIDE POLISHED

- OPTIONS AVAILABLE:**
- HARD CHROME
 - COLOR INLAY
 - SHORT OR GUNSMITH TRIGGER
 - COLORED GRIP WITH MATCHING TRIGGER
 - OKO SCOPE
 - C-MORE CLICK SCOPE
 - COLOR C-MORE SCOPE
 - DRILLED & TAPPED MAG RELEASE
 - D/T MAG RELEASE WITH OVERSIZE BUTTON
 - ALTERNATE TOP END
 - STAINLESS MAGWELL
 - RECOILMASTER

PISTOL IS SHIPPED IN HARD FOAM CASE ONE 140MM MAGAZINE, AND MANUAL INCLUDED

STINGER



SCOPES & PARTS

The C-More heads up display red dot scope is the choice of open class shooters. Using a red LED as the aiming device, the C-More scope will get you on your target quicker. Available in black, red, gray, and blue. The C-more also has a choice of click or non-click adjustment switch.

**C-More Scope
Non-Click Adjustment**



**C-More Scope
Click Adjustment**



STI manufactures two scope mounts for red dot scopes to mount on 2011 and 1911 pistols. These mounts are CNC machined from barstock 7075 aircraft grade aluminum for a strong, yet light-weight mount. The mount models are available for the C-More scope, and the OKO scope.

**STI Scope Mount
C-More**



**STI Scope Mount
OKO**



The STI high rise beavertail grip safety is designed for all 1911 and 2011 pistols. The safety is produced out of 4140 steel or 17-4 stainless steel.

The safety arm is pre-notched, deeper strut groove and pre-cut knuckle clearance, providing positive safety activation, and comfortable high grip. The grip safety can be removed without the removal of the mainspring housing (an industry first).

**Grip Safety
Blued Steel**



**Grip Safety
Stainless Steel**



STI thumb safeties are designed for 1911 and 2011 pistols. Offered in both ambidextrous and single sided models. These safeties have contoured and serrated pads that allow for the thumb to contact the safety in a natural position, providing a comfortable thumb placement for shooters.

Carbon steel is 4140, stainless steel is 17-4

**Ambidextrous
Blued Steel**



**Single Sided
Blued Steel**



**Ambidextrous
Stainless Steel**



**Single Sided
Stainless Steel**



CALIBER:	9MM, .38 SUPER
FRAME:	STI PATENTED MODULAR STEEL
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH ALUMINUM MAGWELL
SLIDE:	3.9" CLASSIC ROUND TOP, STI REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI TRUBOR BULL BARREL, RAMPED, FULLY SUPPORTED WITH INTEGRAL COMPENSATOR
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY (STAINLESS STEEL)
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	IPSC OKO SCOPE WITH BLAST SHIELD
O.A. LENGTH:	9.0"
WEIGHT:	38.0 OZ
FINISH:	BLUED WITH SIDES OF SLIDE POLISHED

OPTIONS AVAILABLE:

- HARD CHROME
- COLOR INLAY
- DRILLED & TAPPED MAG RELEASE
- D/T MAG RELEASE AND OVERSIZE BUTTON
- STAINLESS MAGWELL

PISTOL IS SHIPPED IN HARD FOAM CASE ONE 140MM MAGAZINE, AND MANUAL INCLUDED

SIGHTS & SCOPES

STI manufactures a wide variety of sights for 1911 style pistols, ranging from carry to competition and PPC competition. Night sight sets are also available. STI uses Trijicon tritium inserts for the brightest, highest quality night sights available on the market. STI sights are designed to fit industry standard sight cuts.

STI Adjustable




Fits Bomar cut: 60° X .359

STI Adjustable Night Sight Set



Fits Bomar cut: 60° X .359

STI T.A.S. Tactical Adjustable Sight



Fits Novak cut: 65° X .459

STI Fixed



Fits Novak cut: 65° X .459

STI Fixed Night Sight Set



Fits Novak cut: 65° X .459

Aristocrat PPC Sight Set



.500" milled cut on slide

Dawson Fiber Optic (.100) Front Sight



Fits dovetail cut: .300 X 60°

STI Competition Front Sight



Fits dovetail cut: .300 X 60°

STI Ramped Front Sight



Fits dovetail cut: .300 X 60°

The OKO red dot scope is designed for quick and accurate shots. Projecting a LED onto a semi-translucent lens gives the shooter the advantage of placing a red dot on the target, rather than lining up the rear and front sight. The OKO is available in several models. STI manufactures a mount for the OKO to mount to 1911 and 2011 pistols.

IPSC Model



S Model



W Model



IPSC Model: 6, 8 MOA available, with blast shield, Intensity switch hi/low only
SH Model: 4, 6, 8 MOA available, with blast shield, Intensity switch multiple levels
S Model: 4, 6, 8 MOA available, no blast shield, Intensity switch multiple levels
W Model: 6, 8 MOA available, Weaver and Picatinny rail mount, Intensity switch multiple levels

EDGE



CALIBER:	9MM, .40, .45, .38 SUPER
FRAME:	STI PATENTED MODULAR STEEL (LONG WIDE)
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH ALUMINUM MAGWELL
SLIDE:	5" UNIQUE ROUND TOP WITH STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY (STAINLESS STEEL)
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI COMPETITION FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.6"
WEIGHT:	38 oz
FINISH:	BLUED WITH SIDES OF SLIDE POLISHED

- OPTIONS AVAILABLE:**
- HARD CHROME
 - COLOR INLAY
 - CUSTOM SERIAL NUMBER
 - SHORT OR GUNSMITH TRIGGER
 - DAWSON FRONT SIGHT
 - 3 DOT TRITIUM SIGHTS
 - COLORED GRIP WITH MATCHING TRIGGER
 - DRILLED & TAPPED MAG RELEASE
 - D/T MAG RELEASE WITH OVERSIZE BUTTON
 - STAINLESS MAGWELL

PISTOL IS SHIPPED IN HARD FOAM CASE
 ONE 126MM MAGAZINE, AND MANUAL INCLUDED

EXECUTIVE



CALIBER:	.40
FRAME:	STI PATENTED MODULAR STEEL (LONG WIDE)
GRIP:	GRAY GLASS FILLED NYLON POLYMER WITH STAINLESS MAGWELL
SLIDE:	5" UNIQUE ROUND TOP WITH STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER (GRAY)
BARREL:	STI BULL BARREL, RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	DAWSON FIBER OPTIC (.100) FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.6"
WEIGHT:	39 OZ
FINISH:	HARD CHROME WITH COLOR INLAY (BLACK)

OPTIONS AVAILABLE:

- DRILLED & TAPPED MAG RELEASE
- D/T MAG RELEASE AND OVERSIZE BUTTON

**PISTOL IS SHIPPED IN HARD FOAM CASE
ONE 126MM MAGAZINE, AND MANUAL INCLUDED**

PARTS

2011 Grips



Replacement 2011 grips for the STI line of pistols and frames. The glass filled nylon polymer grip is the second component of the 2011 modular (high capacity) frame system. Available in 4 colors.



For faster magazine reloads, the STI magwell is just the ticket.

STI offers two styles: Aluminum (black) weighs 1.2oz, Stainless Steel (natural) weighs 3.1oz.

This is a direct install to all STI 2011 pistols and frames.

* will not fit on the vip model

2011 Long Curved Trigger

*available in red, blue, gray & black



2011 Short Curved

*available in black



2011 Gunsmith Blank

*available in black



The STI 2011 trigger bow is stainless steel wire EDM cut, with a notch for trigger take up adjustment. The trigger bow is glass filled nylon polymer with set screw for overtravel adjustment. The 2011 triggers are designed for STI pistols and frames.

1911 Short Curved

*available in black



1911 Long Curved

*available in black



1911 Aluminum

*long curved



The STI 1911 trigger bow is stainless steel wire EDM cut, with a notch for trigger take up adjustment. The trigger bow is glass filled nylon polymer with set screw for overtravel adjustment. The 1911 triggers are designed for all 1911 single stack pistols.

MAGAZINES & COMPONENTS

The STI 2011 magazine is manufactured out of 410 stainless steel thus producing a magazine with longer life, greater strength, and corrosion resistant. STI 2011 magazines are built specifically for all STI 2011 style pistols and frames.

In combination with the 2011 patented frame, the STI 2011 magazine allows for maximum round capacity, ranging from 10 to 26 rounds (depending on length and caliber).

Magazine
120mm
9mm/.38 = 15 rounds
.40 cal = 12 rounds
.45 acp = 10 rounds



Magazine
126mm
9mm/.38 = 17 rounds
.40 cal = 14 rounds
.45 acp = 12 rounds




Magazine
140mm
9mm/.38 = 20 rounds
.40 cal = 17 rounds
.45 acp = 14 rounds



Magazine
170mm
9mm/.38 = 26 rounds
.40 cal = 22 rounds



Magazine Base Pads



Magazine Body
170mm



Magazine Body
140mm



Magazine Body
126mm



Magazine Body
120mm



Base Plate



Follower



Magazine Springs

120mm 10 rd.	9mm/.38
120mm 10 rd.	.40/.45
120mm std.	9mm/.38
120mm std.	.40/.45
126mm 10 rd.	.38/.40
126mm 10 rd.	9mm
126mm std.	9mm/.38
140mm std.	9mm/.38
140mm std.	.40/.45
170mm std.	.38/.40

IPSC 30TH ANNIVERSARY



CALIBER:	9MM, .38 SUPER, .40, .45
FRAME:	STI PATENTED MODULAR STEEL (LONG WIDE)
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH STAINLESS MAGWELL
SLIDE:	5" UNIQUE TRI-TOP WITH 30 LPI, SABERTOOTH COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	DAWSON FIBER OPTIC FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.6"
WEIGHT:	38 OZ
FINISH:	SLIDE HARD CHROME WITH BLACK INLAY FRAME BLUED

- SPECIAL FEATURES:**
- CUSTOM SERIAL NUMBER
 - DECORATIVE FLUTES ON FRAME
 - CUSTOM ENGRAVING ON BOTH SIDES OF SLIDE COMMEMORATING IPSC 30TH ANNIVERSARY

- INCLUDES:**
- CUSTOM LOCKABLE PISTOL CASE
 - TWO 126MM MAGAZINES HARD CHROMED WITH DAWSON BOX RULE PADS
 - ONE STI TEAM SHIRT
 - ONE STI JACKET
 - TWO STI PATCHES

SPECIAL EDITION



CALIBER:	9MM, .40, .45
FRAME:	STI PATENTED MODULAR STEEL (LONG WIDE)
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH STAINLESS MAGWELL
SLIDE:	5" UNIQUE ROUND TOP, SABERTOOTH COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	DAWSON FIBER OPTIC FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.6"
WEIGHT:	39 OZ
FINISH:	24 KARAT GOLD ON ALL STEEL SURFACES WITH POLISHED SIDES ON SLIDE

SPECIAL FEATURES:

- CUSTOM SERIAL NUMBER
- 24 KARAT GOLD PLATING ON ALL STEEL SURFACES

INCLUDES:

- CUSTOM LOCKABLE PISTOL CASE
- TWO 126MM MAGAZINES WITH 24 KARAT GOLD PLATED DAWSON BOX RULE PADS

SLIDES

STI International slides are CNC milled from pre-hardened barstock 4140 carbon steel to ensure slide rail exactness. The breech face is wire EDM cut for maximum precision angle. STI offers three slide lengths; **4.25" (Commander)**, **5" (Government)**, and **6" (Long Slide)**. The slides have lowered and flared ejection ports (largest in industry) for reliable case ejection. STI offers a wide variety of options on our slides that can save time for the final assembly of a high quality pistol.



4.25" Classic Slide
 * Shown
 Round top
 No sight cuts
 No cocking serrations
 STI logo



5" Classic Slide
 * Shown
 Round top
 Bomar rear sight cut
 Dovetail front sight cut
 F/R cocking serrations
 No STI logo



5" Unique Slide
 * Shown
 Tri-Top
 Novak rear sight cut
 Dovetail front sight cut
 F/R cocking serrations
 No STI logo



6" Unique Slide
 * Shown
 Flat top
 Bomar rear sight cut
 Dovetail front sight cut
 Rear cocking serrations
 STI logo



6" Classic Slide
 * Shown
 Round Top
 No sight cuts
 No cocking serrations
 No STI logo

Slide Option List



SLIDE	Rear Serrations	F/R Serrations	STI Logo	Front Sight Cut	Bomar Rear Cut	Novak Rear Cut	Slide Lightening	Flat-Top Slide	Tri-Top Slide
4.25" Classic	X		X	X	X	X		X	
5" Classic	X	X	X	X	X	X	X	X	X
5" Unique	X	X	X	X	X	X	X	X	X
6" Classic	X	X	X	X	X	X	X	X	X
6" Unique	X	X	X	X	X	X	X	X	X

BARRELS

STI barrels are made from 416 rifle grade stainless steel billet forgings. The bore is gun drilled, button rifled, then air gauged to offer the most exacting size, and most consistent barrel available. The rifling is 1 in 16 twist and has 6 lands and grooves. The barrels are vacuum heat treated and vacuum tempered to 40Rc, then machined to exacting specifications. The barrels are short chambered to allow the gunsmith to cut the chamber to their application.


Bull Barrel

Available calibers: .355, 9mm, .38 super, .400, .40 S&W, .450, .45 ACP





Bushing Barrel

Available calibers: .355, 9mm, .38 super, .400, .40 S&W, .450, .45 ACP
Includes: barrel, stainless steel bushing, barrel link and pin



Trubor Barrel

T1 Available calibers: .355, 9mm, .38 super, .400, .40 S&W, .450, .45 ACP
T2 Available calibers: .355, 9mm, .38 super, .400, .40 S&W, .450, .45 ACP
Non port Trubor blank: .355, 9mm, .38 super, .400, .40S&W, .450, .45 ACP



TRUSIGHT



CALIBER:	9MM, .40, .45
FRAME:	STI PATENTED MODULAR STEEL 4.5" (LONG WIDE)
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH ALUMINUM MAGWELL
SLIDE:	4.15" UNIQUE, STI REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 5" RAMPED FULLY SUPPORTED WITH EXPANSION CHAMBER
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY (STAINLESS STEEL)
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	DAWSON FIBER OPTIC FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.6"
WEIGHT:	39 OZ
FINISH:	BLUED WITH SIDES OF SLIDE POLISHED

OPTIONS AVAILABLE:

- HARD CHROME
- COLOR INLAY
- SHORT OR GUNSMITH TRIGGER
- COLORED GRIP WITH MATCHING TRIGGER
- DRILLED & TAPPED MAG RELEASE
- D/T MAG RELEASE WITH OVERSIZE BUTTON
- STAINLESS MAGWELL

SPECIAL FEATURE:

- FIBER OPTIC SIGHT INSTALLED ON BARREL

PISTOL IS SHIPPED IN HARD FOAM CASE
ONE 126MM MAGAZINE, AND MANUAL INCLUDED

TACTICAL 5.0



CALIBER:	9MM, .40, .45
FRAME:	STI PATENTED MODULAR STEEL WITH INTEGRAL TACTICAL RAIL
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH ALUMINUM MAGWELL
SLIDE:	5" FLAT TOP, STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI RAMPED FRONT, STI FIXED REAR
O.A. LENGTH:	8.5"
WEIGHT:	STEEL FRAME: 36 OZ ALUMINUM FRAME: 30 OZ
FINISH:	BLUED MATTE FINISH

- OPTIONS AVAILABLE:**
- HARD CHROME
 - ALUMINUM FRAME
 - SHORT OR GUNSMITH TRIGGER
 - DAWSON FRONT SIGHT
 - T.A.S. (TACTICAL ADJUSTABLE SIGHT)
 - FIXED TRITIUM SIGHTS (2 DOT)

PISTOL IS SHIPPED IN HARD FOAM CASE
ONE 126MM MAGAZINE, AND MANUAL INCLUDED

2011 & 1911 SLIDE TO FRAME FITS

The STI slide to frame fit is offered in both the 2011 and the 1911 style frames. Each frame is precisely hand fit to the slide. This offers a tight yet very smooth fit, aiding in the basics of any high quality pistol.

For Slide options see page 28
For 2011 Frame options see page 24
For 1911 Frame options see page 25

2011 S.F.F.

- STD FRAME
- 5" FRAME
- 6" FRAME
- TACTICAL FRAME

1911 S.F.F.

- 5" FORGED (NON RAMP)
- 5" CAST (RAMP CUT)
- 6" CAST (RAMP CUT)
- 5" MASTER SERIES (RAMP CUT)
- 5" DUTY ONE (RAMP CUT)
- 6" MASTER SERIES (RAMP CUT)


2011 Tactical



1911 Master Series S.F.F.



2011 6" S.F.F.



1911 Cast S.F.F.



Also available from STI are 2011 Short Blocks.
Includes: Frame, Slide, Barrel, Recoil System and Slide Stop installed.
Call your STI sales representative for more information.

1911 FRAME KITS



1911 Investment Cast Frame

Material: 4140 steel, investment cast
Heat treated to 28-32 Rockwell.
Features: Oversize rails for precise slide fits.
Tang is cut .250" radius for beavertail grip safety.
Undercut trigger guard
Bare front strap
Ramp cut (only) (STI, Wilson-Nowlin)



1911 Forged Frame

Material: 4140 steel, forged billet then milled to 1911 specifications.
Heat treated to 28-32 Rockwell.
Features: Oversize rails for precise slide fits.
Tang is cut .250" radius for beavertail grip safety.
Bare front strap
No ramp cut



1911 Tactical Frame

Material: 4140 steel, investment cast
Heat treated to 28-32 Rockwell.
Features: Oversize rails for precise slide fits.
Tang is cut .250" radius for beavertail grip safety.
Undercut trigger guard
30 LPI checkered front strap
Integral tactical (light) rail
Ramp cut (only) (STI, Wilson-Nowlin)



1911 Master Series Frame

Material: 4140 steel, investment cast
Heat treated to 28-32 Rockwell.
Features: Oversize rails for precise slide fits.
Tang is cut .250" radius for beavertail grip safety.
Undercut trigger guard
Square trigger guard
30 LPI checkered front strap
Ramp cut (only) (STI, Wilson-Nowlin)

TACTICAL 4.15



*shown with short curved trigger

CALIBER:	9MM, .40, .45
FRAME:	STI PATENTED MODULAR STEEL WITH INTEGRAL TACTICAL RAIL
GRIP:	BLACK GLASS FILLED NYLON POLYMER WITH ALUMINUM MAGWELL
SLIDE:	4.15" UNIQUE FLAT TOP , STI REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI RAMPED FRONT, STI FIXED REAR
O.A. LENGTH:	8.5"
WEIGHT:	STEEL FRAME: 34.5 OZ ALUMINUM FRAME: 28 OZ
FINISH:	BLUED MATTE FINISH

- OPTIONS AVAILABLE:**
- HARD CHROME
 - ALUMINUM FRAME
 - SHORT OR GUNSMITH TRIGGER
 - DAWSON FRONT SIGHT
 - T.A.S. (TACTICAL ADJUSTABLE SIGHT)
 - FIXED TRITIUM SIGHTS (2 DOT)

PISTOL IS SHIPPED IN HARD FOAM CASE ONE 126MM MAGAZINE, AND MANUAL INCLUDED

EAGLE 5.0



OPTIONS AVAILABLE:

- HARD CHROME
- COLOR INLAY
- CUSTOM SERIAL NUMBER
- WIDE FRAME
- ALUMINUM FRAME
- LONG FRAME TO MATCH 5" SLIDE
- LONG FRAME TO MATCH 6" SLIDE
- SHORT OR GUNSMITH TRIGGER
- COLORED GRIP W/ MATCHING TRIGGER
- UNIQUE SLIDE
- FLAT TOP SLIDE
- TRI TOP SLIDE
- DAWSON FRONT SIGHT
- STI FIXED REAR SIGHT
- ADJUSTABLE TRITIUM 3 DOT (BOMAR CUT)
- FIXED TRITIUM SIGHTS (2 DOT)
- ARISTOCRAT SIGHT ON 6" MODEL ONLY
- DRILLED AND TAPPED MAG RELEASE
- D/T MAG RELEASE AND OVERSIZE BUTTON
- STAINLESS MAGWELL
- ALUMINUM MAGWELL
- BLUED GRIP SAFETY
- BULL BARREL
- ALTERNATE TOP END
- RECOILMASTER

CALIBER:	9MM, .38 SUPER, 9X21 .40, .45
FRAME:	STI PATENTED MODULAR STEEL
GRIP:	BLACK GLASS FILLED NYLON POLYMER
SLIDE:	5" CLASSIC ROUND TOP, STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BUSHING BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY (STAINLESS STEEL)
GUIDE ROD:	STI ONE PIECE STEEL
SIGHTS:	STI COMPETITION FRONT, STI ADJUSTABLE REAR
O.A. LENGTH:	8.6"
WEIGHT:	STEEL FRAME: 34.5 OZ ALUMINUM FRAME: 30.5 OZ
FINISH:	BLUED WITH SIDES OF SLIDE POLISHED


Eagle is also available in 6"

PISTOL IS SHIPPED IN HARD FOAM CASE ONE 126MM MAGAZINE, AND MANUAL INCLUDED

2011 FRAME KITS

The STI 2011 Frame is manufactured from 4140 Maxxell Alloy steel or 7075 aerospace grade aluminum, pre-cut for high ride beavertail grip safety and ambidextrous thumb safety configuration. The 2011 steel frame is CNC milled billet, creating a very accurate frame to build the highest quality pistols. The innovative frame design preserves the 17 degree angle of grip in relation to the slide, original to the 1911. The essential design element for high capacity, the 2011 grip, is made from glass filled nylon polymer and is checkered with 30 lpi in the complete front strap and 25 lpi on the trigger guard. Available in black, gray, blue, and red. The grip panels are checkered in 30 lpi. To increase strength and durability, metal inserts are molded into the grip to allow metal to metal contact with the frame.

All frame kits include: frame, grip, magazine release, mainspring housing and trigger.




Standard Frame



Tactical Frame



5.0 Frame



6.0 Frame

2011 Frame Option List

Frame	Ramp Cut	4140 Steel	7075 Aluminum	Custom Serial #	Drilled/Tapped for Scope	Wide Frame	Short or G.S. Trigger	Colored Grip
STD	X	X	X	X	X	X	X	X
5"	X	X	X	X	X	Std.	X	X
Tactical	Std.	X	X	N/A	N/A	Std.	X	N/A
6"	X	X	N/A	X	X	Std.	X	X

FPI 22 RIFLE & COMPONENTS

STI offers a complete .22 LR semi-auto match grade rifle for the discerning shooter. The FPI rifle starts out with a fully machined billet receiver (aluminum) in your choice of two heights. The receiver has a Picatinny rail machined directly onto it for accurate scope mounting. The trigger housing is also machined out of bar stock aluminum. Standard features include extended magazine release, a choice of triggers, and a clean out hole in rear of receiver for easy maintenance.

FPI 2260 Rifle



* shown with 2260 height receiver

CALIBER:	.22 LR
RECEIVER:	STI BARSTOCK ALUMINUM, WITH INTEGRAL SCOPE MOUNT
STOCK:	HOGUE OVERMOLD (BLACK)
TRIGGER:	STI BARSTOCK ALUMINUM (6061), CURVED TRIGGER W/ EXTENDED MAG RELEASE TWO STAGE
BARREL:	LOTHAR WALTHAR, PROGRESSIVE TWIST

FPI 2230 Receiver



FPI 2260 Receiver



The FPI receiver is offered in two configurations, the 2230 which has a low mount rail and the 2260 which has the high mount rail. Designed to fit directly on Ruger 10/22® or used for the building of a custom rifle. The scope rails are milled to industry standard specifications to accept Weaver and Picatinny scope mounts. Receivers will accept threaded and press fit barrels.

FPI Bolt & Charging Handle



- Includes:** Steel bolt
Steel charging handle
Take down screw
Receiver cross pin
Bolt stop pin

FPI Trigger



STI offers two grade triggers for the FPI rifle and receivers. In addition, these triggers are also a direct drop in for the Ruger 10/22®, and 10/22® Mag. rifles. Triggers are two stage. The **Match Trigger** breaks between 24 and 26 oz. The **Super Match Trigger** breaks between 15 and 17 oz.

VIP



CALIBER:	9MM, .38 SUPER, .40, .45
FRAME:	STI PATENTED MODULAR STEEL ALUMINUM MAINSPRING HOUSING
GRIP:	BLACK GLASS FILLED NYLON POLYMER COMPACT GRIP
SLIDE:	3.9" FLAT TOP, WITH STI REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 3.9" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND SINGLE SIDED THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI RAMPED FRONT, STI FIXED REAR
O.A. LENGTH:	7.5"
WEIGHT:	STEEL FRAME: 29.7 oz ALUMINUM FRAME: 26 oz
FINISH:	BLUED MATTE FINISH

- OPTIONS AVAILABLE:**
- HARD CHROME
 - ALUMINUM FRAME INCLUDES STAINLESS STEEL SLIDE
 - FIXED TRITIUM SIGHTS (2 DOT)
 - AMBIDEXTROUS SAFETY

PISTOL IS SHIPPED IN HARD FOAM CASE ONE 120MM MAGAZINE, AND MANUAL INCLUDED

TROJAN



CALIBER:	9MM, .38 SUPER .40, .45
FRAME:	STI 1911 GOVERNMENT FRAME, STI STIPPLED FRONT STRAP, UNDERCUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS, (THIN)
SLIDE:	5" FLAT TOP, STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BUSHING BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND SINGLE SIDED THUMB SAFETY
GUIDE ROD:	STI ONE PIECE STEEL
SIGHTS:	STI COMPETITION FRONT, STI ADJUSTABLE REAR
O.A. LENGTH:	8.5"
WEIGHT:	36 OZ
FINISH:	BLUED MATTE FINISH

OPTIONS AVAILABLE:

- HARD CHROME
- THICK GRIPS
- DAWSON FRONT SIGHT
- STI FIXED REAR SIGHT
- ADJUSTABLE TRITIUM 3 DOT SET (BOMAR CUT)
- FIXED TRITIUM SIGHT SET (2 DOT)
- AMBI THUMB SAFETY
- ALTERNATE TOP END
- MAGWELL WITH STEEL MAINSPRING HOUSING
- RECOILMASTER

Trojan is also available in 6"

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

RANGER II



CALIBER:	9MM, .40, .45
FRAME:	STI 1911 GOVERNMENT FRAME STI STIPPLED FRONT STRAP, UNDERCUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS (THIN)
SLIDE:	4.15" FLAT TOP WITH STI REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 4.15" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND SINGLE SIDED THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI RAMPED FRONT, STI FIXED REAR
O.A. LENGTH:	7.75"
WEIGHT:	32 OZ
FINISH:	BLUED MATTE FINISH

OPTIONS AVAILABLE:

- HARD CHROME
- THICK GRIPS
- FIXED TRITIUM SIGHTS (2 DOT)
- MAGWELL WITH MAINSPRING HOUSING

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

TARGETMASTER



LS 9/40



CALIBER:	9MM, .45
FRAME:	STI 1911 GOVERNMENT FRAME WITH FRONT STRAP 30 LPI CHECKERING, SQUARE TRIGGER GUARD, STEEL MAGWELL, UNDERCUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS, STANDARD
SLIDE:	6" FLAT TOP WITH STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED ALUMINUM TRIGGER
BARREL:	STI BUSHING BARREL, 6" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY (STAINLESS STEEL)
GUIDE ROD:	STI TWO PIECE
SIGHTS:	ARISTOCRAT FRONT AND REAR SIGHTS
O.A. LENGTH:	9.5"
WEIGHT:	43 OZ
FINISH:	BLUED, WITH SIDES OF SLIDE POLISHED

OPTIONS AVAILABLE:
 •HARD CHROME
 •ALTERNATE TOP END

CALIBER:	9MM, .40
FRAME:	STI 1911 COMPACT FRAME WITH STIPPLED FRONT STRAP
GRIP:	ROSEWOOD THIN PANELS
SLIDE:	STI BULLET STYLE WITH FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	3.4" FULLY SUPPORTED, RAMPED, WITH LINKLESS LOCK UP
SAFETIES:	STI HIGH-RIDE GRIP AND SINGLE SIDED THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	SLIDE INTEGRAL FRONT HEINIE LOW MOUNT REAR
O.A. LENGTH:	7.0"
WEIGHT:	26 OZ
FINISH:	BLUED MATTE FINISH

OPTIONS AVAILABLE:
 •HARD CHROME

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

LS DOES NOT LOCK BACK ON EMPTY MAGAZINE

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

LEGACY



CALIBER:	.45
FRAME:	STI 1911 FORGED FRAME WITH 30 LPI FRONT STRAP CHECKERING STEEL MAINSPRING HOUSING
GRIP:	CUSTOM COCOBOLA GRIPS
SLIDE:	5" FLAT TOP WITH STI CLASSIC REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED ALUMINUM TRIGGER
BARREL:	STI BUSHING BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI ONE PIECE
SIGHTS:	STI RAMPED FRONT STI TACTICAL ADJUSTABLE REAR
O.A. LENGTH:	8.5"
WEIGHT:	36 oz
FINISH:	P.V.D. (PHYSICAL VAPOR DEPOSITION) BLACK SIDES OF SLIDE POLISHED

OPTIONS AVAILABLE:
NONE

SPECIAL FEATURES:
SLIDE IS FLAT TOP WITH DIAMOND LPI, AND MASTER LINE ON BOTH SIDES OF SLIDE.

PISTOL IS SHIPPED IN HARD FOAM CASE, ONE MAGAZINE, AND MANUAL INCLUDED

RANGEMASTER II



CALIBER:	9MM, .45
FRAME:	STI 1911 GOVERNMENT FRAME WITH 30 LPI FRONT STRAP CHECKERING, SQUARE TRIGGER GUARD, UNDERCUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS STANDARD
SLIDE:	5" FLAT TOP WITH STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BUSHING BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND SINGLE SIDED THUMB SAFETY
GUIDE ROD:	STI ONE PIECE
SIGHTS:	STI COMPETITION FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.5"
WEIGHT:	37 oz
FINISH:	BLUED WITH SIDES OF SLIDE POLISHED

OPTIONS AVAILABLE:
•HARD CHROME

PISTOL IS SHIPPED IN HARD FOAM CASE, ONE MAGAZINE, AND MANUAL INCLUDED

RANGEMASTER



CALIBER:	9MM, .45
FRAME:	STI 1911 GOVERNMENT FRAME WITH EXTENDED DUST COVER, SQUARE TRIGGER GUARD, FRONT STRAP 30 LPI CHECKERING, STEEL MAGWELL, UNDERCUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS STANDARD
SLIDE:	5" UNIQUE, FLAT TOP WITH STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED ALUMINUM TRIGGER
BARREL:	STI BULL BARREL, 5" RAMPED FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY, STAINLESS STEEL
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI COMPETITION FRONT STI ADJUSTABLE REAR
O.A. LENGTH:	8.5"
WEIGHT:	43.2 oz
FINISH:	BLUED, WITH SIDES OF SLIDE POLISHED

OPTIONS AVAILABLE:
 •HARD CHROME
 •DAWSON FIBER OPTIC FRONT SIGHT

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

LAWMAN



CALIBER:	.45
FRAME:	STI 1911 FORGED FRAME WITH 30 LPI FRONT STRAP CHECKERING (STEEL)
GRIP:	CUSTOM MATCHING POLYMER GRIPS
SLIDE:	5" CLASSIC WITH FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED ALUMINUM TRIGGER
BARREL:	STI BUSHING BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND SINGLE SIDED THUMB SAFETY
GUIDE ROD:	STI ONE PIECE
SIGHTS:	STI FRONT (WHITE DOT) NOVAK REAR (2 DOT WHITE)
O.A. LENGTH:	8.5"
WEIGHT:	36 oz
FINISH:	BLUED POLISHED SIDES OF SLIDE 2 TONE BROWN OVER TAN 2 TONE BLACK OVER O.D. GREEN

OPTIONS AVAILABLE:
 NONE

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

DUTY ONE



*shown with short curved trigger

CALIBER:	9MM, .40, .45
FRAME:	STI 1911 GOVERNMENT FRAME WITH INTEGRAL TACTICAL RAIL, 30 LPI FRONT STRAP CHECKERING, UNDER CUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS
SLIDE:	5" FLAT TOP WITH STI FRONT AND REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 5" RAMPED, FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI RAMPED FRONT, STI FIXED REAR
O.A. LENGTH:	8.5"
WEIGHT:	39.6 oz
FINISH:	BLUED MATTE FINISH

- OPTIONS AVAILABLE:**
- HARD CHROME
 - SHORT OR GUNSMITH TRIGGER
 - FIXED TRITIUM SIGHTS (2 DOT)
 - MAGWELL WITH STEEL MAINSPRING HOUSING

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED

DUTY CT



CALIBER:	9MM, .40, .45
FRAME:	STI 1911 FRAME WITH INTEGRAL TACTICAL RAIL, 30 LPI FRONT STRAP CHECKERING, UNDER CUT TRIGGER GUARD
GRIP:	ROSEWOOD GRIPS
SLIDE:	5" FLAT TOP WITH STI REAR COCKING SERRATIONS
TRIGGER:	STI LONG CURVED TRIGGER
BARREL:	STI BULL BARREL, 5" RAMPED FULLY SUPPORTED
SAFETIES:	STI HIGH-RIDE GRIP AND AMBIDEXTROUS THUMB SAFETY
GUIDE ROD:	STI RECOILMASTER
SIGHTS:	STI RAMPED FRONT, STI FIXED REAR
O.A. LENGTH:	7.75"
WEIGHT:	36.6 oz
FINISH:	BLUED MATTE FINISH

- OPTIONS AVAILABLE:**
- HARD CHROME
 - SHORT OR GUNSMITH TRIGGER
 - FIXED TRITIUM SIGHTS (2 DOT)
 - MAGWELL WITH STEEL MAINSPRING HOUSING

PISTOL IS SHIPPED IN HARD FOAM CASE ONE MAGAZINE, AND MANUAL INCLUDED