



MOUNTING SYSTEMS 2006



B074A24

WEAVER

1" Ex-High Matte
for objective lens
diameter thru 5

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES			SEE THRU MOUNT	SIDE MOUNT BASE (use only with 49350 or 49340 ring bracket)	GRAND SLAM™ STEEL TOP MT. BASES Matte Black				GRAND SLAM™ STEEL DOVETAIL BASES		
		STANDARD		EXTENSIONS			Complete Systems	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES
		REAR	FRONT	1-PC				REAR	FRONT	REAR	FRONT		
ANSCHUTZ													
• Mark 12		16	16										
• 54, 54MS, 64, 64MS, 164, 1400 Series, 1500 Series		91	91				S91	S91				48964	
• 153 Deluxe		19	19										
• 1568		61	46		402	49717							
Matte		61M	46M		402M		S61	S46		S402			
Silver		61S	46S		402S	49729							
AUTO SHOTGUNS													
• All Autos EXCEPT Rem 11-48, 11-87, 1100, Sptsmn 48	4												
BENELLI													
• See OCTAGON BARRELS													
• Nova Shotgun				423M									
• Super Black Eagle				93									
BERETTA													
• Mato Rifle		49A	46										
• Pintail Slug Gun		35	35		40A 40A								
Matte		35M	35M		40A-M 40A-M		S35	S35	S40A	S40A			
Silver		35S	35S		40A-S 40A-S								
BRITISH 303													
• With Enfield Action	4, 15			TO-1									
BROWNING													
• 1885 High Wall (Octagon Barrel)	1, 3	11	29										
• 22 Auto	18			60A									
• Sako Actions in 243, 308, 22-250, 222 & 222 Mag.		72	71										
• A-Bolt, A-Bolt 22 Stalker; Medallion		47	47			49719					48922 L/A	48904	
Black											48924 S/A	48904	
Matte		47M	47M				S47	S47			48923 L/A	48905	
Matte											48925 S/A	48905	
Silver		47S	47S										
• A-Bolt Shotgun		47M	419M										
• A-Bolt (European Model), Mod 52, 52C	5	85	85										
• Bolt Action BBR, Hi-Power, Other Cal. (Older Mod.)		45	46		402	49721	S45	S46		S402			
Silver		45S	46S		402S								
• BAR, BAR II, Mark II, BLR Lightning (Lever), BPR	5	54	54			49720					48932		
Matte							S54	S54			48933		
• BLR (Lever Action)		25	25				S25	S25					
• BLR with Flat Top Receiver (Older Models)		28	28										
• BBR (Bolt Action), Long & Short Actions		47	46		402	49718							
Matte		47M	46M		402M		S47	S46		S402			
Silver		47S	46S		402S								
• A-Bolt WSSM		427	47									48911	
BSA													
• Monarch Medium Action in 222, 243 & 308		36	35	97	40A	49712							
Matte		36M	35M		40A-M		S36	S35		S40A			
Silver		36S	35S		40A-S								
• CF2, Monarch Long Action in 7mm, 270 & 30-06		36	35	98	40A	49712							
Matte		36M	35M		40A-M		S36	S35		S40-M			
Silver		36S	35S		40A-S								
• Other High-Powers		28	28										
CARCANO													
• Carcano	4, 6												
CARL GUSTAF													
• Mod 2000							S460	S460					
CHURCHILL													
• Highlander		36	35		40A	49712							
Matte		36M	35M		40A-M		S36	S36		S40A			
Silver		36S	35S		40A-S								
CIL													
• 830													
• 871				62		49715							
• 900		19	19										
• 950 & 950-C		61	46		402	49717							
Matte		61M	46M		402M		S61	S46		S402			
Silver		61S	46S		402S								
• 972-C		45	46		402	49721							
Silver		45S	46S		402S		S45	S46		S402			
COLT													
• 57		45	46		402	49721							
Silver		45S	46S		402S		S45	S46		S402			
• Coltsman in 223, 243 & 308 Cal. (Round Receiver)		25	25				S25	S25					
• Coltsman in 264 & 30-06 Cal. (Round Receiver)		54	54			49720	S54	S54					
• Coltsman with Sako Style Action in 223 & other Cal		67	65										
• H Bar	10												

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES			SEE THRU MOUNT	SIDE MOUNT BASE	GRAND SLAM™ STEEL TOP MT. BASES				GRAND SLAM™ STEEL DOVETAIL BASES			
		STANDARD		EXTENSIONS			Complete Systems	(use only with 49350 or 49340 ring bracket)	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES
		REAR	FRONT	1-PC					REAR	FRONT	REAR	FRONT		
MAKE , • Model of Firearm COLOR INDICATES TYPE OF FINISH: Gloss Black, Matte Black, Silver														
COLT (Continued)														
• Sharps		85	85											
• Python, King Cobra & Trooper MKIII, MKV (not drilled/tapped)	8			48639										
• Anaconda, Python & King Cobra Pistols Silver	8, 17			412S										
• Sauer		35	35		40A	40A						48960		
Matte		35M	35M		40A-M	40A-M		S35	S35	S40A	S40A			
Silver		35S	35S		40A-S	40A-S								
COOEY														
• 60 & 600														
• 71														
Matte		47	46		402	49718		S47	S46		S402			
Silver		47M	46M		402M			S47	S46		S402			
		47S	46S		402S									
CVA (& BASS PRO EXCLUSIVES)														
• Octagon Barrels / Receivers														
• Round Barrels / Receivers (Post '96 Models) Matte	17													
Silver		61A	61A									48970(gloss)		
		418M	418M											
		418S	418S											
ENFIELD with receiver cut down like:														
• Remington 30														
• Winchester 70														
Matte		11	11											
Silver		47	46		402	49718		S47	S46		S402			
		47S	46S		402S									
• Remington 721														
Matte		36	35		40A	49712		S36	S35		S40-A			
Silver		36M	35M		40A-M									
		36S	35S		40A-S									
GARCIA														
• 73				53		49725								
• 74														
GOLDEN EAGLE														
• 7000														
GROOVED RECEIVER WITH 3/8" DOVETAILS														
• See .22 Ring information	12					49515								
Silver						49733								
H & R														
• 65, 165, 150 & 151 (Auto)														
• 250, 251, 264, 265, 365, 450 & 550														
• 232C Shotgun (10 Ga.) & 980 Ultra														
• 155, SB2 Ultra (.22-250), Topper 158C (1973+), 157				82										
• 300, 301, 330 & 370 (Pre 1973)														
Silver		45	46		402	49721		S45	S46		S402			
		45s	46s		402s									
• 300 & 301 S.A. in 22-250, 243 & 308 (1973+)														
• 300 & 301 L.A. in 270, 30-06, 7mm & 300 Win (1973+)														
• 317 & 322														
• 317 (Pre 1975)														
• 360 & 361														
• 700				81										
• 755, 765, 852 & 865				87A										
• 800														
• Topper 30, 22 Jet, & Mod 158 (Pre 1973)	18			60A										
HERTERS														
• J9														
Silver		45	46		402	49721		S45	S46		S402			
		45S	46S		402S									
• U9 BSA Action	4													
• U9 Round Receiver														
Matte		36	35		40A	49712		S36	S35		S40A			
Silver		36M	35M		40A-M									
		36S	35S		40A-S									
HUSQVARNA														
• Husky, S&W, HVA, Viking, FFV												48974		
HIGH-STANDARD														
• High-Power														
• Auto Shotgun														
INTERARMS (Rossi - Stoeger)														
• 92 Carbine (Replica of Win. 92)	4													
• ATD	18			60A										
• Howa														
Matte		36	35		40A	49712					48912	48900		
Silver		36M	35M		40A-M			S36	S35		48913	48901		
		36S	35S		40A-S									
• Mark X	1													
• Mini Mark X	1													
• Viscount	1													
ITHACA														
• Deerslayer, 37 & 87 (12, 16, 20 GA.)				62		49715								
• LSA-55 & LSA-65						49727								
Matte		61	61					S61	S61					
Silver		61M	61M											
		61S	61S											

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES					SEE THRU MOUNT	SIDE MOUNT BASE <small>(use only with 49350 or 49340 ring bracket)</small>	GRAND SLAM™ STEEL TOP MT. BASES <small>Matte Black</small>				GRAND SLAM™ STEEL DOVETAIL BASES		
		STANDARD			EXTENSIONS				Complete Systems	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES
		REAR	FRONT	1-PC	REAR	FRONT				REAR	FRONT	EXTN REAR	EXTN FRONT		
ITHACA (Continued)															
• 49SS, .22	4						3A								
• Lightning X3		39	39												
JAPANESE															
• 6.5mm & 7.7mm	6			70			1								
KNIGHT MUZZLELOADERS															
• See Modern Muzzleloading	7														
KRAG															
• (Offset to left for easy ejection)	4						2								
LAKEFIELD															
• 22 Rimfire	12														
LEE-ENFIELD															
• Lee-Enfield	4, 15			TO-1											
LLAMA (Pistol)															
Super Comanche (Flat Surface - See Octagon Barrels)	4														
MAGNUM RESEARCH															
• Lone Eagle SSP 91 Pistol		16	16												
MARLIN															
• 45, 30AS 336 (all models) 444, 1893, 1894, 1895, Camp 9, 922M, 989, .22 Auto				63B 63BS		49713								48928	
• Silver															
• Matte														48929	
• A1 & 50		15	15				2								
• 39A, 39D & Century (Octagon Barrel)		28	31												
• 39A (Round Barrel)	21	29	16	90			2								
• 57 Magnum				58											
• 88, 89 & 98		18	18				2								
• 80, 81 & 980		12	12				2								
• 455		45	46		402	49721	5								
• Silver		45S	46S		402S										
• 512 Slug Master & 55 (drill & tap) Matte															
• 60, 990L, 70, 995, 882, 25MN, 883	12						10M								
• MR7		47	46		402	49718									
• Matte		47M	46M		402M										
• Silver		47S	46S		402S										
• MLS-50 & MLS-54, (Bases sold 2/pack)		406	406			49736									
• Silver		406S	406S												
• 1894														48958	
• 900 Series in .17 & .22 Calibers	12														
MAUSER including FN, HVA & SWEDISH															
• Receiver Ring about 1.410" Diameter (98FN)	1, 2	45	46		402	49721	5							48954	48952
• Silver		45S	46S		402S										
• Receiver Ring about 1.300" Diameter (Swedish 96)	1, 2	55	46		402		1							48950	
• Bauer 3000 & 4000		68	46		402										
• Mark X	1	55	20A												
• 98														48916	48910
MODERN MUZZLE LOADING															
• Knight MK-85, BK-92 & T-Bolt (Flat receivers)		61	61			49727									
• Matte		61M	61M												
• Silver		61S	61S												
• LK-93, Wolverine, Legend, Disc, American, Revolution		45	45												
• Silver		45S	45S												
MOSSBERG															
• 25, 26, 42, 46M, 140, 142 & 146, 45-46 w/ 3/4" dia. Bbls		12	13				2								
• 40		16	21				2								
• 43, 44, 144, 46BT & 35		12	16				2								
• 45, 46 Early Models with 13/16" Dia. Bbls		12	16				2								
• 320, 340, 342 & 620		21	21				2								
• 640				63B		49713									
• 680, 800 & 695-Shotgun (use dual extension rings)		55	55												
• 50, 51, 151, 152, 350 & 352		12	12				2								
• 400		20A	42												
• 472, 479 & 679				80											
• 500AS (Pre 1997) & 600 Shotguns				88											
• 500 (1997+), 590 & 835 Shotguns Matte				417M											
• 810 & RM7		25	11												
• 1500 & 1700		36	35		40A	49712								48912	48900
• Matte		36M	35M		40A-M									48913	48901
• Silver		36S	35S		40A-S										
MUSGRAVE															
• Mark I & Mark II		54	46		402										
• Mark III & Mark IV		45	46		402	49721									
• Silver		45S	46S												

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES			SEE THRU MOUNT	SIDE MOUNT BASE <small>(use only with 49350 or 49340 ring bracket)</small>	GRAND SLAM™ STEEL TOP MT. BASES <small>Matte Black</small>				GRAND SLAM™ STEEL DOVETAIL BASES			
		STANDARD		EXTENSIONS			Complete Systems	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES	
		REAR	FRONT	1-PC				REAR	FRONT	REAR	FRONT			EXTN REAR
NAVY ARMS														
• Country Boy Muzzleloader		46	46		402	402								
Matte		46M	46M		402M	402M		S46	S46	S402	S402			
Silver		46S	46S		402S	402S								
NEW ENGLAND FIREARMS (H & R)														
• Handy Rifle, Hornet (use Extra High rings)				82										
• N.E.F. 10 Gauge Shotgun		19	19											
• Huntsman Muzzleloader	8			82										
NEW HAVEN														
• 495B Matte									10M					
NORINCO														
• 22 Auto (Replica of Browning 22 Auto)	18			60A										
• JW-15	12													
OCTAGON BARREL OR FLAT TOP RECEIVERS														
• Can be fitted with the following bases:		61	61	50										
PARKER-HALE														
• 1000, 1000C, 1100, 1200 & 1700		45	46		402	49721		S45	S46		S402			
Silver		45S	46S		402S									
• 2600		71	85											
• Midland		71	75											
PEDER SOLI														
• Lightning		75	75											
PUMP SHOTGUNS														
• All pumps EXCEPT Win. 42	4								8					
RAPTOR ARMS														
• Same as Remington 700 Long Action		36	35	98	40A	49712	1	S36	S35		S40A			
Matte		36M	35M		40A-M			S36	S35		S40A			
Silver		36S	35S		40A-S									
REMINGTON														
• 700, 78, 40X-L, 721 & 725 (all Long Actions)		36	35	98	40A	49712	1					48912 48900		
Matte		36M	35M		40A-M			S36	S35			48913 48901		
Silver		36S	35S		40A-S							48971		
• 700, 78, 40X-S, 722 & 725 (all Short Actions), 700 Mzl. Ldr.		36	35	97	40A	49712	1	S36	S35		S40A	48930 48900		
Matte		36M	35M		40A-M			S36	S35		S40A	48931 48901		
Silver		36S	35S		40A-S									
• 710		71	71											
• 788		76	75											
• 7 w/3 holes, 600, 660 & XP-100				70			1							
• 7 w/4 holes (New in 1999) Matte, 673		421M	35M					S430	S460					
• 740, 742 & 760				62		49715						48948		
• 4, 6, 74, 76, 7400 & 7600				93		49714						48914		
• 8 & 81							7							
• 10, 11, 12, 34*, 341*, 510, 511, 512 & 521T	6	43	42				2							
• 12A, 121 with 3/4" Diameter Barrels		18	13				2							
• 121 with 13/16" Diameter Barrels		18	17				2							
• 12C Octagon Barrel		18	31											
• 14 & 141		20A	27											
• 41	6	17	17				2							
• 24 & 241	18			60A										
• 25		18	21				2							
• 30 & 720		11	11				1							
• 33	6	17	13				2							
• 513S & 513T		43	44				2							
• 514		16	21				2							
• 514 (not drilled & tapped) & 550	4	12	12											
• 541S & 541T		15	15											
• 522 Viper	11													
• 552, 572 & 581(S)	12													
• 597, 597LSS Matte				414M										
Silver				414S										
• 870, 1100, 11-87 Shotguns (See Converta Mount System)														
• 11-48, 1100, Sportsman 48 & 58 Shotguns							8							
• 788 in .222 Mag. .22/.250, .30/.30 Cal												48978		
• 788 in .243, 6mm, .308 Cal												48946		
ROSSI (also see INTERARMS)														
• .22/410 Matched Pair Combo ONLY (will not fit any other calibers/models)				92A										
RUGER														
• No. 1	1, 3, 4	85	89											
• No. 3	1, 3, 4	85	86											
• 10/22 in 22 Long Rifle Cal. (Grooved & Drilled)	16			TO-9		49711								
Matte	16			TO-9M										
Silver	16			TO-9S		49734								

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES			SEE THRU MOUNT	SIDE MOUNT BASE	GRAND SLAM™ STEEL TOP MT. BASES				GRAND SLAM™ STEEL DOVETAIL BASES			
		STANDARD		EXTENSIONS			Complete Systems	(use only with 49350 or 49340 ring bracket)	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES
		REAR	FRONT	1-PC					REAR	FRONT	REAR	FRONT		
MAKE , • Model of Firearm COLOR INDICATES TYPE OF FINISH: Gloss Black, Matte Black , Silver														
RUGER (Continued)														
• 10/22 Mag & 77/22 (w/built-in integral mounts), 77-50 ML Silver					49723 49735									
• 96/22 & 96/22 Magnum	16			T0-11										
• 44 Carbine Magnum Deerstalker		47	68											
• M77 (Round top Drilled) Matte		79	35			40A					48912 48913	48900 48901		
• M77, (w/built-in integral mounts) Silver					49724 49732									
• Mini 14 Ranch & Mini 30 (w/built-in integral mounts) Silver					49723 49735									
• Mini 14-no integral mnts (302) Silver (302S)	8			48644										
• Single Six & Super Single Six (314)	8			48646										
• Security Six (305)	8			48643										
• Blackhawk & Super Blackhawk (301) Silver (301S)	8			48640										
• Redhawk (308S) Silver	8			48638										
• Mark II Pistol, Standard Models (306) Silver (306S)	8, 13 8, 13			48635 48648 48641 48637										
SAKO														
• L579		72	71											
• 72, 75 & 78		85	85											
• Finnwolf				53	49725									
• Forester, Finnbear & Vixen (Tapered Dovetails)		67	65									48962		
• Whitetail Hunter Matte Silver		61	61		49727									
		61M	61M				S61	S61						
		61S	61S											
SAUER														
• 200 Matte Silver		35	35			40A								
		35M	35M	40A-M	40A-M		S35	S35	S40A	S40A				
		35S	35S	40A-S	40A-S									
• 202														
• SHR 970		25	25		49720									
							S459	S460						
							S25	S25						
SAVAGE														
• 3		16	21											
• 4 & 5		12	13											
• 6 & 7		12	12											
• 29 (Round Barrel)		11	22											
• 19 & 23		15	16											
• 20, 340, 340E, 342, 840 & 842E	14													
• 24	17			74										
• 24 & 900S (.22 Cal rifles w/grooved receivers)	12													
• 25 (Octagon Barrel)		19	31											
• 40 & 45		11	11											
• 67 Shotgun				93	49714									
• 93F Heavy Barrel		16	16											
• 99, 1895 & 1899		14	19									48956		
• 170				62	49715									
• 219		12	30											
• 10, 12 & 16 (Short Actions), Striker, Pstl, 510, 512, 516 S/ A, 10 ML (2-piece ONLY) Pre 2003 Models	22	61	46			402					48920	48902		
Matte	22	61M	46M			402M		S61	S46		S402	48903		
Silver	22	61S	46S			402S						48972		
• 110, 112, 116 (Long Actions); 210 Shtg (use X-high rings) Pre 2003 Models	22	61	46	413		402	49717	1				48918		
Matte	22	61M	46M			402M			S61	S46		S402		
Silver	22	61S	46S			402S						48902		
• 2400		67	65											
• 10, 12, 110, 112 series, w/ AccuTrigger, Stevens 200	22	46	46			402								
Matte	22	46M	46M			402M			S46	S46	S402	S402		
Silver	22	46S	46S			402S						48906		
SCHULTZ & LARSEN														
• Schultz & Larsen		54	45			402		1	S54	S45		S402		
SEARS														
• 42 & 43		12	21											
• 50 & 51 Silver		45	46			402	49721	5	S45	S46		S402		
		45S	46S			402S								
• 51L		55	46			402		1	S55	S46		S402		
• 53		47	46			402	49718	1				48908		
Matte		47M	46M			402M			S47	S46		S402		
Silver		47S	46S			402S						48909		
• 54 & 100								3B						

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES					SEE THRU MOUNT	SIDE MOUNT BASE <small>(use only with 49350 or 49340 ring bracket)</small>	GRAND SLAM™ STEEL TOP MT. BASES <small>Matte Black</small>				GRAND SLAM™ STEEL DOVETAIL BASES		
		STANDARD			EXTENSIONS				Complete Systems	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES
		REAR	FRONT	1-PC	REAR	FRONT				REAR	FRONT	EXTN REAR	EXTN FRONT		
SHILEN															
• Flat Top Receiver		61	61				49727								
Matte		61M	61M						S61	S61					
Silver		61S	61S												
• Round Receiver		35	35		40A	40A	49725								
Matte		35M	35M		40A-M	40A-M			S35	S35	S40A	S40A			
Silver		35S	35S		40A-S	40A-S									
SMITH & WESSON															
• Mauser Actions w/small rec. ring about 1.30" dia		55	46			402		1	S55	S46		S402			
• 1500, 1600 & 1700		36	35			40A	49712						48912	48900	
Matte		36M	35M			40A-M			S36	S35		S40A	48913	48901	
Silver		36S	35S			40A-S									
• 29, 629, 625, 686 & L, K & N Frame Rvtrs (Factory Drilled)	8, 17					401									
Silver	8					401S									
• L & K Frame Rvtrs (307)	8					48642									
Silver (307S)	8					48634									
• 41 Pistol						62									
• 2206 TGT Pstl Silver	17					407S									
SPRINGFIELD															
• 03	6	54	55					1	S54	S55					
• 03-A3	8	59	45												
SPRINGFIELD ARMORY															
• 1911 A-2 SASS Conversion						26									
STEVENS															
• 26		22	22					2							
• 27 Octagon		31	31												
• 53		16	21					2							
• 56 & 66		12	13					2							
• 57, 76, 4171/2 & 762		12	12					2							
• 110E		61	46			402	49717	1				S402			
Matte		61M	46M			402M			S61	S46					
Silver		61S	46S			402S									
• 322 & 325								1							
• 416		18	17					2							
• 417		15	15					2							
• 418 & 418 1/2		16	16					2							
• Savage/Stevens 200	22	46	46		402	402									
Matte	22	46M	46M		402M	402M			S46	S46	S402	S402		48906	
STEVENS - SPRINGFIELD															
• 83		16	21					2							
• 85, 87 & 872	4	12	12					2							
• 840	14							1							
TAURUS															
• L, K & N Frame Rvtrs (Like S&W, Factory Drilled)	8, 17					401									
Silver	8, 17					401S									
• L & K Frame Rvtrs (307)	8					48642									
Silver (307S)	8					48634									
THOMPSON CENTER															
• Contender Handgun & Contender Carbine Rifle						92A									
Silver						92AS									
• Scout Rifle & Scout Pistol						404									
• TCR						405									
• ThunderHawk & Firehawk (2ea. per pkg.)		406	406				49736								
Silver		406S	406S												
• Traditional Style Muzzleloaders, New Englander	19					408									
• Encore, Omega						410									
Silver						410S									
• System 1 & Black Diamond (2ea. per pkg)		411	411												
Silver		411S	411S												
TIKKA															
• Tikka w/Flat Receiver		61	61				49727								
Matte		61M	61M						S61	S61					
Silver		61S	61S												
• Sako Design w/Tapered Dovetail		67	65												
TRADITIONS															
• Whitetail w/Octagon Receivers	17	61A	61A												
• In-Line Muzzleloaders w/Round Receivers - Matte		418M	418M												
Silver		418S	418S												
U. S. CARBINE															
• M1 Carbine 30 Cal.	20							M							
VALMET															
• Tapered Dovetail, Sako Design		67	65												
VOERE															
• 2130	4	28	28												

FIREARM MOUNT APPLICATIONS	NOTES	TOP MOUNT BASES					SEE THRU MOUNT	SIDE MOUNT BASE <small>(use only with 49350 or 49340 ring bracket)</small>	GRAND SLAM™ STEEL TOP MT. BASES <small>Matte Black</small>				GRAND SLAM™ STEEL DOVETAIL BASES		
		STANDARD			EXTENSIONS				Complete Systems	STANDARD		EXTENSIONS		1-PIECE BASE	2-PIECE BASES
		REAR	FRONT	1-PC	REAR	FRONT				REAR	FRONT	EXTN REAR	EXTN FRONT		
VOERE (Continued)															
• 2150, 2165/1, 2165/2, 2165/3 & 2165/4 (Mauser Action)		45	46		402	49721		S45	S46		S402				
Silver		45S	46S												
WEATHERBY															
• Vanguard	1, 22	36	35		40A							48912	48900		
Matte	1, 22	36M	35M		40A-M			S36	S35		S40A	48913	48901		
Silver	1, 22	36S	35S		40A-S										
• Mark V std. Cal incl. 240mag, Centerfire pistol, 224 Varmintmaster, Ultra Lightweight		36	415												
Matte		36M	415M												
Silver		36S	415S												
• FN Mauser style actions		45	46		402	49721	5	S45	S46		S402				
Silver		45S	46S		402S										
• Mark V mag. Cal except 240 mag.		424	35										48976		
Matte		424M	35M		40A-M										
WESTERN FIELD															
• 712	6						1								
• 730		25	11												
• 740				63B		49713									
Silver				63BS											
• 750		67	65												
• 770		55	20A												
• 772				80											
• 775 & 780		55	55					S55	S55						
WHITE															
• W Series		35	11												
WINCHESTER (Includes Ranger Models)															
• 03 & 63		19	22				2								
• 06, 62, 62A & 90 w/Octagon Barrel		32	32												
• 05, 07 & 10		20A	17												
• 42							2								
• 43		18	18												
• 52 (hole spacing different)	6, 9	25	57				2								
• 52 (hole spacing same)	6, 9	46	46		402		2								
Matte	6, 9	46M	46M		402M	402M		S46	S46	S402	S402				
Silver	6, 9	46S	46S		402S	402S									
• Lever Actions 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4						3A								
• 54, & early Mod. 70 w/Serial No. below #66 350	6	48	46		402		1								
• 57 & 69		12	13				2								
• 60, 67 & 68	6	21	21												
• 61 w/Round Barrel		19	13				2								
• 61 w/Octagon Barrel		25	32				2								
• 69A, 72 & 47		12	17				2								
• 70 Long Action (hole spacing same), 670, 770	9	47	46	96	402	49718	1					48938	48908		
Matte		47M	46M		402M			S47	S46		S402		48909		
Silver		47S	46S		402S										
• 70 Long Action (hole spacing different) & 70 Super Express	9	49A	46		402			S49A	S46		S402				
• 70 Short Action (1984+)		47	46	99	402	49718	1					48940	48908		
Matte		47M	46M		402M			S47	S46		S402		48909		
Silver		47S	46S		402S										
• 74		12	12				2								
• 75 Sporter		15	30				2								
• 75 Target		15	16				2								
• 77		15	32				2								
• 88 & 100				53		49725						48942			
• 94 Pre '64							3D								
• 94 Post '64 & 94 Trapper							3B								
• 94 Big Bore 375							3C								
• 94 Angle-Eject Big Bore		95	403												
• 94 Angle-Eject (except earliest models)		95	94			49716						48944			
• 94/22	16			T0-10											
• 520		85	85												
• 777		71	71												
• 1200 & 1500 Shotguns (See Converta Mount Systems)															
• 1300 & 1400 Shotguns (also See Converta Mount Systems) Matte				416M											
• 50 Shotgun							8								
• X-150, APEX Muzzleloaders Matte		418M	418M												
Silver		418S	418S												
• 70 WSSM		428	46										48907		
• 70 w/Serial No below 66 350 (Pre '64)												48936			
• 70 Long Action, rear hole spc .435"													48934		

Onalaska Operations
N5549 County Trunk Z
Onalaska, WI 54650



AMMUNITION & RELATED PRODUCTS

A unique collection of brands that gives shooting and outdoor enthusiasts everything they need in one place. From ammunition and reloading equipment to gun cleaning chemicals and

accessories, ATK Ammunition and Related Products offers advanced, high-performance products. Look for these leading suppliers under the ATK Ammunition and Related Products

ALLIANT POWDER

FEDERAL
PREMIUM
AMMUNITION

CCI

speer

RCBS

Outers



CHAMPION
Traps & Targets

FUSION



RAM-LINE

GUNSLICK

WEAVER

WE PROUDLY SUPPORT

Ducks Unlimited, · The Foundation for North American Wild Sheep, · Izaak Walton League of America,
The National Wild Turkey Federation, Pheasants Forever, · The Rocky Mountain Elk Foundation, · Safari Club
International,
Whitetails Unlimited, · Becoming an Outdoors Woman, · Women in The Outdoors, · 4-H Shooting Sports Program.

Onalaska Operations · N5549 County Trunk Z · Onalaska, WI 54650 · 1.800.635.7656 · www.weaver-mounts.com