

A black Marlin rifle with a large scope is positioned diagonally across the frame. Five brass bullets are laid out horizontally to the right of the rifle's trigger. The background is a topographic map with various labels like 'CITY OF', 'FOREST', and 'GROVE'. A camouflage patterned object is visible in the upper right corner.

Marlin[®]

2008

Sporting Firearms

X Series Bolt Action Rifles

Marlin[®]
America's Favorite Riflemaker

Accuracy Assured The XL7 is the best rifle in its class. Built with the latest in riflemaking design and technology, it has practical features that matter to practical hunters: An innovative accuracy enhancing trigger; a smooth, dependable, easy to cycle action; a precision button rifled barrel; a pillar bedded synthetic stock and an easy to carry lightweight design.

While a thoroughly modern rifle, the X-Series' best feature is that it's a Marlin. Built with over 130 years of riflemaking experience, the XL7 continues Marlin's tradition of producing great hunting rifles at a great price. Accurate and dependable, the XL7 is Marlin's next generation of hunting rifle for any generation of hunter.

XL7



NEW Model XL7



NEW Model XL7C with



Specifications

Model	XL7	XL7C
Caliber	25-06 Rem., 270 Win., 30-06 Spr.	25-06 Rem., 270 Win., 30-06 Spr.
Capacity	4+1	4+1
Action	Centerfire bolt action, Pro-Fire™ adjustable trigger system; fluted bolt; 2 position safety; red cocking indicator	Centerfire bolt action, Pro-Fire™ adjustable trigger system; fluted bolt; 2 position safety; red cocking indicator
Stock	Pillar-bedded black synthetic with raised cheek piece and Soft-Tech™ recoil pad	Pillar-bedded synthetic stock with raised cheek piece, Realtree APG HD® and Soft-Tech™ recoil pad
Barrel	22" precision button rifled, target crown (6 grooves)	22" precision button rifled, target crown (6 grooves)
Twist Rate	1:10" r.h.	1:10" r.h.
Sights	No sights provided. One piece scope base included	No sights provided. One piece scope base included
Length	42.5"	42.5"
Weight	6½ lbs.	6½ lbs.

Specifications subject to change without notice



Soft-Tech™ Recoil Pad: *The XL7 butt stock is capped with a true recoil pad, not just a rubber plate. Exclusive to Marlin, the Soft-Tech pad significantly reduces felt recoil, making the XL7 more pleasant to shoot than other rifles in its class.*

Pro-Fire™ Trigger System: *Marlin's innovative Pro-Fire trigger system is user adjustable, virtually creep free and can be set to break at a crisp 2-1/2 lbs. Available only from Marlin, the Pro-Fire's trigger release prevents movement of the trigger until it is depressed.*



Precision Button Rifled Barrel with Recessed Target-Style Crown: *The target style muzzle crown on the XL7 is deeply recessed like a precision target rifle. This crown protects the rifling at the muzzle end much better than standard "sporting" rifle muzzle crowns, preserving accuracy.*



Fluted Bolt: *Marlin's fluted bolt design decreases surface area and resulting drag, making the XL7's bolt one of the smoothest actions available.*



Fully enclosed bolt shroud with cocking indicator: *The XL7's fully enclosed bolt shroud protects the shooter in the event of a pierced primer or case failure. An easy to see cocking indicator is visible under the bolt shroud when the gun is cocked.*



Barrel nut construction: *The barrel is joined to the receiver by a barrel nut, ensuring consistent and accurate headspacing, resulting in greater accuracy.*

Accuracy Assured

It takes more than just one feature to make an accurate rifle. That's why Marlin's X Series offers the best combination of accuracy-enhancing features in its class.

1. **Pro-Fire™ Trigger System:** Virtually creep free, and user-adjustable to a crisp 2-1/2lbs
2. **Recessed Target Style Muzzle Crown:** Deeply recessed crown protects rifling and accuracy
3. **Barrel Nut Construction:** Ensures consistent and accurate headspacing for accuracy
4. **Pillar Bedding:** Steel pillars incorporated into the stock guarantee a solid union with the action


Lever Action 308 Marlin Express Centerfire Rifles

Marlin[®]
America's Favorite Riflemaker

Another one of our successful collaborations with Hornady Manufacturing led to the introduction of last year's Models 308MX and 308MXLR, chambered for Hornady's 308 Marlin Express ammunition. A hot .30 caliber rimmed cartridge designed for maximum velocity, flat trajectory and smashing downrange energy, finally there is a traditional lever action rifle worthy of western game.

Model 308MXLR This model features a 24" stainless steel barrel, along with a stainless steel receiver, trigger guard plate, magazine tube, loading gate, and lever, and a full pistol grip two-tone laminated stock with swivel studs. Other features are a solid top receiver, tapped for scope mount, side-ejection, adjustable folding semi-buckhorn rear sight, and ramp front sight.

Model 308MX This blued lever action is also chambered for the breakthrough 308 Marlin Express. It produces 308 Win.-type performance for hunters who prefer traditional blued rifles with 22" barrels, and walnut stocks. Also, the side-ejection lever action makes the rifle ambidextrous for left handed shooters and offers an easy way to mount a scope.



Model 308MXLR (Scope not included)

Model 308MX




The Evolution bullet provides a higher ballistic coefficient and affords dramatic velocity increases over traditional flat point loads!

Specifications


Model	308MXLR	308MX
Caliber	308 Marlin Express	308 Marlin Express
Capacity	5 shot tubular magazine	5-shot tubular magazine
Action	Lever action; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety, fluted bolt	Lever action; side ejection; solid-top receiver; deeply blued metal surfaces; hammer block safety
Stock	Black/grey laminated hardwood pistol grip stock with fluted comb, cut checkering, deluxe recoil pad; nickel-plated swivel studs	American black walnut pistol-grip stock; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs
Barrel	24" stainless steel barrel (6 grooves)	22" (6 grooves)
Twist Rate	1:12" r.h.	1:12" r.h.
Sights	Adjustable semi-buckhorn folding rear; ramp front sight with brass bead and Wide-Scan hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use
Length	42½"	40½"
Weight	7½ lbs.	7¼ lbs.



The fluted bolt reduces friction for smoother lever operation.



- 308 MXLR Rifle Features**
- Ballistics Nearly Identical to 308 Win.
 - Key Components Are Stainless Steel
 - Maximize Performance with LEVEREVOLUTION™ Bullet Technology
 - Precision-Fluted Bolt



Lever Action Big Bore Centerfire Rifles

Marlin[®]
America's Favorite Riflemaker

The Classic Model 1895 This is the tried and true configuration of this famous 45/70 rifle. It features a 22" barrel with deep-cut Ballard-type rifling and an American black walnut pistol grip stock with cut checkering and swivel studs.

Model 1895M in 450 Marlin Here is an upgrade of the classic 45/70 Government. It's the highest performance cartridge ever offered in a Marlin big bore lever action rifle. We've harnessed all this power into a compact 7-pound package. This Marlin lever action features an 18½" Ballard-type cut rifled barrel, a 4-shot tubular magazine, and a checkered straight-grip American black walnut stock with ventilated recoil pad and swivel studs.

Model 1895G "Guide Gun" The hunter who's looking for plenty of power in a compact, stow-anywhere package will find the ideal solution in our Model 1895G. The mighty 45/70 Government cartridge has proven its worth on every species of large North American game from Maine to Alaska. This rugged lever action rifle weighs only 7 pounds, and features an 18½" barrel with Ballard-type cut rifling.

Model 1895GS Our best-selling Model 1895G Guide Gun in stainless steel. The receiver, barrel and all major metal parts are machined from stainless steel, and most other metal parts are nickel-plated. It features an 18½" stainless steel barrel with deep-cut Ballard-type rifling, a 4-shot tubular magazine, an adjustable semi-buckhorn folding rear sight and ramp front sight with brass bead and Wide-Scan™ hood. The stock is American black walnut with cut checkering and a ventilated recoil pad.

1895XLR An XLR model is also available in 45-70 Government chambering, with a 4-shot tubular magazine, 24" stainless steel barrel, along with stainless steel receiver, trigger guard plate, magazine tube, loading gate, and lever. Full pistol grip and swivel studs. Features solid top receiver tapped for scope mount, side-ejection, adjustable folding semi-buckhorn rear sight, and ramp front sight.

1895MXLR The power of our 450 Marlin with the performance of the LEVEREVOLUTION™ technology results in very impressive ballistics. This XLR model has a 4-shot tubular magazine, 24" stainless steel barrel, along with stainless receiver, trigger guard plate, loading gate and lever. Full pistol grip and swivel studs. Features solid top receiver tapped for scope mount, side-ejection, adjustable folding semi-buckhorn rear sight, and ramp front sight.

Model 444 and 444XLR Big bore favorites that combine the power of the big 444 Marlin cartridge—which generates nearly 1½ tons of muzzle energy—with the quick and super-smooth Marlin lever action system. Its 22" barrel makes the 444 a real joy to handle, no matter what the conditions. The XLR version includes stainless steel components, 24" barrel, fluted bolt and deluxe recoil pad.

Specifications

	1895	1895M	1895G	1895GS	1895XLR 1895MXLR	444XLR	444
Caliber	45/70 Gov't.	450 Marlin	45/70 Gov't.	45/70 Gov't.	45/70 Gov't (XLR) 450 Marlin (MXLR)	444 Marlin	444 Marlin
Capacity	4-shot tubular magazine	4-shot tubular magazine	4-shot tubular magazine	4-shot tubular magazine	4 shot tubular magazine	5 shot tubular magazine	5-shot tubular magazine
Action	Lever action; side ejection; solid-top receiver; deeply blued metal surfaces; hammer block safety	Lever action; side ejection; solid-top receiver; deeply blued metal surfaces; hammer block safety	Lever action; side ejection; solid-top receiver; deeply blued metal surfaces; hammer block safety	Lever action; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety	Lever action; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, and loading gate. Hammer block safety	Lever action; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety	Lever action; side ejection; solid-top receiver; deeply blued metal surfaces; hammer block safety
Stock	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs	American black walnut straight-grip stock; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs	American black walnut straight-grip stock; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs	American black walnut straight-grip stock; cut checkering; ventilated recoil pad; tough Mar-Shield® finish; swivel studs	Black/grey laminated hardwood pistol grip stock with fluted comb, cut checkering, deluxe recoil pad; nickel-plated swivel studs	Black/grey laminated hardwood pistol grip stock with fluted comb, cut checkering, deluxe recoil pad; nickel-plated swivel studs	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs
Barrel	22" with deep-cut Ballard-type rifling (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	24" stainless steel barrel	24" stainless steel barrel	22" with deep-cut Ballard-type rifling (6 grooves)
Twist Rate	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.	1:20" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use						
Length	40½"	37"	37"	37"	42½"	42½"	40½"
Weight	7 lbs.	7 lbs.	7 lbs.	7 lbs.	7½ lbs.	7½ lbs.	7 lbs.





Model 1895



Model 1895M
Model 1895G "Guide Gun"



Model 1895GS



Model 1895XLR – 45/70 Gov't
Model 1895MXLR – 450 Marlin
Model 444XLR - 444 Marlin



Model 444

Hot Big Bore Ammo!

Improve the performance of any Marlin big bore with Hornady LEVEREVOLUTION™ ammo. Dramatically increases velocity, accuracy and energy.

Centerfire Lever Action Safety Features

Four safety features:

Every Marlin centerfire lever action has these safety features:

- 1.) **Two-piece firing pin.** The rear section of the pin drops out of alignment with the front until the locking bolt is fully engaged.
- 2.) **Trigger block.** This device prevents the trigger from being pulled until the lever is closed.
- 3.) **Half cock hammer position.** This is the traditional lever action hammer safety position.
- 4.) **Hammer block safety.** When engaged, it prevents the hammer from striking the firing pin, even if the trigger is pulled.



Lever Action 336 Centerfire Rifles

Marlin[®]
America's Favorite Riflemaker

It's hard to think of a time when the Marlin lever action centerfire hasn't been regarded as *the* American hunting rifle. No ifs, ands or buts. For well over a century, these classics have been virtually synonymous with dependability, flawless performance and accuracy, at a reasonable price. There's also true side ejection, making it an ambidextrous action—an added advantage to left-handed shooters—and makes mounting optics quick and easy.

Model 336C Known for its rugged styling, pinpoint accuracy, and incredible dependability, this popular pistol grip carbine has a flat, solid top receiver and hammer block safety. The 336C has become one of the most popular rifles in North America. Its genuine American black walnut stock is enhanced with fine cut checkering. In addition to 30/30 Win., the 336C is also available in 35 Rem., a cartridge favored by many hunters because of its reputation as a hard-hitting brush-buster.

Model 336W Created for the no-nonsense deer hunter, the Model 336W lever action has a 6-shot capacity, in 30/30 Win. The 20" Micro-Groove[®] barrel features adjustable rear and bead front sights, and the receiver is tapped for a scope mount. It features a gold-plated steel trigger and a blued steel barrel band. The walnut-finished hardwood stock has cut checkering and comes with swivels and a padded nylon sling. Now also available with a factory-mounted and bore-sighted 3-9x32mm scope.

Model 336SS Foul weather won't faze this stainless version of our field-proven Model 336 in 30/30. Most of its major metal parts are machined from stainless steel forgings, others are nickel-plated. The American walnut pistol grip stock features classic cut checkering, and sights include an adjustable rear and ramp front sight with brass bead and removable Wide-Scan[™] hood.

Model 336XLR Chambered in 30/30 and in 35 Rem., this model features 5-shot tubular magazine, fluted bolt, 24" stainless steel barrel, along with stainless steel receiver, trigger guard plate, magazine tube, loading gate, and lever. Full pistol grip and swivel studs. Features solid top receiver tapped for scope mount, side-ejection, adjustable folding semi-buckhorn rear sight, and a ramp front sight. LEVEREVOLUTION[™] ammo has turned the venerable 30/30 and the potent 35 Rem. into 250+ yard deer rifles!

Model 336 1948-2008
CELEBRATING 60 YEARS

Specifications

Model	336C	336W	336SS	336XLR
Caliber	30/30 Win. or 35 Rem.	30/30 Win.	30/30 Win.	30/30 Win. or 35 Rem.
Capacity	6-shot tubular magazine	6-shot tubular magazine	6-shot tubular magazine	5 shot tubular magazine
Action	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; hammer block safety	Lever action; side ejection; solid top receiver; deeply blued metal surfaces; gold-plated steel trigger; hammer block safety	Lever action; side ejection; solid top stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety	Lever action; side ejection; stainless steel receiver, fluted bolt, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety
Stock	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; tough Mar-Shield [®] finish; blued steel barrel band with integral swivel stud	Walnut finished cut-checked hardwood with pistol grip; tough Mar-Shield [®] finish; blued steel barrel band with integral swivel; padded nylon sling; hard rubber butt plate	American black walnut pistol grip stock with fluted comb; cut checkering; rubber rifle butt pad; nickel-plated swivel studs	Black/grey laminated hardwood pistol grip stock with fluted comb, cut checkering, deluxe recoil pad; nickel-plated swivel studs
Barrel	20" with Micro-Groove [®] rifling (12 grooves)	20" with Micro-Groove [®] rifling (12 grooves)	20" stainless steel with Micro-Groove [®] rifling (12 grooves)	24" stainless steel barrel
Twist Rate	30/30 Win. - 1:10" r.h. 35 Rem. - 1:16" r.h.	1:10" r.h.	1:10" r.h.	30/30 Win. - 1:12" r.h. 35 Rem. - 1:16" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan [™] hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use.	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan [™] hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use. Scoped Model: Available with a 3-9x32 scope, factory-mounted and bore-sighted.	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan [™] hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use.	Adjustable semi-buckhorn folding rear; ramp front sight with brass bead and Wide-Scan [™] hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use
Length	38½"	38¾"	38½"	42½"
Weight	7 lbs.	7 lbs.	7 lbs.	7½ lbs.



Specifications subject to change without notice



*Adjustable semi-buckhorn
folding rear sights*



Model 336C



Model 336W
Available with a factory-mounted
3-9x32mm scope



*Our clean, flat, solid-top receiver keeps out debris and
foul weather, and is drilled and tapped for a scope
mount. Its true side ejection equally accommodates
both right and left-handed shooters.*



Model 336SS



Model 336XLR

Lever Action 1894 Centerfire Rifles





Marlin[®]
America's Favorite Riflemaker

Model 1894 Reminiscent of the sporting lever action rifles of an earlier era, this elegant short rifle in 44 Magnum/44 Special features a 20" barrel with Ballard-type rifling, an American black walnut straight-grip stock, cut checkering and a rubber rifle butt pad. Sights include an adjustable semi-buckhorn folding rear, and ramp front sight with brass bead and Wide-Scan™ hood. The solid-top receiver is tapped for a scope mount, and the rifle comes with offset, right or left hand, hammer spur for scope use.

Model 1894C Chambered for 357 Mag./38 Spl., the 1894C is the natural sidekick to the 357 Magnum or 38 Special revolver. It features an 18½" barrel with deep-cut Ballard-type rifling, and superb balance. This an extremely quick-handling little carbine.

Model 1894SS Any weather is ideal weather for an outing with this stainless steel 44 Magnum/44 Special rifle. The 1894SS is a brush buster that spits out 10 fast shots with plenty of knockdown power (in 44 Mag.), making it a favorite for deer and black bear.



Ideal for:	Targets all models	Varmints all models	Deer 44 Mag.	Black Bear 44 Mag.
				

Specifications

Model	1894	1894C	1894SS
Caliber	44 Rem. Magnum/44 S&W Special	357 Mag./38 Spl.*	44 Rem. Magnum/44 S&W Special
Capacity	10-shot tubular magazine	9-shot tubular magazine	10-shot tubular magazine
Action	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety	Lever action with squared finger lever; side ejection; stainless steel receiver, barrel, lever, trigger guard plate, magazine tube and loading gate. Hammer block safety
Stock	American black walnut straight-grip stock; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish. Blued steel fore-end cap; swivel studs	American black walnut straight-grip stock; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; swivel studs	American black walnut straight-grip stock; cut checkering; rubber rifle butt pad; tough Mar-Shield® finish; nickel-plated steel fore-end cap and swivel studs
Barrel	20" with deep-cut Ballard-type rifling (6 grooves)	18½" with deep-cut Ballard-type rifling (6 grooves)	20" with deep-cut Ballard-type rifling (6 grooves)
Twist Rate	1:38" r.h.	1:16" r.h.	1:38" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use
Length	37½"	36"	37½"
Weight	6½ lbs.	6 lbs.	6 lbs.

*Consult Owner's Manual for details on ammunition use.

Specifications subject to change without notice

Lever Action Cowboy Rifles

Marlin[®]
America's Favorite Riflemaker

Model 1894 Cowboy This handsome rifle, available in 45 Colt, 357 Mag./38 Spl. and 44 Mag./44 Spl., has become the standard by which cowboy rifles are judged. From its elegant tapered octagon barrel, to its straight-grip walnut stock, this rifle is pure Old West.

Model 1895 Cowboy For top performance in those tough long-range events, the Model 1895 Cowboy is a *must* for Cowboy Action Shooters. It's also an ideal big game rifle for hunters who appreciate the nostalgia of 19th Century-style firearms.



Model 1894 Cowboy in 45 Colt, 357 Mag./38 Spl. or 44 Mag./44 Spl.

Model 1895 Cowboy 45/70 Gov't.

Specifications

Model	1894 Cowboy	1895 Cowboy
Caliber	45 Colt, 357 Mag./38 Spl.*, 44 Mag./44 Spl.	45/70 Gov't.
Capacity	10-shot tubular magazine	9-shot tubular magazine
Action	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety	Lever action with squared finger lever; side ejection; deeply blued metal surfaces; solid top receiver; hammer block safety
Stock	Straight-grip American black walnut; hard rubber butt plate; tough Mar-Shield® finish; blued steel fore-end cap	Straight-grip American black walnut; hard rubber butt plate; tough Mar-Shield® finish; blued steel fore-end cap
Barrel	20" tapered octagon with deep-cut Ballard-type rifling (6 grooves)	26" tapered octagon with deep-cut Ballard-type rifling (6 grooves)
Twist	357 Mag./38 Spl. 1:16" r.h.; 45 Colt – 1:38" r.h.; 44 Mag./44 Spl. – 1:38" r.h.	1:20" r.h.
Sights	Adjustable Marble's semi-buckhorn rear, Marble's carbine front sight. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use. Serial number is on left side of receiver, instead of tang, allowing custom installation of a tang sight by a competent gunsmith	Adjustable Marble's semi-buckhorn rear, Marble's carbine front sight. Solid top receiver tapped for scope mount; offset hammer spur (right or left hand) for scope use. Serial number is on left side of receiver, instead of tang, allowing custom installation of a tang sight by a competent gunsmith
Length	37½"	43½"
Weight	6½ lbs.	8 lbs.

*Consult Owner's Manual for details on ammunition use. Specifications subject to change without notice

Ideal for:	Targets: all models	Varmints: 45 Colt, 357 Mag./38 Spl., 44 Mag./44 Spl.	Deer: 44 Mag., 45/70 Gov't.	Black Bear: , 44 Mag., 44 Mag.	Larger Game 45/70 Gov't.

Lever Action 39A 22 Rifle



Model Golden 39A

Model 39A The incomparable Marlin Golden 39A represents the oldest shoulder firearm design still being made anywhere in the world. In fact, the 39's great-grandfather, the Model 1891, was the first repeating rifle to be chambered for the 22 Long Rifle cartridge.

The fact is, the Model 39 is still the standard by which all other 22 sporting rifles are judged. Understandable when you consider the clean, flat, solid top receiver, and an action machined from solid steel forgings, which are then heat-treated for greater strength.

The Model 39A also features a rebounding hammer, a hammer block safety, and it disassembles in seconds with only a coin. The stock is crafted from genuine American black walnut and features fine cut-checkering. Thanks to Micro-Groove® rifling, a special process that produces less bullet distortion and a better gas seal, the 39A gives you the kind of accuracy most other 22's can't touch.

(See more about Micro-Groove® rifling on the back cover)

Specifications

Model	Golden 39A
Caliber	22 Short, Long or Long Rifle
Capacity	Tubular magazine, with patented closure system, holds 26 Short, 21 Long, or 19 Long Rifle Cartridges
Action	Lever action; solid top receiver; side ejection; rebounding hammer; hammer block safety; one-step takedown; deeply blued metal surfaces; gold-plated steel trigger
Stock	Genuine American black walnut with fluted comb; cut checkering; full pistol grip and fore-end; blued steel fore-end cap; swivel studs; grip cap; rubber butt pad; tough Mar-Shield® finish
Barrel	24" with Micro-Groove® rifling (16 grooves)
Twist	1:16" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and Wide-Scan™ hood. Solid top receiver tapped for scope mount; scope adapter base; offset hammer spur (right or left hand) for scope use
Length	40"
Weight	6½ lbs.

Ideal for:	Targets	Small Game	Varmints

Specifications subject to change without notice

Autoloading 22's with Tubular Magazines

Marlin[®]
America's Favorite Riflemaker

Nobody in the world has sold more autoloading 22 rifles than Marlin. In fact, we've made well over eleven million to date. And it's pretty easy to see why they're so popular, once you see what goes into them. Their simple, fast actions are known far and wide for uncompromising reliability, and their ability to stand up under the wide range of conditions that you'll encounter when shooting or hunting.

Model 60 An economically priced rifle that's earned the title of "most popular 22 in the world." Since the Model 60 was introduced in 1960, it has continuously represented a great value. It has a 19" Micro-Groove[®] rifled barrel, cross-bolt safety, manual bolt hold-open and a patented automatic "last-shot" bolt hold-open, a safety feature that locks the bolt open after you've fired the last shot, allowing you to see into the open action. And with features such as its sleek walnut-finished hardwood stock, and a precision-crowned muzzle for enhanced accuracy, it's easy to see why the Model 60 continues to be one of America's best selling rifles.

Model 60C (See inset page 13) The world's most popular 22 rifle is also available with a camouflage stock. With features identical to the Model 60, the Model 60C comes with a hardwood Monte Carlo stock featuring a popular camouflage pattern.

Model 60SB America's favorite autoloading 22 rifle also comes in weather-proof stainless steel, with a walnut finished hardwood stock. The tubular magazine holds 14 Long Rifle cartridges. The adjustable semi-buckhorn rear sight is complemented by a ramp front sight with high-visibility post and cutaway Wide-Scan[™] hood.

Model 60SN The classic Model 60 with a rugged economical black synthetic stock with molded-in checkering and swivel studs. It also has all of the great features of the standard Model 60. Also available with a factory-mounted and bore-sighted 4x20mm scope

Model 60S-CF Here's our stainless steel Model 60 with the high-tech look of a carbon fiber pattern synthetic stock. It also features molded-in checkering and swivel studs.

Model 60SS How do you improve upon the simplicity and reliability of the world's most popular 22 autoloader? We've given it the all-weather versatility of stainless steel and the rugged good looks of a two-tone laminated stock. The barrel is made from stain and corrosion-resistant stainless steel. Most other metal parts are nickel-plated. The deluxe 60SS features a 19" tack-driving Micro-Groove[®] barrel, 14-shot tubular magazine, positive cross-bolt safety, manual bolt hold-open, and our patented "last-shot" bolt hold-open, which locks the bolt open after the last shot is fired. The handsome Monte Carlo stock is crafted from a striking grey/black hardwood laminate, and sports a full pistol grip, swivel studs and a rubber rifle butt pad.



Specifications

Model	60	60C	60SB	60SN	60S-CF	60SS
Caliber	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only
Capacity	14-shot tubular magazine with patented closure system			14-shot tubular magazine with patented closure system		
Action	Autoloading; side ejection; manual and automatic "last-shot" bolt hold-opens; receiver top has serrated, non-glare finish; cross-bolt safety	Autoloading; side ejection; manual and automatic "last-shot" bolt hold-opens; receiver top has serrated, non-glare finish; cross-bolt safety	Autoloading; side ejection; manual and automatic "last-shot" bolt hold-opens; cross-bolt safety; stainless steel barrel	Autoloading; side ejection; manual and automatic "last-shot" bolt hold-opens; cross-bolt safety	Autoloading; side ejection; manual and automatic "last-shot" bolt hold-opens; cross-bolt safety; stainless steel barrel	Autoloading; side ejection; manual and automatic "last-shot" bolt hold-opens; cross-bolt safety; stainless steel barrel
Stock	Monte Carlo walnut finished hardwood; full pistol grip; tough Mar-Shield [®] finish	Monte Carlo hardwood with Realtree [™] camouflage pattern; full pistol grip	Monte Carlo walnut finished hardwood; full pistol grip; tough Mar-Shield [®] finish	Black fiberglass-filled synthetic stock with swivel studs; full pistol grip and molded-in checkering	Black fiberglass-filled synthetic stock in a carbon fiber pattern with swivel studs; full pistol grip and molded in checkering	Monte Carlo laminated two-tone black/grey hardwood; full pistol grip; tough Mar-Shield [®] finish; rubber rifle butt pad; nickel-plated swivel studs
Barrel	19" with Micro-Groove [®] rifling (16 grooves)	19" with Micro-Groove [®] rifling (16 grooves)	19" with Micro-Groove [®] rifling (16 grooves)	19" with Micro-Groove [®] rifling (16 grooves)	19" with Micro-Groove [®] rifling (16 grooves)	19" with Micro-Groove [®] rifling (16 grooves)
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable open rear, ramp front sight. Receiver grooved for scope mount	Adjustable open rear, ramp front sight. Receiver grooved for scope mount	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility post and cutaway Wide-Scan [™] hood. Receiver grooved for scope mount	Adjustable open rear, ramp front sight. Receiver grooved for scope mount. Scoped Model: Available with a 3-9x32 scope, factory-mounted and bore-sighted	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility post and cutaway Wide-Scan [™] hood. Receiver grooved for scope mount	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility post and cutaway Wide-Scan [™] hood. Receiver grooved for scope mount
Length	37½"	37½"	37½"	37½"	37½"	37½"
Weight	5½ lbs.	5½ lbs.	5½ lbs.	5 lbs.	5 lbs.	5½ lbs.

* Laminated, synthetic and hardwood stocks are available as replacements for some current and previously manufactured Marlin 22's. Contact your dealer for details, or call Marlin Gun Service Department toll free at 800 544-8892.

Specifications subject to change without notice



Model 60
The world's most popular 22 rifle.



Cross-bolt safety. All Marlin 22 caliber autoloaders feature a convenient cross-bolt safety located in the rear of the trigger guard.

Automatic "last-shot" bolt hold-open. An important safety feature on all Marlin autoloading 22's, our patented automatic "last-shot" bolt hold-open locks the bolt open after the last shot has been fired, allowing the shooter to see into the open action.



Model 60SB



Model 60SN
Available with a factory-mounted 4x20mm scope




Model 60C features a hardwood Monte Carlo stock with Realtree™ camouflage pattern.



Model 60S-CF features a synthetic stock dipped with a carbon fiber pattern, giving it a racy, high tech look.



Model 60S-CF



Model 60SS

Laminated Stocks*. The Models 60SS, 983S, thumbhole stock models, and the XLR series feature two-tone laminated hardwood stocks. In addition to their ruggedness and good looks, laminated stocks are noted for their stability through a wide range of temperature and moisture variations.



Autoloading 22's with Clip Magazines

Marlin[®]
America's Favorite Riflemaker

If you're looking for a 22 rifle that gives you the flexibility of a removable clip magazine at a reasonable price, Marlin has autoloaders that are right on target. And right on the money.

Model 795 This rugged, economical 22 autoloader has the wide appeal that's made it a winner. The Model 795 features an 18" barrel, 10-shot nickel-plated clip magazine, and an automatic "last-shot" bolt hold-open. Its stock is black fiberglass-reinforced synthetic with molded-in checkering and swivel studs. It's fitted with an adjustable open rear sight and a ramp front sight.

Model 795SS We've taken the popular Model 795 autoloader and replicated it in weather-beating stainless steel. The Model 795SS is designed and built to be an all-season favorite, with a virtually indestructible black fiberglass-reinforced synthetic stock with molded-in checkering and swivel studs. An 18" Micro-Groove[®] rifled barrel makes for optimum 22 Long Rifle accuracy.

Model 70PSS Stainless If you like to take a rifle with you when you're backpacking, boating, four-wheeling or just taking a hike, the Model 70PSS, with its 7-shot clip magazine, is a natural for you. You can take it apart or put it together in a matter of seconds. And, the all-weather "Papoose" enjoys the versatility of stainless steel construction, combined with a rugged fiberglass-filled black synthetic stock. It's also equipped with an automatic "last-shot" bolt hold-open, as well as a manual hold-open. It comes in a padded carrying case with built-in flotation.

And like all Marlin rifles, they are made in America, by American craftsmen.



Model 795



Model 795SS



Model 70PSS

Specifications

Model	795	795SS	70PSS
Caliber	22 Long Rifle only	22 Long Rifle only	22 Long Rifle only
Capacity	10-shot nickel-plated clip magazine	10-shot nickel-plated clip magazine	7-shot nickel-plated clip magazine
Action	Autoloading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety	Autoloading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety	Autoloading; side ejection; automatic "last-shot" bolt hold-open; manual bolt hold-open; cross-bolt safety
Stock	Monte Carlo black fiberglass-filled synthetic with swivel studs and molded-in checkering	Monte Carlo black fiberglass-filled synthetic with nickel-plated swivel studs and molded-in checkering	Monte Carlo black fiberglass-filled synthetic with abbreviated fore-end, nickel-plated swivel studs and molded-in checkering
Barrel	18" with Micro-Groove [®] rifling (16 grooves)	18" stainless steel with Micro-Groove [®] rifling (16 grooves)	16¼" stainless steel with Micro-Groove [®] rifling (16 grooves)
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable open rear, ramp front sight. Receiver grooved for scope mount	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility post and cutaway Wide-Scan [™] hood. Receiver grooved for scope mount	Adjustable open rear, ramp front sight with high-visibility orange post; cutaway Wide-Scan [™] hood. Receiver grooved for scope mount
Length	37"	37"	35¼"
Weight	4½ lbs.	4½ lbs.	3¼ lbs.



Specifications subject to change without notice

17 HMR Thumbhole Stock Rifles

Marlin[®]
America's Favorite Riflemaker

*Hunting varmints has never
been more fun now
that we've combined the
accuracy of a 917 with the
comfort of thumbhole stocks.*

NEW Model 917VT Featuring a brown laminated thumbhole stock and blued heavy barrel, this new model also includes 4 and 7-shot clip magazines, and is grooved for scope mount and is drilled & tapped for a scope base.

NEW Model 917VST For those who prefer a stainless model, this grey-black laminate thumbhole stock features a heavy stainless steel barrel, receiver and striker knob. Like all Marlin bolt action rimfire rifles, they include our popular T-900 fire control system.



NEW Model 917VT



NEW Model 917VST



Raised cheek piece properly positions the shooter's eye to the rifle scope.



Popular thumbhole stock design aids comfortable and accurate shooting.



Specifications

Model	917VT	917VST
Caliber	17 Hornady Magnum Rimfire	17 Hornady Magnum Rimfire
Capacity	4-shot and 7-shot clip magazines included	4-shot and 7-shot nickel-plated clip magazines included
Action	Bolt action; thumb safety; red cocking indicator.	Bolt action; thumb safety; red cocking indicator; stainless steel barrel.
Stock	Two-tone brown laminate stock with thumbhole pistol grip, swivel studs and rubber rifle butt pad	Two-tone grey-black laminate stock with thumbhole pistol grip, nickel plated swivel studs and rubber rifle butt pad
Barrel	Heavy 22" (4 grooves)	Heavy 22" stainless steel (4 grooves)
Twist Rate	1:9" r.h.	1:9" r.h.
Sights	No sights provided, receiver is grooved for scope mount, and drilled and tapped for scope bases (scope base incl.)	No sights provided, receiver is grooved for scope mount, and drilled and tapped for scope bases (scope base incl.)
Length	41"	41"
Weight	7 lbs.	7 lbs.

Specifications subject to change without notice

17 HMR Bolt Action Rifles

Marlin[®]
America's Favorite Riflemaker

Model 917 This no-nonsense model features a black synthetic stock, a 22" sporter barrel with open sights, and comes with a 4-shot and a 7-shot clip magazine.

Model 917S Identical to our 917, but features a stainless steel barrel and nickel plated swivel studs.

Model 917V Here's fast company for smallbore hunters. Our Model 917V was the blued steel launching platform for the 17HMR. Firing a high-performance V-MAX boat-tail jacketed bullet, it generates at least 25% more muzzle velocity than the 22 Win. Mag. The Model 917V features a heavy 22" barrel, double bedding screws, and special inletting to enhance accuracy. It now comes with both a 4-shot and a 7-shot clip, and has a

rugged walnut finished hardwood Monte Carlo stock with sling swivel studs. Now available with a factory-mounted and bore-sighted 3-9x32mm variable scope.

All Marlin bolt action rimfire rifles feature the advanced T-900[™] Fire Control System.




Model 917VR This has all the features of the 917V, plus a newly designed black synthetic stock.

Model 917VS Varmints beware! This rifle features a heavy 22" stainless barrel and now comes with two clip magazines – our standard 7-shot, and a 4-shot. The grey/black hardwood laminate Monte Carlo stock is stable in the worst of weather, and comes complete with nickel-plated sling swivel studs.

Model 917VSF (See inset page 17) Rounding out the 17HMR bolt action line is the 917VSF. It has all the features of the 917VS, plus a stainless fluted barrel. Flutes not only enhance the graceful lines of the rifle, they also dissipate heat and slightly reduce barrel weight.

Model 917VS-CF This version of our 917VS features our handsome synthetic stock dipped in a carbon fiber pattern.



Specifications

Model	917	917S	917V	917VR	917VS	917VSF	917VS-CF
Caliber	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire	17 Hornady Mag. Rimfire
Capacity	4-shot and 7-shot clips	4-shot and 7-shot nickel-plated clips	4-shot and 7-shot clips	4-shot and 7-shot clips	4-shot and 7-shot nickel-plated clips	4-shot and 7-shot nickel-plated clips	4-shot and 7-shot nickel-plated clips
Action	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator
Stock	Fiberglass-filled synthetic stock with full pistol grip; swivel studs and molded-in checkering	Black fiberglass-filled synthetic stock with full pistol grip; swivel studs and molded-in checkering	Monte Carlo walnut finished hardwood with swivel studs; full pistol grip; tough Mar-Shield [®] finish	Black fiberglass-filled synthetic stock with full pistol grip; swivel studs and molded-in checkering	Monte Carlo laminated grey / black hardwood with nickel-plated sling swivel studs; full pistol grip; rubber rifle butt pad; tough Mar-Shield [®] finish	Monte Carlo laminated grey / black hardwood with nickel-plated sling swivel studs; full pistol grip; rubber rifle butt pad; tough Mar-Shield [®] finish	Black fiberglass-filled synthetic stock with a carbon fiber pattern and swivel studs; full pistol grip and molded in checkering
Barrel	Sporter 22" (4 grooves)	Sporter 22" stainless steel barrel (4 grooves)	Heavy 22" (4 grooves)	Heavy 22" (4 grooves)	Heavy 22" stainless steel (4 grooves)	Heavy 22" stainless steel with flutes (4 grooves)	Heavy 22" stainless steel (4 grooves)
Twist Rate	1:9" r.h.	1:9" r.h.	1:9" r.h.	1:9" r.h.	1:9" r.h.	1:9" r.h.	1:9" r.h.
Sights	Adjustable open rear, ramp front sight. Receiver is grooved for scope mount; drilled and tapped for scope bases*	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility, orange front sight post; cutaway Wide-Scan [™] hood. Receiver grooved for scope mount; drilled and tapped for scope bases*	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included). Scoped Model: Available with a 3-9x32 scope, factory-mounted and bore-sighted	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included)	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included)	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included)	No sights provided, but receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included)
Length	41"	41"	41"	41"	41"	41"	41"
Weight	5¾ lbs.	5¾ lbs.	6 lbs.	6 lbs.	7 lbs.	6¾ lbs.	6 lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. Older bolt actions can also be drilled and tapped by Marlin Gun Service. Call 800 544-8892 for more information. Specifications subject to change without notice



Model 917
Comes with 4-shot clip and an extra 7-shot clip



Model 917S
Comes with 4-shot clip and an extra 7-shot clip



Model 917V
Available with a factory-mounted 3-9x32mm scope
Comes with 4-shot clip and an extra 7-shot clip



Model 917VR (Scope not included)
Comes with 4-shot clip and an extra 7-shot clip



Model 917VS (Scope not included)
Comes with 4-shot clip and an extra 7-shot clip



Model 917VS -CF
Comes with 4-shot clip and an extra 7-shot clip



Model 917VSF
This version of our 917VS features a stainless fluted barrel. Flutes not only enhance the graceful lines of the rifle, they also dissipate heat and slightly reduce barrel weight.



All clip-loading rimfire magnums come with a 4-shot clip-and an extra 7-shot clip. The 4-shot clip offers a flush fit with the bottom of the stock, making it easier to shoot from the bench and carry in the field.

22 Win. Magnum Bolt Action Rifles

Marlin[®]
America's Favorite Riflemaker

At first glance, it's hard to tell these sleek, good-looking 22's aren't true "big game" rifles. With their Monte Carlo stocks, heft and balance, they are as close to a centerfire rifle as a 22 rimfire ever gets.

All models feature the legendary Marlin Micro-Groove[®] barrels. Unlike conventional rifling, our exclusive Micro-Groove[®] rifling results in considerably less distortion of the bullet and a better gas seal, for unrivaled accuracy. See more about Micro-Groove[®] rifling on the back cover.

And just to make sure that every rifle we make is as accurate as we say it is, each one is sighted-in on our test range.

Model 983 The Model 983 has a traditional walnut stock with cut checkering, and a blued steel finish. It features a semi-buckhorn folding rear sight, and a ramp front sight with a brass bead and Wide-Scan[™] hood.

Model 983T If you're looking for a 22 Win. Magnum bolt action rifle at a very attractive price, and with the toughness and stability of a fiberglass-reinforced synthetic stock, our Model 983T fills the bill. It features a 22" Micro-Groove[®] barrel and a 12-shot tubular magazine.

All Marlin bolt action rimfire rifles feature the advanced T-900[™] Fire Control System.



Model 983S This was the first stainless bolt action rifle with the Marlin name on it. The barrel is made with 400 Series stainless steel. The handsome Monte Carlo two-tone brown laminated stock is equipped with swivel studs and a rubber rifle butt pad. The rear sight is an adjustable folding semi-buckhorn, and the ramp front sight has a high visibility post and cutaway Wide-Scan[™] hood. The 983S has a 22" barrel, featuring famous Micro-Groove[®] rifling, and a tubular magazine with a big 12-shot capacity.

Model 982VS Here's a real treat for varmint hunters. The Model 982VS is a tack-driving stainless steel 22 Magnum bolt action repeater with a heavy 22" Micro-Groove[®] target barrel, anchored with double bedding screws. It now comes with a 4-shot as well as a 7-shot nickel-plated clip magazine. We've fitted this rifle with a black fiberglass-reinforced synthetic stock with molded-in checkering, and nickel-plated swivel studs.

Model 982VS-CF Identical to 982VS, with the added feature of our carbon fiber dip pattern on a fiberglass-filled synthetic stock. Comes with 4-shot and 7-shot clip magazines.

Model 925M This economical 22 WMR comes with a 4-shot and a 7-shot clip magazine, and a Monte Carlo walnut-finished hardwood stock with swivel studs.



Specifications

Model	983	983T	983S	982VS	982VS-CF	925M
Caliber	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire	22 Win. Mag. Rimfire
Capacity	12-shot tubular magazine	12-shot tubular magazine	12-shot tubular magazine	4-shot and 7-shot clip magazines included	4-shot and 7-shot clip magazines included	4-shot and 7-shot clip magazines included
Action	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator
Stock	Monte Carlo genuine American black walnut with swivel studs; full pistol grip and classic cut checkering; rubber rifle butt pad; tough Mar-Shield [®] finish	Black fiberglass-filled synthetic with swivel studs and molded-in checkering	Monte Carlo laminated two-tone brown hardwood with nickel-plated swivel studs and rubber rifle butt pad; tough Mar-Shield [®] finish	Black fiberglass-filled synthetic with nickel-plated swivel studs; full pistol grip and molded-in checkering	Black fiberglass-filled synthetic stock dipped with a carbon fiber pattern and nickel-plated swivel studs; full pistol grip and molded in checkering	Monte Carlo walnut finished laminated hardwood with swivel studs; full pistol grip; tough Mar-Shield [®] finish
Barrel	22" with Micro-Groove [®] rifling (20 grooves)	22" with Micro-Groove [®] rifling (20 grooves)	22" stainless steel with Micro-Groove [®] rifling (20 grooves)	Heavy 22" stainless steel with Micro-Groove [®] rifling and recessed muzzle (20 grooves)	Heavy 22" stainless steel with Micro-Groove [®] rifling and recessed muzzle (20 grooves)	22" with Micro-Groove [®] rifling (20 grooves)
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with brass bead and removable Wide-Scan [™] front sight hood. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable open rear, ramp front sight. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable semi-buckhorn folding rear, ramp front sight with high visibility, orange front sight post; cutaway Wide-Scan [™] hood. Receiver grooved for scope mount; drilled and tapped for scope bases*	Receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included)	Receiver is grooved for scope mount; drilled and tapped for scope bases (scope bases included)	Adjustable open rear, ramp front sight. Receiver grooved for scope mount; drilled and tapped for scope bases*
Length	41"	41"	41"	41"	41"	41"
Weight	6 lbs.	6 lbs.	6 lbs.	7 lbs.	7 lbs.	6 lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers.

Older bolt actions can also be drilled and tapped by Marlin Gun Service. Call 800 544-8892 for more information.

Specifications subject to change without notice



Model 983



Model 983T



Model 983S



Model 982VS
Comes with 4-shot clip and an extra 7-shot clip



Model 982VS -CF
Comes with 4-shot clip and an extra 7-shot clip



Model 925M
Comes with 4-shot clip and an extra 7-shot clip



Red Cocking Indicator.
All Marlin bolt action models show a red dot on top of the striker knob when the firearm is cocked.



Drilled and tapped receivers. All Marlin bolt action rimfire rifles have receivers drilled and tapped for scope bases. Older bolt actions can also be drilled and tapped by Marlin Gun Service. Call 800 544-8892 for more information.

22 Bolt Action Rifles

Marlin[®]
America's Favorite Riflemaker

Classic looks and loads of features.

These bolt action 22's have the styling and features you would expect from Marlin. Our receivers are machined from solid steel bars. What's more, the barrels of all Marlin 22 rifles have our exclusive Micro-Groove[®] rifling, giving them superior accuracy. These rifles also feature a red cocking indicator that clearly appears on top of the striker knob whenever the rifle is cocked, and a safety with high visibility "FIRE" and "SAFE" positions. Bolt handles are shaped so that you can mount most 1" scopes.

Model 980S This handsome bolt action repeater has a barrel crafted from stainless steel. It also features a rugged black synthetic stock, adding even more durability and weather resistance.

Model 980S-CF (See inset below) A stainless steel model dipped with our carbon fiber pattern synthetic stock for a high-tech look and rugged durability.

Model 981T If a tube-loading bolt action 22 is what you are looking for, Marlin is the only place you will find it – in our 981T. It has a 22" Micro-Groove[®] barrel, and a black fiberglass-filled synthetic stock with swivel studs and molded-in checkering. And its full length magazine holds 25 Short, 19 Long or 17 Long Rifle cartridges.

Model 925 This clip-loading 22 rifle represents one of the best buys around in a bolt action repeater. It features an all-business hardwood stock with swivel studs, a 22" Micro-Groove[®] barrel and a 7-shot clip magazine.

Model 925C Based on the sturdy, economical Model 925, this 22 clip-fed bolt action rifle has everything you want. It comes with a 22" Micro-Groove[®] barrel and an adjustable rear sight. The Model 925C comes with a hardwood Monte Carlo stock featuring a popular camouflage pattern, perfect for blending into the woods.

Model 925R Here is our Model 925 featuring a black synthetic stock with molded-in checkering and swivel studs. Now also available with a factory-mounted and bore-sighted 3-9x32mm variable scope.

Model 915Y Single Shot A perfect way to introduce children to the sport is with the Model 915Y, 22 compact rifle. This single shot is scaled down for smaller frames, it cocks on opening, and features an easy-load feed ramp, and a thumb safety that can be left engaged while loading and unloading.

Model 915YS Single Shot

Regardless of the weather, any day spent shooting with the grown-ups is a great day for a youngster. And here's a great beginners' single shot that can shrug off rain, snow and mud. The Model 915YS is the stainless steel version of our Model 915Y, with the same easy-load feed ramp and positive safety features. The Monte Carlo walnut-finished hardwood stock features a full pistol grip.

If you're looking for long-term value and dependability in a bolt action 22, you don't need to look any further.

All Marlin bolt action rimfire rifles feature the advanced T-900[™] Fire Control System.



Model 980S

Model 980S-CF
This version of our 980S features our new synthetic stock with a hi-tech carbon fiber pattern.



Specifications

Model	980S	980S-CF	981T	925
Caliber	22 Long Rifle only	22 Long Rifle Only	22 Short, Long or Long Rifle	22 Long Rifle only
Capacity	7-shot nickel-plated clip magazine	7-shot clip magazine	Tubular magazine holds 25 Short, 19 Long or 17 Long Rifle cartridges	7-shot clip magazine
Action	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator
Stock	Black fiberglass-filled synthetic with full pistol grip, nickel-plated swivel studs and molded-in checkering	Black fiberglass-filled synthetic stock dipped with a carbon fiber pattern and nickel-plated swivel studs; full pistol grip and molded-in checkering	Black fiberglass-filled synthetic with full pistol grip, swivel studs and molded-in checkering	Monte Carlo walnut finished hardwood stock with full pistol grip; tough Mar-Shield [®] finish; swivel studs
Barrel	22" stainless steel with Micro-Groove [®] rifling (16 grooves)	22" stainless steel with Micro-Groove [®] rifling (16 grooves)	22" with Micro-Groove [®] rifling (16 grooves)	22" with Micro-Groove [®] rifling (16 grooves)
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility, orange front sight post; cutaway Wide-Scan [™] hood. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable semi-buckhorn folding rear, ramp front sight with high-visibility, orange front sight post; cutaway Wide-Scan [™] hood. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*
Length	41"	41"	41"	41"
Weight	6 lbs.	6 lbs.	6 lbs.	6 lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers.

Older bolt actions can also be drilled and tapped by Marlin Gun Service. Call 800 544-8892 for more information.

Specifications subject to change without notice



Model 981T
*Marlin is the only place you will find
a tube-loading bolt action 22*



Model 925



Model 925C




Model 925R
Available with a factory-mounted 3-9x32mm scope



Model 915Y Single Shot



Model 915YS Single Shot



Specifications

Model	925C	925R	915Y (Compact)	915YS (Compact)
Caliber	22 Long Rifle only	22 Long Rifle only	22 Short, Long or Long Rifle	22 Short, Long or Long Rifle
Capacity	7-shot clip magazine	7-shot clip magazine	Single Shot	Single Shot
Action	Bolt action; thumb safety; red cocking indicator	Bolt action; thumb safety; red cocking indicator	Bolt action; easy-load feed ramp; thumb safety; red cocking indicator	Bolt action; easy-load feed ramp; thumb safety; red cocking indicator
Stock	Monte Carlo hardwood with Realtree™ camouflage pattern; full pistol grip; swivel studs	Black fiberglass-filled synthetic with full pistol grip; swivel studs and molded-in checkering	Walnut finished hardwood Monte Carlo stock with full pistol grip; tough Mar-Shield® finish (Length of pull-12")	Walnut finished hardwood Monte Carlo stock with full pistol grip; tough Mar-Shield® finish (Length of pull-12")
Barrel	22" with Micro-Groove® rifling (16 grooves)	22" with Micro-Groove® rifling (16 grooves)	16¼" with Micro-Groove® rifling (16 grooves)	16¼" stainless steel with Micro-Groove® rifling (16 grooves)
Twist Rate	1:16" r.h.	1:16" r.h.	1:16" r.h.	1:16" r.h.
Sights	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases* Scoped Model: Available with a 3-9x32 scope, factory-mounted and bore-sighted	Adjustable open rear, ramp front. Receiver grooved for scope mount; drilled and tapped for scope bases*	Adjustable rear, ramp front fiber-optic Fire Sights; cutaway Wide-Scan™ hood. Receiver grooved for scope mount; drilled and tapped for scope bases*
Length	41"	41"	33¼"	33¼"
Weight	5½ lbs.	5½ lbs.	4¼ lbs.	4¼ lbs.

*Scope Mounting Bases are available for Marlin bolt action rimfire rifles with drilled and tapped receivers. Older bolt actions can also be drilled and tapped by Marlin Gun Service. Call 800 544-8892 for more information. Specifications subject to change without notice

L.C. Smith Shotguns

Back in 1945, Marlin bought The Hunter Arms Company of Fulton, NY, the maker of the legendary L.C. Smith side-by-side shotgun. Nicknamed the “Elsie”, this sidelock double gun was made for a few years in the Marlin plant before being phased out due to high manufacturing costs.

Although we have not been able to bring back the L.C. Smith as an American-made gun, we do have European craftsmen building models worthy of the great L.C. Smith name. These side-by-sides feature box lock actions with side plates to echo the look of the original Smith guns.

And, although there were no over-and-under L.C. Smiths, we are offering 12- and 20-gauge models with the same excellent level of quality.

Model LC28-DB Superbly balanced 28 gauge, built on a true 28ga. frame. Features include: 26" blued barrels, with hard chromed bores and interchangeable choke tubes (IC, M, F); raised, solid rib, with front bead; hinged single selective, mechanical trigger; auto selective ejectors; box lock action and case-colored finish; push button, top tang, manual safety, with integrated barrel selector; walnut pistol grip style buttstock and semi-beavertail forearm with classic L.C. Smith checkering pattern. Honored in 2007 with Field and Stream's "Best of the Best" in shotgun category.



Model LC410-DB A side-by-side .410 bore, beautifully crafted with fleur-de-lis checkered walnut stock, single selective trigger, selective automatic ejectors, three choke tubes (IC, M, F), and a solid, matted rib. The case-colored receiver has gold game bird embellishments on the sides and bottom.

Model LC12-DB This 12-gauge double barrel features a 3" chamber, a single trigger, selective automatic ejectors, three choke tubes (IC, M, F), 28" chrome-lined barrels with a solid rib and a bead front sight. Its walnut stock is checkered, and has a fluted comb, a beavertail forearm and a recoil pad. Case-coloring on the receiver and side plates adds an elegant touch.

Model LC20-DB This 20-gauge side-by-side model has the same features as the 12-gauge, except its chrome-lined barrels are 26".

Model LC12-OU A handsome over-and-under that features a 3" chamber, a single selective trigger, selective automatic ejectors, automatic safety, three choke tubes (IC, M, F), 28" chrome-lined barrels with ventilated rib and bead front sight. It has a checkered walnut stock with a fluted comb and recoil pad.

Model LC20-OU The 20-gauge version of the L.C. Smith over-and-under has all the same features as the 12-gauge, except its chrome-lined barrels are 26".

Model LC28-DB, our 28 gauge side by side was honored in 2007 with Field & Stream's "Best of the Best" in the Shotgun Category.



Specifications

Model	LC 28-DB	410-DB	LC12-DB	LC20-DB	LC12-OU	LC20-OU
Action	Side-by-side	Side-by-side	Side-by-side	Side-by-side	Over/under	Over/under
Gauge	28	.410 Bore	12	20	12	20
Stock	Checkered walnut with recoil pad	Checkered walnut with recoil pad	Checkered walnut with recoil pad	Checkered walnut with recoil pad	Checkered walnut with recoil pad	Checkered walnut with recoil pad
Barrels	26" with solid rib	26" with solid rib	28" with solid rib	26" with solid rib	28" with vent rib	26" with vent rib
Chamber	2¾"	3"	3"	3"	3"	3"
Sights	Bead Front	Bead Front	Bead Front	Bead Front	Bead Front	Bead Front
Chokes	3 tubes (IC, M, F)	3 tubes (IC, M, F)	3 tubes (IC, M, F)	3 tubes (IC, M, F)	3 tubes (IC, M, F)	3 tubes (IC, M, F)
Length	43"	43"	45"	43"	45"	43"
Length of Pull	14¼"	14¼"	14¼"	14¼"	14¼"	14¼"
Drop at Comb	1½"	1½"	1½"	1½"	1¼"	1½"
Drop at Heel	2½"	2½"	2½"	2½"	2¼"	2½"
Weight	6½ lbs.	6¼ lbs.	7½ lbs.	6½ lbs.	7¼ lbs.	6¾ lbs.

Specifications subject to change without notice





Model LC410-DB, .410 bore
Model LC28-DB, 28-gauge



Model LC20-DB, 20-gauge
Model LC12-DB, 12-gauge



Model LC12-OU, 12-gauge
Model LC20-OU, 20-gauge



*Most models feature
a single selective trigger
(see descriptions for details)*



Elegant case-colored receivers



*Cut checkered pistol-grip
stocks with fluted combs*

Hunting Knife with Sheath

A handsome fixed-blade hunting knife in a design that dates back over a century. Overall length is 8¾", featuring a 4½" blade with traditional "match striker" ridges on the backspine, a feature that also provides thumb stability. Has a stacked leather handle, and carbon steel blade with etching of Marlin logo. Comes with leather sheath; made by Marble's Outdoors of Gladstone, MI. (Quantities are limited).

Price: \$106.05



Marlin proudly supports the
Hunting & Shooting Sports Heritage Fund.



The Other Branch of the Family

In November of 2000, Marlin purchased the assets of H&R 1871, Inc., a Massachusetts-based manufacturer of shotguns and rifles.

Founded in 1871 (one year after Marlin), the original company started in a plant in Worcester, Massachusetts.

The company subsequently moved to Gardner, Massachusetts, and today employs over 200 people. Marketing its products under the brand names of Harrington & Richardson® and New England Firearms®, H&R 1871® is the largest manufacturer of single shot shotguns and rifles in the world.



Support Your Sport

If we are going to preserve cherished hunting and shooting traditions, we must all get involved in spreading the truth, as well as contributing time and money to worthwhile conservation organizations.

Join a sportsmen's club. Buy Duck Stamps. Write letters to editors. And join the NRA. Learn the advantages of National Rifle Association membership. Write: National Rifle Association, 11250 Waples Mill Road, Fairfax, VA 22030.




Marlin's Micro-Groove® Technology:

Unique in design, exceptional in quality, 45 years of superior accuracy

Micro-Groove® rifling has become synonymous with rimfire accuracy. Although designed in the late 50's and later patented in 1963 by Marlin, the Micro-Groove® barrel continues to be revolutionary in terms of accuracy, creating a rimfire bore with many more lands and grooves than conventional rifling (see images to right). This system results in a bullet or bullet jacket not deeply grooved or distorted when fired (as is the case with conventionally made barrels), and the less distortion, the greater the accuracy. Micro-Groove is only available from Marlin Firearms.



Conventionally rifled barrel



Micro-Groove® rifled barrel

Safety Notes

Marlin firearms are packed and shipped with an Owner's Manual. To assure safe and proper use, you should read and understand it before you load and fire your firearm. If you do not get one with your firearm, write to us, giving the model number and serial number. Write: Owner's Manual, Marlin Firearms Co., 100 Kenna Dr., P.O. Box 248, North Haven, CT 06473-0905.

Marlin firearms are designed and manufactured to handle standard factory-loaded ammunition which conforms to SAAMI® (Sporting Arms and Ammunition Manufacturers' Institute Inc.) standards with dependability and safety. Due to the many bullet and load options available, the element of judgement involved, the skill required, and the fact that serious injuries have resulted from dangerous handloads, Marlin does not make any recommendations with regard to handloaded ammunition.



Marlin Firearms Company

100 Kenna Drive, P.O. Box 248 • North Haven, CT 06473-0905
Tel. 203-239-5621 • www.marlinfirearms.com