



**SEND US YOUR FAVORITE PHOTO** with your Weatherby®! If you have a photo of yourself, or a member of your family with a Weatherby rifle or shotgun, we'd love to see it. Send a photo print (or high resolution digital file) and a few words about your hunt, and we may use it in a future Weatherby catalog or on the Weatherby web site. For tips on taking great trophy photos, visit [www.weatherbynation.com](http://www.weatherbynation.com). Sorry, photos cannot be returned.



**FORMERLY KNOWN AS THE ROY E. WEATHERBY FOUNDATION**, the mission of the non-profit, tax-exempt Foundation is to educate the non-hunting public on the beneficial role of ethical sport hunting and its contributions to wildlife conservation. Active in its mission, the Foundation currently leads a national initiative to foster the development of educational outdoor expositions, sponsoring 78 events to date in 19 states, with combined attendance figures of nearly 1 million people. The Foundation also annually sponsors the Weatherby Hunting and Conservation Award (2006 winner Federico Sada pictured at left). For more information, write P.O. Box 128, Lafayette, CA 94549-0128; (866) 525-4218 or (801) 349-2667; FAX (801) 303-8800; [www.weatherby-foundation.org](http://www.weatherby-foundation.org).

**WEATHERBY SUPPORTS** or is a member of organizations dedicated to the conservation and management of our wildlife and habitat resources, including Ducks Unlimited, Foundation for North American Wild Sheep, Mule Deer Foundation, National Rifle Association, National Shooting Sports Foundation, National Wild Turkey Federation, Quail Unlimited, Quality Deer Management Association, Rocky Mountain Elk Foundation, Safari Club International and Wildlife Forever. Weatherby proudly sponsors the Resistol Relief Fund of the Professional Bull Riders, Inc. and the National High School Rodeo Association.

**THE WEATHERBY COLLECTORS ASSOCIATION** was formed with the purpose of "creating an association where many Weatherby admirers could pool their knowledge and experience for the benefit of all..." Members receive a newsletter with buy-sell-swap opportunities and bid opportunities on limited-edition, commemorative firearms. For information, write P.O. Box 478, Pacific, MO 63069 (636) 239-0348; E-mail: [wcasecretary@aol.com](mailto:wcasecretary@aol.com).

**LEARN THE HISTORY** and lineage of your Weatherby firearm, researched and authenticated through our company records. Each certificate is personally signed by Roy E. Weatherby, Jr. and Dean Rumbaugh, Company Historian. \$50 per serial number, (\$75 for Custom Rifles, \$100 for Special Edition or Commemorative rifles). Write to Company Historian, 1605 Commerce Way, Paso Robles, CA 93446 or visit [www.weatherby.com](http://www.weatherby.com).

**AUTHORIZED SERVICE CENTERS** Weatherby Authorized Service Centers have been carefully screened and selected for their ability to perform the highest quality of service to exacting standards. Service work includes both metal and wood work and all internal components. For the center nearest you call us at (805) 227-2600 or by FAX at (805) 237-0427. By mail, 1605 Commerce Way, Paso Robles, CA 93446 or visit [www.weatherby.com](http://www.weatherby.com).

**OUR NEW ONLINE COMMUNITY** is a great place to learn more about Weatherby rifles and shotguns, trade useful tips and ideas, and to interact with other hunters and shooters. There's no cost or obligation, so become part of the fun today. Visit [WeatherbyNation.com](http://WeatherbyNation.com) to sign up.



**Weatherby®**  
2008 » Firearms Ammunition Accessories







# 2008

>>

|                       |    |                                   |      |
|-----------------------|----|-----------------------------------|------|
| Vanguard® Rifles      | 6  | Pump Shotguns                     | 50   |
| Mark V® Rifles        | 16 | Semi-Automatic Shotguns           | 54   |
| Mark XXII® Rifles     | 26 | Accessories/Collectibles          | 57   |
| Custom Shop           | 28 | Specifications                    | 60   |
| Ammunition            | 34 | Authorized Service Centers        | Back |
| O/U Shotguns          | 40 | Weatherby® Collectors Association | Back |
| Side-By-Side Shotguns | 46 | History of Your Rifle             | Back |



WeatherbyNation.com is breaking new ground in the firearms industry and has become a “must visit” site for serious hunters and shooters. Check it out for yourself and let us know what you think.

Welcome to the 2008 Weatherby catalog. We have another exciting collection of rifles, shotguns and accessories that includes both legendary favorites and new offerings that are sure to make their own mark in the shooting and hunting industry. You won’t want to miss our new line of PA-08 pump shotguns, SA-08 semi-auto shotguns, and our re-designed line of Athena® and Orion® D’Italia Over/Under shotguns.

Many of the designs and features found on our products are a result of the feedback and ideas we receive from the people who put our rifles and shotguns to the test in the field—everyday hunters and shooters with high expectations for their hard-earned dollars. With that in mind,

I am very excited to introduce a new way for Weatherby enthusiasts to interact with us, and with each other, in an innovative “online community” setting.

In addition to our existing web site, Weatherby.com, we’re proud to announce the launch of WeatherbyNation.com. Membership is free and offers you advance notice on future Weatherby products, the opportunity to voice your opinions through member surveys and live chat events, and even help shape product development.

The site also connects you with other hunters and shooters, in your own backyard and all over the world. There’s an

interactive message board, Spike Camp, where you can talk “shop” with other hunters and shooters, and a space for you to create your own personal profile where you can upload and share photos and videos from your hunts, catalog your firearms and more.

On behalf of all of us here at Weatherby, thank you for your continued support. Perhaps our paths will cross at Spike Camp. Hope to see you there.

Good shooting and God Bless,

**THE HISTORY OF WEATHERBY** began in the mid-1940s when a young cartridge “wildcatter” named Roy Weatherby set out to change the world of firearm performance. Contrary to then-popular thinking (heavy bullets pushed at slow speeds), Roy believed that lightweight bullets traveling at super high speeds provided the best combination to create the hydrostatic shock required for one-shot kills. Based upon that philosophy, he spent the next decade developing the high-powered Weatherby® Magnum cartridges for which the company is known today (.224, .240, .257, .270, 7mm, .300, .30-378, .340, .338-378, .375, .378, .416 and .460). Roy went on to develop the Mark V® in 1958, a proprietary action renowned as the “world’s strongest bolt action.” In 1970, he developed the Vanguard® action, borrowing many of the characteristics of the Mark V, based on a dual-opposed lug Mauser-style action. Today, the company is also known for a proprietary line of Over/Under, Side-by-Side, Semi-automatic and Pump shotguns. Rifle or shotgun, superior design and unparalleled performance are cornerstones of every firearm that carries the Weatherby name.

>>








# GET TO KNOW YOUR TAXIDERMIST.

"I've hunted with a lot of different rifles and none of them outperform my Weatherby. It hits 'em hard and puts 'em down." —**Casey Tillard** [Wyoming]

**Rifle:** Vanguard® SUB-MOA | **Caliber:** .257 Wby. Mag. | **Range:** 325 yds. 





# VANGUARD®

INTRODUCED IN 1970, the Weatherby Vanguard® action (based on a Mauser-style, dual opposed lug design) first served as an economical alternative to our legendary Mark V®. Over the years however, it has continued to gain in popularity among all hunters who can no longer ignore the exceptional combination of value, wide range of features, dependable performance and guaranteed accuracy. Today, Vanguard is simply the best rifle value on the market, and is far and away our most popular choice. With models starting at just a few hundred dollars, there's a Vanguard to fit virtually any budget, any taste and any requirement for the most serious hunters and shooters. And, it remains the *only* production rifle that comes with a factory-shot target as your assurance of guaranteed accuracy.

**Fully Enclosed Bolt Sleeve** – Completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture.

**Three Rings of Steel** – The cartridge case head is surrounded by the recessed bolt face, which is surrounded by the barrel, which is surrounded by the forged and machined steel receiver. Creates an extra measure of strength and structural integrity.

**Cold Hammer Forged 24" Barrel** – Maximizes velocity and produces a guaranteed 1½" OR BETTER 3-shot group at 100 yards when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. 20" and 22" barrels available on some models.

**One-piece Forged Bolt** – Provides maximum strength and structural integrity. Knurled bolt knob adds to the functionality and value.

**Fluted Bolt Body** – Features three gas ports to allow high-pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area, while minimizing binding for smooth action.

**Fully Adjustable Trigger** – Allows for precision adjustment of sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 3.5 pounds). You get a clean, crisp trigger that will break precisely...a key component in delivering improved accuracy and improved shooter performance. (Sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith).

**Hinged Floorplate** – One-piece bottom metal and hinged floorplate provides easy access to unfired cartridges in the magazine. Constructed of steel and lightweight alloy.

**Grooved Trigger** – Special grooved trigger shoe surface for improved "feel" and control.

**Monte Carlo Stock** – Injection-molded composite delivers superior accuracy and durability. Monte Carlo design with raised comb is cast off to allow for quicker eye-to-scope alignment and faster target acquisition, while reducing felt recoil. Dual tapered forearm (back and upward) provides better grip and control under recoil and is flat-bottomed for a steady, stable rest. Low-density recoil pad greatly increases shock absorption.

**Integral Recoil Lug** – One-piece forged and machined receiver features integral recoil lug for the utmost in strength and structural integrity.



**1½" OR BETTER GUARANTEED ACCURACY** – All Vanguard rifles come with a factory-shot target.

## Vanguard Competitive Advantage

| Features                   | Weatherby Vanguard Synthetic | Howa M-1500 Lightning | Browning Composite Stalker | Remington SPS      | Savage 11 F | Tikka T3 Lite |
|----------------------------|------------------------------|-----------------------|----------------------------|--------------------|-------------|---------------|
| Accuracy Guarantee         | Yes – 1½"                    | No                    | No                         | No                 | No          | Yes – 1"      |
| <b>Factory-Shot Target</b> | <b>Yes</b>                   | <b>No</b>             | <b>No</b>                  | <b>No</b>          | <b>No</b>   | <b>No</b>     |
| Number of Calibers         | 15                           | 14                    | 17                         | 8                  | 14          | 17            |
| Adjustable Trigger         | Yes                          | Yes                   | Yes                        | Factory Adjustable | Yes         | Yes           |
| Weight                     | 7½ lbs.                      | 7½ lbs.               | 6¾-7¾ lbs.                 | 7¼-7¾ lbs.         | 6¼-6¾ lbs.  | 7-7½ lbs.     |
| Country of Origin          | Japan                        | Japan                 | Japan                      | USA                | USA         | Finland       |
| MSRP (non-magnum)          | \$525                        | \$546                 | \$719                      | \$604              | \$524       | \$625         |
| MSRP (magnum)              | \$525                        | \$577                 | \$749                      | \$604              | \$546       | \$625         |
| MSRP (other calibers)      | WSM: \$543                   | n/a                   | WSM: \$770                 | n/a                | n/a         | n/a           |

Specification information is from current competitor-published catalogs and Web sites.





VANGUARD® SYNTHETIC

MSRP \$525 / MSRP \$543 .270 WSM & .300 WSM

- ▶ Weighs just 7½ pounds
- ▶ Injection-molded composite stock
- ▶ Matte black metalwork
- ▶ 24" hammer-forged barrel
- ▶ Fully adjustable trigger\*
- ▶ Low-density recoil pad

Available Calibers

|              |            |                |             |
|--------------|------------|----------------|-------------|
| .223 Rem.    | VGW223RR40 | .30-06 Sprg.   | VGW306SR40  |
| .22-250 Rem. | VGW222RR40 | .257 Wby. Mag. | VGW257WR40  |
| .243 Win.    | VGW243NR40 | .270 WSM       | VGW270NSR40 |
| .25-06 Rem.  | VGW256RR40 | 7mm Rem. Mag.  | VGW7MMRR40  |
| .270 Win.    | VGW270NR40 | .300 Win. Mag. | VGW300NR40  |
| 7mm-08 Rem.  | VGW7M8RR40 | .300 WSM       | VGW300NSR40 |
| .308 Win.    | VGW308NR40 | .300 Wby. Mag. | VGW300WR40  |
|              |            | .338 Win. Mag. | VGW338NR40  |

New for 2008



VANGUARD YOUTH/COMPACT

MSRP \$620

- ▶ Ideal rifle that can grow with a young or female shooter
- ▶ Features lighter Vanguard short action (20" #1 contour barrel)
- ▶ Scaled-down hardwood stock (12½" length of pull) with non-reflective black finish
- ▶ Comes with full-size, injection-molded composite stock (\$139 value)
- ▶ Fully adjustable trigger\*
- ▶ Low-density recoil pad

Available Calibers

|              |            |
|--------------|------------|
| .223 Rem.    | VGC223RR00 |
| .22-250 Rem. | VGC222RR00 |
| .243 Win.    | VGC243NR00 |
| 7mm-08 Rem.  | VGC7M8RR00 |
| .308 Win.    | VGC308NR00 |

New for 2008



VANGUARD STAINLESS

MSRP \$673 / MSRP \$695 .270 WSM & .300 WSM

- ▶ Ideal for wet, adverse conditions
- ▶ Injection-molded composite stock
- ▶ Stainless steel metalwork bead blasted to matte finish
- ▶ 24" hammer-forged barrel
- ▶ Fully adjustable trigger\*
- ▶ Low-density recoil pad

Available Calibers

|              |            |                |             |
|--------------|------------|----------------|-------------|
| .223 Rem.    | VGS223RR40 | .257 Wby. Mag. | VGS257WR40  |
| .22-250 Rem. | VGS222RR40 | .270 WSM       | VGS270NSR40 |
| .243 Win.    | VGS243NR40 | 7mm Rem. Mag.  | VGS7MMRR40  |
| .270 Win.    | VGS270NR40 | .300 Win. Mag. | VGS300NR40  |
| .308 Win.    | VGS308NR40 | .300 WSM       | VGS300NSR40 |
| .30-06 Sprg. | VGS306SR40 | .300 Wby. Mag. | VGS300WR40  |
|              |            | .338 Win. Mag. | VGS338NR40  |



VANGUARD SYNTHETIC PACKAGE

MSRP \$680 / MSRP \$703 .270 WSM & .300 WSM



- ▶ Features Vanguard Synthetic rifle
- ▶ Bushnell® Banner 3-9x40mm scope with phase-coated optics and ¼-minute click adjustments
- ▶ Leupold® Rifleman rings and bases
- ▶ Uncle Mike's® nylon sling
- ▶ Plano® PRO-MAX™ injection-molded rifle case

Available Calibers

|              |            |                |             |
|--------------|------------|----------------|-------------|
| .223 Rem.    | VWP223RR40 | .30-06 Sprg.   | VWP306SR40  |
| .22-250 Rem. | VWP222RR40 | .257 Wby. Mag. | VWP257WR40  |
| .243 Win.    | VWP243NR40 | .270 WSM       | VWP270NSR40 |
| .25-06 Rem.  | VWP256RR40 | 7mm Rem. Mag.  | VWP7MMRR40  |
| .270 Win.    | VWP270NR40 | .300 Win. Mag. | VWP300NR40  |
| 7mm-08 Rem.  | VWP7M8RR40 | .300 WSM       | VWP300NSR40 |
| .308 Win.    | VWP308NR40 | .300 Wby. Mag. | VWP300WR40  |
|              |            | .338 Win. Mag. | VWP338NR40  |

New for 2008



MASSIVE M-16-STYLE CLAW EXTRACTOR

>>

Ensures reliable and positive extraction. Extracts and ejects the fired case without the necessity of full bolt retraction.

GUARANTEED ACCURACY


>>

All Vanguard® rifles are guaranteed to shoot a 1½" OR BETTER 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. A factory-shot target is included in every box.



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.





VANGUARD® DELUXE


MSRP \$931

- ▶ Semi-fancy grade walnut Monte Carlo-style stock
- ▶ High gloss, blued metalwork
- ▶ 24" hammer-forged barrel
- ▶ Features maplewood spacers and rosewood forend and grip cap
- ▶ Fully adjustable trigger\*
- ▶ Low-density recoil pad

Available Calibers

|                |            |                |            |
|----------------|------------|----------------|------------|
| .270 Win.      | VGX270NR40 | 7mm Rem. Mag.  | VGX7MMRR40 |
| .30-06 Sprg.   | VGX306SR40 | .300 Win. Mag. | VGX300NR40 |
| .257 Wby. Mag. | VGX257WR40 | .300 Wby. Mag. | VGX300WR40 |

• 1½-INCH GUARANTEE (TARGET INCLUDED)



VANGUARD SPORTER SS

MSRP \$830 / MSRP \$857 .270 WSM & .300 WSM

- ▶ Strikingly different and distinctive look
- ▶ Raised comb, Monte Carlo walnut stock with satin urethane finish
- ▶ Stainless steel metalwork bead blasted to matte finish
- ▶ Rosewood forend
- ▶ Fineline diamond point checkering
- ▶ Fully adjustable trigger\*

Available Calibers

|              |            |                |             |
|--------------|------------|----------------|-------------|
| .223 Rem.    | VWS223RR40 | .257 Wby. Mag. | VWS257WR40  |
| .22-250 Rem. | VWS222RR40 | .270 WSM       | VWS270NSR40 |
| .243 Win.    | VWS243NR40 | 7mm Rem. Mag.  | VWS7MMRR40  |
| .270 Win.    | VWS270NR40 | .300 Win. Mag. | VWS300NR40  |
| .308 Win.    | VWS308NR40 | .300 WSM       | VWS300NSR40 |
| .30-06 Sprg. | VWS306SR40 | .300 Wby. Mag. | VWS300WR40  |
|              |            | .338 Win. Mag. | VWS338NR40  |

• 1½-INCH GUARANTEE (TARGET INCLUDED)



VANGUARD SPORTER

MSRP \$689 / MSRP \$712 .270 WSM & .300 WSM

- ▶ Exceptional value in a wood stock rifle
- ▶ Raised comb, Monte Carlo walnut stock with satin urethane finish
- ▶ Low lustre, matte blued metalwork
- ▶ Rosewood forend
- ▶ Fineline diamond point checkering
- ▶ Fully adjustable trigger\*

Available Calibers

|              |            |                |             |
|--------------|------------|----------------|-------------|
| .223 Rem.    | VDM223RR40 | .30-06 Sprg.   | VDM306SR40  |
| .22-250 Rem. | VDM222RR40 | .257 Wby. Mag. | VDM257WR40  |
| .243 Win.    | VDM243NR40 | .270 WSM       | VDM270NSR40 |
| .25-06 Rem.  | VDM256RR40 | 7mm Rem. Mag.  | VDM7MMRR40  |
| .270 Win.    | VDM270NR40 | .300 Win. Mag. | VDM300NR40  |
| 7mm-08 Rem.  | VDM7M8RR40 | .300 WSM       | VDM300NSR40 |
| .308 Win.    | VDM308NR40 | .300 Wby. Mag. | VDM300WR40  |
|              |            | .338 Win. Mag. | VDM338NR40  |

New for 2008

• 1½-INCH GUARANTEE (TARGET INCLUDED)



VANGUARD VARMINT SPECIAL

MSRP \$620 / MSRP \$671 .204 Ruger



- ▶ Injection-molded, Monte Carlo composite stock with tan pebble grain finish and black spiderwebbing
- ▶ Bead blasted, matte black metalwork
- ▶ 22" #3 contour barrel (.740 muzzle diameter)
- ▶ Features recessed target crown to enhance accuracy and protect rifling
- ▶ Fully adjustable trigger\*

Available Calibers

|              |            |
|--------------|------------|
| .204 Ruger   | VBR204RG20 |
| .223 Win.    | VBR223RR20 |
| .22-250 Rem. | VBR222RR20 |
| .308 Win.    | VBR308RR20 |

• 1½-INCH GUARANTEE (TARGET INCLUDED)



COCKING INDICATOR >>

All Vanguard® rifles feature an easy-to-see cocking indicator on rear of action. Provides an extra measure of safety in the field. Fully enclosed bolt sleeve completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture.


CUSTOM TOUCHES >>

Vanguard® rifles feature knurled bolt knobs for a sure grip in all conditions. You also get exceptional wood-to-metal fit and attention to detail befitting rifles costing hundreds of dollars more.



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.





• SUB-MOA GUARANTEE (TARGET INCLUDED) •


**VANGUARD®  
SUB-MOA MATTE**

MSRP \$877 / MSRP \$906 .270 WSM & .300 WSM

- ▶ Guaranteed to shoot a 3-shot group of .99" or less when used with specified factory or premium ammunition
- ▶ Pillar-bedded Fiberguard® composite stock with Monte Carlo, raised cheekpiece and non-slip black spiderwebbing
- ▶ Matte black metalwork
- ▶ Fully adjustable trigger\*
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                |             |
|--------------------|------------|----------------|-------------|
| .223 Rem.          | VMM223RR40 | .30-06 Sprg.   | VMM306SR40  |
| .22-250 Rem.       | VMM222RR40 | .257 Wby. Mag. | VMM257WR40  |
| .243 Win.          | VMM243NR40 | .270 WSM       | VMM270NSR40 |
| .25-06 Rem.        | VMM256RR40 | 7mm Rem. Mag.  | VMM7MMRR40  |
| .270 Win.          | VMM270NR40 | .300 Win. Mag. | VMM300NR40  |
| 7mm-08 Rem.        | VMM7M8RR40 | .300 WSM       | VMM300NSR40 |
| .308 Win.          | VMM308NR40 | .300 Wby. Mag. | VMM300WR40  |
|                    |            | .338 Win. Mag. | VMM338NR40  |

New for 2008




• SUB-MOA GUARANTEE (TARGET INCLUDED) •

**VANGUARD®  
SUB-MOA STAINLESS**

MSRP \$1019 / MSRP \$1053 .270 WSM & .300 WSM

- ▶ Guaranteed to shoot a 3-shot group of .99" or less when used with specified factory or premium ammunition
- ▶ Pillar-bedded Fiberguard® composite stock with Monte Carlo, raised cheekpiece and non-slip black spiderwebbing
- ▶ Stainless steel metalwork bead blasted to matte finish
- ▶ Fully adjustable trigger\*
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                |             |
|--------------------|------------|----------------|-------------|
| .223 Rem.          | VSM223RR40 | .257 Wby. Mag. | VSM257WR40  |
| .22-250 Rem.       | VSM222RR40 | .270 WSM       | VSM270NSR40 |
| .243 Win.          | VSM243NR40 | 7mm Rem. Mag.  | VSM7MMRR40  |
| .270 Win.          | VSM270NR40 | .300 Win. Mag. | VSM300NR40  |
| .308 Win.          | VSM308NR40 | .300 WSM       | VSM300NSR40 |
| .30-06 Sprg.       | VSM306SR40 | .300 Wby. Mag. | VSM300WR40  |
|                    |            | .338 Win. Mag. | VSM338NR40  |



• SUB-MOA GUARANTEE (TARGET INCLUDED) •

**VANGUARD®  
SUB-MOA VARMIN'T**

MSRP \$952 / MSRP \$1003 .204 Ruger

- ▶ Guaranteed to shoot a 3-shot group of .99" or less when used with specified factory or premium ammunition
- ▶ Hand-laminated, Monte Carlo composite stock with beavertail forearm, Pachmayr® Decelerator® pad and strategically placed vents to dissipate heat and promote repeatable accuracy
- ▶ CNC-machined aluminum bedding plate provides a solid, stable platform for the barreled action
- ▶ 22" #3 contour free-floated barrel with recessed target crown
- ▶ Fully adjustable trigger\*

| Available Calibers |            |
|--------------------|------------|
| .204 Ruger         | VSR204RG20 |
| .223 Win.          | VSR223RR20 |
| .22-250 Rem.       | VSR222RR20 |
| .308 Win.          | VSR308RR20 |



WHAT IS SUB-MOA?

In ballistic terms, a Minute of Angle (MOA) is the arc formed by an angle of one minute (1/60th of a degree at any range). At 100 yards, MOA is 1.047". Selected Weatherby® rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) when used with specified Weatherby factory or premium ammunition.

>>



3 RINGS OF STEEL >>

The cartridge case head is encased in three rings of steel for greater safety. The recessed bolt face is surrounded by the barrel, which is surrounded by the forged and machined steel receiver, creating an extra measure of strength and structural integrity.

PACHMAYR®  
DECELERATOR® PAD >>

Unlike many composites that use only a hard rifle pad, selected Vanguard rifles feature a Pachmayr Decelerator pad to absorb recoil. Each pad is precisely shaped to the buttstock for a clean look and better fit.



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.



# THE STUFF LEGENDS ARE MADE OF.



"I've harvested several Boone & Crockett record book animals with my Weatherby. If you're attempting to take trophies at long distance, this flat shooting and accurate cartridge/rifle combination is the one you want." —**Mike Eastman** [founder of Eastman's Hunting Journals and author of best-selling book "Hunting High Country Mule Deer"]

**Rifle:** Mark V® Accumark® | **Caliber:** .30-378 Wby. Mag. | **Range:** 390 yds. ▲






# MARK V®

>>

ROY WEATHERBY'S MARK V® ACTION changed the face of American firearms. Introduced in 1958, billed as “the world’s strongest bolt action,” it features three rings of steel surrounding the case head, fluted bolt body with three gas ports, and nine locking lugs (six on non-magnum models) for a short 54-degree bolt lift. For the ultimate in speed and power, particularly on the biggest and most dangerous game, the Weatherby Mark V Magnum system has no equal. Today, the Mark V is also available in standard calibers, ideal for those who require less power; desire less weight or who hunt in mountainous terrain. Our standard caliber action gives big game and varmint hunters all the inherent benefits of the Mark V in a size that accommodates up to .30-06 cartridge length (including the .240 Wby. Mag.)



**54-Degree Bolt Lift**  
The shortest in the industry. Allows faster chambering on follow-up shots and greater bolt-to-scope clearance for fewer battered knuckles.



**Cocking Indicator** – An industry first! Visually indicates whether rifle is cocked or uncocked.

**Fully Enclosed Bolt Sleeve** – Completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture.

**Three Rings of Steel** – The cartridge case head is surrounded by the recessed bolt face, barrel, and forged and machined steel receiver. Creates an extra measure of strength and structural integrity.

**Integral Recoil Lug** – One-piece forged and machined receiver features integral recoil lug for the utmost in strength and structural integrity.

**Direct Striker Intervention Safety** – Offers direct, positive locking of the firing pin. Locks bolt in engaged position and disengages the sear to render the trigger inoperable. Safety operates easily with a rolling action of the thumb, and is virtually silent with a controlled release.

**Monte Carlo Stock** – Specifically designed to improve shooter performance. The raised comb is cast off to allow for quicker eye-to-scope alignment and faster target acquisition, and to reduce felt recoil. The forearm is dual tapered (back and upward) to deliver better grip and control under recoil, and is flat-bottomed to provide a steady, stable rest.

**Fluted Bolt Body** – Features three gas ports to allow high-pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area while minimizing binding for smooth action.

**Positive Cartridge Extraction** – Extracts the cartridge and ejects the fired case without the necessity of full bolt retraction.

**Fully Adjustable Trigger** – Allows for precise adjustment of sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 3.5 pounds). You get a clean, crisp trigger that will break precisely...a key component in delivering improved accuracy and improved shooter performance. (Sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith).

**Floorplate/Triggerguard Assembly** – One-piece alloy triggerguard frame offers exceptional strength and fit and finish. Floorplate assembly is engraved with flying “W” monogram—one of the custom touches you get with a Weatherby Mark V rifle.




**MAGNUM OR STANDARD** – The Mark V action for Magnum cartridges (9 lug) is available with 24" or 26" barrels. The Mark V action for standard cartridges (6 lug) is available in 22", 24" and 26" barrels. Virtually identical in design, the standard cartridge action is dimensionally smaller and weighs 28% less (25.9 ounces vs. 35.9 ounces).

## Mark V Competitive Advantage

| Features           | Weatherby Ultra Lightweight | Sako 75 Finnlight | Kimber Model 8400 Montana | Remington Model 700 Alaska Ti | Browning A-Bolt Mountain Ti |
|--------------------|-----------------------------|-------------------|---------------------------|-------------------------------|-----------------------------|
| Accuracy Guarantee | Yes – 1½"                   | No                | No                        | No                            | No                          |
| Available Calibers | 14                          | 12                | 3                         | 7                             | 7                           |
| Barrel Length      | 24" / 26"                   | 20" / 23"         | 24"                       | 24"                           | 22" / 23"                   |
| Bolt Lift          | 54°                         | 70°               | 90°                       | 90°                           | 60°                         |
| Locking Lugs       | 6 (Magnum 9)                | 3                 | 2                         | 2                             | 3                           |
| Adjustable Trigger | Yes                         | Yes               | Yes                       | Factory Adjustable            | Yes                         |
| Weight             | 5¼-6¼ lbs.                  | 6½-6¾ lbs.        | 6 lbs.                    | 5½-6½ lbs.                    | 5½ lbs.                     |
| Country of Origin  | USA                         | Finland           | USA                       | USA                           | Japan                       |
| MSRP (non-magnum)  | \$1,789                     | \$1,584           | n/a                       | \$2,105                       | \$1,673                     |
| MSRP (magnum)      | \$1,877                     | \$1,311           | \$1,178                   | \$2,132                       | \$1,703                     |
| MSRP (left hand)   | \$1,949                     | n/a               | n/a                       | n/a                           | n/a                         |

Specification information is from current competitor-published catalogs and Web sites.






MARK V®  
ULTRA LIGHTWEIGHT

MSRP \$1789  
.257 Wby. Mag., .270 Wby. Mag., 7MM Rem. Mag.,  
7MM Wby. Mag., 300 Win. Mag., .300 Wby. Mag.  
MSRP \$1949 .257 Wby. Mag., .300 Wby. Mag. LEFT HAND

- ▶ Weighs 5¼ pounds (6¾ pounds on Magnum models)
- ▶ 24" or 26" #1 contour fluted stainless steel barrel (blackened to reduce game-spooking glare) with recessed field crown (.583 for magnum and .547 for standard calibers)
- ▶ Bell & Carlson® composite stock with spiderweb accents
- ▶ CNC-machined 6061 T-6 aluminum bedding plate
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                |            |
|--------------------|------------|----------------|------------|
| .243 Win.          | UTS243NR40 | .30-06 Sprg.   | UTS306SR40 |
| .240 Wby. Mag.     | UTS240WR40 | .257 Wby. Mag. | UTM257WR60 |
| .25-06 Rem.        | UTS256RR40 | .270 Wby. Mag. | UTM270WR60 |
| .270 Win.          | UTS270NR40 | 7mm Rem. Mag.  | UTM7MMRR40 |
| 7mm-08             | UTS7M8RR40 | 7mm Wby. Mag.  | UTM7MMWR0  |
| .280 Rem.          | UTS280RR40 | .300 Win. Mag. | UTM300NR40 |
| .308 Win.          | UTS308NR40 | .300 Wby. Mag. | UTM300WR60 |
| Left-Hand Action   |            |                |            |
| .257 Wby. Mag.     | UTM257WL60 | .300 Wby. Mag. | UTM300WL60 |

• 1½-INCH GUARANTEE •



BELL & CARLSON®

>>

Ultra Lightweight, Accumark® and SVM rifles feature a specially-designed, hand-laminated raised comb Monte Carlo stock by Bell & Carlson. Constructed of Aramid, graphite unidirectional fibers and fiberglass.

A CNC-machined bedding plate is constructed of aircraft-grade 6061 T-6 aluminum that stiffens the receiver area, providing a stable and rigid platform for securing the barreled action to the stock. Precisely-inletted, the bedding plate ensures repeatable accuracy.



MARK V ACCUMARK®

MSRP \$1785  
.257 Wby. Mag., .270 Wby. Mag., 7MM Rem. Mag.,  
7MM Wby. Mag., .300 Win. Mag., .300 Wby. Mag., .340 Wby. Mag.  
MSRP \$2115 .30-378 Wby. Mag., .338-378 Wby. Mag.  
MSRP \$1922 .257 Wby. Mag., .300 Wby. Mag. LEFT HAND

- ▶ Hand-laminated, raised comb, Monte Carlo composite stock with matte gel coat finish and spiderweb accents
- ▶ Button-rifled, heavy contour free-floated stainless steel barrel with target crown
- ▶ CNC-machined 6061 T-6 aluminum bedding plate
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                    |            |
|--------------------|------------|--------------------|------------|
| .22-250 Rem.       | AMS222RR40 | .270 Wby. Mag.     | AMM270WR60 |
| .243 Win.          | AMS243NR40 | 7mm Rem. Mag.      | AMM7MMRR60 |
| .240 Wby. Mag.     | AMS240WR40 | 7mm Wby. Mag.      | AMM7MMWR60 |
| .25-06 Rem.        | AMS256RR40 | .300 Win. Mag.     | AMM300NR60 |
| .270 Win.          | AMS270NR40 | .300 Wby. Mag.     | AMM300WR60 |
| .308 Win.          | AMS308NR40 | .30-378 Wby. Mag.  | AMM303WR8B |
| .257 Wby. Mag.     | AMM257WR60 | .338-378 Wby. Mag. | AMM333WR8B |
|                    |            | .340 Wby. Mag.     | AMM340WR60 |
| Left-Hand Action   |            |                    |            |
| .257 Wby. Mag.     | AMM257WL60 | .300 Wby. Mag.     | AMM300WL60 |

• 1½-INCH GUARANTEE •



MARK V SVM  
(SUPER VARMINMASTER®)

MSRP \$1862



- ▶ Hand-laminated, raised comb, Monte Carlo composite stock with beavertail forearm for stable rest
- ▶ Button-rifled, fluted stainless steel barrel features 11-degree parabolic target crown
- ▶ CNC-machined aluminum bedding block stiffens receiver area for a stable platform for barreled action
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |
|--------------------|------------|
| .223 Rem.          | VRS223RR60 |
| .22-250 Rem.       | VRS222RR60 |
| .243 Win.          | VRS243NR60 |

• 1½-INCH GUARANTEE •



SKELETONIZED  
BOLT BODY

>>

The Mark V® Ultra Lightweight features a one-piece forged bolt with longitudinal flutes to reduce weight and bearing surface for smooth operation and action. Bolt handle is made of state-of-the-art alloys and “skeletonized” to further reduce weight. We trimmed every available ounce of weight to give the Ultra Lightweight its feathery feel.




THREE RINGS  
OF STEEL

>>

The Mark V® action is renowned as the “world’s strongest bolt action.” The cartridge case head is surrounded by the recessed bolt face, which is surrounded by the barrel, which is surrounded by the forged and machined steel receiver. Creates an extra measure of strength and structural integrity.







MARK V® ULTRAMARK™  
MSRP \$2836

- ▶ A custom rifle without the wait
- ▶ Hand-selected AAA fancy exhibition grade walnut stock
- ▶ Features 20 LPI checkering, Maplewood/ebony spacers and rosewood forend and grip caps
- ▶ Blued metalwork in high lustre finish
- ▶ Pachmayr® Decelerator® pad is precisely fit and finished

| Available Calibers |            |  |
|--------------------|------------|--|
| .257 Wby. Mag.     | UMM257WR60 |  |
| .300 Wby. Mag.     | UMM300WR60 |  |

• 1½-INCH GUARANTEE •



MARK V LAZERMARK®  
MSRP \$2360

- ▶ Combines legendary performance with modern technology
- ▶ Hand-selected, raised comb Monte Carlo stock with laser-carved oak leaf pattern
- ▶ Blued metalwork in high lustre finish
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                |            |
|--------------------|------------|----------------|------------|
| .257 Wby. Mag.     | LMM257WR60 | 7mm Wby. Mag.  | LMM7MMWR60 |
| .270 Wby. Mag.     | LMM270WR60 | .300 Wby. Mag. | LMM300WR60 |
|                    |            | .340 Wby. Mag. | LMM340WR60 |

• 1½-INCH GUARANTEE •



MARK V DELUXE  
MSRP \$2103  
MSRP \$2167 .257 Wby. Mag., .270 Wby. Mag., 7MM Wby. Mag.,  
300 Wby. Mag., .340 Wby. Mag.  
MSRP \$2551 .378 Wby. Mag., .416 Wby. Mag.  
MSRP \$2997 .460 Wby. Mag.

- ▶ The quintessential “Weatherby®”
- ▶ AA fancy grade walnut Monte Carlo stock
- ▶ Finline checkering
- ▶ Blued metalwork in high lustre finish
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                |            |
|--------------------|------------|----------------|------------|
| .243 Win.          | DXS243NR40 | .270 Wby. Mag. | DXM270WR60 |
| .240 Wby. Mag.     | DXS240VR40 | 7mm Wby. Mag.  | DXM7MMWR60 |
| .270 Win.          | DXS270NR40 | .300 Wby. Mag. | DXM300WR60 |
| 7mm-08 Rem.        | DXS7M8RR40 | .340 Wby. Mag. | DXM340WR60 |
| .308 Win.          | DXS308NR40 | .378 Wby. Mag. | DXM378WR8B |
| .30-06 Sprg.       | DXS306SR40 | .416 Wby. Mag. | DXM416WR8B |
| .257 Wby. Mag.     | DXM257WR60 | .460 Wby. Mag. | DXM460WR8B |

• 1½-INCH GUARANTEE •



MARK V SPORTER  
MSRP \$1430

- ▶ Quality and performance in an affordable package
- ▶ Raised comb Monte Carlo walnut stock with satin finish
- ▶ Features fineline diamond point checkering and rosewood forend and grip cap
- ▶ Bead blasted, blued metalwork with low lustre finish
- ▶ Pachmayr® Decelerator® pad

| Available Calibers |            |                |            |
|--------------------|------------|----------------|------------|
| .257 Wby. Mag.     | SPM257WR60 | 7mm Wby. Mag.  | SPM7MMWR60 |
| .270 Wby. Mag.     | SPM270WR60 | .300 Win. Mag. | SPM300NR40 |
| 7mm Rem. Mag       | SPM7MMRR40 | .300 Wby. Mag. | SPM300WR60 |
|                    |            | .340 Wby. Mag. | SPM340WR60 |

• 1½-INCH GUARANTEE •



CUSTOM TOUCHES >>

Weatherby craftsmen take great care to bed, fit and finish each walnut stock. Rosewood forends and pistol grip caps with inlays and Maplewood spacers are carefully selected to match color and grain, then shaped and sanded to feel like a single piece of wood.



REINFORCED STOCK DESIGN >>

Weatherby® wood stock rifles feature steel rods strategically epoxied in the action mortice to aid in strengthening the stock in the action area. All Mark V® rifles feature three predetermined bedding points...strategically and precisely placed to deliver the highest level of accuracy. (Accumark® rifles feature free-floated barrels).







MARK V® SYNTHETIC

MSRP \$1155

MSRP \$1219 .257 Wby. Mag., .270 Wby. Mag., 7MM Rem. Mag., 7MM Wby. Mag., .300 Win Mag., .300 Wby. Mag., .340 Wby. Mag., .375 H&H Mag.

MSRP \$1439 .30-378 Wby. Mag., .338-378 Wby. Mag.

- ▶ Superior performance and uncompromised quality in our most affordable Mark V rifle
- ▶ Lightweight, injection-molded, raised comb Monte Carlo stock
- ▶ Bead blasted, matte blued metalwork
- ▶ Button-rifled barrel in 24" or 26"

Available Calibers

|                |            |                    |            |
|----------------|------------|--------------------|------------|
| .22-250 Rem.   | SNS222RR40 | .257 Wby. Mag.     | SNM257WR60 |
| .243 Win.      | SNS243NR40 | .270 Wby. Mag.     | SNM270WR60 |
| .240 Wby. Mag. | SNS240WR40 | 7mm Rem. Mag.      | SNM7MMRR40 |
| .25-06 Rem.    | SNS256RR40 | 7mm Wby. Mag.      | SNM7MMWR60 |
| .270 Win.      | SNS270NR40 | .300 Win. Mag.     | SNM300NR40 |
| 7mm-08 Rem.    | SNS7M8RR40 | .300 Wby. Mag.     | SNM300WR60 |
| .280 Rem.      | SNS280RR40 | .30-378 Wby. Mag.  | SNM303WR8B |
| .308 Win.      | SNS308NR40 | .338-378 Wby. Mag. | SNM333WR8B |
| .30-06 Sprg.   | SNS306SR40 | .340 Wby. Mag.     | SNM340WR60 |
|                |            | .375 H&H Mag.      | SNM375HR40 |

• 1½-INCH GUARANTEE



MARK V SVR  
(SPECIAL VARMINT RIFLE)

MSRP \$1200



- ▶ Superior performance in a short barrel varmint rig
- ▶ Specially-designed, hand-laminated, raised comb Monte Carlo composite stock with CNC-machined aluminum bedding plate
- ▶ 22" button-rifled, chrome moly barrel (.739 muzzle dia.) with 11-degree target crown
- ▶ Gray spiderwebbing provides a non-slip grip and better concealment
- ▶ Pachmayr® Decelerator® pad is precisely fit and finished

Available Calibers

|              |            |
|--------------|------------|
| .223 Rem.    | VXS223RR20 |
| .22-250 Rem. | VXS222RR60 |

New for 2008

• 1½-INCH GUARANTEE



MARK V  
FIBERMARK®  
COMPOSITE

MSRP \$1377 / MSRP \$1653 .30-378 Wby. Mag.

- ▶ Performance-enhancing features not found on other production rifles
- ▶ Pillar-bedded, hand-laminated raised comb Monte Carlo composite stock (a combination of Aramid, fiberglass and unidirectional fibers) with strategically placed bedding points assures consistent, repeatable accuracy
- ▶ Button-rifled barrel with accuracy-enhancing target crown
- ▶ Bead blasted, matte blued metalwork
- ▶ Pachmayr® Decelerator® pad is precisely fit

Available Calibers

|                   |            |
|-------------------|------------|
| .257 Wby. Mag.    | FBM257WR60 |
| .270 Wby. Mag.    | FBM270WR60 |
| 7mm Rem. Mag.     | FBM7MMRR40 |
| 7mm Wby. Mag.     | FBM7MMWR60 |
| .300 Win. Mag.    | FBM300NR40 |
| .300 Wby. Mag.    | FBM300WR60 |
| .30-378 Wby. Mag. | FBM303WR8B |
| .340 Wby. Mag.    | FBM340WR60 |
| .375 H&H Mag.     | FBM375HR40 |

• 1½-INCH GUARANTEE



MARK V CFP™  
(COMPACT FIRING PLATFORM)

MSRP \$1611




- ▶ Compact 27½" frame that weighs just 5¼ pounds
- ▶ Fibermark® composite stock with tan pebble grain finish and black spiderwebbing
- ▶ Button-rifled, #2 contour 16" chrome moly barrel is pillar bedded and finished with custom target crown
- ▶ Bead blasted, matte blued metalwork
- ▶ Ambidextrous grip design accommodates right- or left-handed shooters
- ▶ Matches natural shape of hand for sure, comfortable feel

Available Calibers

|              |             |
|--------------|-------------|
| .223 Rem.    | CFPi223RR10 |
| .22-250 Rem. | CFPi222RR10 |
| .243 Win.    | CFPi243NR10 |
| 7mm-08 Rem.  | CFPi7M8RR10 |

• 1½-INCH GUARANTEE



GUARANTEED ACCURACY

>>

All Weatherby® Mark V® rifles are guaranteed to shoot a 1½" OR BETTER 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition.

TALLEY® RINGS & BASES

>>

The Mark V® CFP™ comes with a set of Talley rings and bases that are specially designed for the short, low profile, long eye relief scopes used with the CFP. Unique one-piece design of 7000 Series billet alloy provides a lightweight, yet rock-solid mount.








# TREAT YOURSELF TO AN EXTRA HELPING OF FUN.

“I’ve taken several coyotes this year inside 100 yards. My Mark XXII performed perfectly each and every time.” —**Ryan Kelly** [California]

**Rifle:** Mark XXII® | **Caliber:** .17 HMR | **Range:** 85 yds. ▲





# MARK XXII®

THE MARK XXII® was developed with the discriminating shooter in mind, combining celebrated German engineering, superior performance and unmatched fit and finish. This is no run-of-the-mill .22. Akin to our legendary Mark V® Deluxe, the Mark XXII is as much fun to shoot as it is to look at—with a factory-shot target (5 rounds at 55 yards/50 meters) in every box. This is your assurance of the Mark XXII's accuracy potential. Our signature, raised comb Monte Carlo wood stock is perfectly matched with a smooth, non-binding bolt action. Exceptional wood-to-metal fit, near custom embellishments and attention to detail. On small game, or at the range, the Mark XXII makes its mark with distinction in every way.



**Target Grade Barrel** – To achieve superior accuracy, the Mark XXII features an 8-groove, target grade, button-rifled, free-floated barrel with target crown. Built to exact Olympic competition specifications.

**Precision-cut Checkering** – The select walnut stock features a high gloss finish with precision-cut, fineline diamond point checkering at 18 LPI. Provides a custom look and a sure grip in all conditions.

**Fully Adjustable Single Stage Trigger** – Allows for precise adjustment of sear engagement and let-off weight from 2 to 4.4 pounds (factory set at 2.5 pounds). You get a clean, crisp trigger that will break precisely—a key component of superior accuracy. (Sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith).



∴ FACTORY SHOT TARGET INCLUDED

**MARK XXII®**  
MSRP \$917 .22 LR  
MSRP \$968 .17 HMR

- ▶ Raised comb Monte Carlo walnut stock design with raised cheekpiece
- ▶ Bead blasted metalwork with satin lustre finish
- ▶ Fully adjustable trigger
- ▶ Comes with 5-shot (.22LR) or 4-shot (.17HMR) quick release magazine

| Available Calibers |            |
|--------------------|------------|
| .22 LR             | DXT22LR30  |
| .17 HMR            | DXT17HMR30 |




**Scope Mounting Options** – Offers both a dovetail mounting option with 11mm dovetail receiver rail, as well as drilled and tapped for ring and base scope mounts. Dovetail system fits popular mounts from Bushnell, Leupold, Talley, Warne and Weaver.


**Recessed Bolt Face** – Specially designed, recessed bolt face surrounds the cartridge head for complete support. Cartridge guide and claw extractor assures positive cartridge feeding and extraction.



**Quick Release Magazine** – The Mark XXII comes standard with a 5-shot (.22 LR) or 4-shot (.17 HMR) magazine that is precision fit. Releases at the push of a button. Accessory magazines also available.



**Legendary Stock Design** – Hand selected walnut stock is similar to that used in our popular Vanguard® Deluxe. Features Maplewood spacers and rosewood forend and grip cap. Raised comb Monte Carlo design promotes faster eye-to-scope alignment and target acquisition, enhancing shooter comfort and accuracy. Features Pachmayr® rifle pad. In typical Weatherby fashion, the Mark XXII offers superior wood-to-metal fit and exceptional craftsmanship throughout.



**ACCURACY ASSURANCE**— Each Mark XXII rifle comes with a factory-shot target (5 rounds at 55 yards/50 meters) in every box—your assurance of guaranteed and superior performance at the range or in the field.

## Mark XXII Competitive Advantage

| Features            | Weatherby Mark XXII | Remington 504   | Ruger 77/22 | CZ 453 American | Winchester 52B        | Sako Finfire Hunter | Kimber Classic | Ultra Light Model 20 |
|---------------------|---------------------|-----------------|-------------|-----------------|-----------------------|---------------------|----------------|----------------------|
| Weight              | 6½ lbs.             | 6 lbs.          | 6 lbs.      | 6.1 lbs.        | 7 lbs.                | 5¼ lbs.             | 6½ lbs.        | 5¼ lbs.              |
| Magazine            | 5/10 Rounds         | 6 Rounds        | 10 Rounds   | 5 Rounds        | 5 Rounds              | 10 Rounds           | 5 Rounds       | 5 Rounds             |
| Barrel Length       | 23"                 | 20"             | 20"         | 22.5"           | 24"                   | 22"                 | 22"            | Buyers Choice        |
| Finish              | Blue                | Blue            | Blue        | Blue            | Blue                  | Blue                | Blue           | Matte or Bright      |
| Stock               | Gloss Walnut        | American Walnut | Walnut      | Walnut          | Walnut w/ forearm cap | European Walnut     | Claro Walnut   | Graphite/ Kevlar     |
| Factory-Shot Target | Yes                 | No              | No          | No              | No                    | No                  | Yes            | No                   |
| MSRP                | \$917 (22 LR)       | \$710           | \$525       | \$530           | \$662                 | \$825               | \$950          | \$850                |

Specification information is from current competitor-published catalogs and Web sites.



# CUSTOM

>>

**CUSTOM STOCK UPGRADES** – Have one of our custom shop personnel hand select a Claro walnut stock with superior grain structure, contrast and overall appeal. Or, customize your Vanguard® with a pillar-bedded Fiberguard™ stock or Accuguard™ stock with CNC-machined aluminum bedding block. For more information or for information on other rifles, visit the Custom Shop at [www.weatherby.com](http://www.weatherby.com) or call (805) 227-2600.



• 1½-INCH GUARANTEE (TARGET INCLUDED)

**CUSTOM VANGUARD®**

- ▶ Monte Carlo stock with raised cheekpiece in distinctive gray laminate
  - ▶ 24" fluted stainless steel barrel
  - ▶ Comes with factory-installed Accubrake™ to reduce felt recoil
  - ▶ Pachmayr® Decelerator® recoil pad
- ▶ Available in .223 Rem., .22-250 Rem., .243 Win., .25-06 Rem., .270 Win., 7MM-08 Rem., .308 Win., .30-06 Sprg., .257 Wby. Mag., .270 WSM, 7MM Rem., .300 Win. Mag., .300 WSM, .300 Wby. Mag. and .338 Win. Mag.



• 1½-INCH GUARANTEE (TARGET INCLUDED)

**NEW FOR 2008  
VANGUARD® SAGE COUNTRY**

- ▶ Injection molded stock with Desert Camo
  - ▶ 24" chrome moly barrel
  - ▶ Low density recoil pad
- ▶ Available in .223 Rem., .22-250 Rem., .243 Win., .25-06 Rem., .270 Win., 7mm-08 Rem., .308 Win., .30-06 Sprg., .257 Wby. Mag., .270 WSM, 7mm Rem. Mag., .300 Win. Mag., .300 WSM, .300 Wby. Mag. and .338 Win. Mag.



• 1½-INCH GUARANTEE (TARGET INCLUDED)

**CUSTOM VANGUARD**

- ▶ Monte Carlo stock with raised cheekpiece in beautiful nutmeg laminate
  - ▶ 24" barrel with matte bluing
  - ▶ Lazer-cut checkering
  - ▶ Pachmayr® Decelerator® pad
- ▶ Available in .223 Rem., .22-250 Rem., .243 Win., .25-06 Rem., .270 Win., 7MM-08 Rem., .308 Win., .30-06 Sprg., .257 Wby. Mag., .270 WSM, 7MM Rem., .300 Win. Mag., .300 WSM, .300 Wby. Mag. and .338 Win. Mag.



• 1½-INCH GUARANTEE (TARGET INCLUDED)

**NEW FOR 2008  
VANGUARD BACK COUNTRY**

- ▶ Weighs 6¾ pounds
  - ▶ Pillar bedded, Ultralight composite stock with gray spiderwebbing
  - ▶ 24" fluted stainless steel barreled action
- ▶ Pachmayr® Decelerator® pad
  - ▶ Available in .257 Wby. Mag., .270 Win., .30-06 Sprg., .300 Win. Mag., .300 Wby. Mag.





• 1½-INCH GUARANTEE

MARK V® OUTFITTER

- ▶ Raised comb, Monte Carlo composite stock (Kevlar® and carbon fibers) in Desert Camo
- ▶ CNC-machined aluminum bedding block provides stable platform for the action
- ▶ 26" stainless steel fluted barrel with black Teflon® coating and target crown
- ▶ Hand-honed action
- ▶ Available in .243 Win., .240 Wby. Mag., .25-06 Rem., .270 Win., 7mm-08., .280 Rem., .308 Win., .30-06 Sprg., .257 Wby. Mag., 7mm Rem. Mag., .300 Win. Mag., .300 Wby. Mag.



• 1½-INCH GUARANTEE

MARK V DGR

- ▶ Synthetic Monte Carlo stock in black oxide matte
- ▶ CNC-machined aluminum bedding plate provides stable platform for barreled action
- ▶ 24" button-rifled barrel with barrel band swivel stud
- ▶ Gold rear "V" and front bead sight for quick sight alignment and target acquisition
- ▶ Optional drop box magazine available
- ▶ Available in left hand
- ▶ Available in .257 Wby. Mag., .270 Wby. Mag., 7mm Wby. Mag., .300 Wby. Mag., .340 Wby. Mag., .375 H&H Mag., .375 Wby. Mag., .378 Wby. Mag., .416 Rem. Mag., .416 Wby. Mag., .458 Lott and .460 Wby. Mag.



• 1½-INCH GUARANTEE

MARK V CROWN CUSTOM

- ▶ Hand-carved walnut stock features inlays and gold monogram for your initials
- ▶ Damascened bolt and follower
- ▶ Engraved barrel, receiver, triggerguard and floorplate (choice of gold game scene)
- ▶ Available in .257 Wby. Mag., .270 Wby. Mag., 7mm Wby Mag., .300 Wby. Mag., and .340 Wby. Mag.



• 1½-INCH GUARANTEE

MARK V SAFARI

- ▶ French walnut Monte Carlo stock with satin oil finish
- ▶ Features ebony forend and pistol grip cap with Fleur-de-lis checkering
- ▶ Damascened bolt and follower
- ▶ Engraved floorplate "Safari Custom"
- ▶ Adjustable ramp rear sight, hooded barrel band front sight and barrel band swivel stud
- ▶ Available in .257 Wby. Mag., .270 Wby. Mag., 7mm Wby. Mag., .300 Wby. Mag., .340 Wby. Mag., .375 H&H Mag., .375 Wby. Mag., .378 Wby. Mag., .416 Rem. Mag., .416 Wby. Mag., .458 Lott and .460 Wby. Mag.

PERSONALIZATION

>>

Personalize an existing Weatherby® rifle, or to create the rifle of your dreams, choose from a variety of floorplate embellishments, as well as for engraving your name on the bolt. Bolts and followers can also be damascened to add a distinct and elegant look to the rifle. Custom rings and bases in three grades (6/3/1) are also available. Each offers options of engraving patterns and gold overlays.



CUSTOM  
OPTIONS

>>

Custom floorplate engraving is available in three different grades (6/3/1), as well as options for rosewood or ebony pistol grip caps with inlaid diamonds in maple or gold (wood stock rifles). The bolt sleeve and receiver of your rifle can also be engraved, choosing from three different engraving patterns (6/3/1).







# GIVE SUPERMAN A RUN FOR HIS MONEY.

"Shooting the .460 Weatherby Magnum has always been a dream of mine, though I didn't envision using one to knock down a big buff. Man, that was awesome!" —**David Abela** [Australia]


**Rifle:** Mark V® DGR | **Caliber:** .460 Wby. Mag. | **Range:** 40 yds. ▲





# AMMUNITION

EACH WEATHERBY MAGNUM CARTRIDGE is assembled with custom components...producing blistering speed and downrange power to deliver the opportunity for more one-shot kills. In virtually every case, no other commercially-produced ammunition provides the Maximum Point Blank Range of Weatherby. Simply stated, when combined with a Weatherby rifle, nothing shoots flatter, hits harder or is more accurate.



A unique double radius Venturi shoulder design increases the velocity of escaping gases without increasing the pressure within the cartridge. This results in higher velocity within standard pressure ranges.

Brass – We use Norma Precision Brass, offering CNC-machined primer pockets produced to match-grade specifications...the finest that money can buy.

Specially-designed primers provide positive ignition of the large powder charges found within Weatherby Magnum ammunition.

Over half a century ago, Roy Weatherby began his career in the firearms industry as a cartridge “wildcatter,” developing his revolutionary ideas about rifle cartridge performance and design. At the time, many industry “experts” were promoting the idea that optimum performance was a result of pushing big bullets at relatively slow speeds. Roy, however, believed just the opposite. It was his opinion that the faster a bullet traveled, the better—the flatter it would shoot, the less it would drop, the harder it would hit. It was a concept that would spawn many an argument among ballistics experts, gun writers and in many a deer camp. But as people began to hear about and experience Roy’s notion firsthand, those questions, concerns and doubts were quickly laid to rest. Soon, the entire hunting world would know what Roy had always believed—generate enough speed to create hydrostatic shock in the animal and the result will be more one-shot kills.

Bullet – Weatherby® Ammunition offers a variety of premium grade bullets that are carefully selected for specific hunting applications. To meet varying needs, we proudly load the renowned Barnes TSX™, the popular Nosler® Partition®, Nosler® Ballistic Tip®, Nosler® Accubond® and the Hornady® Interlock®. Whichever bullet you prefer, it has been ideally matched to maximize the potential of Weatherby Ammunition.



Powder – Norma® High-Grade Premium Powder is used in all Weatherby Ammunition to deliver maximum attainable velocity and energy. Each lot of powder is tested to assure consistency and to achieve the lowest standard velocity deviation from shot to shot, improving accuracy. Gives the non-handloader handloaded performance and accuracy.



Today, our ammunition remains true to the concept Roy developed in the 1940s. At the same time, our ammunition also takes advantage of the latest in controlled expansion bullets which are capable of harnessing the higher velocities to create cartridges that provide the ultimate in penetration, large wound channels and more one-shot kills.



Guaranteed Accuracy – All Weatherby® rifles are guaranteed to shoot a 1½" OR BETTER 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. Together, the Weatherby system (premium ammunition and rifle) forms the flattest shooting, hardest hitting, most accurate combination in the industry today.

## Weatherby Ballistics Advantage

| Features       | Bullet Type                  | Velocity<br>200 yds | Energy<br>200 yds | Trajectory<br>300 yds* | Trajectory<br>400 yds* |
|----------------|------------------------------|---------------------|-------------------|------------------------|------------------------|
| .257 Wby. Mag. | 115 gr. Nosler Ballistic Tip | 2952 fps.           | 2226 ft.-lbs.     | – 4.98 in              | – 14.57 in             |
| .25 WSM        | 115 gr. Nosler Ballistic Tip | 2639 fps.           | 1778 ft.-lbs.     | – 6.4 in               | – 18.60 in             |
| .25-06 Rem.    | 115 gr. Nosler Ballistic Tip | 2639 fps.           | 1778 ft.-lbs.     | – 6.58 in              | – 19.26 in             |
| .270 Wby. Mag. | 130 gr. Nosler Partition     | 2892 fps.           | 2415 ft.-lbs.     | – 5.19 in              | – 15.28 in             |
| .270 WSM       | 130 gr. Nosler Partition     | 2810 fps.           | 2275 ft.-lbs.     | – 5.6 in               | – 16.3 in              |
| .270 Win. Mag. | 130 gr. Nosler Partition     | 2610 fps.           | 1965 ft.-lbs.     | – 6.5 in               | – 19.1 in              |
| .300 Wby. Mag. | 180 gr. Nosler Partition     | 2826 fps.           | 3193 ft.-lbs.     | – 5.51 in              | – 16.03 in             |
| .300 WSM       | 180 gr. Nosler Partition     | 2590 fps.           | 2680 fps.         | – 6.60 in              | – 19.10 in             |
| .300 Win. Mag. | 180 gr. Nosler Partition     | 2460 fps.           | 2410 fps.         | – 7.40 in              | – 21.90 in             |

\*200 Yard Zero. Specification information is from current competitor-published catalogs and Web sites.





# Nosler®

**BALLISTIC TIP®**— The more you hunt, the more you realize just how unpredictable and unforgiving each situation can be—changing winds, skittish game, challenging shots. That's why Nosler engineered the Ballistic Tip hunting bullet to be very predictable and extremely forgiving...a proven performer for more than 20 years.

- ▶ A polycarbonate tip resists deformation in the magazine and initiates expansion upon impact. The tip is color-coded by caliber.
- ▶ Fully tapered jacket and special lead alloy core allows controlled expansion and optimum weight retention at all practical velocity levels.
- ▶ Ballistically-engineered Solid Base® boat tail configuration combines with the streamlined polycarbonate tip for extreme long-range performance.
- ▶ Heavy jacket base acts as a platform for large diameter mushroom and prevents deformation during firing.

## 50% WEIGHT RETENTION

| Available Bullet Weights |      |      |      |     |      |      |         |         |  |
|--------------------------|------|------|------|-----|------|------|---------|---------|--|
| Wby. Caliber             | .240 | .257 | .270 | 7mm | .300 | .300 | .30-378 | .30-378 |  |
| Weight (Grains)          | 95   | 115  | 140  | 150 | 165  | 180  | 165     | 180     |  |

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



# Nosler®

**ACCUBOND®**— A serious hunting bullet designed to typical Nosler standards. AccuBond represents the most advanced bonded core bullet technology to date. The result is a bullet that flies true, penetrates deep and retains its weight—and won't cause extensive barrel fouling. The benchmark by which all bonded core bullets will be measured.

- ▶ A polymer tip resists deformation in the magazine and initiates expansion upon impact.
- ▶ Fully tapered, heavy alloy jacket is bonded to the special lead alloy core through a proprietary process designed for controlled expansion, deep penetration and 60-70% weight retention.
- ▶ Totally concentric, impact extruded jacket bonds completely to the bullet core for extreme accuracy.
- ▶ Ballistically engineered, the Solid Base® boat tail jacket acts as a platform for large diameter mushroom and prevents bullet deformation during firing.

## 60-70% WEIGHT RETENTION

| Available Bullet Weights |      |      |     |      |         |          |      |  |  |
|--------------------------|------|------|-----|------|---------|----------|------|--|--|
| Wby. Caliber             | .257 | .270 | 7mm | .300 | .30-378 | .338-378 | .340 |  |  |
| Weight (Grains)          | 110  | 140  | 160 | 180  | 180     | 200      | 200  |  |  |

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



# Nosler®

**PARTITION®**— Favored the world over for its superior penetration and bone-crushing stopping power, the Nosler Partition provides the ultimate in accuracy, controlled expansion and weight retention in any caliber, on any game, and in any situation. Nosler Partition is truly the standard of excellence and value in big game bullets.

- ▶ Fully tapered jacket ruptures instantly at the thin jacket mouth. Gradual thickening along the bullet's axis controls expansion and curls the jacket uniformly outward at all velocities.
- ▶ Lead alloy dual-core construction provides superior mushrooming at virtually all impact velocities.
- ▶ Integral partition supports the expanded mushroom and retains the rear lead alloy core.
- ▶ Enclosed rear core retains more than half the original bullet weight for deep penetration.
- ▶ Special crimp locks in the rear core section add strength to resist deformation under the pressure of heavy magnums.

## 65-70% WEIGHT RETENTION

| Available Bullet Weights |      |      |      |      |     |     |      |  |  |
|--------------------------|------|------|------|------|-----|-----|------|--|--|
| Wby. Caliber             | .240 | .257 | .270 | .270 | 7mm | 7mm | .300 |  |  |
| Weight (Grains)          | 100  | 120  | 130  | 150  | 140 | 160 | 150  |  |  |

| Wby. Caliber    | .300 | .300 | .30-378 | .338-378 | .340 | .340 | .375 |
|-----------------|------|------|---------|----------|------|------|------|
| Weight (Grains) | 180  | 200  | 200     | 250      | 210  | 250  | 300  |

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



# BARNES®

**TSX™**— Upon its introduction, the Barnes X™ bullet was generally regarded as a quantum leap in bullet design, retaining virtually all of its weight upon impact and delivering superior terminal performance with lighter weight bullets. TSX takes the X bullet to the next level. Get greater penetration and more one-shot kills with the world's deadliest hunting bullet—the TSX.

- ▶ Specially designed nose cavity opens instantly into four petals on impact. Offers faster expansion than traditional lead-core bullets. Retains virtually 100% of original weight.
- ▶ Razor sharp edges deliver lethal cutting power and deeper penetration through thick skin, flesh and bone.
- ▶ 100% copper construction.
- ▶ Precisely positioned rings relieve firing pressure, allowing the TSX to be loaded at higher velocities.
- ▶ Reduces fouling for easier cleaning of the bore.

## 99-100% WEIGHT RETENTION

| Available Bullet Weights |      |      |      |     |      |      |         |  |  |
|--------------------------|------|------|------|-----|------|------|---------|--|--|
| Wby. Caliber             | .240 | .257 | .270 | 7mm | .300 | .300 | .30-378 |  |  |
| Weight (Grains)          | 85   | 100  | 130  | 140 | 165  | 180  | 165     |  |  |

| Wby. Caliber    | .30-378 | .338-378 | .340 | .378 | .416 | .460 |
|-----------------|---------|----------|------|------|------|------|
| Weight (Grains) | 180     | 225      | 225  | 270  | 350  | 450  |

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



# Hornady®

**INTERLOCK**— A tried and true hunting bullet, the InterLock promises more mass, energy and momentum at impact for greater stopping penetration. Hornady's pioneering secant ogive design offers a high ballistic coefficient with maximum bearing surface for greater stability.

- ▶ Retains more mass and energy for deep penetration and large, consistent wound channels.
- ▶ Secant ogive design offers a high ballistic coefficient with maximum bearing surface for greater stability.
- ▶ Cannelure provides accurate and consistent crimping, and also works with InterLock ring to ensure the jacket and core remain locked during expansion.
- ▶ The raised InterLock ring is embedded in the bullet's core, ensuring the core and the jacket is locked in one piece during expansion to retain mass and energy.

## 70-80% WEIGHT RETENTION

| Available Bullet Weights |      |      |      |      |      |      |      |      |     |
|--------------------------|------|------|------|------|------|------|------|------|-----|
| Wby. Caliber             | .224 | .240 | .240 | .257 | .257 | .270 | .270 | .270 | 7mm |
| Weight (Grains)          | 55   | 87   | 100  | 87   | 100  | 100  | 130  | 150  | 139 |

| Wby. Caliber    | 7mm | 7mm | .300 | .300 | .300 | .340 | .340 | .340 | .378 |
|-----------------|-----|-----|------|------|------|------|------|------|------|
| Weight (Grains) | 154 | 175 | 150  | 165  | 180  | 200  | 225  | 250  | 270  |

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



## COMPARE BALLISTIC PERFORMANCE

Complete ballistic information for all Weatherby Magnum cartridges is available at our Web site (www.weatherby.com). Click on "Ballistics" for more information. This interactive area lets you compare two different cartridge choices head-to-head and includes information on bullet types and grain weights, ballistic coefficients and trajectory patterns from 100 to 500 yards.

>>



**POINT.**

**SHOOT.**

**RETRIEVE.**








"As an avid shotgunner, I'm very excited about our new line of D'Italia Over/Unders. Our best yet." —**Ed Weatherby**

**Shotgun:** Orion® D'Italia III | **Gauge:** 12 ga., 3" Mag. | **Dog:** Maggie





# D'ITALIA

**Automatic Ejectors** – Discharge spent shells when receiver is opened. Unfired shells are raised slightly for easy extraction.

**Monobloc Barrel Construction** – Narrower and lower in profile for lightweight performance, superior balance and a livelier feel.

**Top Lever Actuated Automatic Sliding Safety with Integrated Barrel Selector** – Safety automatically engages when top lever is actuated to open breech, providing an extra measure of safety. Barrel selector lets you choose which barrel (top/bottom) fires first. Provides ease of use and instant visibility of barrel selection.

**Vented Mid and Top Ribs** – Keeps things cool when the action heats up. Matte top rib reduces glare to promote fast target acquisition and superior pointability. Improved shooter performance.

**Heavy-Duty Firing Pin Springs** – Constructed of high-tensile piano wire for extra durability and dependability over years of high volume use.

**Single Inertia Trigger** – Firing action/recoil from first barrel instantly resets trigger for second barrel. Gold-plated for corrosion protection (does not apply to Athena® D'Italia V).

**Chrome-Lined Barrels and Lengthened Forcing Cones** – Built to withstand the wear and tear of heavy use. Lengthened forcing cones work to improve patterns while reducing recoil to curb shooter fatigue.






# O/U

>>

**OUR POPULAR LINE** of D'Italia Over/Under shotguns benefit from exciting new embellishments and upgrades for 2008—at more affordable prices. A key enhancement is an exclusive and patented four-lock action (as opposed to the typical two lock). This creates a rock-solid lockup for years of dependable use with a specific frame size scaled to each gauge (12/20/28), for reduced weight and better balance. All Athena® and Orion® models also feature sculpted frameheads, a custom touch normally reserved for only the highest grade Over/Unders. When paired with a richly finished walnut stock and intricately engraved receivers, our “new” Over/Unders will elicit a true sense of pride, both in the gunrack and in the field.

**Top Lever Actuated Automatic Safety** — All D'Italia Over/Under shotguns feature an easy-to-use sliding safety located directly behind the top lever. Safety automatically engages when top lever is actuated to open the breech. Also operates manually by sliding backward/forward to engage/disengage. Features an integrated barrel selector that allows you to choose which barrel fires first. Both sides are textured for more positive operation.



**Patented Four-lock Action** — Previously available only on selected 12-gauge guns, the unique four-lock system is now available on true 20- and 28-gauge frames. A Weatherby exclusive! Creates four points of engagement between the receiver and barrels for a rock-solid lockup. The shallower and thinner profile offers lighter weight and better balance without sacrificing durability. Other custom touches include sculpted frameheads and fancy engraved top levers for a rich and distinct look.



## Integral Multi-Choke System

| Constriction    | Skeet  | SC #1 | SC #1 (Ported) | Imp. Cyl.     | SC #2 (Ported) | Mod.     | Full |
|-----------------|--------|-------|----------------|---------------|----------------|----------|------|
| 12 ga.          | .004   | .007  | .007           | .013          | .016           | .022     | .040 |
| 20/28 ga.       | .005   | .007  | .007           | .009          | .012           | .015     | .024 |
| Notch on Top    | IIIIII | I-I   | I-I            | IIII          | II-II          | III      | I    |
| Stamped on Side | Skeet  | SC I  | SC I           | Imp. Cylinder | SC II          | Modified | Full |

**IMC Choke System** — All Weatherby® O/U shotguns feature an interchangeable, screw-in Multi-Choke System (Briley® compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Weatherby chokes are crafted from steel. Certified for steel shot through modified choke constrictions. The SC I and SC II ported choke tubes are available for the sporting clays enthusiast.




All Weatherby Chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation.

## O/U Competitive Advantage

| Features          | Weatherby<br>Orion D'Italia Grade III | Browning<br>Citori 525 Field       | Ruger<br>Red Label  | Beretta Silver<br>Pigeon S | Franchi<br>Renaissance Elite |
|-------------------|---------------------------------------|------------------------------------|---------------------|----------------------------|------------------------------|
| Gauges/Chamber    | 12, 20–3"                             | 12, 20, .410–3"<br>28–2¾"          | 12, 20–3"<br>28–2¾" | 12, 20–3"<br>28–2¾"        | 12, 20–3"<br>28–2¾"          |
| Action            | Patented Four-Lock                    | Locking Bolt                       | Box Lock            | Imp. Box Lock              | Breech Load                  |
| Safety            | Automatic                             | Manual                             | Auto or Manual      | Automatic                  | Automatic                    |
| Receiver Finish   | Silver Nitride                        | Silver                             | Silver              | Silver                     | Silver or Blue               |
| Stock             | Claro Walnut                          | Walnut                             | American Walnut     | Select Walnut              | A-Grade Walnut               |
| Weight            | 6½–8 lbs.                             | 6¾–7¼ lbs.                         | 6–7½ lbs.           | 5½–7¼ lbs.                 | 5½–6¼ lbs.                   |
| Country of Origin | Italy                                 | Japan                              | USA                 | Italy                      | Belgium-Portugal             |
| MSRP              | \$1,975                               | 12, 20–\$2,082<br>28, .410–\$2,112 | \$1,749             | \$2,150                    | 12, 20–\$2,110<br>28–\$2,195 |

Specification information is from current competitor-published catalogs and Web sites.





**NEW FOR 2008**  
**ATHENA® D'ITALIA V**  
 MSRP \$3599


- ▶ Our highest grade, oil-finished walnut stock with 20 LPI checkering
- ▶ Full grip tang provides a sure grip and comfortable feel
- ▶ Intricate rose and scroll engraving with machined false sideplates and engraved forend iron
- ▶ Damascened monobloc barrel and sculpted frameheads
- ▶ Raised engraved hinge pin is a custom touch

FOUR-LOCK ACTION

**Available Gauges**

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 26" Barrel | AI51226RGM | 26" Barrel | AI52026RGM |
| 28" Barrel | AI51228RGM | 28" Barrel | AI52028RGM |

New for 2008



**NEW FOR 2008**  
**ATHENA D'ITALIA IV**  
 MSRP \$2499 12 Ga., 20 Ga./MSRP \$2799 28 Ga.

- ▶ Beautiful oil-finished walnut stock with 20 LPI checkering
- ▶ Chrome-plated false sideplate features single game scene gold plate overlay
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Damascened monobloc barrel and sculpted frameheads
- ▶ Vented mid and top rib dissipates heat

FOUR-LOCK ACTION

**Available Gauges**

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 26" Barrel | AI41226RGM | 26" Barrel | AI42026RGM |
| 28" Barrel | AI41228RGM | 28" Barrel | AI42028RGM |

| 28 Gauge   |            |
|------------|------------|
| 26" Barrel | AI42826RGM |
| 28" Barrel | AI42828RGM |

New for 2008




**OLD WORLD  
 ITALIAN CUSTOM  
 CRAFTSMANSHIP**

>>

A hallmark of Weatherby® Athena® D'Italia shotguns is an attention to craftsmanship normally found on double guns of considerably more expense. You get exceptional fit and finish and extra detail, including the beauty of intricate rose and scroll, game scene or floral engraving. Each shotgun carries engraved false sideplates, receiver, forend iron and tang.





**NEW FOR 2008**  
**ATHENA D'ITALIA III**  
 MSRP \$2299

- ▶ Beautiful oil-finished walnut stock with 20 LPI checkering
- ▶ Chrome-plated false sideplates feature a gamebird scene in gold plate overlay on side and bottom of receiver
- ▶ Pierced and engraved top lever adds a distinct, custom touch
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Damascened monobloc barrel and sculpted frameheads

FOUR-LOCK ACTION

#### Available Gauges

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 26" Barrel | AI31226RGM | 26" Barrel | AI32026RGM |
| 28" Barrel | AI31228RGM | 28" Barrel | AI32028RGM |

New for 2008

#### CUSTOM FITTED CASES

Custom-fitted cases can be ordered separately for all Weatherby® shotguns and rifles. Cases give your custom rifle or shotgun the ultimate protection and a beautiful presentation. Choose from canvas/leather, solid leather or distinctive leather with oak trim. Each case is handmade to order and will accommodate full-length rifles, take-down and multi-barrel shotguns. An optional Cordura® slipcover is available to provide an extra measure of protection for the exterior of the gun case. For more information on Weatherby custom cases, contact your Weatherby dealer.

>>



#### EXCEPTIONAL FIT & FINISH

>>

All Weatherby® D'Italia Over/Under shotguns are precisely crafted for a seamless wood-to-metal fit...an extra measure of attention to detail found only on the finest custom shotguns.







FOUR-LOCK ACTION


**NEW FOR 2008**  
**ORION® D'ITALIA III**  
 MSRP \$1975

- ▶ Stunning combination of aesthetic beauty and field-proven design
- ▶ Hand-selected, oil-finished walnut stock with 20 LPI checkering
- ▶ Features intricate engraving and gold plate game scene overlay
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Damascened monobloc barrel and sculpted frameheads

**Available Gauges**

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 26" Barrel | 0I31226RGG | 26" Barrel | 0I32026RGG |
| 28" Barrel | 0I31228RGG | 28" Barrel | 0I32028RGG |

New for 2008



FOUR-LOCK ACTION

**NEW FOR 2008**  
**ORION D'ITALIA II**  
 MSRP \$1629 12 Ga., 20 Ga./MSRP \$1695 28 Ga.

- ▶ Fancy grade walnut stock with high lustre urethane finish
- ▶ Hard chrome receiver with sculpted frameheads
- ▶ Elaborate game and floral engraving pattern
- ▶ Matte ventilated mid and top rib with brilliant front bead sight
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill

**Available Gauges**

| 12 Gauge   |           | 20 Gauge   |           |
|------------|-----------|------------|-----------|
| 26" Barrel | 021226RGG | 26" Barrel | 022026RGG |
| 28" Barrel | 021226RGG | 28" Barrel | 022028RGG |
| 30" Barrel | 021230RGG |            |           |

| 28 Gauge   |           |
|------------|-----------|
| 26" Barrel | 022826RGG |


New for 2008



**HANDCRAFTED DETAIL** >>

Craftsmanship and attention to detail are hallmarks of the D'Italia line of Over/Unders. Each stock is hand-selected and honed to assure exceptional wood-to-metal fit throughout.





FOUR-LOCK ACTION


**NEW FOR 2008**  
**ORION D'ITALIA I**  
MSRP \$1499

- ▶ Walnut stock with high lustre urethane finish
- ▶ All metalwork is blued to a high lustre finish
- ▶ Elaborate game and floral engraving pattern
- ▶ Engraved forearm iron and hinge pin
- ▶ Ventilated mid and top rib dissipates heat
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill

**Available Gauges**

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 26" Barrel | OI11226RGG | 26" Barrel | OI12026RGG |
| 28" Barrel | OI11228RGG | 28" Barrel | OI12028RGM |

New for 2008



FOUR-LOCK ACTION

**NEW FOR 2008**  
**ORION D'ITALIA SC**  
**(SPORTING CLAYS)**  
MSRP \$2299

- ▶ Satin, oil-finished walnut stock is adjustable for cheek height, features target style pistol grip and a Schnaubel forend
- ▶ Shallow receiver aligns hands for improved balance and pointability
- ▶ Chrome-plated receiver with engraved Weatherby logo
- ▶ Ported barrels reduce muzzle jump
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill

**Available Gauges**

| 12 Gauge   |            |
|------------|------------|
| 28" Barrel | OSC1228PGM |
| 30" Barrel | OSC1230PGM |
| 32" Barrel | OSC1232PGM |

New for 2008

**PRECISION-CUT  
CHECKERING**

>>

Weatherby® D'Italia Over/Under shotguns carry precision-cut 20 LPI checkering patterns. In true Weatherby fashion, the checkering patterns are designed to match the exact contour of the stock, including the full width and length of the rounded grip tang.





# D'ITALIA

Athena® D'Italia

**Chrome-lined Barrels** – Built to withstand the wear and tear of heavy use. Lengthened forcing cones and backboring improve patterns while reducing felt recoil.

**Monobloc Barrels** – (26" or 28") feature automatic ejectors to discharge only spent shells when receiver is opened. Unfired shells are raised slightly for easy extraction.

**Anson & Deely Action** – Time-tested design with Purdey-style double locking system provides precise interlocking alignment of barrels to action.

**Engraved Triggerguard** – Features a special roll-formed border to eliminate any sharp edges. Engraving matches sideplate patterns or features gold-filled Weatherby "Flying W".

Orion® D'Italia

**Engraved Triggerguard** – Engraving features gold-filled Weatherby "Flying W".

**Engraved Sideplates** – Intricate engraving patterns leave no detail untouched. Screws are meticulously timed for perfect alignment.

**Integrated Slide Safety** – Features slender design for easy, unobtrusive operation in the field.



# SBS

>>

**PERHAPS NO OTHER GUN** elicits the devotion and emotional bond as the traditional English side-by-side shotgun. Refined over centuries of use, the double gun is the field standard among wingshooting loyalists. Our Italian-made side-by-sides are certain to stir a response from the most discriminating enthusiasts, bringing together classic styling and craftsmanship with modern production techniques. With four different models to choose from, there's a perfect match to fit any budget and taste, and to meet every wingshooting demand in the field.

## Athena D'Italia –

Our top-of-the-line Athena D'Italias are beautiful testaments to the gunmaking craft. Near custom in every way, they offer the appointments and attention to detail you expect from a classic double gun. Top levers feature intricate engraving patterns with cut-outs for elegance and non-slip functionality. Receivers and triggerguards carry delicate and precise engraving with options for personalization. Forends offer precision-cut checkering with metal inserts.



## Orion D'Italia –

Form and function come together in a strikingly beautiful way with our new Orion D'Italia. Hand-selected walnut stocks with rounded pistol grip feature fineline checkering at 20 LPI and are precisely shaped and honed to match the engraved metalwork of the receiver, false sideplates and forend iron. Sculpted frameheads add a near custom touch.



## Integral Multi-Choke System

| Constriction    | Improved Cylinder | Modified | Full |
|-----------------|-------------------|----------|------|
| 12 ga.          | .013              | .022     | .040 |
| 20/28 ga.       | .009              | .015     | .024 |
| Notch on Top    | IIII              | III      | I    |
| Stamped on Side | Imp. Cylinder     | Modified | Full |

**IMC Choke System** – Weatherby® D'Italia SBS shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley® compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Weatherby chokes are crafted from steel. Certified for steel shot through modified choke constrictions.




All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation.

## SBS Competitive Advantage

| Features                 | Weatherby Orion D'Italia SBS | Ruger Gold Label | Charles Daly Empire  | Emilio Rizzini Uplander III Silver | Traditions Elite Field ST III | Beretta 471 Silver Hawk    |
|--------------------------|------------------------------|------------------|----------------------|------------------------------------|-------------------------------|----------------------------|
| Gauges/Chamber           | 12, 20–3"                    | 12, 20–3"        | 12, 20–3"            | 12, 20–3"                          | .410–3" 28–234"               | 12–3" 20–234"              |
| Lengthened Forcing Cones | Yes                          | Yes              | Yes                  | Not Specified                      | Yes                           | No                         |
| Trigger                  | Single Non-Selective         | Single Selective | Single Non-Selective | Single Selective                   | Single Selective              | Single Selective           |
| Ejectors                 | Automatic                    | Dickson-style    | Automatic            | Automatic                          | Automatic                     | Extractor/Ejector Selector |
| Weight                   | 6¼–7¼ lbs.                   | 6¼ lbs.          | 6–7 lbs.             | 6¼ lbs.                            | 6¼ lbs.                       | 6–6½ lbs.                  |
| Country of Origin        | Italy                        | USA              | Italy                | Italy                              | Italy                         | Italy                      |
| MSRP                     | \$2,099                      | \$2,050          | \$1,999              | \$2,699                            | \$2,099                       | \$3,925                    |

Specification information is from current competitor-published catalogs and Web sites.





**ATHENA®  
D'ITALIA DELUXE**

MSRP \$7625 12 Ga., 20 Ga./MSRP \$7789 28 Ga.

- ▶ Sculpted frameheads with Bolino-style game scene with renaissance floral engraving and gold inlay (hand-signed by engraver)
- ▶ AAA Fancy Turkish walnut stock with classic straight grip, 24 LPI checkering and hand-rubbed oil finish
- ▶ Gold-plated, single mechanical trigger (right barrel fires first)
- ▶ Engraved triggerguard with roll-formed edges can be engraved with initials
- ▶ Top lever carries intricate engraving with cut-outs for distinctive look

**BACKBORED BARREL**

**Available Gauges**

**12 Gauge**

26" Barrel ACX1226SGM

28" Barrel ACX1228SGM

**20 Gauge**

26" Barrel ACX2026SGM

28" Barrel ACX2028SGM

**28 Gauge**

26" Barrel ACX2826SGM

28" Barrel ACX2828SGM



**ATHENA D'ITALIA**

MSRP \$2925 12 Ga., 20 Ga./MSRP \$3065 28 Ga.

- ▶ Classic straight grip design with slender forearm
- ▶ Hand-selected, oil-finished walnut stock with laser cut "New Scottish" checkering at 20 LPI
- ▶ Double triggers are a signature touch to the classic English design
- ▶ Engraved triggerguard with roll-formed edges carries gold-filled Weatherby "Flying W"

**BACKBORED BARREL**

**Available Gauges**

**12 Gauge**

28" Barrel ADX1228SGM

**20 Gauge**

26" Barrel ADX2026SGM

28" Barrel ADX2028SGM

**28 Gauge**

26" Barrel ADX2826SGM



**FIT AND FINISH** – All Weatherby SBS shotguns offer exceptional wood-to-metal fit and intricate engraving. The English scroll with ribbons engraving carries the signature of the world-famous Cesare Giovannelli Studio.

**CASE INCLUDED** – Your SBS comes with a handsome foam-lined take-down case, with velour sleeves and combination locks for extra protection and security.







## ATHENA D'ITALIA PG


MSRP \$3599 12 Ga., 20 Ga./MSRP \$3725 28 Ga.

- ▶ Features rounded pistol grip and semi-beavertail forearm for exceptional between-the-hands balance
- ▶ Hand-selected, oil-finished walnut stock with laser cut "New Scottish" checkering at 20 LPI
- ▶ Gold-plated, single mechanical trigger (right barrel fires first)
- ▶ Engraved triggerguard with roll-formed edges carries gold-filled Weatherby "Flying W"

BACKBORED BARREL

### Available Gauges

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 28" Barrel | ADX1228PGM | 26" Barrel | ADX2026PGM |
|            |            | 28" Barrel | ADX2028PGM |
| 28 Gauge   |            | 26" Barrel |            |
|            |            | ADX2826PGM |            |



## NEW FOR 2008 ORION® D'ITALIA

MSRP \$2099

- ▶ Traditional pistol grip design for sure handling in the field
- ▶ Turkish walnut stock features high gloss finish and fineline, 20 LPI laser point checkering
- ▶ Gold-plated, single mechanical trigger (right barrel fires first)
- ▶ Engraved triggerguard with roll-formed edges carries gold-filled Weatherby "Flying W"

BACKBORED BARREL

### Available Gauges

| 12 Gauge   |            | 20 Gauge   |            |
|------------|------------|------------|------------|
| 28" Barrel | ODX1228PGM | 26" Barrel | ODX2026PGM |

New for 2008

## CUSTOM TOUCHES >>

A testament to true craftsmanship, Weatherby® D'Italia SBS shotguns offer every appointment worthy of a classic field double gun. You get hand-selected walnut stocks with precise checkering, intricately-engraved receivers, and roll-formed triggerguards with engraved "Flying W" with gold fill.





# PA-08 PUMP

>>

FOR MOST HUNTERS, the pump shotgun served as their introduction to wingshooting. Easy-to-use, no-nonsense design, dependable in the field, the pump is generally regarded as the “4x4” of field guns. Our new line of PA-08 pump shotguns carries that tradition forward in typical Weatherby function and style. Designed on a similar frame as our popular semi-automatics, the Turkish-made PA-08 features a dual action bar design that is straightforward, overbuilt and made for round after round of high volume action. Choose from four different models, including wood, synthetic and camo options.



**CNC-Machined Receiver** – Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

**Chrome-Lined Barrels** – The PA-08 features chrome-lined barrels to withstand the wear and tear of high-volume shooting. Lengthened forcing cones work to reduce felt recoil, curbing shooter fatigue while improving patterns.

**Safety** – Push-button safety button is conveniently mounted on the triggerguard for quick acquisition and ease of use.

**Chrome-Plated Bolt** – PA-08 bolt is chrome-plated for smooth, non-binding action and years of dependable use.

**PA-08 Mounting Options** – The top of the receiver of the PA-08 features specially-designed grooved notches to accommodate popular Weaver-style mounting systems for adding a scope to the shotgun.

**Performance-Enhancing Features** – All Weatherby PA-08 pump shotguns feature a ventilated top rib and brass bead or fiber optic front sight to aid in target acquisition. The vent rib works to dissipate heat in the barrel, promotes a smoother “swing-thru” and gives the shooter an excellent sight line for acquiring fast-moving targets. Each PA-08 gun comes with three application-specific, screw-in choke tubes.



**Dependable, No-Nonsense Design** – The PA-08 action is simple, straightforward and built for year after year of reliable duty in the field. The dual action bar design offers a smooth, non-binding sliding action for faster cycling of shells.

**Unique Drop-out Trigger System** – Adds to the exceptional functionality of the PA-08. Can be quickly removed and re-assembled for easy cleaning and adjustment.



## Integral Multi-Choke System

| Constriction    | Improved Cylinder | Modified | Full | Extra Full |
|-----------------|-------------------|----------|------|------------|
| 12 ga.          | .013              | .022     | .040 | .046       |
| Notch on Top    | IIII              | III      | I    | 0          |
| Stamped on Side | Imp. Cylinder     | Modified | Full | Extra Full |

**IMC Choke System** – All Weatherby® PA-08 shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley® compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Weatherby chokes are crafted from steel. Certified for steel shot through modified choke constrictions.

All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation.

## PA-08 Competitive Advantage

| Features          | Weatherby PA-08 Field | Mossberg 500 Field | Browning BPS Hunter | Remington 870 Express | Remington 870 Wingmaster |
|-------------------|-----------------------|--------------------|---------------------|-----------------------|--------------------------|
| Gauges Available  | 12                    | 12/20/.410         | 12/16/20 28/.410    | 12/16/20              | 12/16/20 28/.410         |
| Chamber           | 3"                    | 3"                 | 3" and 3½"          | 3"                    | 3"                       |
| Barrel Length     | 26"/28"               | 24"/26"/28"        | 26"/28"             | 21"/23" 26"/28"       | 26"/28"/30"              |
| Stock             | Walnut                | Walnut             | Walnut              | Walnut                | Walnut                   |
| Weight            | 6½-7 lbs.             | 6¼-7¼ lbs.         | 7-7¾lbs.            | 6½-7½ lbs.            | 6½-7¾ lbs.               |
| Chokes Included   | IC/M/F                | IC/M/F             | IC/M/F              | IC/M/F                | IC/M/F                   |
| Country of Origin | Turkey                | Turkey             | Belgium-Portugal    | USA                   | USA                      |
| MSRP              | \$349                 | \$316              | \$515-\$555         | \$345                 | \$699-732                |

Specification information is from current competitor-published catalogs and Web sites.






**NEW FOR 2008**  
**PA-08 UPLAND**  
MSRP \$349

- ▶ Walnut stock with low lustre finish
- ▶ Heavy-duty dual bar slide action
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Available in 12 gauge, 3" chamber
- ▶ Comes with three application-specific choke tubes

CHROME-LINED BARRELS

| Available Gauges |              |
|------------------|--------------|
| 12 Gauge         |              |
| 26" Barrel       | PA08U1226PGM |
| 28" Barrel       | PA08U1228PGM |

New for 2008



**NEW FOR 2008**  
**PA-08**  
**KNOXX STRUTTER X CAMO**  
MSRP \$579




- ▶ Innovative Knox stock reduces recoil and is instantly adjustable to fit any shooter
- ▶ Features Apparition Excel™ camo pattern for the ultimate in concealment
- ▶ Heavy-duty dual bar slide action
- ▶ Vented top rib with fiber optic front sight dissipates heat and aids in target acquisition
- ▶ Available in 12 gauge, 3" chamber
- ▶ Comes with three application-specific choke tubes

CHROME-LINED BARRELS

| Available Gauges |               |
|------------------|---------------|
| 12 Gauge         |               |
| 24" Barrel       | PA08TC1224PGM |

New for 2008



**NEW FOR 2008**  
**PA-08**  
**KNOXX STRUTTER X SYNTHETIC**  
MSRP \$499

- ▶ Black composite Knox stock reduces recoil and is instantly adjustable to fit any shooter
- ▶ Heavy-duty dual bar slide action
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Available in 12 gauge, 3" chamber
- ▶ Comes with three application-specific choke tubes

CHROME-LINED BARRELS

| Available Gauges |               |
|------------------|---------------|
| 12 Gauge         |               |
| 24" Barrel       | PA08TX1224PGM |

New for 2008



**NEW FOR 2008**  
**PA-08**  
**KNOXX HD**  
MSRP \$499

- ▶ Designed specifically for home protection and defense
- ▶ Shorter 18" barrel length is ideal in close quarters
- ▶ Black synthetic Knox SpecOps stock adjusts instantly to fit any size shooter
- ▶ Patented system curbs recoil by as much as 95%
- ▶ Fixed (Cylinder) choke
- ▶ Available in 12 gauge, 3" chamber
- ▶ Maximum magazine capacity – 5 rounds (2¾")

CHROME-LINED BARRELS

| Available Gauges |               |
|------------------|---------------|
| 12 Gauge         |               |
| 18" Barrel       | PA08HD1218PGM |

New for 2008



**CNC-MACHINED  
RECEIVER**

>>

Aircraft-grade alloys are used to machine the PA-08 receiver. Extremely lightweight, yet incredibly strong for years of dependable use. Functional design features a drop-out trigger assembly for ease of cleaning, integrated safety button and easy-to-access pump slide release button.

**KNOXX SPECOPS STOCK**

>>

The patented Knox SpecOps stock will change the way you think about shotguns...reducing the recoil of even the heaviest loads by up to 95%. Originally designed for law enforcement applications, the innovative stock design offers more than 4" of buttstock adjustment to instantly fit any size shooter, along with a traditional pistol grip design for sure handling in the field. Special polymer and alloy construction delivers year after year of reliable use.





# SA-08 AUTO

>>

**BEFORE WE INTRODUCED** our new line of Turkish-made semi-automatics, we put them through the most rigorous endurance and destructive testing program imaginable. Passing at every test level, the result is a semi-automatic that brings together the stylish lines of Italian autoloaders, and a unique dual valve system for the utmost in load versatility and dependability—all at a price that would embarrass brands that cost far more. The SA-08 is a reliable workhorse that lets you move from early season dove loads to late fall's heaviest waterfowl loads in no time. Available with wood stock options in 12 and 20 gauge models, including a scaled-down youth model, it will quickly become the only shotgun you'll ever need.



**CNC-Machined Receiver** – Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

**Chrome-lined Barrels** – The SA-08 features chrome-lined barrels to withstand the wear and tear of high-volume shooting. Lengthened forcing cones work to reduce felt recoil, curbing shooter fatigue while improving patterns.

**Magazine Cut-Off** – Provides versatility, allowing for quick load changes and an additional margin of safety when clearing the chamber without completely unloading the shotgun.

**Extra Touches** – The SA-08 offers a positive, responsive feel thanks to precision cut checkering on the pistol grip and forend. Checkering features a special border outline normally reserved for more expensive guns.

**Unique Dual Valve System** – Regardless of what you've heard, it's always been difficult to get a single valving system to effectively cycle everything from light 7/8 oz. through heavy 3" magnum loads. That is, until now. Our new SA-08 is specially designed with a unique dual valve system that lets you quickly change the valve to adjust for different species or seasons. Valve caps are easily accessible and screw on or off in no time. Put simply, the SA-08 is the most versatile autoloader you can carry.


**Chrome-plated Bolt** – SA-08 bolt is chrome-plated for smooth, non-binding action and years of dependable use.

**Unique Drop-out Trigger System** – Adds to the exceptional functionality of the SA-08. Can be quickly removed and re-assembled for easy cleaning and adjustment.



Heavy Valve = 1 1/4 oz. to 2 oz.

Light Valve = 7/8 oz. to 1 1/8 oz.



## Integral Multi-Choke System

| Constriction    | Improved Cylinder | Modified | Full |
|-----------------|-------------------|----------|------|
| 12 ga.          | .013              | .022     | .040 |
| 20 ga.          | .009              | .015     | .024 |
| Notch on Top    | IIII              | III      | I    |
| Stamped on Side | Imp. Cylinder     | Modified | Full |

**IMC Choke System** – All Weatherby® SA-08 shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley™ compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Weatherby chokes are crafted from steel. Certified for steel shot through modified choke constrictions.

All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation.




## SA-08 Competitive Advantage

| Features               | Weatherby SA-08 Field | Benelli Montefeltro | Beretta AL391 Urika | Browning Gold Field Hunter | Franchi Model 720 |
|------------------------|-----------------------|---------------------|---------------------|----------------------------|-------------------|
| Gauges/Chamber         | 12, 20–3"             | 12, 20–3"           | 12, 20–3"           | 12, 20–3"                  | 12, 20–3"         |
| Dual Valve Versatility | Yes                   | No                  | No                  | No                         | No                |
| Weight                 | 5½-6½ lbs.            | 5½-7 lbs.           | 6 lbs.              | 6½-7 lbs.                  | 6 lbs.            |
| Chokes Included        | IC/M/F                | C/IC/M/IM/F         | C/M/F               | IC/M/F                     | IC/M/F            |
| Country of Origin      | Turkey                | Italy               | Italy               | Belgium-Portugal           | Italy             |
| MSRP                   | \$699                 | \$1110              | \$1050              | \$1105                     | \$749             |

Specification information is from current competitor-published catalogs and Web sites.



SA-08 AUTO



NEW FOR 2008  
SA-08 UPLAND  
MSRP \$669

- ▶ Walnut stock with oil finish
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Features unique dual valve system for the widest range of load versatility
- ▶ Available in 12 and 20 gauge

| Available Gauges |              |            |              |
|------------------|--------------|------------|--------------|
| 12 Gauge         |              | 20 Gauge   |              |
| 26" Barrel       | SA08U1226PGM | 26" Barrel | SA08U2026PGM |
| 28" Barrel       | SA08U1228PGM | 28" Barrel | SA08U2028PGM |

New for 2008

DUAL-VALVE SYSTEM



NEW FOR 2008  
SA-08 YOUTH  
MSRP \$669

- ▶ Scaled down stock fits women and younger shooters (12 ½" length of pull)
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Features unique dual valve system for the widest range of load versatility
- ▶ Available in 20 gauge

| Available Gauges |              |
|------------------|--------------|
| 20 Gauge         |              |
| 26" Barrel       | SA08Y2026PGM |

New for 2008

DUAL-VALVE SYSTEM



DUAL VALVE  
VERSATILITY



The SA-08's unique gas system is easy to access and change for the widest range of load versatility. Valve caps for light or heavy loads screw on and off in seconds. Handles the lightest 7/8 oz. to the heaviest 3" goose loads with ease.



BECOME PART  
OF WEATHERBY  
NATION



Our new online community is a great place to learn more about Weatherby rifles and shotguns, trade useful tips and ideas, and to interact with other hunters and shooters. There's no cost or obligation, so become part of the fun today. Visit WeatherbyNation.com to sign up.

WEATHERBY NATION HAT

\$12  
100% cotton. Graphite. Adjustable for all sizes.



WEATHERBY NATION  
SMALL DECAL

\$3  
Die-cut vinyl decal with adhesive back. Measures 8" X 4¾".



WEATHERBY NATION  
LARGE DECAL

\$8  
Die-cut vinyl decal with adhesive back. Measures 18" X 7½".



WEATHERBY NATION  
SWEATSHIRT

\$39  
100% cotton. Silk-screened front and back. Coffee. M-XXL.



WEATHERBY  
NATION T-SHIRT

Short Sleeve: \$20  
Silk-screened front and back. Graphite. M-XXL.



WEATHERBY NATION  
LICENSE PLATE

\$12  
Embossed aluminum (12" x 6").




WEATHERBY NATION



“WEATHERBY. THE MAN.  
THE GUN. THE LEGEND.”

Hard back: \$30  
Biography written by Grits and Tom Gresham.  
Proceeds benefit Weatherby Foundation International.



ANNIVERSARY SIGN

\$35  
Embossed tin sign with historical image of Roy Weatherby on safari in Eastern Kenya – circa 1953 (14½" x 10½").



WEATHERBY®  
LUCITE BLOCK  
DISPLAY

\$229  
Magnum ammunition in decorative Lucite.



CARTRIDGE BOARD

\$199  
Weatherby Magnum cartridges displayed in solid oak frame.



WEATHERBY HATS

Cap off your Weatherby pride with one of our distinctive hats. Features embroidered Weatherby logo in your choice of several styles and colors.



Weatherby Outfitter/Olive  
(by Stormy Kromer): \$29  
Various Sizes



Black/Camo: \$12  
Adjustable



Olive/Brown: \$12  
Adjustable



Upland Blaze/Brown: \$12  
Adjustable



Skyline Fall Flight®: \$12  
Adjustable



Apparition Excel™: \$12  
Adjustable



Waxed Cotton/Brown: \$15  
Adjustable

DELTA T-SHIRTS

Short Sleeve T: \$20  
Long Sleeve T-shirt: \$28  
100% heavy cotton. Silk-screened front and back in ash or black. L-XXL



SUB-MOA T-SHIRTS

Short Sleeve: \$20  
Long Sleeve: \$28  
100% heavy cotton. Silkscreened front and back. Coffee or asphalt. M-XXL



BINO-SYSTEM

\$24  
Our Bino-System uses your shoulders to support the weight of your binoculars, reducing neck fatigue over a long day in the field. A quick release hook allows for easy removal of optics.



FIELD LENS CLOTH

\$6  
Static-free, scratch-resistant lens cloth in self-contained carry pouch with belt clip.



DELTA  
SWEATSHIRT

\$39  
90/10 Poly cotton. Silk-screened. Black. L-XXL



FIELD KNIFE

\$19  
Single, 3" drop point 420 Series stainless steel blade can be opened with one hand. Locks open (overall length 7"). Distinctive "grained" handle made of laminate Mycarta™. High tension clip for secure carrying.



CLEANING KIT

Rifle Kit (all calibers): \$109  
Shotgun Kit (all gauges): \$105  
Rods, attachments and oil in laser-engraved walnut case.



LICENSE  
PLATE FRAME

\$5  
Polystyrene construction. Standard size.



TALLEY-DESIGNED  
MOUNTING SYSTEM

Custom gunmakers have long sought the quality and durability of Talley mounts. Available for magnum or standard calibers (please specify when ordering), the Talley system features CNC-machined rings and bases of 2024-T4 aircraft-quality aluminum or cold-rolled carbon steel. Precision tolerances ensure a precise fit where the ring and base contact. The double recoil shoulder base is rock solid and will withstand the repeated pounding of our largest magnum cartridges. All screws are heat-treated to prevent breakage.



For ease of use, the unique system is available in fixed or quick-detach (QD) models with a lever-lock or screw-lock release. With the QD system, a pre-sighted backup scope and ring system can be quickly installed in the event of a scope failure. Available in matte blue or high gloss in low, medium or high, 1" or 30mm. All rings and bases have been carefully finished to complement the finish of all Weatherby rifles. Our Talley-designed, Picatinney-style mounting system provides easy on/easy off mounting. The unique base and ring system lets you slide the scope forward or backward to allow for optimal eye relief.

Steel Bases: Satin \$24 | Lightweight Alloy Bases: Matte \$24  
Fixed Rings: Matte & Gloss Blue \$70  
QD Screw-Lock: Matte & Gloss Blue \$81 | QD Lever-Lock: Gloss Blue \$26  
Picatinney Mounting System: Matte \$190

VANGUARD®  
LIGHTWEIGHT MOUNTS

Specially-designed lightweight Vanguard mounts by Talley featuring a unique one-piece design of 7000 Series billet alloy, are available for Weatherby rifles in matte blue or silver.



Matte Finish: \$35 | Silver Finish: \$35



HARD-SIDE LUGGAGE CASES

Single Rifle: \$179 | Take-down Shotgun: \$249  
Fitted cases hold your shotgun (take-down) or rifle and all accessories. Interior features felt-lined, foam padding with blocks and tie-downs for extra protection during transport. Extra compartments for scope, bolt, wrenches, choke tubes and accessories. 1000 Denier DuPont® Cordura® exterior with simulated leather ends, combination locking latches and circular belts. Inside features Weatherby logo embossed on simulated leather patch.



MAGNUM  
ALUMINUM CASES

Single Rifle: 52" x 10" x 4½" \$340  
Double Rifle: 52" x 14" x 4½" \$365  
Take-down Shotgun: 38" x 12" x 4½" \$340

Produced by Kalispel Case Line. Constructed of .080 aluminum with exclusive "Weatherby Gray" powdercoat finish. Extra strong latches, locks and handles, with high-density foam padded interiors to keep firearms from shifting inside.



SOFT SIDE CASES

Single Rifle: \$99 | Single Shotgun: \$91  
Features heavy 18 oz. canvas with 40 oz. soft batting and flannel liner. Brass zippers, leather tips and slings and embroidered Weatherby logo. Choose from two styles.



Accubrake Performance

| Cartridge     | Bullet Type   | Rifle Weight | Recoil Energy | Recoil Energy w/ Accubrake™ | Estimated Felt Recoil Comparison |
|---------------|---------------|--------------|---------------|-----------------------------|----------------------------------|
| .240 Wby.     | 100 gr. SP    | 8 lbs.       | 17.9 ft.-lbs. | 8.4 ft.-lbs.                | .22-250 Rem.                     |
| .257 Wby.     | 100 gr. SP    | 9¼ lbs.      | 22.5 ft.-lbs. | 10.6 ft.-lbs.               | .243 Win.                        |
| .270 Wby.     | 130 gr. SP    | 9¼ lbs.      | 25.2 ft.-lbs. | 11.8 ft.-lbs.               | 7MM-08 Rem.                      |
| 7MM Wby.      | 154 gr. SP    | 9¼ lbs.      | 27.6 ft.-lbs. | 13 ft.-lbs.                 | .25-06 Rem.                      |
| .300 Wby.     | 180 gr. SP    | 9¼ lbs.      | 39.2 ft.-lbs. | 18.4 ft.-lbs.               | .30-06 Sprg.                     |
| .340 Wby.     | 250 gr. SP    | 10 lbs.      | 44.2 ft.-lbs. | 20.8 ft.-lbs.               | 7MM Rem.                         |
| .30-378 Wby.  | 180 gr. BX¹   | 9¾ lbs.      | 55.1 ft.-lbs. | 25.9 ft.-lbs.               | .270 Wby.                        |
| .338-378 Wby. | 225 gr. BX¹   | 11¾ lbs.     | 46.3 ft.-lbs. | 21.8 ft.-lbs.               | .300 Win. Mag.                   |
| .375 Wby.     | 300 gr. NP²   | 10 lbs.      | 46.1 ft.-lbs. | 21.7 ft.-lbs.               | 7MM Rem.                         |
| .378 Wby.     | 270 gr. SP    | 10¼ lbs.     | 71.1 ft.-lbs. | 33.4 ft.-lbs.               | .300 Wby.                        |
| .416 Wby.     | 400 gr. Rn-Ex | 10¼ lbs.     | 83.5 ft.-lbs. | 39.2 ft.-lbs.               | .375 H&H                         |
| .460 Wby.     | 500 gr. RNSP  | 11¼ lbs.     | 99.6 ft.-lbs. | 46.8 ft.-lbs.               | .375 Wby.                        |

¹Barnes-X    ²Nosler Partition

Recoil Reduction Effectiveness

| Cartridge | Brake Type          | Reduction |
|-----------|---------------------|-----------|
| .416 Wby. | Weatherby Accubrake | 53%       |
| .416 Wby. | KDF Regular         | 49%       |
| .416 Wby. | KDF Slimline        | 40.6%     |
| .416 Wby. | Recoil Reducer      | 39%       |
| .416 Wby. | None                | 0%        |





**VANGUARD® SYNTHETIC**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VGW223RR40   | \$525 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VGW222RR40   | \$525 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VGW243NR40   | \$525 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .25-06 Rem.    | VGW256RR40   | \$525 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VGW270NR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| 7mm-08 Rem.*   | VGW7M8RR40   | \$525 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-9.5"          |
| .308 Win.      | VGW308NR40   | \$525 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VGW306SR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VGW257WR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VGW270NSR40  | \$543 | RH 24"          | 7.5 lbs.            | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VGW7MMRR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VGW300NR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VGW300NSR40  | \$543 | RH 24"          | 7.5 lbs.            | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VGW300WR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VGW338NR40   | \$525 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® STAINLESS**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VGS223RR40   | \$673 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VGS222RR40   | \$673 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VGS243NR40   | \$673 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VGS270NR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .308 Win.      | VGS308NR40   | \$673 | RH 24"          | 7.5 lbs.            | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VGS306SR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VGS257WR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VGS270NSR40  | \$695 | RH 24"          | 7.5 lbs.            | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VGS7MMRR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VGS300NR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VGS300NSR40  | \$695 | RH 24"          | 7.5 lbs.            | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VGS300WR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VGS338NR40   | \$673 | RH 24"          | 7.5 lbs.            | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® SYNTHETIC PACKAGE**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VWP223RR40   | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VWP222RR40   | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VWP243NR40   | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .25-06 Rem.    | VWP256RR40   | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VWP270NR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| 7mm-08 Rem.*   | VWP7M8RR40   | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-9.5"          |
| .308 Win.      | VWP308NR40   | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VWP306SR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VWP257WR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VWP270NSR40  | \$680 | RH 24"          | 8.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VWP7MMRR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VWP300NR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VWP300NSR40  | \$703 | RH 24"          | 8.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VWP300WR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VWP338NR40   | \$680 | RH 24"          | 8.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® DELUXE**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .270 Win.      | VGX270NR40   | \$931 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .30-06 Sprg.   | VGX306SR40   | \$931 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby.      | VGX257WR40   | \$931 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VGX7MMRR40   | \$931 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VGX300NR40   | \$931 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VGX300WR40   | \$931 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® SPORTER**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VDM223RR40   | \$689 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VDM222RR40   | \$689 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VDM243NR40   | \$689 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .25-06 Rem.    | VDM256RR40   | \$689 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VDM270NR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| 7mm-08 Rem.*   | VDM7M8RR40   | \$689 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-9.5"          |
| .308 Win.      | VDM308NR40   | \$689 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VDM306SR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VDM257WR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VDM270NSR40  | \$712 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VDM7MMRR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VDM300NR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VDM300NSR40  | \$712 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VDM300WR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VDM338NR40   | \$689 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® SPORTER SS**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VVS223RR40   | \$830 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VVS222RR40   | \$830 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VVS243NR40   | \$830 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VVS270NR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .308 Win.      | VVS308NR40   | \$830 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VVS306SR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VVS257WR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VVS270NSR40  | \$857 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VVS7MMRR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VVS300NR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VVS300NSR40  | \$857 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VVS300WR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VVS338NR40   | \$830 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® VARMINT SPECIAL**

| Caliber      | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|--------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .204 Ruger   | VBR204RG20   | \$671 | RH 22"          | 8.25 lbs.           | 41 1/2"        | 5+1                        | 22" #3                 | 1-12"           |
| .223 Rem.    | VBR223RR20   | \$620 | RH 22"          | 8.25 lbs.           | 41 1/2"        | 5+1                        | 22" #3                 | 1-12"           |
| .22-250 Rem. | VBR222RR20   | \$620 | RH 22"          | 8.25 lbs.           | 41 1/2"        | 5+1                        | 22" #3                 | 1-14"           |
| .308 Win.    | VBR308NR20   | \$620 | RH 22"          | 8.25 lbs.           | 41 1/2"        | 5+1                        | 22" #3                 | 1-12"           |

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 1/2" Drop at Heel: 1 1/8"

**VANGUARD® YOUTH/COMPACT**

| Caliber      | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|--------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.*   | VGC223RR00   | \$620 | RH 20"          | 6.75 lbs.           | 37 7/8"        | 5+1                        | 20" #1                 | 1-14"           |
| .22-250 Rem. | VGC222RR00   | \$620 | RH 20"          | 6.75 lbs.           | 38 7/8"        | 5+1                        | 20" #1                 | 1-14"           |
| .243 Win.    | VGC243NR00   | \$620 | RH 20"          | 6.75 lbs.           | 38 7/8"        | 5+1                        | 20" #1                 | 1-10"           |
| 7mm-08 Rem.  | VGC7M8RR00   | \$620 | RH 20"          | 6.75 lbs.           | 38 7/8"        | 5+1                        | 20" #1                 | 1-9.5"          |
| .308 Win.    | VGC308NR00   | \$620 | RH 20"          | 6.75 lbs.           | 38 7/8"        | 5+1                        | 20" #1                 | 1-12"           |

LOP: 12 1/2" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

(.223 Rem.) LOP: 11 1/2" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® SUB-MOA STAINLESS**

| Caliber        | Product Code | MSRP    | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|---------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VSM223RR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VSM222RR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VSM243NR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VSM270NR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .308 Win.      | VSM308NR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VSM306SR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VSM257WR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VSM270NSR40  | \$1,053 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VSM7MMRR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VSM300NR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VSM300NSR40  | \$1,053 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VSM300WR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VSM338NR40   | \$1,019 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 1/2"

**VANGUARD® SUB-MOA MATTE**

| Caliber        | Product Code | MSRP  | Barreled Action | Weight <sup>1</sup> | Overall Length | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
|----------------|--------------|-------|-----------------|---------------------|----------------|----------------------------|------------------------|-----------------|
| .223 Rem.      | VMM223RR40   | \$877 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .22-250 Rem.   | VMM222RR40   | \$877 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-14"           |
| .243 Win.      | VMM243NR40   | \$877 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .25-06 Rem.    | VMM256RR40   | \$877 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-10"           |
| .270 Win.      | VMM270NR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| 7mm-08 Rem.*   | VMM7M8RR40   | \$877 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-9.5"          |
| .308 Win.      | VMM308NR40   | \$877 | RH 24"          | 7.75 lbs.           | 44"            | 5+1                        | 24" #2                 | 1-12"           |
| .30-06 Sprg.   | VMM306SR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 5+1                        | 24" #2                 | 1-10"           |
| .257 Wby. Mag. | VMM257WR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .270 WSM       | VMM270NSR40  | \$906 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| 7mm Rem. Mag.  | VMM7MMRR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-9.5"          |
| .300 Win. Mag. | VMM300NR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .300 WSM       | VMM300NSR40  | \$906 | RH 24"          | 7.75 lbs.           | 44"            | 3+1                        | 24" #2                 | 1-10"           |
| .300 Wby. Mag. | VMM300WR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |
| .338 Win. Mag. | VMM338NR40   | \$877 | RH 24"          | 7.75 lbs.           | 44 1/2"        | 3+1                        | 24" #2                 | 1-10"           |



| MARK V® CUSTOM  |               |                     |                     |                  |                            |                        |                 |
|---|---------------|---------------------|---------------------|------------------|----------------------------|------------------------|-----------------|
| Name  | Product Code  | Barreled Action     | Weight <sup>1</sup> | Overall Length   | Mag. Capacity <sup>2</sup> | Barrel Length/ Contour | Rifling (twist) |
| Royal Grade Ultramark*  | RUM300VWR60** | RH 26"              | 8.5 lbs.            | 46 5/8"          | 3+1                        | 26" #2                 | 1-10"           |
| Crown*  | CRM257WR60**  | RH 26"              | 8.5 lbs.            | 46 5/8"          | 3+1                        | 26" #2                 | 1-10"           |
| Safari*   | SFM416WR8B**  | RH 28" <sup>3</sup> | 8.75 lbs            | 48" <sup>3</sup> | 2+1                        | 26" #3                 | 1-14"           |
| DGR*  | DGM375VWR40** | RH 24"              | 8.75 lbs            | 46 5/8"          | 3+1                        | 26" #3                 | 1-10"           |
| Outfitter*  | OTS270NR40**  | RH 24"              | 5.75 lbs            | 44"              | 5+1                        | 24" #1                 | 1-10"           |
| TRR Magnum*   | TCM333WR8B**  | RH 28" <sup>3</sup> | 9.25 lbs            | 48" <sup>3</sup> | 2+1                        | 26" #3                 | 1-10"           |
| (Mark V Royal Grade Ultramark, Mark V Crown) LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 3/8" Drop at Heel: 1 3/8" (Mark V Safari, Mark V DGR) LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4" (Mark V Outfitter) LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8" (Mark V TRR Magnum) LOP: 13 1/4" - 14 3/4" Drop at Comb: Adjustable Drop at Heel: Adjustable |               |                     |                     |                  |                            |                        |                 |
| *Mark V Custom Rifles Specifications vary based on Caliber **Not the only Calibers available in this Model  |               |                     |                     |                  |                            |                        |                 |

| ATHENA® V D'ITALIA O/U   |                               |         |                |              |  |
|--|-------------------------------|---------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code  | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 26" AI51226RGM 28" AI51228RGM | \$3,599 | 43"- 45"       | 7.25-8       |  |
| 20 Ga.–3"  | 26" AI52026RGM 28" AI52028RGM | \$3,599 | 43"- 45"       | 6.5-7.25     |  |
| LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 1 1/4" Bead Sight: Brilliant Front |                               |         |                |              |  |

| ATHENA® IV D'ITALIA O/U  |                               |         |                |              |  |
|--|-------------------------------|---------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code  | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 26" AI41226RGM 28" AI41228RGM | \$2,499 | 43"- 45"       | 7.25-8       |  |
| 20 Ga.–3"  | 26" AI42026RGM 28" AI42028RGM | \$2,499 | 43"- 45"       | 6.5-7.25     |  |
| 28 Ga.–2 3/4"  | 26" AI42826RGM 28" AI42828RGM | \$2,799 | 43"- 45"       | 6.5-7.25     |  |
| LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 1 1/4" Bead Sight: Brilliant Front |                               |         |                |              |  |

| ATHENA® III D'ITALIA O/U   |                               |         |                |              |  |
|--|-------------------------------|---------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code  | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 26" AI31226RGM 28" AI31228RGM | \$2,299 | 43"- 45"       | 7.25-8       |  |
| 20 Ga.–3"  | 26" AI32026RGM 28" AI32028RGM | \$2,299 | 43"- 45"       | 6.5-7.25     |  |
| LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 1 1/4" Bead Sight: Brilliant Front |                               |         |                |              |  |

| ORION® III D'ITALIA O/U  |                               |         |                |              |  |
|--|-------------------------------|---------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code  | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 26" OI31226RGG 28" OI31228RGG | \$1,975 | 43"- 45"       | 7.25-8       |  |
| 20 Ga.–3"  | 26" OI32026RGG 28" OI32028RGG | \$1,975 | 43"- 45"       | 6.5-7.25     |  |
| LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 1 1/4" Bead Sight: Brilliant Front |                               |         |                |              |  |

| ORION® II D'ITALIA O/U   |  |         |                |              |  |
|--|--|---------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code                 | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 26" OI21226RGG 28" OI21228RGG 30" OI21230RGG | \$1,629 | 43"- 45"- 47"  | 7.25-8       |  |
| 20 Ga.–3"  | 26" OI22026RGG 28" OI22028RGG                | \$1,629 | 43"- 45"       | 6.5-7.25     |  |
| 28 Ga.–2 3/4"  | 26" OI22826RGG                               | \$1,695 | 43"            | 6.5-7.25     |  |
| LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 1 1/4" Bead Sight: Brilliant Front |  |         |                |              |  |

| ORION® I D'ITALIA O/U  |                               |         |                |              |  |
|--|-------------------------------|---------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code  | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 26" OI11226RGG 28" OI11228RGG | \$1,499 | 43"- 45"       | 7.25-8       |  |
| 20 Ga.–3"  | 26" OI12026RGG 28" OI12028RGG | \$1,499 | 43"- 45"       | 6.5-7.25     |  |
| LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 1 1/4" Bead Sight: Brilliant Front |                               |         |                |              |  |

| ORION® SC D'ITALIA O/U  |  |         |                |              |  |
|---|--|---------|----------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code                 | MSRP    | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"   | 28" OSC1228PGM 30" OSC1230PGM 32" OSC1232PGM | \$2,299 | 45"- 47"- 49"  | 8            |  |
| LOP: 14 3/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Mid w/ White Front |  |         |                |              |  |

| ATHENA® D'ITALIA SBS  |                               |         |                  |              |  |
|---|-------------------------------|---------|------------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code  | MSRP    | Overall Length   | Weight¹ lbs. |  |
| 12 Ga.–3"   | 28" ADX1228SGM                | \$2,925 | 44 1/2"          | 6.75-7.25    |  |
| 20 Ga.–3"   | 26" ADX2026SGM 28" ADX2028SGM | \$2,925 | 42 1/2"- 44 1/2" | 6.75-7.25    |  |
| 28 Ga.–2 3/4"   | 26" ADX2826SGM                | \$3,065 | 42 1/2"          | 6.75-7.25    |  |
| LOP: 13 5/8" and 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F (28 Gauge) IMC Chokes: Fixed (IC,M) |                               |         |                  |              |  |

| ATHENA® D'ITALIA DELUXE SBS   |                               |         |                  |              |  |
|---|-------------------------------|---------|------------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code  | MSRP    | Overall Length   | Weight¹ lbs. |  |
| 12 Ga.–3"   | 26" ACX1226SGM 28" ACX1228SGM | \$7,625 | 42 1/2"- 44 1/2" | 6.75-7.25    |  |
| 20 Ga.–3"   | 26" ACX2026SGM 28" ACX2028SGM | \$7,625 | 42 1/2"- 44 1/2" | 6.75-7.25    |  |
| 28 Ga.–2 3/4"   | 26" ACX2826SGM 28" ACX2828SGM | \$7,789 | 42 1/2"- 44 1/2" | 6.75-7.25    |  |
| LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: Fixed (IC,M) |                               |         |                  |              |  |

| ATHENA® D'ITALIA PG SBS   |                               |         |                  |              |  |
|---|-------------------------------|---------|------------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code  | MSRP    | Overall Length   | Weight¹ lbs. |  |
| 12 Ga.–3"   | 28" ADX1228PGM                | \$3,599 | 44 1/2"          | 6.75-7.25    |  |
| 20 Ga.–3"   | 26" ADX2026PGM 28" ADX2028PGM | \$3,599 | 42 1/2"- 44 1/2" | 6.75-7.25    |  |
| 28 Ga.–2 3/4"   | 26" ADX2826PGM                | \$3,725 | 42 1/2"          | 6.75-7.25    |  |
| LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F (28 Gauge) IMC Chokes: Fixed (IC,M) |                               |         |                  |              |  |

\*New for 2008 Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are drilled and tapped for scope mounts. Specifications subject to change without notice. Price may vary by model and dealer. <sup>1</sup>Weight approximate. Varies due to stock density and bore diameter. <sup>2</sup>Magazine capacity plus one round in chamber. <sup>3</sup>Available with Weatherby Accubrake™ only. <sup>4</sup>Measurement includes Accubrake.

| ORION® D'ITALIA SBS   |                              |         |                  |              |  |
|---|------------------------------|---------|------------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code | MSRP    | Overall Length   | Weight¹ lbs. |  |
| 12 Ga.–3"   | 28" ODX1228PGM               | \$2,099 | 44 1/2"          | 6.75-7.25    |  |
| 20 Ga.–3"   | 26" ODX2026PGM               | \$2,099 | 42 1/2"- 44 1/2" | 6.75-7.25    |  |
| LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F (28 Gauge) IMC Chokes: Fixed (IC,M) |                              |         |                  |              |  |

| SA-08 UPLAND AUTO   |                                   |       |                |              |  |
|---|-----------------------------------|-------|----------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code      | MSRP  | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"   | 26" SA08U1226PGM 28" SA08U1228PGM | \$669 | 46"- 48"       | 6.75         |  |
| 20 Ga.–3"   | 26" SA08U2026PGM 28" SA08U2028PGM | \$669 | 46"- 48"       | 6            |  |
| LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F |                                   |       |                |              |  |

| SA-08 YOUTH   |                              |       |                |              |  |
|---|------------------------------|-------|----------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code | MSRP  | Overall Length | Weight¹ lbs. |  |
| 20 Ga.–3"   | 26" SA08Y2026PGM             | \$669 | 44"            | 5.75         |  |
| LOP: 12 1/2" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F |                              |       |                |              |  |

| PA-08 UPLAND  |                                   |       |                |              |  |
|---|-----------------------------------|-------|----------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code      | MSRP  | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"   | 26" PA08U1226PGM 28" PA08U1228PGM | \$349 | 46"- 48"       | 6.5          |  |
| LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F |                                   |       |                |              |  |

| PA-08 KNOXX STRUTTER™ X SYNTHETIC                             |                              |       |                |              |  |
|---|------------------------------|-------|----------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code | MSRP  | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"   | 24" PA08TX1226PGM            | \$499 | 44"- 48"       | 7            |  |
| LOP: Adjustable Bead Sight: High-Vis Front IMC Chokes: M,F,XF |                              |       |                |              |  |

| PA-08 KNOXX STRUTTER™ X CAMO                                  |                              |       |                |              |  |
|---|------------------------------|-------|----------------|--------------|--|
| Ga./Chamber   | Barrel Length & Product Code | MSRP  | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"   | 24" PA08TC1224PGM            | \$579 | 44"- 48"       | 7            |  |
| LOP: Adjustable Bead Sight: High-Vis Front IMC Chokes: M,F,XF |                              |       |                |              |  |

| PA-08 KNOXX HD   |                              |       |                |              |  |
|--|------------------------------|-------|----------------|--------------|--|
| Ga./Chamber  | Barrel Length & Product Code | MSRP  | Overall Length | Weight¹ lbs. |  |
| 12 Ga.–3"  | 18" PA08HD1218PGM            | \$499 | 38"- 42"       | 7            |  |
| LOP: Adjustable Bead Sight: Brass Front Fixed (Cylinder) Choke |                              |       |                |              |  |



## WEATHERBY® FACTORY AMMUNITION

### LEGEND:

SP = Spire Point

Rn-Ex = Round Nose-Expanding

FMJ = Full Metal Jacket

Barnes TSX = Barnes® TSX™

Partition = Nosler® Partition® Flat Base

BST = Nosler® Ballistic Tip®

Accubond = Nosler® Accubond®

NOTE: These tables were calculated by computer using a standard modern scientific technique to predict trajectories and recoil energies from the best available data for each cartridge. The figures shown are expected to be reasonably accurate of ammunition behavior under standard conditions. However, the shooter is cautioned that performance will vary because of variations in rifles, ammunition, atmospheric conditions and altitude.

- B.C.: Ballistic Coefficients used for these tables were supplied by the bullet's manufacturers. Listed velocities were determined using 26-inch barrels. Velocities from shorter barrels will be reduced by 30 to 65 feet per second per inch of barrel removed.

- Trajectories were computed with the line-of-sight 1.5 inches above the bore centerline.

- Accubond®, Ballistic Tip® and Partition® are registered trademarks of Nosler, Inc.

- Barnes TSX™ is a trademark of Barnes Bullets, Inc.

<sup>(1)</sup> Monolithic Solid™ is a trademark of Arthur B. Alphin, dba A-Square

Weatherby, Inc. reserves the right to make changes in design, materials, specifications and prices or to make product changes as deemed necessary without prior notice. Every effort has been made to avoid printing errors in this catalog. However, if there are any specification or application errors, we must disclaim responsibility. Weatherby®, Mark V®, Mark XXII®, Accumark®, Fibermark®, Lazermark®, Athena®, Orion® and VarmintMaster® are registered trademarks of Weatherby, Inc. Eurosport™, Euromark™, CFP™, Strutter™, Ultramark™, and Accubrake™ are trademarks of Weatherby, Inc. Cordura® and Kevlar® are registered trademarks of E.I. Dupont de Nemours & Company. Pachmayr® is a registered trademark of Pachmayr Ltd. Corporation. Decelerator® is a registered trademark of Lyman Productions Corporation. Nosler®, Partition® and Ballistic Tip® are registered trademarks of Nosler, Inc. Barnes™ and Barnes TSX™ are trademarks of Barnes Bullets, Inc. Hornady™ and Interlock™ are trademarks of Hornady Manufacturing Company. A-Square™ and Monolithic Solid™ are trademarks of Arthur B. Alphin, dba A-Square. Norma® is a registered trademark of Norma Precision AB. Federal® is a registered trademark of Federal Cartridge Company. Apparition Excel™ is a trademark of Skyline Camouflage. Fall Flight® is a registered trademark of Skyline Camouflage.

| BALLISTICS SPECIFICATIONS |                 |               |             |              |       |      |                              |        |           |           |           |                       |           |        |           |           |                |           |           |           |           |           |           |           |  |  |
|---------------------------|-----------------|---------------|-------------|--------------|-------|------|------------------------------|--------|-----------|-----------|-----------|-----------------------|-----------|--------|-----------|-----------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|--|
| Suggested Usage           | Cartridge       | Bullet        |             | Product Code | MSRP  | B/C  | Velocity in Feet Per Second  |        |           |           |           | Energy in Foot-Pounds |           |        |           |           | Path of Bullet |           |           |           |           |           |           |           |  |  |
|                           |                 | Weight Grains | Bullet Type |              |       |      | (may vary by model & dealer) | Muzzle | 100 Yards | 200 Yards | 300 Yards | 400 Yards             | 500 Yards | Muzzle | 100 Yards | 200 Yards | 300 Yards      | 400 Yards | 500 Yards | 100 Yards | 200 Yards | 300 Yards | 400 Yards | 500 Yards |  |  |
| V                         | .224 Wby.       | 55            | SP          | H22455SP     | \$49  | .235 | 3650                         | 3192   | 2780      | 2403      | 2056      | 1741                  | 1627      | 1244   | 944       | 705       | 516            | 370       | 2.8       | 3.7       | 0.0       | -9.8      | -27.9     |           |  |  |
| V                         | .240 Wby.       | 85            | Barnes TSX  | B24085TSX    | \$70  | .382 | 3500                         | 3222   | 2962      | 2717      | 2484      | 2264                  | 2448      | 2075   | 1753      | 1475      | 1233           | 1024      | 2.6       | 3.3       | 0.0       | -8.0      | -21.6     |           |  |  |
| V                         |                 | 87            | SP          | H24087SP     | \$49  | .327 | 3523                         | 3199   | 2898      | 2617      | 2352      | 2103                  | 2397      | 1977   | 1622      | 1323      | 1069           | 855       | 2.7       | 3.4       | 0.0       | -8.4      | -23.3     |           |  |  |
| M                         |                 | 95            | BST         | N24095BST    | \$56  | .379 | 3420                         | 3146   | 2888      | 2645      | 2414      | 2195                  | 2467      | 2087   | 1759      | 1475      | 1229           | 1017      | 2.7       | 3.5       | 0.0       | -8.4      | -22.9     |           |  |  |
| M                         |                 | 100           | SP          | H240100SP    | \$49  | .381 | 3406                         | 3134   | 2878      | 2637      | 2408      | 2190                  | 2576      | 2180   | 1839      | 1544      | 1287           | 1065      | 2.8       | 3.5       | 0.0       | -8.4      | -23.0     |           |  |  |
| M                         |                 | 100           | Partition   | N240100PT    | \$63  | .384 | 3406                         | 3136   | 2882      | 2642      | 2415      | 2199                  | 2576      | 2183   | 1844      | 1550      | 1294           | 1073      | 2.8       | 3.5       | 0.0       | -8.4      | -22.9     |           |  |  |
| V                         | .257 Wby.       | 87            | SP          | H25787SP     | \$49  | .322 | 3825                         | 3472   | 3147      | 2845      | 2563      | 2297                  | 2826      | 2328   | 1913      | 1563      | 1269           | 1019      | 2.1       | 2.8       | 0.0       | -7.1      | -19.5     |           |  |  |
| M                         |                 | 100           | SP          | H257100SP    | \$49  | .357 | 3602                         | 3298   | 3016      | 2750      | 2500      | 2264                  | 2881      | 2416   | 2019      | 1680      | 1388           | 1138      | 2.4       | 3.1       | 0.0       | -7.7      | -21.0     |           |  |  |
| M                         |                 | 100           | Barnes TSX  | B257100TSX   | \$70  | .420 | 3570                         | 3312   | 3079      | 2840      | 2396      | 2203                  | 2731      | 2352   | 2019      | 1725      | 2396           | 1239      | 2.9       | 3.7       | 0.0       | -8.8      | -23.7     |           |  |  |
| M                         |                 | 110           | Accubond    | N257110ACB   | \$64  | .418 | 3460                         | 3207   | 2969      | 2744      | 2529      | 2325                  | 2925      | 2513   | 2154      | 1839      | 1563           | 1320      | 2.7       | 3.3       | 0.0       | -7.9      | -21.2     |           |  |  |
| M                         |                 | 115           | BST         | N257115BST   | \$56  | .453 | 3400                         | 3170   | 2952      | 2745      | 2547      | 2357                  | 2952      | 2566   | 2226      | 1924      | 1656           | 1419      | 3.0       | 3.5       | 0.0       | -7.9      | -21.5     |           |  |  |
| M                         |                 | 117           | Rn-Ex       | H257117RN    | \$49  | .243 | 3402                         | 2984   | 2595      | 2240      | 1921      | 1639                  | 3007      | 2320   | 1742      | 1302      | 956            | 690       | 3.4       | 4.3       | 0.0       | -11.1     | -31.9     |           |  |  |
| M                         |                 | 120           | Partition   | N257120PT    | \$70  | .391 | 3305                         | 3046   | 2801      | 2570      | 2350      | 2141                  | 2910      | 2472   | 2091      | 1760      | 1471           | 1221      | 3.0       | 3.7       | 0.0       | -8.9      | -24.0     |           |  |  |
| V                         | .270 Wby.       | 100           | SP          | H270100SP    | \$49  | .307 | 3760                         | 3396   | 3061      | 2751      | 2462      | 2190                  | 3139      | 2560   | 2081      | 1681      | 1346           | 1065      | 2.3       | 3.0       | 0.0       | -7.6      | -21.3     |           |  |  |
| M                         |                 | 130           | SP          | H270130SP    | \$49  | .409 | 3375                         | 3123   | 2885      | 2659      | 2444      | 2240                  | 3288      | 2815   | 2402      | 2041      | 1724           | 1448      | 2.8       | 3.5       | 0.0       | -8.4      | -22.6     |           |  |  |
| M                         |                 | 130           | Barnes TSX  | B270130TSX   | \$65  | .466 | 3400                         | 3176   | 2963      | 2761      | 2567      | 2382                  | 3338      | 2912   | 2536      | 2201      | 1903           | 1638      | 2.6       | 3.3       | 0.0       | -7.9      | -21.0     |           |  |  |
| M                         |                 | 130           | Partition   | N270130PT    | \$70  | .416 | 3375                         | 3127   | 2892      | 2670      | 2458      | 2256                  | 3288      | 2822   | 2415      | 2058      | 1744           | 1470      | 2.8       | 3.5       | 0.0       | -8.3      | -22.4     |           |  |  |
| M                         |                 | 140           | Accubond    | N270140ACB   | \$64  | .496 | 3320                         | 3113   | 2916      | 2727      | 2547      | 2373                  | 3427      | 3014   | 2644      | 2313      | 2016           | 1751      | 2.7       | 3.4       | 0.0       | -8.1      | -22.6     |           |  |  |
| M                         |                 | 140           | BST         | N270140BST   | \$56  | .456 | 3300                         | 3077   | 2865      | 2663      | 2470      | 2285                  | 3385      | 2943   | 2551      | 2204      | 1896           | 1622      | 2.9       | 3.6       | 0.0       | -8.4      | -22.6     |           |  |  |
| M                         |                 | 150           | SP          | H270150SP    | \$49  | .462 | 3245                         | 3028   | 2821      | 2623      | 2434      | 2253                  | 3507      | 3053   | 2650      | 2292      | 1973           | 1690      | 3.0       | 3.7       | 0.0       | -8.7      | -23.3     |           |  |  |
| M                         |                 | 150           | Partition   | N270150PT    | \$70  | .465 | 3245                         | 3029   | 2823      | 2627      | 2439      | 2259                  | 3507      | 3055   | 2655      | 2298      | 1981           | 1699      | 3.0       | 3.7       | 0.0       | -8.7      | -23.2     |           |  |  |
| M                         |                 | 139           | SP          | H7MM139SP    | \$49  | .392 | 3340                         | 3079   | 2834      | 2601      | 2380      | 2170                  | 3443      | 2926   | 2478      | 2088      | 1748           | 1453      | 2.9       | 3.6       | 0.0       | -8.7      | -23.7     |           |  |  |
| M                         |                 | 140           | Barnes TSX  | B7MM140TSX   | \$64  | .477 | 3250                         | 3039   | 2837      | 2645      | 2460      | 2283                  | 3284      | 2871   | 2503      | 2175      | 1882           | 1621      | 3.0       | 3.6       | 0.0       | -8.6      | -23.0     |           |  |  |
| M                         |                 | 140           | Partition   | N7MM140PT    | \$70  | .434 | 3303                         | 3069   | 2847      | 2636      | 2434      | 2241                  | 3391      | 2927   | 2519      | 2159      | 1841           | 1562      | 2.9       | 3.6       | 0.0       | -8.5      | -23.1     |           |  |  |
| M                         |                 | 150           | BST         | N7MM150BST   | \$56  | .493 | 3300                         | 3093   | 2896      | 2708      | 2527      | 2305                  | 3627      | 3187   | 2793      | 2442      | 2127           | 1844      | 2.8       | 3.5       | 0.0       | -8.2      | -21.8     |           |  |  |
| M                         |                 | 154           | SP          | H7MM154SP    | \$49  | .433 | 3260                         | 3028   | 2807      | 2597      | 2397      | 2206                  | 3634      | 3134   | 2694      | 2307      | 1964           | 1663      | 3.0       | 3.7       | 0.0       | -8.8      | -23.8     |           |  |  |
| M                         |                 | 160           | Accubond    | N7MM160ACB   | \$64  | .531 | 3050                         | 2868   | 2694      | 2596      | 2364      | 2206                  | 3306      | 2923   | 2578      | 2267      | 1986           | 1733      | 3.4       | 4.1       | 0.0       | -8.6      | -25.3     |           |  |  |
| M                         |                 | 160           | Partition   | N7MM160PT    | \$70  | .475 | 3200                         | 2991   | 2791      | 2600      | 2417      | 2241                  | 3638      | 3177   | 2767      | 2401      | 2075           | 1784      | 3.1       | 3.8       | 0.0       | -8.9      | -23.8     |           |  |  |
| MB                        |                 | 175           | SP          | H7MM175SP    | \$49  | .462 | 3070                         | 2861   | 2662      | 2471      | 2288      | 2113                  | 3662      | 3181   | 2753      | 2373      | 2034           | 1735      | 3.5       | 4.2       | 0.0       | -9.9      | -26.5     |           |  |  |
| MB                        | .338-06 A-Seven | 210           | Partition   | N386210PT    | \$63  | .400 | 2750                         | 2526   | 2312      | 2109      | 1916      | 1735                  | 3527      | 2975   | 2493      | 2074      | 1712           | 1404      | 4.8       | 5.7       | 0.0       | -13.5     | -36.5     |           |  |  |
| MB                        | .300 Wby.       | 150           | SP          | H300150SP    | \$49  | .338 | 3540                         | 3225   | 2932      | 2657      | 2399      | 2155                  | 4173      | 3462   | 2862      | 2351      | 1916           | 1547      | 2.6       | 3.3       | 0.0       | -8.2      | -22.6     |           |  |  |
| M                         |                 | 150           | Partition   | N300150PT    | \$70  | .387 | 3540                         | 3263   | 3004      | 2759      | 2528      | 2307                  | 4173      | 3547   | 3005      | 2536      | 2128           | 1773      | 2.5       | 3.2       | 0.0       | -7.7      | -20.9     |           |  |  |
| M                         |                 | 165           | SP          | H300165SP    | \$49  | .387 | 3390                         | 3123   | 2872      | 2634      | 2409      | 2195                  | 4210      | 3573   | 3021      | 2542      | 2126           | 1765      | 2.8       | 3.5       | 0.0       | -8.5      | -23.1     |           |  |  |
| MB                        |                 | 165           | Barnes TSX  | B300165TSX   | \$70  | .380 | 3330                         | 3061   | 2809      | 2570      | 2343      | 2128                  | 4064      | 3434   | 2891      | 2420      | 2012           | 1660      | 2.9       | 3.7       | 0.0       | -9.0      | -24.2     |           |  |  |
| M                         |                 | 165           | BST         | N300165BST   | \$56  | .475 | 3350                         | 3131   | 2927      | 2730      | 2542      | 2361                  | 4111      | 3596   | 3138      | 2730      | 2367           | 2042      | 2.7       | 3.4       | 0.0       | -8.1      | -21.4     |           |  |  |
| MB                        |                 | 180           | SP          | H300180SP    | \$49  | .425 | 3240                         | 3004   | 2781      | 2569      | 2366      | 2173                  | 4195      | 3607   | 3091      | 2637      | 2237           | 1886      | 3.1       | 3.8       | 0.0       | -9.0      | -24.4     |           |  |  |
| MB                        |                 | 180           | Barnes TSX  | B300180TSX   | \$70  | .453 | 3240                         | 3018   | 2807      | 2606      | 2414      | 2230                  | 4197      | 3642   | 3151      | 2715      | 2319           | 1987      | 3.0       | 3.89      | 0.0       | -8.81     | -23.6     |           |  |  |
| MB                        |                 | 180           | BST         | N300180BST   | \$65  | .507 | 3250                         | 3051   | 2806      | 2676      | 2503      | 2334                  | 4223      | 3721   | 3271      | 2867      | 2504           | 2178      | 2.8       | 3.6       | 0.0       | -8.4      | -22.6     |           |  |  |
| MB                        |                 | 180           | Accubond    | N300180ACB   | \$64  | .507 | 3250                         | 3051   | 2861      | 2678      | 2503      | 2335                  | 4223      | 3721   | 3271      | 2868      | 2505           | 2179      | 2.9       | 3.6       | 0.0       | -8.4      | -22.4     |           |  |  |
| MB                        |                 | 180           | Partition   | N300180PT    | \$70  | .474 | 3240                         | 3028   | 2826      | 2634      | 2449      | 2271                  | 4195      | 3655   | 3193      | 2772      | 2396           | 2062      | 3.0       | 3.7       | 0.0       | -8.6      | -23.1     |           |  |  |
| MB                        |                 | 200           | Partition   | N300200PT    | \$70  | .481 | 3060                         | 2860   | 2668      | 2485      | 2308      | 2139                  | 4158      | 3631   | 3161      | 2741      | 2366           | 2032      | 3.5       | 4.2       | 0.0       | -9.8      | -26.2     |           |  |  |
| B                         |                 | 220           | Rn-Ex       | H300220RN    | \$49  | .300 | 2845                         | 2543   | 2260      | 1996      | 1751      | 1530                  | 3954      | 3158   | 2495      | 1946      | 1497           | 1143      | 4.9       | 5.9       | 0.0       | -14.6     | -40.8     |           |  |  |
| MB                        | .340 Wby.       | 200           | SP          | H340200SP    | \$56  | .361 | 3221                         | 2946   | 2688      | 2444      | 2213      | 1995                  | 4607      | 3854   | 3208      | 2652      | 2174           | 1767      | 3.3       | 4.0       | 0.0       | -9.9      | -27.0     |           |  |  |
| MB                        |                 | 210           | Partition   | N340210PT    | \$83  | .400 | 3211                         | 2963   | 2728      | 2505      | 2293      | 2092                  | 4807      | 4093   | 3470      | 2927      | 2452           | 2040      | 3.2       | 3.9       | 0.0       | -9.5      | -25.7     |           |  |  |
| MB                        |                 | 225           | SP          | H340225SP    | \$56  | .397 | 3066                         | 2824   | 2595      | 2377      | 2170      | 1973                  | 4696      | 3984   | 3364      | 2822      | 2352           | 1944      | 3.6       | 4.4       | 0.0       | -10.7     | -28.6     |           |  |  |
| B                         |                 | 200           | Accubond    | N340200ACB   | \$73  | .414 | 3225                         | 2984   | 2755      | 2538      | 2331      | 2134                  | 4620      | 3955   | 3372      | 2862      | 2414           | 2023      | 3.1       | 3.83      | 0.0       | -9.2      | -24.9     |           |  |  |
| B                         |                 | 225           | Barnes TSX  | B340225TSX   | \$83  | .386 | 2970                         | 2726   | 2495      | 2276      | 2267      | 1871                  | 4408      | 3714   | 3111      | 2588      | 2136           | 1749      | 4.0       | 4.8       | 0.0       | -11.5     | -31.2     |           |  |  |
| B                         |                 | 250           | SP          | H340250SP    | \$56  | .431 | 2963                         | 2745   | 2537      | 2338      | 2149      | 1968                  | 4873      | 4182   | 3572      | 3035      | 2563           | 2150      | 3.9       | 4.6       | 0.0       | -11.1     | -29.6     |           |  |  |
| B                         |                 | 250           | Partition   | N340250PT    | \$83  | .473 | 2941                         | 2743   | 2553      | 2371      | 2197      | 2029                  | 4801      | 4176   | 3618      | 3120      | 2678           | 2286      | 3.9       | 4.6       | 0.0       | -10.9     | -28.9     |           |  |  |
| MB                        | .30-378 Wby.    | 165           | Barnes TSX  | B303165TSX   | \$118 | .380 | 3450                         | 3243   | 3046      | 2858      | 2678      | 2504                  | 4757      | 4204   | 3709      | 3264      | 2865           | 2506      | 2.4       | 3.1       | 0.0       | -7.4      | -19.6     |           |  |  |
| M                         |                 | 165           | BST         | N303165BST   | \$112 | .475 | 3500                         | 3275   | 3062      | 2859      | 2665      | 2480                  | 4488      | 3930   | 3435      | 2995      | 2603           | 2253      | 2.4       | 3.0       | 0.0       | -7.4      | -19.5     |           |  |  |
| M                         |                 | 180           | BST         | N303180BST   | \$112 | .507 | 3420                         | 3213   | 3015      | 2826      | 2645      | 2471                  | 4676      | 4126   | 3634      | 3193      | 2797           | 2441      | 2.5       | 3.1       | 0.0       | -7.5      | -20.0     |           |  |  |
| M                         |                 | 180           | Accubond    | N303180ACB   | \$107 | .507 | 3400                         | 3194   | 2950      | 2810      | 2629      | 2456                  | 4619      | 4077   | 3591      | 3155      | 2763           | 2411      | 2.5       | 3.2       | 0.0       | -7.6      | -20.3     |           |  |  |
| MB                        |                 | 180           | Barnes TSX  | B303180TSX   | \$118 | .453 | 3360                         | 3132   | 2916      | 2709      | 2513      | 2324                  | 4513      | 3921   | 3398      | 2935      | 2524           | 2160      | 2.6       | 3.4       | 0.0       | -8.1      | -21.8     |           |  |  |
| MB                        |                 | 200           | Partition   | N303200PT    | \$118 | .481 | 3160                         | 2955   | 2759      | 2572      | 2392      | 2220                  | 4434      | 3877   | 3381      | 2938      | 2541           | 2188      | 3.2       | 3.9       | 0.0       | -9.1      | -24.3     |           |  |  |
| MB                        | .338-378 Wby.   | 200           | Accubond    | N333200ACB   | \$118 | .414 | 3380                         | 3130   | 2894      | 2670      | 2457      | 2254                  | 5075      | 4351   | 3720      | 3166      | 2681           | 2256      | 2.7       | 3.42      | 0.0       | -8.3      | -22.4     |           |  |  |
| MB                        |                 | 225           | Barnes TSX  | B333225TSX   | \$118 | .482 | 3180                         | 2974   | 2778      | 2591      | 2401      | 2238                  | 5052      | 4420   | 3856      | 3353      | 2902           | 2501      | 3.1       | 3.8       | 0.0       | -8.9      | -24.0     |           |  |  |
| MB                        |                 | 250           | Partition   | N333250PT    | \$118 | .473 | 3060                         | 2856   | 2662      | 2475      | 2297      | 2125                  | 5197      | 4528   | 3933      | 3401      | 2927           | 2507      | 3.5       | 4.2       | 0.0       | -9.8      | -26.4     |           |  |  |
| BA                        | .375 Wby.       | 300           | Partition   | N375300PT    | \$97  | .398 | 2800                         | 2572   | 2366      | 2140      | 1963      | 1760                  | 5224      | 4408   | 3696      | 3076      | 2              |           |           |           |           |           |           |           |  |  |