



SEND US A PHOTO with your Weatherby®! If you have a photo of yourself, or a member of your family with a Weatherby rifle or shotgun, we'd love to see it. Send a photo print (or high resolution digital file) and a few words about your hunt, and we may use it in a future catalog or on the Weatherby Web site. We'll also send you a Weatherby license plate frame and Weatherby Nation decal. For tips on taking great trophy photos, visit [www.weatherbynation.com](http://www.weatherbynation.com). Sorry, photos cannot be returned.

>>



OUR NEW ONLINE COMMUNITY is a great place to learn more about Weatherby rifles and shotguns, trade useful tips and ideas, and to interact with other hunters and shooters. There's no cost or obligation, so become part of the fun today. Visit [WeatherbyNation.com](http://WeatherbyNation.com) to sign up.

>>



FORMERLY KNOWN AS THE ROY E. WEATHERBY FOUNDATION, the mission of the non-profit, tax-exempt Foundation is to educate the non-hunting public on the beneficial role of ethical sport hunting and its contributions to wildlife conservation. Active in its mission, the Foundation currently leads a national initiative to foster the development of educational outdoor expos, sponsoring 28 events in 19 states during 2008. Since 1998, more than one million people have participated in Foundation-sponsored expos. About 450,000 were less than 18 years old. The Foundation also annually sponsors the Weatherby Hunting and Conservation Award (2007 winner Lawrence Rudolph, D.D.S., pictured at right). For more information, contact 145 N. Westhaven Dr., Suite BB204, Oshkosh, WI 54904; (920) 385-7252; [www.weatherby-foundation.org](http://www.weatherby-foundation.org).



>> **WEATHERBY SUPPORTS** is a member of organizations dedicated to the conservation and management of our wildlife and habitat resources, including Ducks Unlimited, Foundation for North American Wild Sheep, Mule Deer Foundation, National Rifle Association, National Shooting Sports Foundation, National Wild Turkey Federation, Quail Unlimited, Quality Deer Management Association, Rocky Mountain Elk Foundation, Safari Club International and Wildlife Forever. Weatherby proudly sponsors the Resistol Relief Fund of the Professional Bull Riders, Inc. and the National High School Rodeo Association.

>> **THE WEATHERBY COLLECTORS ASSOCIATION** was formed with the purpose of "creating an association where many Weatherby admirers could pool their knowledge and experience for the benefit of all..." Members receive a newsletter with buy-sell-swap opportunities and bid opportunities on limited-edition, commemorative firearms. For information, write P.O. Box 478, Pacific, MO 63069 (636) 239-0348; E-mail: [wcasecretary@aol.com](mailto:wcasecretary@aol.com).

>> **LEARN THE HISTORY** and lineage of your Weatherby firearm, researched and authenticated through our company records. Each certificate is personally signed by Roy E. Weatherby, Jr. and Dean Rumbaugh, Company Historian. \$50 per serial number, (\$75 for Custom Rifles, \$100 for Special Edition or Commemorative rifles). Write to Company Historian, 1605 Commerce Way, Paso Robles, CA 93446 or visit [www.weatherby.com](http://www.weatherby.com).

>> **AUTHORIZED SERVICE CENTERS** Weatherby Authorized Service Centers have been carefully screened and selected for their ability to perform the highest quality of service to exacting standards. Service work includes both metal and wood work and all internal components. For the center nearest you call us at (805) 227-2600 or by FAX at (805) 237-0427. By mail, 1605 Commerce Way, Paso Robles, CA 93446 or visit [www.weatherby.com](http://www.weatherby.com).

# Weatherby®


RIFLES | SHOTGUNS | AMMUNITION | ACCESSORIES



# 2009

>>

## “THE PAST YEAR HAS BEEN A BUSY TIME HERE AT WEATHERBY.”



New products like the Mark XXII® rimfire bolt action and the PA-08 pump shotguns gave us lots to talk about. Also we were very excited to launch our online community Weatherby Nation ([www.weatherbynation.com](http://www.weatherbynation.com)). With over 13,000 members in its first year, the response to Weatherby Nation has been phenomenal. It has been a great place to “talk shop” and rub elbows with Weatherby enthusiasts around the world.

So how do we top that? More new products and exciting enhancements to both our main Web site ([www.weatherby.com](http://www.weatherby.com)) and to Weatherby Nation.

Playing off the success of the Mark XXII bolt action rifle's introduction, we're very pleased to offer a new semi-automatic rimfire (Mark XXII SA) in both .22 LR and .17 HMR. There's nothing quite like the fun of target or small game shooting with a fast-action repeater. The Mark XXII SA

fits right in line with our commitment to combining the latest in high performance technology with distinctive Weatherby styling. Check it out on pages 26 and 27.

Other new items of note include our Vanguard® Predator rifle (page 11), a hardworking varmint gun that features a unique Hydrographic Immersion process that bonds the Natural Gear camo pattern directly to the stock, barrel and metalwork. And, for detachable drop box magazine enthusiasts we now offer an easy-to-install accessory kit that will convert your favorite Vanguard rifle to a detachable drop box magazine (see page 8).

If you haven't yet joined Weatherby Nation, I invite you to do so today. There's no cost to join and I am certain you'll find it to be an entertaining and engaging place to spend some time. The discussion is always on

in Spike Camp and we have a number of new online chats and events planned for 2009. I personally enjoy the chance to interact with so many Weatherby enthusiasts.

Finally, we'll be implementing some big changes to our primary Web site ([www.weatherby.com](http://www.weatherby.com)). Our goal is to make the Web site more user-friendly and easier to find the information you want and need about all things Weatherby.

Thanks for your continued support of Weatherby. I hope to see you in the field or at Weatherby Nation.

Good shooting and God Bless!



Vanguard® Rifles	6	Side-By-Side Shotguns	54
Mark V® Rifles	16	Accessories/Collectibles	57
Mark XXII® Rifles	26	Weatherby Nation	57
Custom Shop	30	Specifications	60
Ammunition	36	Authorized Service Centers	Back
Semi-Auto Shotguns	42	Weatherby® Collectors Assc.	Back
Pump Shotguns	46	Weatherby Foundation	Back
O/U Shotguns	48	History of Your Weatherby	Back



**THE HISTORY OF WEATHERBY** began in the mid-1940s when a young cartridge “wildcatter” named Roy Weatherby set out to change the world of firearm performance. Contrary to then-popular thinking (heavy bullets pushed at slow speeds), Roy believed that lightweight bullets traveling at super high speeds provided the best combination to create the hydrostatic shock required for one-shot kills. Based upon that philosophy, he spent the next decade developing the high-powered Weatherby® Magnum cartridges for which the company is known today (.224, .240, .257, .270, 7mm, .300, .30-378, .340, .338-378, .375, .378, .416 and .460). Roy went on to develop the Mark V® in 1958, a proprietary action renowned as the “world's strongest bolt action.” In 1970, he developed the Vanguard® action, borrowing many of the characteristics of the Mark V, based on a dual-opposed lug Mauser-style action. Today, the company is also known for a proprietary line of Over/Under, Side-by-Side, Semi-automatic and Pump shotguns. Rifle or shotgun, superior design and unparalleled performance are cornerstones of every firearm that carries the Weatherby name.





**GIVE YOUR  
CONFIDENCE  
A SHOT IN THE ARM.**

"THANKS FOR MAKING AN EXCEPTIONAL RIFLE at a very reasonable price. My Vanguard SUB-MOA is a real tack driver and has provided me much satisfaction and success!" **Richard Fording** [California]

Rifle: Vanguard® SUB-MOA | Caliber: .300 WSM | Range: 468 yds.



# VANGUARD®

>>

INTRODUCED IN 1970, the Weatherby Vanguard® action (based on a Mauser-style, dual opposed lug design) takes many of its cues from our legendary Mark V® action, including a one-piece machined receiver, fully enclosed bolt sleeve and three rings of steel surrounding the casehead. Today, it is our most popular option, combining exceptional value with the proven consistency of Japanese production and quality control. With models starting at just a few hundred dollars, there's a Vanguard to fit virtually any budget and any requirement for the most serious hunters and shooters. And, it remains the only production rifle that comes with a factory-shot target as your proof of guaranteed accuracy.

**Cocking Indicator** – Allows you to instantly see whether rifle is cocked or uncocked. An important safety feature.

**Fully Enclosed Bolt Sleeve** – Completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture.

**Three Rings of Steel** – The cartridge casehead is surrounded by the recessed bolt face, which is surrounded by the barrel, which is surrounded by the machined steel receiver. Creates an extra measure of strength and structural integrity.

**Cold Hammer Forged 24" Barrel** – Maximizes velocity and produces a guaranteed 1½" OR BETTER 3-shot group at 100 yards when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. 20" and 22" barrels available on some models.

**Integral Recoil Lug** – One-piece machined receiver features integral recoil lug for the utmost in strength and structural integrity.

**Improved Trigger System** – Every Weatherby trigger is factory-tuned and manually inspected for a clean, crisp break, improving shooter accuracy. Fully adjustable for sear engagement (factory set at .008 to .014) and let-off weight (factory set between 2.5 and 3.8 lbs. – averaging 3.15 lbs.). A special grooved trigger shoe surface provides better "feel" and control.

**Monte Carlo Stock** – Injection-molded composite delivers superior accuracy and durability. Monte Carlo design with raised comb is cast off to allow for quicker eye-to-scope alignment and faster target acquisition, while reducing felt recoil. Dual tapered forearm (back and upward) provides better grip and control under recoil and is flat-bottomed for a steady, stable rest. Low-density recoil pad greatly increases shock absorption and reducing felt recoil.

**One-Piece Machined Bolt** – Provides maximum strength and structural integrity. Knurled bolt knob adds to the functionality and value.

**Fluted Bolt Body** – Features three gas ports to allow high-pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area, while minimizing binding for smooth action.

**Factory-Tuned, Fully Adjustable Trigger** – Our newly enhanced trigger system is fully adjustable for sear engagement and is factory set between .008 to .014. *NOTE: As a point of reference for the precision of our trigger, the average thickness of a page in this catalog is .004.* Let-off weight is factory set between 2.5 and 3.8 lbs. – averaging 3.15 lbs. Sear and triggers are hand-honed to provide an ultra-smooth surface to eliminate trigger creep. Each trigger is manually inspected and tuned to assure a clean, crisp trigger that will break precisely, improving shooter accuracy. (Additional sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith).

**Hinged Floorplate** – One-piece bottom metal and hinged floorplate provides easy access to unfired cartridges in the magazine. Constructed of steel and lightweight alloy.



**THE VALUE OF A FACTORY-SHOT TARGET** – All Vanguard rifles come with a factory-shot target as proof that your rifle is guaranteed accurate (1½" 3-shot group at 100 yards when used with premium [non-Weatherby calibers] or Weatherby factory ammunition). Consider this: To gain the same assurance, you would have to select and mount a scope, boresight the rifle, buy ammo, make a trip to the range and back just to be certain the rifle you bought was accurate. The factory-shot target saves you hundreds of dollars and hours of time! Why would you settle for "hoping" your rifle will be accurate when Weatherby gives you proof positive!

## Vanguard Competitive Advantage

Features	Weatherby Vanguard Synthetic	Howa M-1500 Lightning	Browning Composite Stalker	Remington SPS	Savage 11 F	Tikka T3 Lite
Accuracy Guarantee	Yes – 1½" or less	No	No	No	No	Yes – 1"
Factory-Shot Target	Yes	No	No	No	No	No
Number of Calibers	14	14	17	8	14	17
Adjustable Trigger	Yes	Yes	Yes	Factory Adjustable	Yes	Yes
Weight	7½ lbs.	7½ lbs.	6¼-7¼ lbs.	7¼-7½ lbs.	6½-6¾ lbs.	7-7½ lbs.
Country of Origin	Japan	Japan	Japan	USA	USA	Finland
MSRP	[Visit <a href="http://www.weatherby.com">www.weatherby.com</a> for comparative pricing.]					

Specification information is from current competitor-published catalogs and Web sites.



VANGUARD® SYNTHETIC  
VANGUARD STAINLESS

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Injection-molded composite stock
- ▶ Matte black metalwork
- ▶ 24" hammer-forged barrel
- ▶ Low-density recoil pad
- ▶ Stainless model features metalwork bead blasted to matte finish

Available Calibers

Available Calibers	Synthetic	Stainless	Synthetic	Stainless
.223 Rem.	VGW223RR40	VGS223RR40	.257 Wby. Mag.	VGW257WR40
.22-250 Rem.	VGW222RR40	VGS222RR40	.270 WSM	VGW270NSR40
.243 Win.	VGW243NR40	VGS243NR40	7mm Rem. Mag.	VGW7MMRR40
.25-06 Rem.	VGW256RR40		.300 Win. Mag.	VGW300NR40
.270 Win.	VGW270NR40	VGS270NR40	.300 WSM	VGW300NSR40
7mm-08 Rem.	VGW7M8RR40		.300 Wby. Mag.	VGW300WR40
.308 Win.	VGW308NR40	VGS308NR40	.338 Win. Mag.	VGW338NR40
.30-06 Sprg.	VGW306SR40	VGS306SR40		

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)



VANGUARD  
YOUTH/COMPACT

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Ideal rifle that can grow with the shooter
- ▶ Features lighter Vanguard short action (20" #1 contour barrel)
- ▶ Scaled-down stock (12½" length of pull) with non-reflective black finish
- ▶ Comes with full-size, injection-molded composite stock (\$139 value)
- ▶ Low-density recoil pad

Available Calibers

.223 Rem.	VGC223RR00
.22-250 Rem.	VGC222RR00
.243 Win.	VGC243NR00
7mm-08 Rem.	VGC7M8RR00
.308 Win.	VGC308NR00

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)



NEW FOR 2009  
VANGUARD CARBINE

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Weighs just 6¾ pounds
- ▶ Shorter 20" barrel (#1 contour)
- ▶ Injection molded composite stock
- ▶ Matte black metalwork
- ▶ Low density recoil pad

Available Calibers

.223 Rem.	VCR223RR00
.22-250 Rem.	VCR222RR00
.243 Win.	VCR243NR00
7mm-08 Rem.	VCR7M8RR00
.308 Win.	VCR308NR00

MSRP at weatherby.com  
New for 2009

• 1½-INCH GUARANTEE (TARGET INCLUDED)



VANGUARD  
SYNTHETIC PACKAGE

- ▶ Features Vanguard Synthetic rifle
- ▶ Bushnell® Banner 3-9x40mm scope with phase-coated optics and ¼-minute click adjustments
- ▶ Leupold® Rifleman rings and bases
- ▶ Uncle Mike's® nylon sling
- ▶ Plano® PRO-MAX™ injection-molded rifle case

Available Calibers

.223 Rem.	VWP223RR40	.257 Wby. Mag.	VWP257WR40
.22-250 Rem.	VWP222RR40	.270 WSM	VWP270NSR40
.243 Win.	VWP243NR40	7mm Rem. Mag.	VWP7MMRR40
.25-06 Rem.	VWP256RR40	.300 Win. Mag.	VWP300NR40
.270 Win.	VWP270NR40	.300 WSM	VWP300NSR40
7mm-08 Rem.	VWP7M8RR40	.300 Wby. Mag.	VWP300WR40
.308 Win.	VWP308NR40	.338 Win. Mag.	VWP338NR40
.30-06 Sprg.	VWP306SR40		

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)

NEW! DETACHABLE  
BOX MAGAZINE  
ACCESSORY KIT

>>

Retrofit your Vanguard rifle with a detachable box magazine. Easy-to-install kit replaces floorplate, spring and triggerguard with detachable box magazine (holds 3 + 1 in chamber). Durable injection molded plastic is bead blasted for a matching finish. Available for .25-06 Rem., .270 Win. and .30-06 Sprg. Also fits selected Howa 1500 and Smith & Wesson and Mossberg versions of the Howa 1500.



GUARANTEED ACCURACY >>

Vanguard rifles include a factory-shot target in every box—AT NO EXTRA CHARGE—as proof that the rifle will shoot a 1½" or better 3-shot group at 100 yards when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. No other production rifle gives you this assurance. Why would you settle for "hoping" your rifle will be accurate when Weatherby gives you proof positive!



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.



**VANGUARD®  
DELUXE**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ "Semi-fancy" grade walnut Monte Carlo-style stock
- ▶ High gloss, blued metalwork
- ▶ 24" hammer-forged barrel
- ▶ Features maplewood spacers and rosewood forend and grip cap
- ▶ Low-density recoil pad

**Available Calibers**

.270 Win.	VGX270NR40	7mm Rem. Mag.	VGX7MMRR40
.30-06 Sprg.	VGX306SR40	.300 Win. Mag.	VGX300NR40
.257 Wby. Mag.	VGX257WR40	.300 Wby. Mag.	VGX300WR40

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)



**VANGUARD SPORTER  
VANGUARD SPORTER SS**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Exceptional value in a wood stock rifle
- ▶ Raised comb, Monte Carlo walnut stock with satin urethane finish
- ▶ Rosewood forend
- ▶ Low lustre, matte blued metalwork
- ▶ Finesse diamond point checkering
- ▶ Stainless model features metalwork bead blasted to matte finish

**Available Calibers**

Available Calibers	Sporter	Sporter SS	Sporter	Sporter SS
.223 Rem.	VDM223RR40	VWS223RR40	.257 Wby. Mag.	VDM257WR40
.22-250 Rem.	VDM222RR40	VWS222RR40	.270 WSM	VDM270NSR40
.243 Win.	VDM243NR40	VWS243NR40	7mm Rem. Mag.	VDM7MMRR40
.25-06 Rem.	VDM256RR40		.300 Win. Mag.	VDM300NR40
.270 Win.	VDM270NR40	VWS270NR40	.300 WSM	VDM300NSR40
7mm-08 Rem.	VDM7M8RR40		.300 Wby. Mag.	VDM300WR40
.308 Win.	VDM308NR40	VWS308NR40	.338 Win. Mag.	VDM338NR40
.30-06 Sprg.	VDM306SR40	VWS306SR40		VWS338NR40

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)



**VANGUARD  
SAGE  
COUNTRY**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Injection molded stock with Desert Camo
- ▶ 24" chrome moly barrel
- ▶ Low density recoil pad

**Available Calibers**

.223 Rem.	VSC223RR40	.257 Wby. Mag.	VSC257WR40
.22-250 Rem.	VSC222RR40	.270 WSM	VSC270NSR40
.243 Win.	VSC243NR40	7mm Rem. Mag.	VSC7MMRR40
.270 Win.	VSC256RR40	.300 Win. Mag.	VSC300NR40
.25-06 Rem.	VSC270NR40	.300 WSM	VSC300NSR40
7mm-08 Rem.	VSC7M8RR40	.300 Wby. Mag.	VSC300WR40
.308 Win.	VSC308NR40	.338 Win. Mag.	VSC338NR40
.30-06 Sprg.	VSC306SR40		

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)



**VANGUARD  
BACK  
COUNTRY**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ 24" fluted stainless steel barreled action is pillar bedded to an Ultralight composite stock with gray spiderwebbing
- ▶ Weighs just 6¾ pounds

**Available Calibers**

.270 Win.	VBC270NR40
.30-06 Sprg.	VBC306SR40
.257 Wby. Mag.	VBC257WR40
.300 Win. Mag.	VBC300NR40
.300 Wby. Mag.	VBC300WR40

MSRP at weatherby.com

• 1½-INCH GUARANTEE (TARGET INCLUDED)



**NEW FOR 2009  
VANGUARD  
PREDATOR**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Injection molded composite stock and metalwork feature Natural Gear camo pattern applied with special Hydrographic Immersion process (water transfer printing)
- ▶ 22" barrel (#3 contour)
- ▶ Low density recoil pad

**Available Calibers**

.223 Rem.	VPR223RR00
.22-250 Rem.	VPR222RR00
.308 Win.	VPR308RR00

MSRP at weatherby.com  
New for 2009

• 1½-INCH GUARANTEE (TARGET INCLUDED)



**MASSIVE M-16-STYLE CLAW EXTRACTOR**

>>

Ensures reliable and positive extraction. Extracts and ejects the fired case without the necessity of full bolt retraction.

**COCKING INDICATOR**

>>

All Vanguard® rifles feature an easy-to-see cocking indicator on rear of action. Provides an extra measure of safety in the field. Fully enclosed bolt sleeve completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture.



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.



• SUB-MOA GUARANTEE (TARGET INCLUDED)

**VANGUARD®  
SUB-MOA MATTE**



- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Guaranteed to shoot a 3-shot group of .99" or less when used with specified factory or premium ammunition
- ▶ Pillar-bedded Fiberguard® composite stock with Monte Carlo, raised cheekpiece and non-slip black spiderwebbing
- ▶ Matte black metalwork
- ▶ Pachmayr® Decelerator® pad

Available Calibers			
.223 Rem.	VMM223RR40	.257 Wby. Mag.	VMM257WR40
.22-250 Rem.	VMM222RR40	.270 WSM	VMM270NSR40
.243 Win.	VMM243NR40	7mm Rem. Mag.	VMM7MMRR40
.25-06 Rem.	VMM256RR40	.300 Win. Mag.	VMM300NR40
.270 Win.	VMM270NR40	.300 WSM	VMM300NSR40
7mm-08 Rem.	VMM7M8RR40	.300 Wby. Mag.	VMM300WR40
.308 Win.	VMM308NR40	.338 Win. Mag.	VMM338NR40
.30-06 Sprg.	VMM306SR40		

MSRP at weatherby.com



• SUB-MOA GUARANTEE (TARGET INCLUDED)

**VANGUARD  
SUB-MOA VARMINT**



- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Guaranteed to shoot a 3-shot group of .99" or less when used with specified factory or premium ammunition
- ▶ Hand-laminated, Monte Carlo composite stock with beavertail forearm, Pachmayr® Decelerator® pad and strategically placed vents to dissipate heat and promote repeatable accuracy
- ▶ CNC-machined aluminum bedding plate provides a solid, stable platform for the barreled action
- ▶ 22" #3 contour free-floated barrel with recessed target crown

Available Calibers	
.204 Ruger	VSR204RG20
.223 Rem.	VSR223RR20
.22-250 Rem.	VSR222RR20
.308 Win.	VSR308RR20

MSRP at weatherby.com



• SUB-MOA GUARANTEE (TARGET INCLUDED)

**VANGUARD  
SUB-MOA STAINLESS**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Guaranteed to shoot a 3-shot group of .99" or less when used with specified factory or premium ammunition
- ▶ Pillar-bedded Fiberguard® composite stock with Monte Carlo, raised cheekpiece and non-slip gray spiderwebbing
- ▶ Stainless steel metalwork bead blasted to matte finish
- ▶ Pachmayr® Decelerator® pad

Available Calibers			
.223 Rem.	VSM223RR40	.270 WSM	VSM270NSR40
.22-250 Rem.	VSM222RR40	7mm Rem. Mag.	VSM7MMRR40
.243 Win.	VSM243NR40	.300 Win. Mag.	VSM300NR40
.270 Win.	VSM270NR40	.300 WSM	VSM300NSR40
.308 Win.	VSM308NR40	.300 Wby. Mag.	VSM300WR40
.30-06 Sprg.	VSM306SR40	.338 Win. Mag.	VSM338NR40
.257 Wby. Mag.	VSM257WR40		

MSRP at weatherby.com




**WHAT IS SUB-MOA?**

In ballistic terms, a Minute of Angle (MOA) is the arc formed by an angle of one minute (1/60th of a degree at any range). At 100 yards, MOA is 1.047". Weatherby SUB-MOA rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) when used with specified Weatherby factory or premium ammunition.

To assure this accuracy, we hand select barreled actions that shoot .75" or less in our test range to be designated as SUB-MOA. With a SUB-MOA, you get one of the most accurate production rifles you can buy—guaranteed!

**PILLAR-BEDDING FOR  
TACK-DRIVING ACCURACY**

>>



Vanguard SUB-MOA rifles are pillar-bedded to assure repeatable accuracy of .99" or less. CNC-machined aluminum pillars maintain consistent tightening depths of guard screws, eliminating unwanted torque and stress on the barreled action.

**FACTORY-TUNED,  
PRECISION TRIGGER**

>>

Our newly enhanced trigger system is fully adjustable for sear engagement (factory set at .008 to .014) and let-off weight (factory set between 2.5 and 3.8 lbs. – averaging 3.15 lbs.). Sear and triggers are hand-honed to provide an ultra-smooth surface to eliminate trigger creep. Each trigger is manually inspected and tuned to assure a clean, crisp break, improving shooter accuracy.



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.

# BRING A GOOD CAMERA.



"OUR WHOLE FAMILY is 'Weatherby for life.' We wouldn't trust our tags to anything else." **Cal & Cody Bender** [Montana]


**Rifle:** Mark V® Ultra Lightweight | **Caliber:** .240 Wby. Mag.




# MARK V®

>>

ROY WEATHERBY'S MARK V® ACTION changed the face of American firearms. Introduced in 1958, billed as "the world's strongest bolt action," it features three rings of steel surrounding the casehead, fluted bolt body with three gas ports, and nine locking lugs (six on non-magnum models) for a short 54-degree bolt lift. For the ultimate in speed and power, particularly on the biggest and most dangerous game, the Weatherby Mark V Magnum system has no equal. Today, the Mark V is also available in standard calibers, ideal for those who require less power; desire less weight or who hunt in mountainous terrain. Our standard caliber action gives big game and varmint hunters all the inherent benefits of the Mark V in a size that accommodates up to .30-06 cartridge length (including the .240 Wby. Mag.)



**54-Degree Bolt Lift**  
The shortest in the industry (as compared to typical 90° bolt throw). Allows faster chambering on follow-up shots and greater bolt-to-scope clearance for fewer battered knuckles.



**Cocking Indicator** – An industry first! Visually indicates whether rifle is cocked or uncocked.

**Fully Enclosed Bolt Sleeve** – Completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture.

**Three Rings of Steel** – The cartridge casehead is surrounded by the recessed bolt face, barrel, and forged and machined steel receiver. Creates an extra measure of strength and structural integrity.

**Integral Recoil Lug** – One-piece forged and machined receiver features integral recoil lug for the utmost in strength and structural integrity.

**Direct Striker Intervention Safety** – Offers direct, positive locking of the firing pin. Locks bolt in engaged position and disengages the sear to render the trigger inoperable. Safety operates easily with a rolling action of the thumb, and is virtually silent with a controlled release.

**Floorplate/Triggerguard Assembly** – One-piece alloy triggerguard frame offers exceptional strength and fit and finish. Triggerguard is engraved with flying "W" monogram—one of the custom touches you get with a Weatherby Mark V rifle.


**Fluted Bolt Body** – Features three gas ports to allow high-pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area while minimizing binding for smooth action.

**Positive Cartridge Extraction** – Extracts the cartridge and ejects the fired case without the necessity of full bolt retraction.

**Field or Target Crown** – All Mark V® rifles are finished with one of three crown options. These concentrically-perfect crowns protect the muzzle/exit hole of the rifle and allow gases to escape to improve accuracy potential. The Mark V® Accumark and Ultra Lightweight rifles feature a recessed target crown (top). The Mark V® Super Varmintmaster (SVM), Special Varmint Rifle (SVR), and Compact Firing Platform (CFP) rifles feature an 11-degree parabolic target crown (middle). The Mark V® Synthetic, Fibermark, Deluxe, Sporter, Lazermark, and Ultramark rifles feature a radius field crown (bottom).

**Factory-Tuned, Fully Adjustable Trigger** – Allows for precise adjustment of sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 3.5 pounds). You get a clean, crisp trigger that will break precisely... a key component in delivering improved accuracy and improved shooter performance. (Additional sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith).

**Monte Carlo Stock** – Specifically designed to improve shooter performance. The raised comb is cast off to allow for quicker eye-to-scope alignment and faster target acquisition, and to reduce felt recoil. The forearm is dual tapered (back and upward) to deliver better grip and control under recoil, and is flat-bottomed to provide a steady, stable rest.



**MAGNUM OR STANDARD** – The Mark V action for Magnum cartridges (9 lug) is available with 24" or 26" barrels. The Mark V action for standard cartridges (6 lug) is available in 22", 24" and 26" barrels. Virtually identical in design, the standard cartridge action is dimensionally smaller and weighs 28% less (25.9 ounces vs. 35.9 ounces).

## Mark V Competitive Advantage

Features	Weatherby Ultra Lightweight	Sako 75 Finelight	Kimber Model 8400 Montana	Remington Model 700 Alaska TI
Accuracy Guarantee	Yes – 1½" or less	No	No	No
Available Calibers	14	12	3	7
Barrel Length	24" / 26"	21" / 24"	24"	24"
Bolt Lift	54°	70°	90°	90°
Locking Lugs	6 (Magnum 9)	3	2	2
Adjustable Trigger	Yes	Yes	Yes	Factory Adjustable
Weight	5½-6½ lbs.	6½ lbs.	6 lbs.	5½-6½ lbs.
Country of Origin	USA	Finland	USA	USA
MSRP	(Visit <a href="http://www.weatherby.com">www.weatherby.com</a> for comparative pricing.)			

Specification information is from current competitor-published catalogs and Web sites.



• 1½-INCH GUARANTEE

**MARK V®  
ULTRA LIGHTWEIGHT**

(.270 Wby. Mag. & 7mm Wby. Mag. left-hand models are available only from the Weatherby Custom Shop)

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Weighs 5¾ pounds (6¾ pounds on Magnum models)
- ▶ 24" or 26" #1 contour (or modified #2 contour) fluted stainless steel barrel (blackened to reduce game-spooking glare) with recessed target crown (.583 for magnum and .547 for standard calibers)
- ▶ Bell & Carlson® composite stock with spiderweb accents
- ▶ CNC-machined 6061 T-6 aluminum bedding plate
- ▶ Pachmayr® Decelerator® pad

**Available Calibers**

.243 Win.	UTS243NR40	.30-06 Sprg.	UTS306SR40
.240 Wby. Mag.	UTS240WR40	.257 Wby. Mag.	UTM257WR60
.25-06 Rem.	UTS256RR40	.270 Wby. Mag.	UTM270WR60
.270 Win.	UTS270NR40	7mm Rem. Mag.	UTM7MMRR40
7mm-08	UTS7M8RR40	7mm Wby. Mag.	UTM7MMWR60
.280 Rem.	UTS280RR40	.300 Win. Mag.	UTM300NR40
.308 Win.	UTS308NR40	.300 Wby. Mag.	UTM300WR60

**Left-Hand Action**

.257 Wby. Mag.	UTM257WL60	.300 Wby. Mag.	UTM300WL60
----------------	------------	----------------	------------

MSRP at weatherby.com



• 1½-INCH GUARANTEE

**MARK V  
ACCUMARK®**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Hand-laminated, raised comb, Monte Carlo composite stock with matte gel coat finish and spiderweb accents
- ▶ Button-rifled, heavy contour free-floated stainless steel barrel with target crown
- ▶ CNC-machined 6061 T-6 aluminum bedding plate
- ▶ Pachmayr® Decelerator® pad



**Available Calibers**

.22-250 Rem.	AMS222RR40	.270 Wby. Mag.	AMM270WR60
.243 Win.	AMS243NR40	7mm Rem. Mag.	AMM7MMRR60
.240 Wby. Mag.	AMS240WR40	7mm Wby. Mag.	AMM7MMWR60
.25-06 Rem.	AMS256RR40	.300 Win. Mag.	AMM300NR60
.270 Win.	AMS270NR40	.300 Wby. Mag.	AMM300WR60
.308 Win.	AMS308NR40	.30-378 Wby. Mag.	AMM303WR8B
.257 Wby. Mag.	AMM257WR60	.338-378 Wby. Mag.	AMM333WR8B
		.340 Wby. Mag.	AMM340WR60

**Left-Hand Action**

.257 Wby. Mag.	AMM257WL60	.300 Wby. Mag.	AMM300WL60
.30-378 Wby. Mag.	AMM303WL8B		

MSRP at weatherby.com New for 2009



**BELL & CARLSON®**

>>

Ultra Lightweight, Accumark® and SVM rifles feature a specially-designed, hand-laminated raised comb Monte Carlo stock by Bell & Carlson. Constructed of Aramid, graphite unidirectional fibers and fiberglass.

A CNC-machined bedding plate is constructed of aircraft-grade 6061 T-6 aluminum that stiffens the receiver area, providing a stable and rigid platform for securing the barreled action to the stock. Precisely-inletted, the bedding plate ensures repeatable accuracy.



• 1½-INCH GUARANTEE

**MARK V SVM  
(SUPER VARMINTMASTER®)**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Hand-laminated, raised comb, Monte Carlo composite stock with beavertail forearm for stable rest
- ▶ Button-rifled, fluted stainless steel barrel features 11-degree parabolic target crown
- ▶ CNC-machined aluminum bedding block stiffens receiver area for a stable platform for barreled action
- ▶ Pachmayr® Decelerator® pad



**Available Calibers**

.223 Rem.	VRS223RR60
.22-250 Rem.	VRS222RR60
.243 Win.	VRS243NR60

MSRP at weatherby.com



**SKELETONIZED  
BOLT BODY**

>>

The Mark V® Ultra Lightweight features a one-piece forged bolt with longitudinal flutes to reduce weight and bearing surface for smooth operation and action. Bolt handle is made of state-of-the-art alloys and "skeletonized" to further reduce weight. We trimmed every available ounce of weight to give the Ultra Lightweight its feathery feel.



**FULLY  
ADJUSTABLE  
TRIGGER**

>>

Factory-Tuned, Fully Adjustable Trigger – Allows for precise adjustment of sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 3.5 pounds). You get a clean, crisp trigger that will break precisely... a key component in delivering improved accuracy and improved shooter performance. (Additional sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith).



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.



**MARK V®  
ULTRAMARK™**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ A custom rifle without the wait
- ▶ Hand-selected "AAA fancy exhibition" grade walnut stock
- ▶ Features 20 LPI checkering, Maplewood/ebony spacers and rosewood forend and grip caps
- ▶ Blued metalwork in high lustre finish
- ▶ Pachmayr® Decelerator® pad is precisely fit and finished

**Available Calibers**

.257 Wby. Mag.	UMM257WR60
.300 Wby. Mag.	UMM300WR60

MSRP at weatherby.com

• 1½-INCH GUARANTEE



**MARK V  
LAZERMARK®**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Combines legendary performance with modern technology
- ▶ Hand-selected, raised comb Monte Carlo stock with laser-carved oak leaf pattern
- ▶ Blued metalwork in high lustre finish
- ▶ Pachmayr® Decelerator® pad

**Available Calibers**

.257 Wby. Mag.	LMM257WR60	.300 Wby. Mag.	LMM300WR60
.270 Wby. Mag.	LMM270WR60	.340 Wby. Mag.	LMM340WR60
7mm Wby. Mag.	LMM7MMWR60		

MSRP at weatherby.com

• 1½-INCH GUARANTEE



**MARK V DELUXE**

(.257 Wby. Mag. & .340 Wby. Mag. left-hand models are available only from the Weatherby Custom Shop)



- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ The quintessential "Weatherby®"
- ▶ "AA fancy" grade walnut Monte Carlo stock
- ▶ Finline checkering
- ▶ Blued metalwork in high lustre finish
- ▶ Pachmayr® Decelerator® pad

**Available Calibers**

.243 Win.	DXS243NR40	.270 Wby. Mag.	DXM270WR60
.240 Wby. Mag.	DXS240WR40	7mm Wby. Mag.	DXM7MMWR60
.270 Win.	DXS270NR40	.300 Wby. Mag.	DXM300WR60
7mm-08 Rem.	DXS7M8RR40	.340 Wby. Mag.	DXM340WR60
.308 Win.	DXS308NR40	.378 Wby. Mag.	DXM378WR8B
.30-06 Sprg.	DXS306SR40	.416 Wby. Mag.	DXM416WR8B
.257 Wby. Mag.	DXM257WR60	.460 Wby. Mag.	DXM460WR8B

MSRP at weatherby.com

• 1½-INCH GUARANTEE



**MARK V  
SPORTER**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Quality and performance in an affordable package
- ▶ Raised comb Monte Carlo walnut stock with satin finish
- ▶ Features finline diamond point checkering and rosewood forend and grip cap
- ▶ Bead blasted, blued metalwork with low lustre finish
- ▶ Pachmayr® Decelerator® pad

**Available Calibers**

.257 Wby. Mag.	SPM257WR60	.300 Win. Mag.	SPM300NR40
.270 Wby. Mag.	SPM270WR60	.300 Wby. Mag.	SPM300WR60
7mm Rem. Mag.	SPM7MMRR40	.340 Wby. Mag.	SPM340WR60
7mm Wby. Mag.	SPM7MMWR60		

MSRP at weatherby.com

• 1½-INCH GUARANTEE

**PERSONALIZATION >>**

Personalize an existing Weatherby® rifle, or to create the rifle of your dreams, choose from a variety of floorplate embellishments, as well as for engraving your name on the bolt. Bolts and followers can also be damascened to add a distinct and elegant look to the rifle. Custom rings and bases in three grades (6/3/1) are also available. Each offers options of engraving patterns and gold overlays.



**REINFORCED  
STOCK DESIGN >>**

Weatherby® wood stock rifles feature steel rods strategically epoxied in the action mortice to aid in strengthening the stock in the action area. All Mark V® rifles feature three predetermined bedding points...strategically and precisely placed to deliver the highest level of accuracy. (Accumark® rifles feature free-floated barrels).



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.



• 1½-INCH GUARANTEE


**MARK V®  
SYNTHETIC**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Superior performance and uncompromised quality in our most affordable Mark V rifle
- ▶ Lightweight, injection-molded, raised comb Monte Carlo stock
- ▶ Bead blasted, matte blued metalwork
- ▶ Button-rifled barrel in 24" or 26"

**Available Calibers**

.22-250 Rem.	SNS222RR40	.270 Wby. Mag.	SNM270WR60
.243 Win.	SNS243NR40	7mm Rem. Mag.	SNM7MMRR40
.240 Wby. Mag.	SNS240WR40	7mm Wby. Mag.	SNM7MMWR60
.25-06 Rem.	SNS256RR40	.300 Win. Mag.	SNM300NR40
.270 Win.	SNS270NR40	.300 Wby. Mag.	SNM300WR60
7mm-08 Rem.	SNS7M8RR40	.30-378 Wby. Mag.	SNM303WR8B
.280 Rem.	SNS280RR40	.338-378 Wby. Mag.	SNM333WR8B
.308 Win.	SNS308NR40	.340 Wby. Mag.	SNM340WR60
.30-06 Sprg.	SNS306SR40	.375 H&H Mag.	SNM375HR40
.257 Wby. Mag.	SNM257WR60		

MSRP at weatherby.com



• 1½-INCH GUARANTEE

**MARK V SVR  
(SPECIAL VARMINT RIFLE)**



- ▶ Superior performance in a short barrel varmint rifle
- ▶ Specially-designed, hand-laminated, raised comb Monte Carlo composite stock with CNC-machined aluminum bedding plate
- ▶ 22" button-rifled, chrome moly barrel (.739 muzzle dia.) with 11-degree target crown
- ▶ Gray spiderwebbing provides a non-slip grip and better concealment
- ▶ Pachmayr® Decelerator® pad is precisely fit and finished

**Available Calibers**

.223 Rem.	VXS223RR20
.22-250 Rem.	VXS222RR20

MSRP at weatherby.com



• 1½-INCH GUARANTEE

**MARK V  
FIBERMARK®  
COMPOSITE**

- ▶ Factory-tuned, fully adjustable trigger\*
- ▶ Performance-enhancing features not found on other production rifles
- ▶ Pillar-bedded, hand-laminated raised comb Monte Carlo composite stock (a combination of Aramid, fiberglass and unidirectional fibers) with strategically placed bedding points assures consistent, repeatable accuracy
- ▶ Button-rifled barrel with field crown
- ▶ Bead blasted, matte blued metalwork
- ▶ Pachmayr® Decelerator® pad is precisely fit

**Available Calibers**

.257 Wby. Mag.	FBM257WR60
.270 Wby. Mag.	FBM270WR60
7mm Rem. Mag.	FBM7MMRR40
7mm Wby. Mag.	FBM7MMWR60
.300 Win. Mag.	FBM300NR40
.300 Wby. Mag.	FBM300WR60
.30-378 Wby. Mag.	FBM303WR8B
.340 Wby. Mag.	FBM340WR60
.375 H&H Mag.	FBM375HR40

MSRP at weatherby.com



• 1½-INCH GUARANTEE

**MARK V CFP™  
(COMPACT FIRING PLATFORM)**



- ▶ Compact 27½" frame that weighs just 5¼ pounds
- ▶ Accumark® composite stock with CNC-machined aluminum bedding plate
- ▶ Button-rifled, #1 contour 16" chrome moly barrel is pillar bedded and finished with 11-degree parabolic target crown
- ▶ Bead blasted, matte blued metalwork
- ▶ Ambidextrous grip design accommodates right- or left-handed shooters
- ▶ Matches natural shape of hand for sure, comfortable feel

**Available Calibers**

.223 Rem.	CFPI223RR10
.22-250 Rem.	CFPI222RR10
.243 Win.	CFPI243NR10
7mm-08 Rem.	CFPI7M8RR10

MSRP at weatherby.com



**GUARANTEED ACCURACY >>**

All Weatherby® Mark V® rifles are guaranteed to shoot a 1½" OR BETTER 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition.

**TALLEY® RINGS & BASES >>**

The Mark V® CFP™ comes with a set of Talley rings and bases that are specially designed for the short, low profile, long eye relief scopes used with the CFP. Unique one-piece design of 7000 Series billet alloy provides a lightweight, yet rock-solid mount.



\* Sear engagement adjustments must be performed by a Weatherby Service Center or qualified gunsmith.

# FEED YOUR HABIT FOR FUN.



**"THERE'S NOTHING I LIKE BETTER** than whacking Jacks with my Mark XXII. I can't wait to teach my twin boys, Caden and Connor, to shoot it."  
**Cody Tillard** [Tillard Ranch, Wyoming]

**Rifle:** Mark XXII® | **Caliber:** .17 HMR | **Range:** 65 yds.



# MARK XXII<sup>®</sup> SA

>>

WHEN WE SET OUT TO OFFER A NEW SEMI-AUTOMATIC RIMFIRE RIFLE we had one thing in mind: make it better than anything else out there or don't bother at all. With the aid of Magnum Research, our new Mark XXII<sup>®</sup> SA not only passes the test, it completely rewrites the book on semi-automatic rimfire performance, including the only truly functional repeater in the popular .17 HMR. Pick up the Mark XXII SA, put it through its paces and you'll be hard pressed to put it down.



**Cleaning Port** – A rod hole in the end of the receiver allows for fast, easy cleaning of the action and barrel—a practical feature not found on competitive models, the cleaning port comes in handy both in the field or at the bench.

**CNC-Machined Receiver** – One piece construction of 6060-T hard-coated aluminum. Provides for more precise tolerances and structural integrity than lesser grade cast receivers.

**Button-Rifled Barrel** – Forged of hardened 4140-steel alloy, the barrel of the Mark XXII SA is button rifled and features an accuracy-enhancing 11-degree parabolic target crown.

**Benz Chamber (.22 LR only)** – A superior design to standard .22 LR chambers. The Benz chamber is tighter and has a shorter tapered throat to perfectly center the bullet in the rifling prior to firing. Greatly enhances accuracy potential when kept clean and used with premium ammunition.

**Hand-Tuned Trigger** – The Mark XXII SA trigger is manually inspected and factory tuned for precise let-off and reduced creep—enhancing accuracy potential. The rifle also accepts other aftermarket trigger assemblies.

## TRADITIONAL WEATHERBY STYLING & PERFORMANCE

### MARK XXII<sup>®</sup> SA

- ▶ 20" #3 contour button-rifled barrel (.690 muzzle diameter)
- ▶ Raised comb Monte Carlo walnut stock with raised cheekpiece, precision cut checkering and rifle pad for non-slip grip
- ▶ Matte metalwork with satin lustre finish
- ▶ Comes with 10-shot (.22 LR) or 9-shot (.17 HMR) quick release magazine

#### Available Calibers

.22 LR	SXT22LR00
.17 HMR	SXT17HMR00

MSRP at weatherby.com

**CNC-Machined Bolt** – The Mark XXII SA bolt is CNC-machined from rock-hard 4140-alloy steel (as opposed to competitive bar stock). This affords precise tolerances and consistent headspace and bolt face depths. The firing pin is held in place throughout the length of the bolt for more accurate and consistent hits against the cartridge case.

**Aluminum (.22 LR) or Steel (.17 HMR) Bolt Handle** – Ergonomic "barrel shaped" design is easy to grip and operate.

**Bolt Stop Pin** – Is supported by the full width of the receiver to assure consistent alignment and striking of the cartridge case. Will not bend or peen.



**Quick Release Magazine** – The Mark XXII SA comes standard with a 10-shot (.22 LR) or 9-shot (.17 HMR) magazine that is precision fit. Releases at the push of a button. Accessory magazines are also available.

**Fits Aftermarket Accessories** – The "footprint" of the Mark XXII SA is designed to accept a wide range of popular aftermarket accessories, including stocks, barrels, magazines and triggerguard assemblies.



**SCOPE MOUNTING OPTIONS** – Available for the Mark XXII SA is a tip-off rail, making Weatherby Mark XXII rings a perfect match (page 59). Rail system also fits popular mounts from Bushnell, Leupold, Talley, Warne and Weaver.

## Mark XXII SA Competitive Advantage

Features	Weatherby Mark XXII SA	Ruger K10/22-T	STI FPI 2230, 2260	Magnum Research	Volquartsen VG-1
Calibers	.17 HMR, .22 LR	.22 LR	.22 LR	.17 HMR, .17 HM2, .22 LR, .22 WMR	.17 HMR, .22 LR, .22 WMR
Weight	6½ lbs.	7½ lbs.	7 lbs.	4½-7¼ lbs.	5 lbs.
Magazine (22 LR)	10 Rounds	10 Rounds	10 Rounds	10 Rounds	10 Rounds
Barrel Length & Type	20"	20"	21"	17"-19"	20"
Finish	Satin	Stainless	Stainless	Anodized Gray	Matte
Stock	High Gloss Walnut with Diamond Inlay	Brown Laminate	Synthetic	Classic, Thumbhole Laminate, Hogue	Hogue Overmolded
MSRP	(Visit <a href="http://www.weatherby.com">www.weatherby.com</a> for comparative pricing.)				

Specification information is from current competitor-published catalogs and Web sites.

# MARK XXII®

THE MARK XXII® was developed with the discriminating shooter in mind, combining the celebrated German engineering and superior performance of Anschutz, with unmatched fit and finish. Akin to our legendary Mark V® Deluxe, the Mark XXII is as much fun to shoot as it is to look at—with a factory-shot target (5 rounds at 55 yards/50 meters) in every box. This is your assurance of the Mark XXII's accuracy potential. Our signature, raised comb Monte Carlo wood stock is perfectly matched with a smooth, non-binding bolt action. Exceptional wood-to-metal fit, near custom embellishments and attention to detail. On small game, or at the range, the Mark XXII makes its mark with distinction in every way.



**Target Grade Barrel** – To achieve superior accuracy, the Mark XXII features an 8-groove, target grade, button-rifled, free-floated barrel with target crown. Built to exact Olympic competition specifications.

**Precision-Cut Checkering** – The select walnut stock features a high gloss finish with precision-cut, fineline diamond point checkering at 18 LPI. Provides a custom look and a sure grip in all conditions.

**Fully Adjustable Single Stage Trigger** – Allows for precise adjustment of sear engagement and let-off weight from 2 to 4.4 pounds (factory set at 2.5 pounds). You get a clean, crisp trigger that will break precisely—a key component of superior accuracy. (Additional sear engagement adjustments must be performed by a Weatherby Service Center or a qualified gunsmith).

•• FACTORY SHOT TARGET INCLUDED

## MARK XXII®

- ▶ 23" #2 contour barrel (.630 muzzle diameter)
- ▶ Raised comb Monte Carlo walnut stock design with raised cheekpiece
- ▶ Bead blasted metalwork with satin lustre finish
- ▶ Fully adjustable trigger
- ▶ Comes with 5-shot (.22 LR) or 4-shot (.17 HMR) quick release magazine

### Available Calibers

.22 LR	DXT22LR30
.17 HMR	DXT17HMR30

MSRP at weatherby.com



**Mark XXII® Mounts** – Specially designed Talley Mounts feature CNC-machined rings and bases in cold-rolled carbon steel. Precision tolerances ensure a perfect fit where the ring and base contact. Available as an accessory to the Mark XXII.


**Recessed Bolt Face** – Specially designed, recessed bolt face surrounds the cartridge head for complete support. Cartridge guide and claw extractor assures positive cartridge feeding and extraction.



**Quick Release Magazine** – The Mark XXII comes standard with a 5-shot (.22 LR) or 4-shot (.17 HMR) magazine that is precision fit. Releases at the push of a button. Accessory magazines are also available (5-shot and 10-shot .22LR and 4-shot .17 HMR).



**Legendary Stock Design** – Hand-selected walnut stock is similar to that used in our popular Vanguard® Deluxe. Features Maplewood spacers and rosewood forend and grip cap. Raised comb Monte Carlo design promotes faster eye-to-scope alignment and target acquisition, enhancing shooter comfort and accuracy. Features Pachmayr® rifle pad. In typical Weatherby fashion, the Mark XXII offers superior wood-to-metal fit and exceptional craftsmanship throughout.



**ACCURACY ASSURANCE**— Each Mark XXII rifle comes with a factory-shot target (5 rounds at 55 yards/50 meters) in every box—your assurance of guaranteed and superior performance at the range or in the field.

### Mark XXII Competitive Advantage

Features	Weatherby Mark XXII	Browning T-Bolt Sporter	Ruger 77/22	CZ 453 American	Ultra Light Model 20
Weight	6½ lbs.	5 lbs.	6 lbs.	6.1 lbs.	5¼ lbs.
Magazine	5/10 Rounds	10 Rounds	10 Rounds	5 Rounds	5 Rounds
Barrel Length	23"	22"	20"	22.5"	Buyers Choice
Finish	Blue	Blue	Blue	Blue	Matte or Bright
Stock	Gloss Walnut	Satin Walnut	Walnut	Walnut	Graphite/Kevlar
Factory-Shot Target	Yes	No	No	No	No
MSRP	(Visit <a href="http://www.weatherby.com">www.weatherby.com</a> for comparative pricing.)				

Specification information is from current competitor-published catalogs and Web sites.

# CUSTOM

>>

**CUSTOM STOCK UPGRADES** – Have one of our custom shop personnel hand select a Claro walnut stock with superior grain structure, contrast and overall appeal. Or, customize your Vanguard® with a pillar-bedded Fiberguard™ or Accuguard™ stock with CNC-machined aluminum bedding block, or Hydrographically Immersed injection-molded stock. For more information or for information on other rifles, visit the Custom Shop at [www.weatherby.com](http://www.weatherby.com) or call (805) 227-2600.



**NEW FOR 2009  
VANGUARD  
THUMBHOLE LAMINATE**

**Rifle of the Year (ROY)** – Over the years, the Weatherby Custom Shop has offered special edition rifles that are befitting of the Rifle of the Year designation (appropriately nicknamed the ROY). For 2009, we are proud to offer this special Vanguard® featuring a beautiful laminated vented stock with a special thumbhole for a firm, sure grip.

- ▶ Factory-honed, fully adjustable trigger
- ▶ 22" hammer forged barrel (#3 contour)
- ▶ Nutmeg laminate stock with thumbhole and barrel vents
- ▶ Pachmayr® Decelerator® pad

• 1½-INCH GUARANTEE (TARGET INCLUDED)

**Available Calibers**

.204 Ruger
.223 Win.
.22-250 Rem.
.308 Win.

MSRP at [weatherby.com](http://weatherby.com)



**NEW FOR 2009  
VANGUARD®  
AXIOM BIG GAME**

- ▶ Patented Knox adjustable stock with pistol grip
- ▶ 24" blued barrel (#2 contour)
- ▶ Reduces felt recoil by up to 95%

• 1½-INCH GUARANTEE (TARGET INCLUDED)

**Available Calibers**

.25-06 Rem.	.257 Wby. Mag.
.270 Win.	7mm Rem. Mag.
.30-06 Sprg.	.300 Win. Mag.
	.300 Wby. Mag.



**NEW FOR 2009  
VANGUARD®  
AXIOM VARMINT**

- ▶ Patented Knox adjustable stock with pistol grip
- ▶ 22" blued barrel (#3 contour)
- ▶ Weighs just 8.75 pounds

• 1½-INCH GUARANTEE (TARGET INCLUDED)

**Available Calibers**

.223 Rem.
.22-250 Rem.
.308 Win.



**VENTED  
THUMBHOLE  
STOCK DESIGN**

>>

The unique thumbhole stock design raises the comb and puts your hand in a more natural and comfortable shooting position. Venting ahead of the chamber creates open air spaces to speed cooling of the barrel—critical for precision varmint or match shooting. Beautiful laminates create the feel of wood while increasing rigidity throughout the stock.

**NEW! VANGUARD  
AXIOM RIFLES**

>>

Our new Axiom rifles combine the proven performance of the Vanguard action with the innovative design of a Knox Axiom stock. The patented stock design offers more than 4" of buttstock adjustment to fit virtually any size shooter, with a traditional pistol grip design for sure handling in the field. Reduces felt recoil up 95% compared to traditional stock designs. Special polymer and alloy construction delivers year after year of reliable use.





**MARK V<sup>®</sup>  
OUTFITTER**

LEFT-HAND models available through the custom shop (.257 Wby. Mag. & .300 Wby. Mag. only)

- ▶ Raised comb, Monte Carlo composite stock (Kevlar<sup>®</sup> and carbon fibers) in Desert Camo
- ▶ 26" stainless steel fluted barrel with black Teflon<sup>®</sup> coating and target crown
- ▶ CNC-machined aluminum bedding plate
- ▶ Hand-honed action

• 1½-INCH GUARANTEE

**Available Calibers**

.243 Win.	.30-06 Sprg.
.240 Wby. Mag.	.257 Wby. Mag.
.25-06 Rem.	.270 Wby. Mag.
.270 Win.	7mm Rem. Mag.
7mm-08 Rem.	7mm Wby. Mag.
.280 Rem.	.300 Win. Mag.
.308 Win.	.300 Wby. Mag.



**MARK V DGR**

- ▶ Black Fibermark<sup>®</sup> stock with CNC-machined aluminum bedding plate
- ▶ 24" button-rifled barrel with barrel band swivel stud
- ▶ Adjustable ramp rear sight, hooded barrel band front sight and barrel band swivel stud
- ▶ Optional drop box magazine available (fits all Mark V magnum actions)
- ▶ Available in left hand

• 1½-INCH GUARANTEE

**Available Calibers**

.257 Wby. Mag.	.378 Wby. Mag.
.270 Wby. Mag.	.416 Rem. Mag.
.7mm Wby. Mag.	.416 Wby. Mag.
.300 Wby. Mag.	.458 Win. Mag.
.340 Wby. Mag.	.458 Lott
.375 H&H Mag.	.460 Wby. Mag.
.375 Wby. Mag.	



**MARK V ROYAL  
ULTRAMARK  
CUSTOM**

- ▶ Laser-checked, hand-selected exhibition grade walnut stock
- ▶ Damascened bolt and follower with checkered knob and engraved receiver and bolt sleeve
- ▶ Floorplate with scroll pattern (with choice of animal), enhanced with selective 24K gold and nickel plating

• 1½-INCH GUARANTEE

**Available Calibers**

.257 Wby. Mag.	7mm Wby. Mag.
.270 Wby. Mag.	.300 Wby. Mag.
	.340 Wby. Mag.



**MARK V  
CROWN  
CUSTOM**

- ▶ Hand-carved walnut stock features intricate wood inlays
- ▶ Engraved barrel and receiver (with choice of gold scene on triggerguard)
- ▶ Damascened bolt and follower with options for your initials or name on bolt

• 1½-INCH GUARANTEE

**Available Calibers**

.257 Wby. Mag.	7mm Wby. Mag.
.270 Wby. Mag.	.300 Wby. Mag.
	.340 Wby. Mag.



**MARK V SAFARI**

- ▶ French walnut Monte Carlo stock with satin oil finish
- ▶ Features ebony forend and pistol grip cap with Fleur-de-lis checkering
- ▶ Damascened bolt and follower with engraved floorplate "Safari Custom"
- ▶ Adjustable ramp rear sight, hooded barrel band front sight and barrel band swivel stud
- ▶ Optional drop box magazine available

• 1½-INCH GUARANTEE

**Available Calibers**

.257 Wby. Mag.	.378 Wby. Mag.
.270 Wby. Mag.	.416 Rem. Mag.
.7mm Wby. Mag.	.416 Wby. Mag.
.300 Wby. Mag.	.458 Win. Mag.
.340 Wby. Mag.	.458 Lott
.375 H&H Mag.	.460 Wby. Mag.
.375 Wby. Mag.	



**MARK V  
THREAT  
RESPONSE MAGNUM  
CUSTOM (TRR)**

- ▶ Factory-tuned, fully adjustable trigger
- ▶ 26" 410 Series stainless steel barrel (.750 muzzle diameter)
- ▶ Ergonomic adjustable composite stock can be custom fit to shooter size and shape
- ▶ Recessed target crown
- ▶ Pachmayr<sup>®</sup> Decelerator<sup>®</sup> pad

• 1½-INCH GUARANTEE

**Available Calibers**

.300 Win. Mag.
.300 Wby. Mag.
.30-378 Wby. Mag.
.338-378 Wby. Mag.

**CUSTOM OPTIONS >>**

Custom floorplate engraving is available in three different grades (6/3/1). The bolt sleeve and receiver of your rifle can also be engraved, choosing from three different engraving patterns (6/3/1).





# THE DIFFERENCE BETWEEN KNOCKDOWN AND **KNOCKOUT.**

**“DRAWING A BULL ELK TAG IN NEVADA IS ABOUT A ONCE EVERY 15 YEAR DEAL.** I own lots of rifles, but I wasn’t going to trust anything other than my Weatherby. It’s a flat-shooting, highly accurate rifle that gives me extreme confidence.”  
**Rick Fording** [Nevada]

Rifle: Mark V® Deluxe | Caliber: .300 Wby. Mag. | Range: 280 yds.



# AMMUNITION

>>

EACH WEATHERBY MAGNUM CARTRIDGE is assembled with custom components...producing blistering speed and downrange power to deliver the opportunity for more one-shot kills. In virtually every case, no other commercially-produced ammunition provides the Maximum Point Blank Range of Weatherby. Simply stated, when combined with a Weatherby rifle, nothing shoots flatter, hits harder or is more accurate.



A unique double radius Venturi shoulder design increases the velocity of escaping gases without increasing the pressure within the cartridge. This results in higher velocity within standard pressure ranges.

Brass – We use Norma Precision Brass, offering CNC-machined primer pockets produced to match-grade specifications...the finest that money can buy.

Specially-designed primers provide positive ignition of the large powder charges found within Weatherby Magnum ammunition.



Over half a century ago, Roy Weatherby began his career in the firearms industry as a cartridge "wildcatter," developing his revolutionary ideas about rifle cartridge performance and design. At the time, many industry "experts" were promoting the idea that optimum performance was a result of pushing big bullets at relatively slow speeds. Roy, however, believed just the opposite. It was his opinion that the faster a bullet traveled, the better—the flatter it would shoot, the less it would drop, the harder it would hit. It was a concept that would spawn many an argument among ballistics experts, gun writers and in many a deer camp. But as people began to hear about and experience Roy's

notion firsthand, those questions, concerns and doubts were quickly laid to rest. Soon, the entire hunting world would know what Roy had always believed—generate enough speed to create hydrostatic shock in the animal and the result will be more one-shot kills. Today, our ammunition remains true to the concept Roy developed in the 1940s. At the same time, our ammunition also takes advantage of the latest in controlled expansion bullets which are capable of harnessing the higher velocities to create cartridges that provide the ultimate in penetration, large wound channels and more one-shot kills.

**Bullet** – Weatherby® Ammunition offers a variety of premium grade bullets that are carefully selected for specific hunting applications. To meet varying needs, we proudly load the renowned Barnes TSX™, the popular Nosler® Partition®, Nosler Ballistic Tip®, Nosler Accubond® and the Hornady® Interlock®. *And new for 2009, we also now offer the Barnes TTSX™, an exciting new polymer tipped bullet that pushes the velocity threshold to a whole new level.* Which ever you prefer, it has been ideally matched to maximize the potential of Weatherby Ammunition.



**Powder** – Norma® High-Grade Premium Powder is used in all Weatherby Ammunition to deliver maximum attainable velocity and energy. Each lot of powder is tested to assure consistency and to achieve the lowest standard velocity deviation from shot to shot, improving accuracy. Gives the non-handloader handloaded performance and accuracy.



**Compare Ballistic Performance**, Complete ballistic information for all Weatherby Magnum cartridges is available at our Web site ([www.weatherby.com](http://www.weatherby.com)). Click on "Ballistics" for more information.



This interactive area lets you compare two different cartridge choices head-to-head and includes information on bullet types and grain weights, ballistic coefficients and trajectory patterns from 100 to 500 yards.



**Guaranteed Accuracy** – All Weatherby® rifles are guaranteed to shoot a 1½" OR BETTER 3-shot group at 100 yards from a cold barrel when used with premium (non-Weatherby calibers) or Weatherby factory ammunition. Together, the Weatherby system (premium ammunition and rifle) forms the flattest shooting, hardest hitting, most accurate combination in the industry today.

### Weatherby Ballistics Advantage

Features	Bullet Type	Velocity 200 yds	Energy 200 yds	Trajectory 300 yds*	Trajectory 400 yds*
.257 Wby. Mag.	115 gr. Nosler Ballistic Tip	2952 fps.	2226 ft.-lbs.	- 4.98 in	- 14.57 in
	.25 WSM	2639 fps.	1778 ft.-lbs.	- 6.4 in	- 18.60 in
	25-06 Rem.	2639 fps.	1778 ft.-lbs.	- 6.58 in	- 19.26 in
.270 Wby. Mag.	130 gr. Nosler Partition	2892 fps.	2415 ft.-lbs.	- 5.19 in	- 15.28 in
	.270 WSM	2810 fps.	2275 ft.-lbs.	- 5.6 in	- 16.3 in
	.270 Win.	2610 fps.	1965 ft.-lbs.	- 6.5 in	- 19.1 in
.300 Wby. Mag.	180 gr. Nosler Partition	2826 fps.	3193 ft.-lbs.	- 5.51 in	- 16.03 in
	.300 WSM	2590 fps.	2680 fps.	- 6.60 in	- 19.10 in
	.300 Win. Mag.	2460 fps.	2410 fps.	- 7.40 in	- 21.90 in

\*200 Yard Zero. Specification information is from current competitor-published catalogs and Web sites.



**NEW! TTSX™** — Barnes' new TTSX takes the proven performance of their Triple-Shock X bullet design and adds a streamlined polymer tip. The result is a blistering fast projectile that pushes the velocity threshold to a whole new level. It features the same 100% copper body with multiple rings cut into the shank to deliver gnat's-eyelash accuracy and "dead right there" performance—but with an added polymer tip that boosts the ballistic coefficient and improves long-range ballistics. The tip and a re-engineered nose cavity provide even faster expansion.

- ▶ Light for caliber, extremely high velocity and flat trajectory
- ▶ 100% lead-free bullet body constructed of copper with 99-100% weight retention
- ▶ Grooved for lower pressures
- ▶ Higher ballistic coefficient
- ▶ Razor sharp edges on petals deliver lethal cutting power and deeper penetration through thick skin, flesh and bone

99-100% WEIGHT RETENTION

Available Bullet Weights					
Wby. Caliber	.257	.270	7mm	.300	.30-378
Weight (Grains)	80	110	120	130	130
Muzzle Velocity	3870	3540	3430	3650	3740

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



**BALLISTIC TIP®** — The more you hunt, the more you realize just how unpredictable and unforgiving each situation can be—changing winds, skittish game, challenging shots. That's why Nosler engineered the Ballistic Tip hunting bullet to be very predictable and extremely forgiving... a proven performer for more than 20 years.

- ▶ A polycarbonate tip resists deformation in the magazine and initiates expansion upon impact. The tip is color-coded by caliber.
- ▶ Fully tapered jacket and special lead alloy core allows controlled expansion and optimum weight retention at all practical velocity levels.
- ▶ Ballistically-engineered Solid Base® boat tail configuration combines with the streamlined polycarbonate tip for extreme long-range performance.
- ▶ Heavy jacket base acts as a platform for large diameter mushroom and prevents deformation during firing.

50% WEIGHT RETENTION

Available Bullet Weights								
Wby. Caliber	.240	.257	.270	7mm	.300	.300	.30-378	.30-378
Weight (Grains)	95	115	140	150	165	180	165	180
Muzzle Velocity	3420	3400	3300	3300	3350	3250	3500	3420

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



**TSX™** — Upon its introduction, the Barnes X Bullet™ was generally regarded as a quantum leap in bullet design, retaining virtually all of its weight upon impact and delivering superior terminal performance with lighter weight bullets. TSX takes the X bullet to the next level. Get greater penetration and more one-shot kills with the world's deadliest hunting bullet—the TSX.

- ▶ Specially designed nose cavity opens instantly into four petals on impact. Offers faster expansion than traditional lead-core bullets. Retains virtually 100% of original weight.
- ▶ Razor sharp edges deliver lethal cutting power and deeper penetration through thick skin, flesh and bone.
- ▶ 100% copper construction.
- ▶ Precisely positioned rings relieve firing pressure, allowing the TSX to be loaded at higher velocities.
- ▶ Reduces fouling for easier cleaning of the bore.

99-100% WEIGHT RETENTION

Available Bullet Weights							
Wby. Caliber	.240	.257	.270	7mm	.300	.300	.30-378
Weight (Grains)	85	100	130	140	165	180	165
Muzzle Velocity	3500	3570	3400	3250	3330	3240	3450

Available Bullet Weights						
Wby. Caliber	.30-378	.338-378	.340	.378	.416	.460
Weight (Grains)	180	225	225	270	350	450
Muzzle Velocity	3360	3180	2970	3060	2880	2660

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.




**ACCUBOND®** — A serious hunting bullet designed to typical Nosler standards. AccuBond represents the most advanced bonded core bullet technology to date. The result is a bullet that flies true, penetrates deep and retains its weight—and won't cause extensive barrel fouling. The benchmark by which all bonded core bullets will be measured.

- ▶ A polymer tip resists deformation in the magazine and initiates expansion upon impact.
- ▶ Fully tapered, heavy alloy jacket is bonded to the special lead alloy core through a proprietary process designed for controlled expansion, deep penetration and 60-70% weight retention.
- ▶ Totally concentric, impact extruded jacket bonds completely to the bullet core for extreme accuracy.
- ▶ Ballistically engineered, the Solid Base® boat tail jacket acts as a platform for large diameter mushroom and prevents bullet deformation during firing.

60-70% WEIGHT RETENTION

Available Bullet Weights								
Wby. Caliber	.257	.270	7mm	.300	.30-378	.338-378	.340	
Weight (Grains)	110	140	160	180	180	200	200	
Muzzle Velocity	3460	3320	3050	3250	3420	3380	3225	

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



**INTERLOCK** — A tried and true hunting bullet, the InterLock promises more mass, energy and momentum at impact for greater stopping penetration. Hornady's pioneering secant ogive design offers a high ballistic coefficient with maximum bearing surface for greater stability.

- ▶ Retains more mass and energy for deep penetration and large, consistent wound channels.
- ▶ Secant ogive design offers a high ballistic coefficient with maximum bearing surface for greater stability.
- ▶ Cannelure provides accurate and consistent crimping, and also works with InterLock ring to ensure the jacket and core remain locked during expansion.
- ▶ The raised InterLock ring is embedded in the bullet's core, ensuring the core and the jacket is locked in one piece during expansion to retain mass and energy.

70-80% WEIGHT RETENTION

Available Bullet Weights										
Wby. Caliber	.224	.240	.240	.257	.257	.270	.270	.270	7mm	
Weight (Grains)	55	87	100	87	100	100	130	150	139	
Muzzle Velocity	3650	3523	3406	3825	3602	3760	3375	3245	3340	

Available Bullet Weights										
Wby. Caliber	7mm	7mm	.300	.300	.300	.340	.340	.340	.378	
Weight (Grains)	154	175	150	165	180	200	225	250	270	
Muzzle Velocity	3260	3070	3540	3390	3240	3221	3066	2963	3180	

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



**PARTITION®** — Favored the world over for its superior penetration and bone-crushing stopping power, the Nosler Partition provides the ultimate in accuracy, controlled expansion and weight retention in any caliber, on any game, and in any situation. Nosler Partition is truly the standard of excellence and value in big game bullets.

- ▶ Fully tapered jacket ruptures instantly at the thin jacket mouth. Gradual thickening along the bullet's axis controls expansion and curls the jacket uniformly outward at all velocities.
- ▶ Lead alloy dual-core construction provides superior mushrooming at virtually all impact velocities.
- ▶ Integral partition supports the expanded mushroom and retains the rear lead alloy core.
- ▶ Enclosed rear core retains more than half the original bullet weight for deep penetration.
- ▶ Special crimp locks in the rear core section add strength to resist deformation under the pressure of heavy magnums.

65-70% WEIGHT RETENTION

Available Bullet Weights								
Wby. Caliber	.240	.257	.270	.270	7mm	7mm	.300	
Weight (Grains)	100	120	130	150	140	160	150	
Muzzle Velocity	3406	3406	3375	3245	3303	3200	3540	

Available Bullet Weights								
Wby. Caliber	.300	.300	.30-378	.338-378	.340	.340	.375	
Weight (Grains)	180	200	200	250	210	250	300	
Muzzle Velocity	3240	3060	3160	3060	3211	2941	2800	

Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



# OUR ANSWER TO AIR TRAFFIC CONTROL.

**"I TAKE MY DUCK HUNTING SERIOUSLY** and I don't want anything to mess up my season. That's why I always use my Weatherby when I'm in the blind. I've put thousands of rounds through it and it's never let me down."  
**Stan Ruddell** [California] with Silvio Modena [California]


**Shotgun:** SA-08® Synthetic | **Gauge:** 12 ga | **Distance:** Over Decoys



# SEMI-AUTO

>>

**SA-08** BEFORE WE INTRODUCED our line of Turkish-made semi-automatics, we put them through the most rigorous endurance and destructive testing program imaginable. Passing at every test level, the result is a semi-automatic that brings together the stylish lines of Italian autoloaders, and a unique dual valve system for the utmost in load versatility and dependability—all at a price that would embarrass brands that cost far more. The SA-08 is a reliable workhorse that lets you move from early season dove loads to late fall's heaviest waterfowl loads in no time. Available with wood and synthetic stock options in 12 and 20 gauge models, including a scaled-down youth model, it will quickly become the only shotgun you'll ever need.



**CNC-Machined Receiver** – Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

**Chrome-Plated Bolt** – The SA-08 bolt is chrome-plated (except SA-08 Synthetic) for smooth, non-binding action and years of dependable use.

**Chrome-Lined Barrels** – The SA-08 features chrome-lined barrels to withstand the wear and tear of high-volume shooting. Lengthened forcing cones work to reduce felt recoil, curbing shooter fatigue while improving patterns.

**"Muzzle-Weighted" Balance Point** – The balance point of the SA-08 is centered slightly ahead of the midpoint between your hands, giving the shotgun a slight "muzzle weighted" feel. Exceptional balance and handling promotes a smooth swing and follow-through for faster pointing and target acquisition.

**Carrier Control Button** – Provides versatility, allowing for quick load changes and an additional margin of safety when clearing the chamber without completely unloading the shotgun.



**Unique Dual Valve System** – Regardless of what you've heard, it's always been difficult to get a single valve system to effectively cycle everything from 3/4 oz. through heavy 3" magnum loads. Our SA-08 is specially designed with a unique dual valve system that lets you quickly change the valve to adjust for different loads, species or seasons. The valves are easily accessible and slide on and off in an instant.

A key feature of this dual valve system is how it manages recoil and reduces it compared to traditional single valve shotguns, making the SA-08 a real joy to shoot. Put simply, the SA-08 is the most versatile autoloader you can carry (see chart at right for valve/load recommendations).

**Trim and Lightweight** – Shoulder an SA-08 and you'll appreciate how easy and lightweight it is to handle. From buttstock to forend, the SA-08 is trim, precisely balanced and a pleasure to carry in the field, tipping the scales at just 5½-6½ lbs.

**Unique Drop-out Trigger System** – Adds to the exceptional functionality of the SA-08. Can be quickly removed and re-assembled for easy cleaning.



SA-08	"Light Loads" Valve	"Heavy Loads" Valve
12 Gauge	7/8 oz. - 1 1/8 oz. loads	1 1/4 oz. - 2 oz. loads
20 Gauge	3/4 oz. - 7/8 oz. loads	7/8 oz. - 1 5/16 oz. loads

## Integral Multi-Choke System

Constriction	Improved Cylinder (IC)	Modified (M)	Full (F)
12 ga.	.013	.022	.040
20 ga.	.009	.015	.024
Notch on Top	III	III	I
Stamped on Side	Imp. Cylinder	Modified	Full

**IMC Choke System** – Weatherby® SA-08 shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley™ compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Crafted from steel, Weatherby chokes also feature a unique design that reduces thread fouling and aids in easy removal/changes in the field. Certified for steel shot through modified choke constrictions.



All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. Every Weatherby SA-08 includes three chokes (IC, M, F).

## SA-08 Competitive Advantage

Features	Weatherby SA-08 Upland	Benelli Montefeltro	Beretta 3901 American	Browning Gold Field Hunter	Franchi Model 720
Gauges/Chamber	12, 20-3"	12, 20-3"	12, 20-3"	12, 20-3"	12, 20-3"
Dual Valve Versatility	Yes	No	No	No	No
Weight	5½-6½ lbs.	5½-7¼ lbs.	7¼ lbs.	6½-7 lbs.	6 lbs.
Chokes Included	IC/M/F	C/IC/M/IM/F	C/M/F	IC/M/F	IC/M/F
Country of Origin	Turkey	Italy	Italy	Belgium-Portugal	Italy

MSRP (Visit [www.weatherby.com](http://www.weatherby.com) for comparative pricing.)

Specification information is from current competitor-published catalogs and Web sites.



**SA-08 UPLAND**

- ▶ Walnut stock with satin finish
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Features unique dual valve system for the widest range of load versatility
- ▶ Available in 12 and 20 gauge

DUAL-VALVE SYSTEM

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	SA08U1226PGM	26" Barrel	SA08U2026PGM
28" Barrel	SA08U1228PGM	28" Barrel	SA08U2028PGM

MSRP at weatherby.com



**NEW FOR 2009**  
**SA-08 SYNTHETIC**

- ▶ Lightweight and durable injection-molded synthetic stock
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Features unique dual valve system for the widest range of load versatility
- ▶ Available in 12 and 20 gauge

DUAL-VALVE SYSTEM

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	SA08S1226PGM	24" Barrel	SA08S2024PGM
28" Barrel	SA08S1228PGM	26" Barrel	SA08S2026PGM
		28" Barrel	SA08S2028PGM

MSRP at weatherby.com  
New for 2009



**SA-08 YOUTH**

- ▶ Scaled down stock fits women and younger shooters (12 1/2" length of pull)
- ▶ All metalwork is matte black to reduce glare
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Features unique dual valve system for the widest range of load versatility
- ▶ Available in 20 gauge

DUAL-VALVE SYSTEM

**Available Gauges**

20 Gauge	
26" Barrel	SA08Y2026PGM

MSRP at weatherby.com



>>

**DUAL VALVE VERSATILITY**

The SA-08 features a unique dual valve system that allows you to quickly change the valve to adjust for different loads, species or seasons. For example, the 12 gauge "Light Loads" valve effectively cycles everything from 7/8 oz. through 1 1/8 oz. loads. The 12 gauge "Heavy Loads" valve handles 1 1/4 oz. to the heaviest 3" magnum loads (2 oz.). The valves are easily accessible and slide on and off in an instant. This easy access also makes the SA-08 one of the easiest autoloaders to clean and re-assemble. The SA-08 is the most versatile—and functional—semi-auto you can carry.



SA-08	"Light Loads" Valve	"Heavy Loads" Valve
12 Gauge	7/8 oz. - 1 1/8 oz. loads	1 1/4 oz. - 2 oz. loads
20 Gauge	3/4 oz. - 7/8 oz. loads	7/8 oz. - 1 5/16 oz. loads



**SUPERIOR FIT AND FINISH**

>>

Weatherby SA-08 shotguns look as good as they shoot. Hand-selected walnut stocks feature precision cut checkering for a positive, responsive feel. The beautiful detail and grain of the wood is accented with a satin urethane finish. Precise wood-to-metal fit befitting of guns that cost hundreds of dollars more.

**RIGOROUS TESTING AND ENDURANCE TRIALS**

>>

To provide year after year of dependable use in every conceivable condition, the SA-08 has undergone a torturous testing program, including more than 6,000 rounds in the lab, and standard destructive testing procedures. From dove hunting in Argentina, to waterfowl in the Pacific Flyway, to pheasants in the Midwest, the SA-08 passes every "high volume shooting" test with flying colors.



# PA-08 PUMP

>>

FOR MOST HUNTERS, the pump shotgun served as their introduction to wingshooting. Easy-to-use, no-nonsense design, dependable in the field, the pump is generally regarded as the “4x4” of field guns. Our PA-08 pump shotgun carries that tradition forward in typical Weatherby function and style. Designed on a similar frame as our popular semi-automatics, the Turkish-made PA-08 features a dual action bar design that is straightforward, overbuilt and made for round after round of high volume shooting.



**CNC-Machined Receiver** – Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

**Chrome-Lined Barrels** – The PA-08 features chrome-lined barrels to withstand the wear and tear of high-volume shooting. Lengthened forcing cones work to reduce felt recoil, curbing shooter fatigue while improving patterns.

**Safety** – Push-button safety is conveniently mounted on the triggerguard for quick acquisition and ease of use.

**Chrome-Plated Bolt** – PA-08 bolt is chrome-plated for smooth, non-binding action and years of dependable use.

## PA-08 UPLAND

- ▶ Walnut stock with gloss finish
- ▶ All metalwork is gloss black for a distinctive look
- ▶ Vented top rib dissipates heat and aids in target acquisition
- ▶ Available in 12 gauge, 3" chamber
- ▶ Comes with three application-specific choke tubes (IC, M, F)

## CHROME-LINED BARRELS

Available Gauges	
<b>12 Gauge</b>	
26" Barrel	PA08U1226PGM
28" Barrel	PA08U1228PGM
MSRP at weatherby.com	

**Performance-Enhancing Features** – All Weatherby PA-08 pump shotguns feature a ventilated top rib and brass bead front sight to aid in target acquisition. The vent rib works to dissipate heat in the barrel, promotes a smoother “swing-thru” and gives the shooter an excellent sight line for acquiring fast-moving targets. Each PA-08 gun comes with three application-specific, screw-in choke tubes.



**Unique Drop-Out Trigger System** – Adds to the exceptional functionality of the PA-08. Can be quickly removed and re-assembled for easy cleaning.



**Superior Fit and Finish** – The PA-08 looks as good as it shoots. Walnut stocks are hand-selected, shaped and finished with beautiful high gloss urethane and diamond cut, fineline checkering (20 LPI) for a safe, sure grip in the field. You get superior wood-to-metal fit befitting a shotgun costing hundreds of dollars more.



## Integral Multi-Choke System

Constriction	Improved Cylinder (IC)	Modified (M)	Full (F)
12 ga.	.013	.022	.040
Notch on Top	IIII	III	I
Stamped on Side	Imp. Cylinder	Modified	Full

**IMC Choke System** – Weatherby® PA-08 shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley™ compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Crafted from steel, Weatherby chokes also feature a unique design that reduces thread fouling and aids in easy removal/changes in the field. Certified for steel shot through modified choke constrictions.

All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. Every Weatherby PA-08 includes three chokes (IC, M, F).

## PA-08 Competitive Advantage

Features	Weatherby PA-08 Field	Mossberg 500 Field	Browning BPS Hunter	Remington 870 Express	Remington 870 Wingmaster
Gauges Available	12	12/20/.410	12/16/20/28/.410	12/16/20	12/16/20/28/.410
Chamber	3"	3"	3" and 3½"	3"	3"
Barrel Length	26"/28"	24"/26"/28"	26"/28"	21"/23"/26"/28"	26"/28"/30"
Stock	Walnut	Walnut	Walnut	Walnut	Walnut
Weight	6½-7 lbs.	6¼-7¼ lbs.	7-7¼ lbs.	6½-7½ lbs.	6½-7¼ lbs.
Chokes Included	IC/M/F	IC/M/F	IC/M/F	IC/M/F	IC/M/F
Country of Origin	Turkey	USA	Belgium-Portugal	USA	USA

MSRP (Visit [www.weatherby.com](http://www.weatherby.com) for comparative pricing.)

Specification information is from current competitor-published catalogs and Web sites.

# D'ITALIA O/U

>> OUR POPULAR LINE of D'Italia Over/Under shotguns continues to offer exceptional quality and craftsmanship at the most affordable prices. A key component is an exclusive and patented four-lock action (as opposed to the typical two-lock). This creates a rock-solid lockup for years of dependable use with a specific frame size scaled to each gauge (12/20/28), for reduced weight and better balance. All Athena® and Orion® models also feature sculpted frameheads, a custom touch normally reserved for only the highest grade Over/Unders. When paired with a richly finished walnut stock and intricately engraved receivers, our D'Italia Over/Unders will elicit a true sense of pride, both in the gunrack and in the field.



**Top Lever Actuated Automatic Sliding Safety (except Orion D'Italia SC) with Integrated Barrel Selector** – Safety automatically engages when top lever is actuated to open breech, providing an extra measure of safety. Barrel selector lets you choose which barrel (top/bottom) fires first. Provides ease of use and instant visibility of barrel selection.

**Heavy-Duty Firing Pin Springs** – Constructed of high-tensile piano wire for extra durability and dependability over years of high volume use.

**Automatic Ejectors** – Discharge spent shells when receiver is opened. Unfired shells are raised slightly for easy extraction.

**Monobloc Barrel Construction** – Narrower and lower in profile for lightweight performance, superior balance and a livelier feel.


**Vented Mid and Top Ribs** – Keeps things cool when the action heats up. Matte top rib reduces glare to promote fast target acquisition and superior pointability. Improved shooter performance.

**Snug Hinges** – The hinge action of the D'Italia is honed snug and tight to limit the potential for increased headspace under high volume shooting. Provides year after year of dependable use.

**Single Inertia Trigger** – Firing action/recoil from first barrel instantly resets trigger for second barrel. Gold-plated for corrosion protection (does not apply to Athena® D'Italia V).

**Chrome-Lined Barrels and Lengthened Forcing Cones** – Built to withstand the wear and tear of heavy use. Lengthened forcing cones work to improve patterns while reducing recoil to curb shooter fatigue.

**Top Lever Actuated Automatic Safety** — All D'Italia Over/Under field shotguns feature an easy-to-use sliding safety located directly behind the top lever. Safety automatically engages when top lever is actuated to open the breech (except Orion D'Italia SC). Also operates manually by sliding backward/forward to engage/disengage. Features an integrated barrel selector that allows you to choose which barrel fires first. Both sides are textured for more positive operation.



**Patented Four-Lock Action** — Previously available only on selected 12-gauge guns, the unique four-lock system is now available on true 20- and 28-gauge frames. A Weatherby exclusive! Creates four points of engagement between the receiver and barrels for a rock-solid lockup. The shallower and thinner profile offers lighter weight and better balance without sacrificing durability. Other custom touches include sculpted frameheads and fancy engraved top levers for a rich and distinct look.



## Integral Multi-Choke System

Constriction	Skeet (S)	SC #1	SC #1 - Ported	Improved Cylinder (IC)	SC #2 - Ported	Modified (M)	Full (F)
12 ga.	.004	.007	.007	.013	.016	.022	.040
20/28 ga.	.005	.007	.007	.009	.012	.015	.024
Notch on Top	IIII	I-I	I-I	IIII	II-II	III	I
Stamped on Side	Skeet	SC I	SC I	Imp. Cylinder	SC II	Modified	Full

**IMC Choke System** – Weatherby® O/U shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley™ compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Crafted from steel, Weatherby chokes also feature a unique design that reduces thread fouling and aids in easy removal/changes in the field. Certified for steel shot through modified choke constrictions.

All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. Orion I, Orion II, Orion III, Athena III, Athena IV and Athena V models include three chokes (IC, M, F). Orion D'Italia SC includes five chokes (IC, M, SC#1, SC#2, S).

## O/U Competitive Advantage

Features	Weatherby Orion D'Italia Grade III	Browning Citori S25 Field	Ruger Red Label	Beretta Silver Pigeon S	Franchi Renaissance Elite
Gauges/Chamber	12, 20–3"	12, 20, 410–3" 28–234"	12, 20–3" 28–234"	12, 20–3" 28–234"	12, 20–3" 28–234"
Action	Patented Four-Lock	Locking Bolt	Box Lock	Imp. Box Lock	Breech Load
Safety	Automatic	Manual	Auto or Manual	Automatic	Automatic
Receiver Finish	Polished Chrome	Silver	Silver	Silver	Silver or Blue
Stock	Claro Walnut	Walnut	American Walnut	Select Walnut	A-Grade Walnut
Weight	6½-8 lbs.	6¾-7¼ lbs.	6-7½ lbs.	5½-7¼ lbs.	5½-6¾ lbs.
Country of Origin	Italy	Japan	USA	Italy	Belgium-Portugal

MSRP (Visit [www.weatherby.com](http://www.weatherby.com) for comparative pricing.)

Specification information is from current competitor-published catalogs and Web sites.



**ORION®  
D'ITALIA SC  
(SPORTING CLAYS)**

- ▶ Satin, oil-finished walnut stock is adjustable for cheek height, features target style pistol grip and a Schnaubel forend
- ▶ Shallow receiver aligns hands for improved balance and pointability
- ▶ Chrome-plated receiver with engraved Weatherby logo
- ▶ Ported barrels reduce muzzle jump
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Fiber optic front sight for quick target acquisition

**Available Gauges**

12 Gauge	
28" Barrel	OSC1228PGM
30" Barrel	OSC1230PGM
32" Barrel	OSC1232PGM

MSRP at weatherby.com

FOUR-LOCK ACTION



**ORION  
D'ITALIA II**

- ▶ Fancy grade walnut stock with high lustre urethane finish
- ▶ Hard chrome receiver with sculpted frameheads
- ▶ Elaborate game and floral engraving pattern
- ▶ Matte ventilated mid and top rib with brilliant front bead sight
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	O121226RGG	26" Barrel	O122026RGG
28" Barrel	O121228RGG	28" Barrel	O122028RGG
30" Barrel	O121230RGG	28 Gauge 26" Barrel	O122826RGG

MSRP at weatherby.com

FOUR-LOCK ACTION



**ORION  
D'ITALIA I**

- ▶ Walnut stock with high lustre urethane finish
- ▶ All metalwork is blued to a high lustre finish
- ▶ Gold-plated trigger for corrosion protection
- ▶ Ventilated mid and top rib dissipates heat
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	O111226RGG	26" Barrel	O112026RGG
28" Barrel	O111228RGG	28" Barrel	O112028RGG

MSRP at weatherby.com

FOUR-LOCK ACTION



**ORION  
D'ITALIA III**

- ▶ Stunning combination of aesthetic beauty and field-proven design
- ▶ Hand-selected, oil-finished walnut stock with 20 LPI checkering
- ▶ Features intricate engraving and gold plate game scene overlay
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Damascened monobloc barrel and sculpted frameheads

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	O131226RGG	26" Barrel	O132026RGG
28" Barrel	O131228RGG	28" Barrel	O132028RGG

MSRP at weatherby.com

FOUR-LOCK ACTION



**PRECISION-CUT  
CHECKERING**

>>

Weatherby® D'Italia Over/Under shotguns carry precision-cut 20 LPI checkering patterns. In true Weatherby fashion, the checkering patterns are designed to match the exact contour of the stock, including the full width and length of the rounded grip tang.



**HANDCRAFTED DETAIL**

>>

Craftsmanship and attention to detail are hallmarks of the D'Italia line of Over/Unders. Each stock is hand-selected and honed to assure exceptional wood-to-metal fit throughout.





FOUR-LOCK ACTION

**ATHENA®  
D'ITALIA III**

- ▶ Beautiful oil-finished walnut stock with 20 LPI checkering
- ▶ Chrome-plated false sideplates feature a gamebird scene in gold plate overlay on side and bottom of receiver
- ▶ Pierced and engraved top lever adds a distinct, custom touch
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Damascened monobloc barrel and sculpted frameheads

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	AI31226RGM	26" Barrel	AI32026RGM
28" Barrel	AI31228RGM	28" Barrel	AI32028RGM

MSRP at weatherby.com



FOUR-LOCK ACTION

**ATHENA®  
D'ITALIA V**

- ▶ Our highest grade, oil-finished walnut stock with 20 LPI checkering
- ▶ Full grip tang provides a sure grip and comfortable feel
- ▶ Intricate rose and scroll engraving with machined false sideplates and engraved forend iron
- ▶ Damascened monobloc barrel and sculpted frameheads
- ▶ Raised engraved hinge pin is a custom touch

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	AI51226RGM	26" Barrel	AI52026RGM
28" Barrel	AI51228RGM	28" Barrel	AI52028RGM

MSRP at weatherby.com



FOUR-LOCK ACTION

**ATHENA®  
D'ITALIA IV**

- ▶ Beautiful oil-finished walnut stock with 20 LPI checkering
- ▶ Chrome-plated false sideplates features single game scene gold plate overlay
- ▶ Triggerguard features Weatherby "Flying W" engraved with gold fill
- ▶ Damascened monobloc barrel and sculpted frameheads
- ▶ Vented mid and top rib dissipates heat

**Available Gauges**

12 Gauge		20 Gauge	
26" Barrel	AI41226RGM	26" Barrel	AI42026RGM
28" Barrel	AI41228RGM	28" Barrel	AI42028RGM

28 Gauge	
26" Barrel	AI42826RGM
28" Barrel	AI42828RGM

MSRP at weatherby.com

**CUSTOM-FITTED CASES**

Custom-fitted cases can be ordered separately for all Weatherby® shotguns and rifles. Cases give your custom rifle or shotgun the ultimate protection and a beautiful presentation. Choose from canvas/leather, solid leather or distinctive leather with oak trim. Each case is handmade to order and will accommodate full-length rifles, take-down and multi-barrel shotguns. An optional Cordura® slipcover is available to provide an extra measure of protection for the exterior of the gun case. For more information on Weatherby custom cases, contact your Weatherby dealer.

>>



**OLD WORLD  
ITALIAN CUSTOM  
CRAFTSMANSHIP**

>>

A hallmark of Weatherby® Athena® D'Italia shotguns is an attention to craftsmanship normally found on double guns of considerably more expense. You get exceptional fit and finish and extra detail, including the beauty of intricate rose and scroll, game scene or floral engraving. Each shotgun carries engraved false sideplates, receiver, forend iron and tang.

**EXCEPTIONAL  
FIT & FINISH**

>>

All Weatherby® D'Italia Over/Under shotguns are precisely crafted for a seamless wood-to-metal fit...an extra measure of attention to detail found only on the finest custom shotguns.



# D'ITALIA SBS

>>

PERHAPS NO OTHER GUN ELICITS THE DEVOTION and emotional bond as the traditional English side-by-side shotgun. Refined over centuries of use, the double gun is the field standard among wingshooting loyalists. Our Italian-made side-by-sides are certain to stir a response from the most discriminating enthusiasts, bringing together classic styling and craftsmanship with modern production techniques.



## Athena® D'Italia

**Chrome-Lined Barrels** – Built to withstand the wear and tear of heavy use. Lengthened forcing cones and backboring improve patterns while reducing felt recoil.

**Monobloc Barrels** – (26" or 28") feature automatic ejectors to discharge only spent shells when receiver is opened. Unfired shells are raised slightly for easy extraction.

**Anson & Deely Action** – Time-tested design with Purdey-style double locking system provides precise interlocking alignment of barrels to action.

**Engraved Triggerguard** – Features a special roll-formed border to eliminate any sharp edges. Engraving matches sideplate patterns or features gold-filled Weatherby "Flying W."

**Engraved Sideplates** – Intricate engraving patterns leave no detail untouched. Screws are meticulously timed for perfect alignment.

**Integrated Slide Safety** – Features slender design for easy, unobtrusive operation in the field.

## Orion® D'Italia

**Engraved Triggerguard** – Engraving features gold-filled Weatherby "Flying W."

### Athena D'Italia –

Our top-of-the-line Athena D'Italias are beautiful testaments to the gunmaking craft. Near custom in every way, they offer the appointments and attention to detail you expect from a classic double gun. Top levers, receivers and triggerguards feature intricate engraving patterns with cut-outs for elegance and non-slip functionality. Forends offer precision-cut checkering with metal inserts.



### Orion D'Italia –

Form and function come together in a strikingly beautiful way with our new Orion D'Italia. Hand-selected walnut stocks with rounded pistol grip feature fineline checkering at 20 LPI and are precisely shaped and honed to match the engraved metalwork of the receiver, false sideplates and forend iron. Sculpted frameheads add a near custom touch.



## Integral Multi-Choke System

Constriction	Improved Cylinder (IC)	Modified (M)	Full (F)
12 ga.	.013	.022	.040
20/28 ga.	.009	.015	.024
Notch on Top			
Stamped on Side	Imp. Cylinder	Modified	Full

**IMC Choke System** – Weatherby® SBS shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley™ compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Crafted from steel, Weatherby chokes also feature a unique design that reduces thread fouling and aids in easy removal/changes in the field. Certified for steel shot through modified choke constrictions.

All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation. Orion D'Italia SBS includes three chokes (IC, M, F). Athena D'Italia SBS 12 gauge and 20 gauge models include three chokes (IC, M, F). Athena D'Italia SBS 28 gauge and Athena D'Italia PG SBS 28 gauge models include two chokes (IC, M).

## SBS Competitive Advantage

Features	Weatherby Athena D'Italia SBS	Weatherby Athena D'Italia SBS PG	Ruger Gold Label	Beretta 471 Silver Hawk
Gauges/Chamber	12, 20–3" 28–2¾"	12, 20–3" 28–2¾"	12–3"	12–3" 20–2¾"
Lengthened Forcing Cones	Yes	Yes	Yes	No
Trigger	Double	Single Non-Selective	Single Selective	Single Selective
Ejectors	Automatic	Automatic	Dickson-style	Extractor/Ejector Selector
Weight	6½-7¼ lbs.	6½-7¼ lbs.	6¼ lbs.	6-6½ lbs.
Country of Origin	Italy	Italy	USA	Italy
MSRP	(Visit <a href="http://www.weatherby.com">www.weatherby.com</a> for comparative pricing.)			

Specification information is from current competitor-published catalogs and Web sites.



**ATHENA®  
D'ITALIA**

- ▶ Classic straight grip design with slender forearm
- ▶ Hand-selected, oil-finished walnut stock with laser cut "New Scottish" checkering at 20 LPI
- ▶ Double triggers are a signature touch to the classic English design
- ▶ Engraved triggerguard with roll-formed edges carries gold-filled Weatherby "Flying W"

BACKBORED BARREL

**Available Gauges**

<b>12 Gauge</b>	
28" Barrel	ADX1228SGM

<b>20 Gauge</b>	
26" Barrel	ADX2026SGM
28" Barrel	ADX2028SGM

<b>28 Gauge</b>	
26" Barrel	ADX2826SGM



**ATHENA  
D'ITALIA PG**

- ▶ Features rounded pistol grip and semi-beavertail forearm for exceptional between-the-hands balance
- ▶ Hand-selected, oil-finished walnut stock with laser cut "New Scottish" checkering at 20 LPI
- ▶ Gold-plated, single mechanical trigger (right barrel fires first)
- ▶ Engraved triggerguard with roll-formed edges carries gold-filled Weatherby "Flying W"

BACKBORED BARREL

**Available Gauges**

<b>12 Gauge</b>	
28" Barrel	ADX1228PGM

<b>20 Gauge</b>	
26" Barrel	ADX2026PGM
28" Barrel	ADX2028PGM

<b>28 Gauge</b>	
26" Barrel	ADX2826PGM



**ORION®  
D'ITALIA**

- ▶ Traditional pistol grip design for sure handling in the field
- ▶ Turkish walnut stock features high gloss finish and fineline, 20 LPI laser point checkering
- ▶ Gold-plated, single mechanical trigger (right barrel fires first)
- ▶ Engraved triggerguard carries distinctive Weatherby "Flying W"

BACKBORED BARREL

**Available Gauges**

<b>12 Gauge</b>	
28" Barrel	ODX1228PGM

<b>20 Gauge</b>	
26" Barrel	ODX2026PGM

MSRP at weatherby.com



**FIT AND FINISH** – All Weatherby® Athena SBS shotguns offer exceptional wood-to-metal fit and intricate engraving. The English scroll with ribbons engraving carries the signature of the world-famous Cesare Giovannelli Studio.

**CASE INCLUDED** – Your Athena SBS comes with a handsome foam-lined take-down case, with velour sleeves and combination locks for extra protection and security.



**WEATHERBY NATION HAT**

100% cotton. Black. Adjustable for all sizes.



**WEATHERBY NATION SMALL DECAL**

Die-cut vinyl decal with adhesive back. Measures 8" X 4¾".



**WEATHERBY NATION LARGE DECAL**

Die-cut vinyl decal with adhesive back. Measures 18" X 7½".



**WEATHERBY NATION SWEATSHIRT**

90/10 poly/cotton. Silk-screened front and back. Coffee. M-XXL.



**WEATHERBY NATION T-SHIRT**

Silk-screened front and back. Graphite (M-XXL) and white (L-XXL).



**WEATHERBY NATION LICENSE PLATE**

Embossed aluminum (12" x 6").

**BECOME PART OF WEATHERBY NATION**

>>

Our online community is a great place to learn more about Weatherby rifles and shotguns, trade useful tips and ideas, and to interact with other hunters and shooters. There's no cost or obligation, so become part of the fun today. Visit [WeatherbyNation.com](http://WeatherbyNation.com) to sign up.



**“WEATHERBY. THE MAN. THE GUN. THE LEGEND.”**

Biography written by Grits and Tom Gresham. Proceeds benefit Weatherby Foundation International. Hard back.



**ANNIVERSARY SIGN**

Embossed tin sign with historical image of Roy Weatherby on safari in Eastern Kenya – circa 1953 (14½" x 10½").



**DELTA SWEATSHIRT**

90/10 poly/cotton. Silk-screened. Black. L-XXL



**FIELD KNIFE**

Single, 3" drop point 420 Series stainless steel blade can be opened with one hand. Locks open (overall length 7"). Distinctive "grained" handle made of laminate Mycarta™. High tension clip for secure carrying.



**WEATHERBY® LUCITE BLOCK DISPLAY**

Magnum ammunition in decorative Lucite.



**DELTA T-SHIRTS**

100% heavy cotton. Silk-screened front and back in ash or black. L-XXL Short Sleeve | Long Sleeve



**BINO-SYSTEM**

Our Bino-System uses your shoulders to support the weight of your binoculars, reducing neck fatigue over a long day in the field. A quick release hook allows for easy removal of optics.



**CARTRIDGE BOARD**

Weatherby Magnum cartridges displayed in solid oak frame.



**SUB-MOA T-SHIRTS**

100% heavy cotton. Silkscreened front and back. Coffee, asphalt and white. M-XXL Short Sleeve | Long Sleeve



**FIELD LENS CLOTH**

Static-free, scratch-resistant lens cloth in self-contained carry pouch with belt clip.



**HITCH COVER - NEW**

Heavy-duty poly construction with "Weatherby Magnum." Fits standard size hitch receivers.



**LICENSE PLATE FRAME**

Polystyrene construction. Standard size.



**HUNTING JOURNAL AND PEN - NEW**

A great way to record your time in the field. Hardbound simulated leather cover embossed with Weatherby logo. Ball point pen with Weatherby logo.



**SOFT SIDE CASES**

Single Rifle | Single Shotgun

Features heavy 18 oz. canvas with 40 oz. soft batting and flannel liner. Brass zippers, leather tips and slings and embroidered Weatherby logo. Choose from two styles.



**WEATHERBY SACK-UP™**

Silicone-treated cotton blend provides maximum protection from rust, marring and scratching.



**WEATHERBY HATS**

Cap off your Weatherby pride with one of our distinctive hats. Features embroidered Weatherby logo in your choice of several styles and colors.



Weatherby Outfitter/Olive (by Stormy Kromet): Various Sizes



Black/Camo



Olive/Brown



Apparition Excel™



Skyline Fall Flight®



Upland Blaze/Brown



Waxed Cotton/Brown

**MARK XXII/MARK XXII SA MOUNTING SYSTEM**

Talley system features CNC-machined rings and bases in cold-rolled carbon steel. Designed for a precise fit on the 11mm dovetail rail of the Mark XXII and optional tip-off rail of the Mark XXII SA. All screws are heat treated to prevent breakage.

Rings: Matte | Bases: Matte | Tip-off Rail: Matte



**VANGUARD® LIGHTWEIGHT MOUNTS**

Specially-designed lightweight Vanguard mounts by Talley featuring a unique one-piece design of 7000 Series billet alloy, are available for Weatherby rifles in matte blue or silver.

Rings: Matte 1" | Rings: Silver 1" | Rings: Matte 30mm



**TALLEY-DESIGNED MOUNTING SYSTEM**

Custom gunmakers have long sought the quality and durability of Talley mounts. Available for magnum or standard calibers (please specify when ordering), the Talley system features CNC-machined rings and bases of 2024-T4 aircraft-quality aluminum or cold-rolled carbon steel. Precision tolerances ensure a precise fit where the ring and base contact. The double recoil shoulder base is rock solid and will withstand the repeated pounding of our largest magnum cartridges. All screws are heat-treated to prevent breakage.

For ease of use, the unique system is available in fixed or quick-detach (QD) models with a lever-lock or screw-lock release. With the QD system, a pre-sighted backup scope and ring system can be quickly installed in the event of a scope failure. Available in matte blue or high gloss in low, medium or high, 1" or 30mm. All rings and bases have been carefully finished to complement the finish of all Weatherby rifles. Our Talley-designed, Picatinny-style mounting system provides easy on/easy off mounting. The unique base and ring system lets you slide the scope forward or backward to allow for optimal eye relief.

Steel Bases: Matte | Lightweight Alloy Bases: Matte | Fixed Rings: Matte & Gloss Blue  
QD Screw-Lock: Matte and Gloss Blue | QD Lever-Lock: Gloss Blue | Picatinny: Matte



**HARD-SIDE LUGGAGE CASES**

Fitted cases hold your shotgun (take-down) or rifle and all accessories. Interior features felt-lined, foam padding with blocks and tie-downs for extra protection during transport. Extra compartments for scope, bolt, wrenches, choke tubes and accessories. 1000 Denier DuPont® Cordura® exterior with simulated leather ends, combination locking latches and circular belts. Inside features Weatherby logo embossed on simulated leather patch.

Single Rifle | Take-down Shotgun



**MAGNUM ALUMINUM CASES**

Produced by Kalispel Case Line. Constructed of .080 aluminum with exclusive "Weatherby Gray" powdercoat finish. Extra strong latches, locks and handles, with high-density foam padded interiors to keep firearms from shifting inside.

Single Rifle: 52" x 10" x 4½"  
Double Rifle: 52" x 14" x 4½"



**Accubrake Performance**

Cartridge	Bullet Type	Rifle Weight	Recoil Energy	Recoil Energy w/ Accubrake™	Estimated Felt Recoil Comparison
.240 Wby.	100 gr. SP	8 lbs.	17.9 ft.-lbs.	8.4 ft.-lbs.	.22-250 Rem.
.257 Wby.	100 gr. SP	9¼ lbs.	22.5 ft.-lbs.	10.6 ft.-lbs.	.243 Win.
.270 Wby.	130 gr. SP	9¼ lbs.	25.2 ft.-lbs.	11.8 ft.-lbs.	7MM-08 Rem.
7MM Wby.	154 gr. SP	9¼ lbs.	27.6 ft.-lbs.	13 ft.-lbs.	.25-06 Rem.
.300 Wby.	180 gr. SP	9¼ lbs.	39.2 ft.-lbs.	18.4 ft.-lbs.	.30-06 Sprg.
.340 Wby.	250 gr. SP	10 lbs.	44.2 ft.-lbs.	20.8 ft.-lbs.	7MM Rem.
.30-378 Wby.	180 gr. BX <sup>1</sup>	9¼ lbs.	55.1 ft.-lbs.	25.9 ft.-lbs.	.270 Wby.
.338-378 Wby.	225 gr. BX <sup>1</sup>	11¼ lbs.	46.3 ft.-lbs.	21.8 ft.-lbs.	.300 Win. Mag.
.375 Wby.	300 gr. NP <sup>2</sup>	10 lbs.	46.1 ft.-lbs.	21.7 ft.-lbs.	7MM Rem.
.378 Wby.	270 gr. SP	10¼ lbs.	71.1 ft.-lbs.	33.4 ft.-lbs.	.300 Wby.
.416 Wby.	400 gr. Rn-Ex	10¼ lbs.	83.5 ft.-lbs.	39.2 ft.-lbs.	.375 H&H
.460 Wby.	500 gr. RNSP	11¼ lbs.	99.6 ft.-lbs.	46.8 ft.-lbs.	.375 Wby.

<sup>1</sup>Barnes-X <sup>2</sup>Nosler Partition

**Recoil Reduction Effectiveness**

Cartridge	Brake Type	Reduction
.416 Wby.	Weatherby Accubrake	53%
.416 Wby.	KDF Regular	49%
.416 Wby.	KDF Slimline	40.6%
.416 Wby.	Recoil Reducer	39%
.416 Wby.	None	0%



**VANGUARD® SYNTHETIC**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VGW223RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-12"
.22-250 Rem.	VGW222RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VGW243NR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-10"
.25-06 Rem.	VGW256RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VGW270NR40	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
7mm-08 Rem.	VGW7M8RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-9.5"
.308 Win.	VGW308NR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-12"
.30-06 Sprg.	VGW306SR40	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VGW257WR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 WSM	VGW270NSR40	RH 24"	7.5 lbs.	44"	3+1	24" #2	1-10"
7mm Rem. Mag.	VGW7MMRR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VGW300NR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 WSM	VGW300NSR40	RH 24"	7.5 lbs.	44"	3+1	24" #2	1-10"
.300 Wby. Mag.	VGW300WR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.338 Win. Mag.	VGW338NR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® STAINLESS**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VGS223RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-12"
.22-250 Rem.	VGS222RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VGS243NR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VGS270NR40	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.308 Win.	VGS308NR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-12"
.30-06 Sprg.	VGS306SR40	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VGS257WR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 WSM	VGS270NSR40	RH 24"	7.5 lbs.	44"	3+1	24" #2	1-10"
7mm Rem. Mag.	VGS7MMRR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VGS300NR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 WSM	VGS300NSR40	RH 24"	7.5 lbs.	44"	3+1	24" #2	1-10"
.300 Wby. Mag.	VGS300WR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.338 Win. Mag.	VGS338NR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® SYNTHETIC PACKAGE**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VWP223RR40	RH 24"	8.75 lbs.	44"	5+1	24" #2	1-12"
.22-250 Rem.	VWP222RR40	RH 24"	8.75 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VWP243NR40	RH 24"	8.75 lbs.	44"	5+1	24" #2	1-10"
.25-06 Rem.	VWP256RR40	RH 24"	8.75 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VWP270NR40	RH 24"	8.75 lbs.	44 1/2"	5+1	24" #2	1-10"
7mm-08 Rem.	VWP7M8RR40	RH 24"	8.75 lbs.	44"	5+1	24" #2	1-9.5"
.308 Win.	VWP308NR40	RH 24"	8.75 lbs.	44"	5+1	24" #2	1-12"
.30-06 Sprg.	VWP306SR40	RH 24"	8.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VWP257WR40	RH 24"	8.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 WSM	VWP270NSR40	RH 24"	8.75 lbs.	44"	3+1	24" #2	1-10"
7mm Rem. Mag.	VWP7MMRR40	RH 24"	8.75 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VWP300NR40	RH 24"	8.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 WSM	VWP300NSR40	RH 24"	8.75 lbs.	44"	3+1	24" #2	1-10"
.300 Wby. Mag.	VWP300WR40	RH 24"	8.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.338 Win. Mag.	VWP338NR40	RH 24"	8.75 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® CARBINE**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VCR223RR00	RH 20"	7 lbs.	40"	5+1	20" #1	1-12"
.22-250 Rem.	VCR222RR00	RH 24"	7 lbs.	40"	5+1	20" #1	1-14"
.243 Win.	VCR243NR00	RH 20"	7 lbs.	40"	5+1	20" #1	1-10"
7mm-08 Rem.	VCR7M8RR00	RH 20"	7 lbs.	40"	5+1	20" #1	1-9.5"
.308 Win.	VCR308NR00	RH 20"	7 lbs.	40"	5+1	20" #1	1-10"

L.O.P.: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® DELUXE**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.270 Win.	VGX270NR40	RH 24"	7.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.30-06 Sprg.	VGX306SR40	RH 24"	7.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VGX257WR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
7mm Rem. Mag.	VGX7MMRR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VGX300NR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 Wby. Mag.	VGX300WR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® SPORTER**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VDM223RR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-12"
.22-250 Rem.	VDM222RR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VDM243NR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-10"
.25-06 Rem.	VDM256RR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VDM270NR40	RH 24"	7.75 lbs.	44 1/2"	5+1	24" #2	1-10"
7mm-08 Rem.	VDM7M8RR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-9.5"
.308 Win.	VDM308NR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-12"
.30-06 Sprg.	VDM306SR40	RH 24"	7.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VDM257WR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 WSM	VDM270NSR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
7mm Rem. Mag.	VDM7MMRR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VDM300NR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 WSM	VDM300NSR40	RH 24"	7.75 lbs.	44"	3+1	24" #2	1-10"
.300 Wby. Mag.	VDM300WR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.338 Win. Mag.	VDM338NR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® SPORTER SS**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VWS223RR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-12"
.22-250 Rem.	VWS222RR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VWS243NR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VWS270NR40	RH 24"	7.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.308 Win.	VWS308NR40	RH 24"	7.75 lbs.	44"	5+1	24" #2	1-12"
.30-06 Sprg.	VWS306SR40	RH 24"	7.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VWS257WR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 WSM	VWS270NSR40	RH 24"	7.75 lbs.	44"	3+1	24" #2	1-10"
7mm Rem. Mag.	VWS7MMRR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VWS300NR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 WSM	VWS300NSR40	RH 24"	7.75 lbs.	44"	3+1	24" #2	1-10"
.300 Wby. Mag.	VWS300WR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.338 Win. Mag.	VWS338NR40	RH 24"	7.75 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® YOUTH/COMPACT**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VGC223RR00	RH 20"	6.75 lbs.	37 7/8"	5+1	20" #1	1-14"
.22-250 Rem.	VGC222RR00	RH 20"	6.75 lbs.	38 7/8"	5+1	20" #1	1-14"
.243 Win.	VGC243NR00	RH 20"	6.75 lbs.	38 7/8"	5+1	20" #1	1-10"
7mm-08 Rem.	VGC7M8RR00	RH 20"	6.75 lbs.	38 7/8"	5+1	20" #1	1-9.5"
.308 Win.	VGC308NR00	RH 20"	6.75 lbs.	38 7/8"	5+1	20" #1	1-12"

L.O.P.: 12 1/2" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

(.223 Rem.) L.O.P.: 11 1/2" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**VANGUARD® BACK COUNTRY**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.270 Win.	VBC270NR40	RH 24"	6.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.30-06 Sprg.	VBC306SR40	RH 24"	6.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VBC257WR40	RH 24"	6.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 Win. Mag.	VBC300NR40	RH 24"	6.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 Wby. Mag.	VBC300WR40	RH 24"	6.75 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® SAGE COUNTRY**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VSC223RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-12"
.22-250 Rem.	VSC222RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VSC243NR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-10"
.25-06 Rem.	VSC256RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VSC270NR40	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
7mm-08 Rem.	VSC7M8RR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-9.5"
.308 Win.	VSC308NR40	RH 24"	7.5 lbs.	44"	5+1	24" #2	1-12"
.30-06 Sprg.	VSC306SR40	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VSC257WR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 WSM	VSC270NSR40	RH 24"	7.5 lbs.	44"	3+1	24" #2	1-10"
7mm Rem. Mag.	VSC7MMRR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.300 Win. Mag.	VSC300NR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 WSM	VSC300NSR40	RH 24"	7.5 lbs.	44"	3+1	24" #2	1-10"
.300 Wby. Mag.	VSC300WR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.338 Win. Mag.	VSC338NR40	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"

L.O.P.: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

**VANGUARD® PREDATOR**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VPR223RR00	RH 22"	8 lbs.	41 1/2"	5+1	22" #3	1-12"
.22-250 Rem.	VPR222RR00	RH 22"	8 lbs.	41 1/2"	5+1	22" #3	1-14"
.308 Win.	VPR308NR00	RH 22"	8 lbs.	41 1/2"	5+1	22" #3	1-12"

L.O.P.: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 1/2" Drop at Heel: 1 1/8"

**VANGUARD® SUB-MOA VARMINT**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.204 Ruger	VSR204RG20	RH 22"	8.25 lbs.	41 1/2"	5+		

**MARK V® SVR**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	VXS223RR20	RH 22"	7.75 lbs.	42"	5+1	22" #3	1-12"
.22-250 Rem.	VXS222RR20	RH 22"	7.75 lbs.	42"	5+1	22" #3	1-14"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

**MARK V® CFP™ COMPACT FIRING PLATFORM**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.223 Rem.	CFPI223RR10	RH 16"	5.25 lbs.	27 1/2"	5+1	16" #2	1-12"
.22-250 Rem.	CFPI222RR10	RH 16"	5.25 lbs.	27 1/2"	5+1	16" #2	1-14"
.243 Win.	CFPI243NR10	RH 16"	5.25 lbs.	27 1/2"	5+1	16" #2	1-10"
7mm-08 Rem.	CFPI7M8RR10	RH 16"	5.25 lbs.	27 1/2"	5+1	16" #2	1-9.5"

**MARK XXII® SA\***

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.22 LR	SXT22LR00	RH 20"	6.5 lbs.	38 1/2"	10+1	20" #3	1-16"
.17 HMR	SXT17HMR00	RH 20"	6.5 lbs.	38 1/2"	9+1	20" #3	1-9"

LOP: 13 3/4" Drop at Comb: 1 1/8" Monte Carlo: 1/2" Drop at Heel: 1 7/8"

**MARK XXII®**

Caliber	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
.22 LR	DXT22LR30	RH 23"	6.5 lbs.	41 1/2"	5+1	23" #1	1-16"
.17 HMR	DXT17HMR30	RH 23"	6.5 lbs.	41 1/2"	4+1	23" #1	1-9"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 1/2" Drop at Heel: 1 1/8"

**MARK V® CUSTOM**

Name	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
Royal Grade Ultramark*	RUM300WR60**	RH 26"	8.5 lbs.	46 5/8"	3+1	26" #2	1-10"
Crown*	CRM257WR60**	RH 26"	8.5 lbs.	46 5/8"	3+1	26" #2	1-10"
Safari*	SFM416WR88**	*RH 28"	8.75 lbs	48 <sup>3</sup>	2+1	26" #3	1-14"
DGR*	DGM375WR40**	RH 24"	8.75 lbs	46 5/8"	3+1	26" #3	1-10"
Outfitter*	OTS270NR40**	RH 24"	5.75 lbs	44"	5+1	24" #1	1-10"
TRR Magnum*	TCM333WR88**	*RH 28"	9.25 lbs	48 <sup>3</sup>	2+1	26" #3	1-10"

(Mark V Royal Grade Ultramark, Mark V Crown) LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 3/8" Drop at Heel: 1 3/8" (Mark V Safari, Mark V DGR) LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4" (Mark V Outfitter) LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8" (Mark V TRR Magnum) LOP: 13 1/4" - 14 3/4" Drop at Comb: Adjustable Drop at Heel: Adjustable

\*Mark V Custom Rifles Specifications vary based on Caliber \*\*Not the only Calibers available in this Model

**VANGUARD® CUSTOM**

Name	Product Code	Barreled Action	Weight <sup>1</sup>	Overall Length	Mag. Capacity <sup>2</sup>	Barrel Length/Contour	Rifling (twist)
Thumbhole Nutmeg (ROY*)	VTL222RR20	RH 22"	8.5 lbs.	41 1/2"	5+1	22" #3	1-14"
Axiom Big Game*	VKB300WR40	RH 24"	8.5 lbs.	44 1/2"	3+1	24" #2	1-10"
Axiom Varmint*	VKV223RR20	RH 22"	8.75 lbs	41 1/2"	5+1	22" #3	1-12"

\*Vanguard Custom Rifles Specifications vary based on Caliber \*\*Not the only Calibers available in this Model

<sup>1</sup>New for 2009. Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are drilled and tapped for scope mounts. Specifications subject to change without notice. Price may vary by model and dealer. <sup>2</sup>Weight approximate. Varies due to stock density and bore diameter. <sup>3</sup>Magazine capacity plus one round in chamber. <sup>4</sup>Available with Weatherby Accubrake™ only. <sup>4a</sup>Measurement includes Accubrake.

Weatherby For more information and retail pricing visit www.weatherby.com

**SA-08 UPLAND**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" SA08U1226PGM 28" SA08U1228PGM	46"- 48"	6.75
20 Ga.–3"	26" SA08U2026PGM 28" SA08U2028PGM	46"- 48"	6

LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F

**SA-08 YOUTH**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
20 Ga.–3"	26" SA08Y2026PGM	44"	5.75

LOP: 12 1/2" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F

**SA-08 SYNTHETIC\***

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" SA08S1226PGM 28" SA08S1228PGM	46"- 48"	6.5
20 Ga.–3"	26" SA08S2026PGM 28" SA08S2028PGM	44"-46"-48"	6

LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F

**PA-08 UPLAND**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" PA08U1226PGM 28" PA08U1228PGM	46"- 48"	6.5

LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F

**ATHENA® V D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" A151226RGM 28" A151228RGM	43"- 45"	7.25-8
20 Ga.–3"	26" A152026RGM 28" A152028RGM	43"- 45"	6.5-7.25

LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brilliant Front IMC Chokes: IC,M,F

**ATHENA® IV D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" A141226RGM 28" A141228RGM	43"- 45"	7.25-8
20 Ga.–3"	26" A142026RGM 28" A142028RGM	43"- 45"	6.5-7.25
28 Ga.–2 3/4"	26" A142826RGM 28" A142828RGM	43"- 45"	6.5-7.25

LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brilliant Front IMC Chokes: IC,M,F

**ATHENA® III D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" A131226RGM 28" A131228RGM	43"- 45"	7.25-8
20 Ga.–3"	26" A132026RGM 28" A132028RGM	43"- 45"	6.5-7.25

LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brilliant Front IMC Chokes: IC,M,F

**ORION® III D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" OI31226RGG 28" OI31228RGG	43"- 45"	7.25-8
20 Ga.–3"	26" OI32026RGG 28" OI32028RGG	43"- 45"	6.5-7.25

LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brilliant Front IMC Chokes: IC,M,F

**ORION® II D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" OI21226RGG 28" OI21228RGG	43"- 45"- 47"	7.25-8
20 Ga.–3"	26" OI22026RGG 28" OI22028RGG	43"- 45"	6.5-7.25
28 Ga.–2 3/4"	26" OI22826RGG	43"	6.5-7.25

LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brilliant Front IMC Chokes: IC,M,F

**ORION® I D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	26" OI11226RGG 28" OI11228RGG	43"- 45"	7.25-8
20 Ga.–3"	26" OI12026RGG 28" OI12028RGG	43"- 45"	6.5- 7.25

LOP: 14 1/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brilliant Front IMC Chokes: IC,M,F

**ORION® SC D'ITALIA O/U**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	28" OSC1228PGM 30" OSC1230PGM 32" OSC1232PGM	45"-47"-49"	8

LOP: 14 3/4" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Mid w/ Fiber Optic Front IMC Chokes: IC,M,SC#1,SC#2,Skeet

**ATHENA® D'ITALIA SBS**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	28" ADX1228SGM	44 1/2"	6.75-7.25
20 Ga.–3"	26" ADX2028SGM 28" ADX2028SGM	42 1/2"- 44 1/2"	6.75-7.25
28 Ga.–2 3/4"	26" ADX2828SGM	42 1/2"	6.75-7.25

LOP: 13 5/8" and 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F (28 Gauge) IMC Chokes: Fixed (IC,M)

**ATHENA® D'ITALIA PG SBS**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	28" ADX1228PGM	44 1/2"	6.75-7.25
20 Ga.–3"	26" ADX2026PGM 28" ADX2028PGM	42 1/2"- 44 1/2"	6.75-7.25
28 Ga.–2 3/4"	26" ADX2826PGM	42 1/2"	6.75-7.25

LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F

(28 Gauge) IMC Chokes: Fixed (IC,M)

**ORION® D'ITALIA SBS**

Ga./Chamber	Barrel Length & Product Code	Overall Length	Weight <sup>1</sup> lbs.
12 Ga.–3"	28" ODX1228PGM	44 1/2"	6.75-7.25
20 Ga.–3"	26" ODX2026PGM	42 1/2"	6.75-7.25

LOP: 14" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Bead Sight: Brass Front IMC Chokes: IC,M,F



**WEATHERBY® FACTORY AMMUNITION**

**LEGEND:**

SP = Spire Point

Rn-Ex = Round Nose-Expanding

FMJ = Full Metal Jacket

Barnes TSX = Barnes® TSX™

Barnes TTSX = Barnes® TTSX™

Partition = Nosler® Partition® Flat Base

BST = Nosler® Ballistic Tip®

Accubond = Nosler® Accubond®

NOTE: These tables were calculated by computer using a standard modern scientific technique to predict trajectories and recoil energies from the best available data for each cartridge. The figures shown are expected to be reasonably accurate of ammunition behavior under standard conditions. However, the shooter is cautioned that performance will vary because of variations in rifles, ammunition, atmospheric conditions and altitude.

► B/C: Ballistic Coefficients used for these tables were supplied by the bullet's manufacturers. Listed velocities were determined using 26-inch barrels. Velocities from shorter barrels will be reduced by 30 to 65 feet per second per inch of barrel removed.

► Trajectories were computed with the line-of-sight 1.5 inches above the bore centerline.

► Accubond®, Ballistic Tip® and Partition® are registered trademarks of Nosler, Inc.

► Barnes TSX™ and Barnes TTSX™ are trademarks of Barnes Bullets, Inc.

<sup>1</sup>Monolithic Solid™ is a trademark of Arthur B. Alphin, dba A-Square

**BALLISTICS SPECIFICATIONS**

Suggested Usage	Cartridge	Bullet Weight Grains	Bullet Type	Product Code	B/C	Velocity in Feet Per Second					Energy in Foot-Pounds					Path of Bullet						
						Muzzle	100 Yards	200 Yards	300 Yards	400 Yards	500 Yards	Muzzle	100 Yards	200 Yards	300 Yards	400 Yards	500 Yards	100 Yards	200 Yards	300 Yards	400 Yards	500 Yards
V	.224 Wby.	55	SP	H22455SP	.235	3650	3192	2780	2403	2056	1741	1627	1244	944	705	516	370	2.8	3.7	0.0	-9.8	-27.9
V	.240 Wby.	85	Barnes TSX	B24085TSX	.382	3500	3222	2962	2717	2484	2264	2448	2075	1753	1475	1233	1024	2.6	3.3	0.0	-8.0	-21.6
V		87	SP	H24087SP	.327	3523	3199	2898	2617	2352	2103	2327	1977	1622	1323	1069	855	2.7	3.4	0.0	-8.4	-23.3
M		95	BST	N24095BST	.379	3420	3146	2888	2645	2414	2195	2467	2087	1759	1475	1229	1017	2.7	3.5	0.0	-8.4	-22.9
M		100	SP	H240100SP	.381	3406	3134	2878	2637	2408	2190	2576	2180	1839	1544	1287	1065	2.8	3.5	0.0	-8.4	-23.0
M		100	Partition®	N240100PT	.384	3406	3136	2882	2642	2415	2199	2576	2183	1844	1550	1294	1073	2.8	3.5	0.0	-8.4	-22.9
M	.257 Wby.	80	Barnes TTSX	B25780TTSX	.378	3870	3561	3274	3005	2753	2514	2661	2253	1904	1605	1346	1123	1.9	2.6	0.0	-6.4	-17.4
V		87	SP	H25787SP	.322	3825	3472	3147	2845	2563	2297	2826	2328	1913	1563	1269	1019	2.1	2.8	0.0	-7.1	-19.5
M		100	SP	H257100SP	.357	3602	3298	3016	2750	2500	2264	2881	2416	2019	1680	1388	1138	2.4	3.1	0.0	-7.7	-21.0
M		100	Barnes TSX	B257100TSX	.420	3570	3312	3079	2840	2396	2203	2731	2352	2019	1725	1496	1239	2.9	3.7	0.0	-8.8	-23.7
M		110	Accubond	N257110ACB	.418	3460	3207	2969	2744	2529	2325	2925	2513	2154	1839	1563	1320	2.7	3.3	0.0	-7.9	-21.2