



WINCHESTER[®]

REPEATING ARMS

2009 CATALOG

Theodore R Roosevelt

SAFARI CENTENNIAL
1909-2009

MODEL 1895



**MODEL 70
2008 RIFLE OF THE YEAR**

MODEL 70™ THE RIFLE AMERICA LOVES.

LOADED.

THE MODEL 70 REMAINS THE MOST RESPECTED BOLT-ACTION RIFLE IN THE WORLD. PROUDLY, IT IS THE ALL-AMERICAN RIFLEMAN'S RIFLE, A RIFLE FOR THE AGES AND THE BOLT-ACTION FOR THE FUTURE. NO OTHER RIFLE COMES AS HEAVILY LOADED WITH PROVEN FEATURES AS THE MODEL 70.



THREE-POSITION SAFETY

Convenient to operate with the thumb of the firing hand, the Model 70 safety design lifts the firing pin away from the sear. When the safety selector is in the middle position, the action can still be operated, allowing unfired cartridges to be cycled with the safety on. It is smooth to engage and easily identifies the safety status of the rifle.



BLADE-TYPE EJECTOR

A blade-type ejector allows you to have full control when ejecting a fired case. Pull the bolt back slowly and the empty case pops out gently, perfect for target shooters and varminters. Pull the bolt back smartly and the empty case clears the port with greater force.



STAINLESS STEEL COMPONENTS

The trigger housing and all internal components of the MOA Trigger are constructed of durable, corrosion-resistant stainless steel.

WALNUT STOCK

Only a beautifully-fit, solid American walnut stock enhanced with finely cut checkering is appropriate for a rifle living up to a rich legacy of accuracy and dependability.

RECOIL PAD

All Model 70s feature a premium Pachmayr® "Decelerator" recoil pad. The ideally contoured pad contact area offers optimal protection against felt recoil and is quick to the shoulder.

ZERO TAKE UP

Take up is the distance the triggerpiece travels prior to the sear moving toward release and the shooter feeling resistance. The M.O.A. Trigger System has no take up because the take up spring keeps the triggerpiece in constant contact with the actuator. Unlike competitors' designs, the unique geometry of the M.O.A. pre-loads the entire trigger system to bias-out normal manufacturing tolerances.

ZERO CREEP

Creep is the perceptible movement of the trigger prior to the release of the firing pin or striker and has a negative influence on accuracy because it causes inconsistency and uncertainty during the pull of the trigger. This contributes to jerking the trigger, thus adding to the movement of the gun during firing. The 2:1 mechanical advantage created by the trigger design's unique geometry is how creep has been virtually eliminated in the Model 70 M.O.A. Trigger.

ZERO OVERTRAVEL

Overtravel is the rearward movement of the trigger after the firing pin or striker has been released. It can actually jar the gun away from its intended point of aim and is also very distracting to the shooter. The Model 70 M.O.A. Trigger System is set at the factory to have no perceptible overtravel. Where you aim is where you shoot.

FORGED STEEL RECEIVER

The receiver of the Model 70 starts out as a block of forged steel, not as a simple casting or an extruded blank. Each forging is carefully machined to create a strong, stiff and long-lasting receiver that resists flexing and delivers top accuracy for thousands of rounds. The bottom profile of the Model 70 receiver is flat to offer more surface area for bedding. It's then bedded, front and rear with a two-part epoxy, eliminating shifts in zero and preserving pinpoint accuracy. The flat bottom contour also resists twisting inside the stock during firing much better than the competitors' round bottom receivers.

CLAW EXTRACTOR

Controlled Round Feed Bolt. If there were a single feature responsible for the Model 70 being labeled the "Bolt-Action Rifle of the Century," it would arguably be the classic Controlled Round Feed (CRF) bolt design. The massive claw extractor smoothly slips into and secures about one-quarter of the cartridge's base, exerting full control from the very moment it leaves the magazine and enters the chamber, then hangs on tight until it's fully ejected. This time-proven design allows an unfired cartridge to be extracted even if it is not yet fully chambered.



TARGET CROWN

All Model 70's feature a recessed target crown at the muzzle to protect the rifling from nicks, dings or other damage. The bullet is uniformly released from the barrel in the same manner on every shot for more consistent accuracy.



INTEGRAL RECOIL LUG

The recoil lug on the Model 70 is actually forged and machined as part of the receiver. It's not a separate part that's installed between the barrel and the action during assembly. This allows the barrel to be trued in perfect alignment to the front ring of the receiver for greater accuracy. There is nothing to move or shift the barrel out of alignment, ever.



COLD HAMMER-FORGED, FREE-FLOATING BARREL

A critical feature of any high-powered rifle is how the barrel is made and set in the stock. Every Model 70 barrel is cold hammer-forged from a solid billet of steel, shaped by massive rotary hammers over a mandrel to create the rifling. Every barrel is then stress relieved to ensure top accuracy, even during the heat of long strings of fire.

The Model 70 barrel is free-floating in the stock so that no part of the fore-end touches the barrel, because pressure from the stock can adversely influence accuracy. You can expect 1 MOA accuracy for three-shot groups from your Model 70 using premium ammo and quality optics under suitable weather and range conditions.



ONE-PIECE BOTTOM METAL

The unitized trigger guard and magazine frame of the Model 70s feature solid, one-piece bottom metal floorplates, not flimsy plastic. The hinged magazine floorplate speeds unloading of the cartridges, avoiding having to cycle them through the action.



BUILT IN THE USA

The All-American Model 70s are built by American craftsmen in Columbia, South Carolina. This is the same state-of-the-art factory where rifles and machine guns used by America's Armed Forces around the world are built. They are made to the exact ISO 9001 standard of quality that Uncle Sam insists upon for military firearms.

MODEL 70™ A LEGENDARY LUXURY RIFLE.


BIG RED.

THE LEGACY OF THE LAST CENTURY IS THE LEADER OF THE NEW. THE WINCHESTER® MODEL 70 SUPER GRADE RIFLE WAS SO NAMED IN 1937 AS AN UPGRADE FROM THE STANDARD MODEL. THE SPORTER STYLE STOCK IS TRIMMER FOR EXCELLENT HANDLING AND IDEAL BALANCE. A SHADOWLINE CHEEKPIECE PERFECTLY ALIGNS YOUR EYE WITH THE SCOPE. HIGHLY POLISHED, DEEPLY BLUED STEEL AND FINELY CHECKERED FANCY GRADE WALNUT DEFINES THE INTEGRITY OF A SUPER GRADE MODEL 70 RIFLE.

NEW




MODEL™
70



1) M.O.A. Trigger System. The Model 70 M.O.A. Trigger System works on the simple principle of the pivoting lever. Pictured above are the triggerpiece (A), actuator (B), and sear (C). The housing and all internal parts, pins and springs are precision crafted from stainless steel. The sear and actuator are Slick Shot® electroless nickel Teflon® coated for corrosion resistance and smoother operation.

2) 2:1 Mechanical Advantage. The M.O.A.'s triggerpiece offers a wide, smooth face to better distribute finger pressure for a lighter, more sensitive feel. Because of the M.O.A. Trigger's geometry and 2:1 mechanical advantage, as the triggerpiece moves rearward (X), it travels only half the distance of the actuator (2X). Since this distance is greatly decreased, the perception of creep and overtravel are virtually eliminated.



Left side view.



SUPER GRADE

From Botswana to the Brooks Range, no other rifle has traveled so extensively in search of big game or is held in such high esteem as the Model 70. Foremost in the series is the elegant Super Grade. You feel a surge of pride as you slide it from the case. The warm grain and figure of the fancy grade walnut stock with finely cut checkering complement the contrasting black fore-end tip and pistol grip cap. The sleek lines of the sculpted shadowline cheekpiece flow across the stock. A blued steel stock crossbolt is tastefully engraved, adding both strength and elegance, while inletted blued steel swivel studs grace the underside. A tasteful black Pachmayr® Decelerator® pad helps soften felt recoil. The cold hammer-forged steel barrel is free floating for enhanced accuracy. The M.O.A. Trigger System puts the Super Grade under your total control. With no take up, no creep and no overtravel, it's the finest trigger ever offered and will immediately help you realize the gun's 1 MOA accuracy potential. When you're ready for super accuracy combined with super elegance, you're ready for the Model 70 Super Grade.



One-piece bottom metal. Adds extra rigidity to the stock and action for improved accuracy.

Shadowline cheekpiece. The Model 70 Super Grade cheekpiece is beautifully functional, placing your eye in perfect alignment behind either open sights or a scope.



- **M.O.A.™ Trigger System**
- **Three-position safety**
- **Controlled Round Feeding**
- **High grade walnut stock**
- **Hex socket action screws**
- **One-piece steel trigger guard and flush-mount hinged magazine floorplate**

MODEL 70 SUPER GRADE PRICES IN U.S. DOLLARS

	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
SUPER GRADE • Fancy Grade Walnut Stock, No Sights											
NEW	535107264	270 WSM	3	24"	44"	13¾"	½"	½"	8	10"	\$1,169
NEW	535107255	300 WSM	3	24"	44"	13¾"	½"	½"	8	10"	1,169
NEW	535107226	270 Win.	5	24"	44½"	13¾"	½"	½"	8	10"	1,139
NEW	535107228	30-06 Sprg.	5	24"	44½"	13¾"	½"	½"	8	10"	1,139
NEW	535107233	300 Win. Mag.	3	26"	46¾"	13¾"	½"	½"	8¼	10"	1,169

MODEL 70™ THE EXTREME CONDITIONS RIFLE.

SEE RED.



NEW

MODEL 70™

MODEL 70 EXTREME WEATHER SS PRICES IN U.S. DOLLARS

Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Full	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
EXTREME WEATHER SS • Bell and Carlson Synthetic Stock with Sculpted Cheekpiece, No Sights										
NEW 535110212	243 Win.	5	22"	41"	13¾"	½"	½"	6½	10"	\$1,069
NEW 535110220	308 Win.	5	22"	41"	13¾"	½"	½"	6½	12"	1,069
NEW 535110264	270 WSM	3	24"	43"	13¾"	½"	½"	6¾	10"	1,099
NEW 535110265	7mm WSM	3	24"	43"	13¾"	½"	½"	6¾	9½"	1,099
NEW 535110255	300 WSM	3	24"	43"	13¾"	½"	½"	6¾	10"	1,099
NEW 535110277	325 WSM	3	24"	43"	13¾"	½"	½"	6¾	10"	1,099
NEW 535110226	270 Win.	5	22"	41¾"	13¾"	½"	½"	6¾	10"	1,069
NEW 535110228	30-06 Sprg.	5	22"	41¾"	13¾"	½"	½"	6¾	10"	1.069
NEW 535110230	7mm Rem. Mag.	3	26"	43¾"	13¾"	½"	½"	7	9½"	1,099
NEW 535110233	300 Win. Mag.	3	26"	43¾"	13¾"	½"	½"	7	10"	1,099
NEW 535110236	338 Win. Mag.	3	26"	43¾"	13¾"	½"	½"	7	10"	1,099



Bedding Block. The Model 70 Extreme Weather SS is bedded into an alloy skeletal bedding block that's molded right into the stock during manufacture. The precise mating of this bedding block to the lower portion of the receiver means flat-out reliability. The rifle holds a tight zero, putting the first shot and every shot that follows right where you expect, in any weather condition, season after season.

Composite Stock. The Model 70 Extreme Weather SS's premium Bell and Carlson™ composite stock features enhanced ergonomics with a trim, light feel. The textured matte surface offers a sure grip in wet conditions. Two stainless steel sling swivel studs are installed.

Recoil Pad and Cheekpiece. The thick, black Pachmayr® Decelerator® pad greatly reduces felt recoil, allowing quick follow-up shots without distraction. A comfortable, sculpted cheekpiece helps ensure proper eye-to-scope alignment from any shooting position. (Right-hand model shown.)

- **M.O.A.™ Trigger System**
- **Controlled Round Feeding**
- **Three-position safety**
- **Bell and Carlson™ premium composite stock**
- **Hex socket action screws**
- **One-piece trigger guard and hinged magazine floorplate**

EXTREME WEATHER SS

Accuracy under all conditions. The Bell and Carlson™ composite stock features a textured charcoal gray matte finish for rugged good looks and improved grip in adverse conditions. The Pachmayr® Decelerator® pad helps take the felt recoil bite out of high performance magnum cartridges. The claw extractor offers Controlled Round Feeding so the cartridge may be easily withdrawn from the chamber at any point after it leaves the magazine. The cartridge feed lips are part of the receiver for improved reliability. The classic three-position safety offers both on safe and fire positions, plus a middle position that locks the firing pin yet still allows the bolt to be operated, providing a greater margin of safety when checking the chamber condition or unloading. The Extreme Weather SS's free floating, fluted stainless barrel is made in the same factory as those found on U.S. military rifles and machine guns, and features a recessed target crown to protect the rifling. With quality optics, premium ammunition and good shooting conditions, 1 MOA accuracy can be expected from the Extreme Weather SS. (Scope and mounting system not included.)



THE MODEL 70 EXTREME WEATHER SS OFFERS HUNTERS A RUGGED, ALL-WEATHER RIFLE. THE M.O.A. TRIGGER SYSTEM, PRE-'64 TYPE CONTROLLED ROUND FEED BOLT WITH CLAW EXTRACTOR AND THREE-POSITION SAFETY OFFER ABSOLUTE CONTROL OVER EVERY ROUND. THE EXTREME WEATHER SS'S TEXTURED SYNTHETIC BELL AND CARLSON™ STOCK WITH SCULPTED CHEEKPIECE IS A HIGH-PERFORMANCE DESIGN, ENGINEERED TO MAINTAIN A RELIABLE ZERO AND PROVIDE AN IDEAL FIT FOR PERFECT EYE-TO-SCOPE ALIGNMENT IN EVERY SHOOTING POSITION. THE ONE-PIECE METAL TRIGGER GUARD AND STAINLESS STEEL HINGED MAGAZINE FLOORPLATE ADD RIGIDITY FOR IMPROVED ACCURACY. WHEN YOU FIRE THE WINCHESTER® MODEL 70 EXTREME WEATHER SS, YOU'LL EXPERIENCE THE ULTIMATE IN ACCURACY AND DURABILITY.

MODEL 70™ THIS DOG WILL HUNT.

OPEN FIRE.

WHEN OPPORTUNITIES POP UP FOR LONG-RANGE VARMINT SHOOTING, DEER HUNTING OR FOR ANY HUNTING SITUATION, YOU NEED A RIFLE THAT IS STABLE FROM BUTTSTOCK TO MUZZLE, HIGHLY ACCURATE AND RELIABLE. THE COYOTE LIGHT IS PERFECT FOR THE AVID HUNTER AND TARGET SHOOTER WANTING TO WRING THE UTMOST ACCURACY AND PERFORMANCE FROM A RIFLE.



NEW

MODEL™
70



Tough, Composite Stock. The Model 70 Coyote Light's premium Bell and Carlson™ composite stock features enhanced ergonomics with a trim, light feel. The textured matte surface offers a sure grip in wet conditions. Two blued sling swivel studs are installed.

Bedding Block. The Coyote Light's receiver is bedded into an alloy skeletal bedding block molded into the stock. Mating the bedding block to the receiver equals total stability, reliability and outstanding accuracy.


Free-Floating Barrel. Since every barrel heats and vibrates when fired, a free-floating barrel does not allow the fore-end to impinge against it at any point, ensuring and preserving accuracy. Every Model 70 barrel is free-floated from the factory.



COYOTE LIGHT

Most varmint guns are easily recognized by their heavy barrels, bipod mounting studs and long range scopes, but they are far from being equal. The new Winchester® Coyote Light is the rifle to take along for varmint and target shooting fun. It has been carefully trimmed of any unnecessary bulk but is no lightweight when it comes to performance. The matte-blued receiver and medium-heavy fluted stainless barrel mount into a skeletonized aluminum bedding block that is set in a lightweight carbon fiber/fiberglass composite Bell and Carlson™ stock for superb accuracy. Flow-through vents on the fore-end reduce weight and help cool the barrel during long strings of fire. A Pachmayr® Decelerator® pad helps soak up recoil. Available in standard short action and WSM calibers. (Scope and mounting system not included.)

- **Controlled Round Feeding**
- **Bedded action and free-floating barrel for exceptional long-range accuracy**
- **M.O.A.™ Trigger System**
- **Pachmayr® Decelerator® pad**
- **Bell and Carlson™ stock with embedded aluminum block for added strength and superb accuracy**



MODEL 70 COYOTE LIGHT PRICES IN U.S. DOLLARS

	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
COYOTE LIGHT • Bell and Carlson Synthetic Stock with Sculpted Cheekpiece, No Sights											
NEW	535115210	22-250 Rem.	5	22"	41"	13¾"	½"	½"	7½	14"	\$1,069
NEW	535115212	243 Win.	5	22"	41"	13¾"	½"	½"	7½	10"	1,069
NEW	535115220	308 Win.	5	22"	41"	13¾"	½"	½"	7½	12"	1,069
NEW	535115264	270 WSM	3	24"	43"	13¾"	½"	½"	7½	10"	1,099
NEW	535115255	300 WSM	3	24"	43"	13¾"	½"	½"	7½	10"	1,099
NEW	535115277	325 WSM	3	24"	43"	13¾"	½"	½"	7½	10"	1,099

MODEL 70™ PINPOINT ACCURACY, SHOT AFTER SHOT.

FIRE CONTROL.

THE MODEL 70'S REPUTATION LIVES ON IN THE FEATHERWEIGHT AND SPORTER MODELS. FROM DEER TO VARMINTS, HOGS TO ANTELOPE, THESE ALL-AROUND RIFLES ARE WELL SUITED FOR ANY TYPE OF GAME.

NEW

NEW




The sculpted cheekpiece on the Model 70 Sporter.

MODEL™
70



All Model 70s feature free-floating barrels.



FEATHERWEIGHT

The legendary handling and quickness of the Model 70 Featherweight is justly famous among hunters everywhere. The Model 70 action offers Pre-'64 style Controlled Round Feeding, a three-position safety and is highlighted by a jeweled bolt body with knurled bolt handle. Inside is the M.O.A. Trigger System, the finest trigger ever offered in a bolt-action with zero take up, zero creep and zero overtravel. Like the original Featherweight, the angled comb Grade I walnut stock still features the Schnabel fore-end and satin finish with elegant cut checkering. A premium Pachmayr® Decelerator® pad helps soak up felt recoil. It's available in the most popular long and short action calibers, including WSM chamberings.

SPORTER

The Sporter features a satin finish Grade I walnut stock with cut checkering on its trim fore-end and pistol grip, along with a sculpted cheekpiece for precise scope alignment to create a superbly balanced rifle that's lighter to carry. The premium Pachmayr® Decelerator® recoil pad with the ideal contact area offers optimal protection against felt recoil while still being quick to the shoulder. Along with the Sporter's great looks and handling come a cold hammer-forged barrel and the crisp three-lever M.O.A. Trigger System that let you fully exploit the 1 MOA accuracy potential of this classic hunting rifle. Available in popular long and short action calibers including WSM chamberings. (Scope and mounting system not included.)



- Satin finished checkered walnut stocks
- Controlled Round Feeding
- Bedded actions and free-floating barrels for exceptional long-range accuracy
- M.O.A.™ Trigger System
- Pachmayr® Decelerator® pads

MODEL 70 FEATHERWEIGHT PRICES IN U.S. DOLLARS

	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
MODEL 70 FEATHERWEIGHT • Satin Finished Grade I Walnut Stock with Angled Comb, No Sights											
NEW	535109210	22-250 Win.	5	22"	42"	13¾"	½"	½"	6½	14"	\$799
NEW	535109212	243 Win.	5	22"	42"	13¾"	½"	½"	6½	10"	799
NEW	535109218	7mm-08 Rem.	5	22"	42"	13¾"	½"	½"	6½	9½"	799
NEW	535109220	308 Win.	5	22"	42"	13¾"	½"	½"	6½	12"	799
NEW	535109264	270 WSM	3	24"	44"	13¾"	½"	½"	7¼	10"	839
NEW	535109265	7mm WSM	3	24"	44"	13¾"	½"	½"	7¼	9½"	839
NEW	535109255	300 WSM	3	24"	44"	13¾"	½"	½"	7¼	10"	839
NEW	535109277	325 WSM	3	24"	44"	13¾"	½"	½"	7¼	10"	839
NEW	535109225	25-06 Rem.	5	24"	42½"	13¾"	½"	½"	7	10"	799
NEW	535109226	270 Win.	5	22"	42½"	13¾"	½"	½"	7	10"	799
NEW	535109228	30-06 Sprg.	5	22"	42½"	13¾"	½"	½"	7	10"	799
NEW	535109230	7mm Rem. Mag.	3	24"	44½"	13¾"	½"	½"	7¼	9½"	839
NEW	535109233	300 Win. Mag.	3	24"	44½"	13¾"	½"	½"	7¼	10"	839
NEW	535109236	338 Win. Mag.	3	24"	44½"	13¾"	½"	½"	7¼	10"	839
MODEL 70 SPORTER • Satin Finished Grade I Walnut Stock with Sculpted Cheekpiece, No Sights											
NEW	535108264	270 WSM	3	24"	44½"	13¾"	½"	½"	7¼	10"	\$839
NEW	535108265	7mm WSM	3	24"	44½"	13¾"	½"	½"	7¼	9½"	839
NEW	535108255	300 WSM	3	24"	44½"	13¾"	½"	½"	7¼	10"	839
NEW	535108277	325 WSM	3	24"	44½"	13¾"	½"	½"	7¼	10"	839
NEW	535108225	25-06 Rem.	5	24"	44½"	13¾"	½"	½"	7¼	10"	799
NEW	535108226	270 Win.	5	22"	44½"	13¾"	½"	½"	7¼	10"	799
NEW	535108228	30-06 Sprg.	5	22"	44½"	13¾"	½"	½"	7¼	10"	799
NEW	535108230	7mm Rem. Mag.	3	26"	46½"	13¾"	½"	½"	7¼	9½"	839
NEW	535108233	300 Win. Mag.	3	26"	46½"	13¾"	½"	½"	7¼	10"	839
NEW	535108236	338 Win. Mag.	3	26"	46½"	13¾"	½"	½"	7¼	10"	839

MODEL 70™ ALL-AROUND TOUGH.

MEAT SMOKER.

THE NEW MODEL 70 ULTIMATE SHADOW HAS THE MOST ADVANCED SYNTHETIC STOCK DESIGN IN THE INDUSTRY. EVERY CONTOUR AND RIDGE, PLUS THE FITTING OF STOCK-TO-STEEL HAVE BEEN CAREFULLY ENGINEERED TO PROVIDE MAXIMUM STRENGTH AND EFFICIENCY WITH MINIMUM WEIGHT. WHEN YOU HAVE A ONCE IN A LIFETIME SHOT AT A TROPHY BIG GAME ANIMAL LIKE THE REGAL ELK, DON'T LEAVE ANYTHING TO CHANCE. DEPEND ON THE NEW MODEL 70 ULTIMATE SHADOW.

NEW



MODEL™
70





WinSorb™ Technology. The Model 70 Ultimate Shadow has a WinSorb recoil pad, specifically designed for Ultimate Shadow composite stocks. Like the finest gel pad, it cushions and absorbs sharp recoil, allowing more pleasant shooting at the bench, especially with heavy magnum calibers.

One-Piece Bottom Metal. In order to further enhance accuracy, the Model 70 Ultimate Shadow utilizes a unitized trigger guard and magazine frame. This gives added rigidity and integrity to the entire action. The hinged magazine floorplate speeds unloading of the cartridges. Twin Allen head action screws offer a clean, no-snag look and feel.

Now with Classic External Claw Extractor. The massive external claw extractor smoothly captures nearly one quarter of the base of the cartridge as it releases from the magazine, allowing the bolt to fully control feeding into and guarantee extraction from the chamber.

- **Controlled Round Feeding**
- **Bedded action and free-floating barrel for exceptional long-range accuracy**
- **M.O.A.™ Trigger System**
- **WinSorb™ recoil pad**
- **Lightweight**

ULTIMATE SHADOW At first glance, the Model 70 Ultimate Shadow, with its flowing lines and integrated, rubberized, oval-dot gripping surfaces on the pistol grip and fore-end looks very different from other composite rifles. When you pick it up, you'll know why. The stock immediately gives you a comfortable, secure hold even when wet or cold. It feels tight in your hands and gives you better control from any shooting angle. The Ultimate Shadow is also lightweight. You can carry it into remote, rugged country without worrying about any extra weight, or dinging up the rifle when the hike gets rough. The free-floating barrel and M.O.A. Trigger System contributes to exceptional accuracy and its classic, Controlled Round Feed action continues to make the Ultimate Shadow's receiver the most reliable and smoothest cycling in the industry. The Ultimate Shadow is offered in a 22", 24" or 26" blued barrel and available in popular standard calibers and three WSM calibers.



MODEL 70 ULTIMATE SHADOW PRICES IN U.S. DOLLARS

	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
ULTIMATE SHADOW • Synthetic Stock, No Sights											
NEW	535114212	243 Win.	5	22"	41¾"	13 ⅝"	⅜"	½"	6½	10"	\$739
NEW	535114220	308 Win.	5	22"	41¾"	13 ⅝"	⅜"	⅜"	6½	12"	739
NEW	535114264	270 WSM	3	24"	43¾"	13 ⅝"	⅜"	⅜"	6¾	10"	769
NEW	535114255	300 WSM	3	24"	43¾"	13 ⅝"	⅜"	⅜"	6¾	10"	769
NEW	535114277	325 WSM	3	24"	43¾"	13 ⅝"	⅜"	⅜"	6¾	10"	769
NEW	535114226	270 Win.	5	22"	44¼"	13 ⅝"	⅜"	⅜"	6¾	10"	739
NEW	535114228	30-06 Sprg.	5	22"	44¼"	13 ⅝"	⅜"	⅜"	6¾	10"	739
NEW	535114230	7mm Rem. Mag.	3	26"	46¼"	13 ⅝"	⅜"	⅜"	7	9½"	769
NEW	535114233	300 Win. Mag.	3	26"	46¼"	13 ⅝"	⅜"	⅜"	7	10"	769



SUPER X[®] RIFLE CARRY CONFIDENCE.

RED DAWN.

FROM WHITETAIL SLIPPING THROUGH THE DENSE WOODS OF THE SOUTH, TO TROPHY ELK HANGING IN THE HIGH, DEEP-PINED VALLEYS OF THE ROCKY MOUNTAINS, OR TO THE ROUGH AND TUMBLE COUNTRY FREQUENTED BY WILD BOAR, THE SUPER X RIFLE IS THE IDEAL RIFLE — FAST, VERSATILE, ACCURATE AND WELL-BALANCED. A MODERN GAS-OPERATED AUTOLOADING SYSTEM HELPS TAKE THE PUNCH OUT OF SHOOTING MAGNUM CARTRIDGES. THE SUPER X RIFLE'S CUTTING-EDGE STYLING IS A DEPARTURE FROM TRADITION, SETTING THIS RIFLE APART FROM THE COMPETITION. THE BOTTOM LINE: THE SUPER X RIFLE GIVES YOU HARD-HITTING ACCURACY AND RELIABLE SPEED FOR FAST FOLLOW-UP SHOTS.

NEW



SXR[®]





Bolt-Action Accuracy. The combination of a multi-lug, rotating bolt locking system and a precision hammer-forged, free-floated barrel give the gas-operated Super X Rifle accuracy that rivals many bolt-action rifles. It's strong enough to fire powerful magnum cartridges, and reliable with virtually any bullet weight currently available in factory ammunition.

New Hinged Floorplate with Detachable Box Magazine. Simply push the release button to the rear of the magazine. The magazine will swing down, allowing you to release the magazine box from the floorplate. Snap in a full magazine, close the floorplate and you are ready to shoot.

Functional Styling. The appearance of the Super X Rifle makes a statement about the shooter who carries it. The checkered walnut stock floats to the shoulder and provides a sure, comfortable grip. Natural pointing with fast follow-up shot ability will give you the advantage on fast-moving game.



SUPER X RIFLE

The fastest follow-up shot is the one that loads itself, making the Super X Rifle autoloader among the fastest on the planet. From its rigid alloy receiver to its hammer-forged barrel, it will meet the challenge of any hunting situation. An enlarged trigger guard, crossbolt safety and smooth trigger make the Super X Rifle easy to operate, even with gloved hands. When you shoulder the Super X Rifle, the functional, ergonomic styling of the select grade walnut stock fits perfectly and provides ideal eye-to-scope alignment.



- Accuracy that rivals many factory bolt-action rifles
- 45% less felt recoil than the competition
- Fast, reliable gas-operation
- Available in popular standard and magnum calibers
- Removable trigger assembly
- Hinged magazine floorplate
- Ergonomic walnut stock and forearm


SUPER X RIFLE PRICES IN U.S. DOLLARS

	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Full	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
SUPER X RIFLE • Walnut Stock, No Sights											
NEW	531026264	270 WSM	3	24"	45"	14 1/8"	7/8"	1 1/4"	7 1/2	10"	\$979
NEW	531026255	300 WSM	3	24"	45"	14 1/8"	7/8"	1 1/4"	7 1/2	10"	979
NEW	531026228	30-06 Sprg.	4	22"	43"	14 1/8"	7/8"	1 1/4"	7 1/2	10"	949
NEW	531026233	300 Win. Mag.	3	24"	45"	14 1/8"	7/8"	1 1/4"	7 1/2	10"	979

WILDCAT™ TURN IT LOOSE!

FIRECRACKER.

NO GUN COLLECTION IS COMPLETE WITHOUT AN ACCURATE, SWEET-SHOOTING 22 RIMFIRE RIFLE. NOT ONLY IS THE WILDCAT BOLT-ACTION RIFLE AN INCREDIBLE VALUE, IT OFFERS OUTSTANDING ACCURACY FROM A TARGET CROWNED, FREE-FLOATED, PRECISION BARREL WITH A POLISHED BORE AND HAMMER-FORGED RIFLING. CYCLE SOME FUN THROUGH THE WILDCAT 22.




FREE FLOATED BARRELS

Most manufacturers don't bother free-floating the barrels on their rifles. With the Wildcat, the barrel is free-floated because accuracy is everything, even on a rimfire.

Wildcat™ .22 Bolt-Action Rifle






Accuracy Begins with the Barrel. You can't miss with a sporter-weight barrel on the Wildcat or a heavy bull barrel on the Wildcat Target/Varmint. Both are free-floating, have precision hammer-forged rifling with a left-hand, 1 in 16" twist, extensive polishing and a recessed target crown.

Four Magazines. How many 22 rifles come standard with four magazines? Both Wildcat models come with one 5-round and three 10-round removable box magazines. You won't have to worry about purchasing extra magazines.


Recessed Target Crown. As a bullet leaves the barrel, it is imperative that the precision rifling and crown at the end of the bore are preserved and protected. Wildcat barrel crowns are recessed to protect this critical area, preserving accuracy. With semi-match chambers and carefully polished bores, you'll be putting every shot from the Wildcat right on target.



Fold-down Rear Sight. The adjustable blade folds out of the way, allowing large diameter scope bells more clearance. (Not available on Target/Varmint model.)

Detachable Box Magazine. The forward mounted release button lets the detachable box magazine drop right into your hand for easy retention and rapid reloading.

Easy to Operate and Maintain. The Wildcat's polished, field strippable bolt, crisp two-stage trigger (adjustable for pull weight on the Target/Varmint model) and easy-to-reach two-position safety lever give you complete control over every shot.



Every Wildcat comes with one five-round magazine and three 10-round magazines.

WILDCAT TARGET/VARMINT

The Wildcat Target/Varmint rifle has a highly accurate, heavy .827" diameter bull barrel. The receiver is drilled and tapped, as well as grooved for mounting a scope. While many of today's smallbore rifles are clunky little plinkers, the Target/Varmint has the look and feel of a sleek, full-size hunting rifle, complete with an adjustable trigger, and dual front steel swivel studs. The pinpoint accuracy of the Wildcat Target/Varmint will make a lasting impression from the very first shot. One 5-round and three 10-round magazines are included. (Scope and mounting system not included.)



WILDCAT

Unleash the Winchester® Wildcat, the most accurate rimfire rifle to hit the range in recent memory. The Wildcat rifle's checkered hardwood stock features the familiar look of the historic centerfire Model 70 Featherweight, complete with a checkered black synthetic Winchester buttplate and matching grip cap, Schnabel fore-end and steel sling swivel studs. Along with the smooth, highly polished bolt, the trigger is light and crisp. One 5-round and three 10-round magazines are included.

- Exceptional bolt-action accuracy
- Smooth, fast cycling
- Chrome-plated bolt for easy maintenance
- Four detachable box magazines included
- Checkered buttplate with embossed Winchester crest

WILDCAT RIMFIRE RIFLE PRICES IN U.S. DOLLARS

Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
WILDCAT TARGET/VARMINT • One 5-Round and three 10-Round magazines, Hardwood Stock										
525101202	22 LR	5/10	21"	38¾"	13½"	7/16"	1"	5½	16"	\$309
WILDCAT • One 5-Round and three 10-Round magazines, Hardwood Stock										
525100102	22 LR	5/10	21"	38¾"	13½"	7/16"	1¾"	4½	16"	\$259

MODEL 1895™ SAFARI CENTENNIAL 1909-2009

ANY TRUE SPORTSMAN HAS A PLACE IN HIS HEART FOR NOSTALGIC FIREARMS OF A BYGONE ERA. THROUGHOUT THE WORLD, WINCHESTER® OWNS THE MOST RENOWNED, RESPECTED NAME IN THE INDUSTRY. PRESIDENT THEODORE ROOSEVELT LOVED HIS MANY WINCHESTER GUNS. WE PAY TRIBUTE TO HIM DURING THE 100TH ANNIVERSARY OF HIS GRAND AFRICAN SAFARI AND HIS CONTRIBUTIONS TO THE SMITHSONIAN INSTITUTION.

Theodore **TR** *Roosevelt*

SAFARI CENTENNIAL
1909-2009

NEW



NEW



MODEL 1895 SAFARI CENTENNIAL RIFLES PRICES IN U.S. DOLLARS

	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
1895 THEODORE ROOSEVELT SAFARI CUSTOM GRADE • 405 Winchester, Walnut Stock, Engraved, Blued Receiver											
NEW	534156154	405 Win.	4	24"	42"	13¼"	2⅞"	3⅝"	8	10"	\$3,649
1895 THEODORE ROOSEVELT SAFARI HIGH GRADE • 405 Winchester, Walnut Stock, Engraved, Silver Nitride Receiver											
NEW	534155154	405 Win.	4	24"	42"	13¼"	2⅞"	3⅝"	8	10"	\$1,749

BIG MEDICINE.



Theodore Roosevelt Collection Harvard College Library



Theodore Roosevelt Collection Harvard College Library



Theodore Roosevelt Collection Harvard College Library

The Winchester® Model 1895 was the first lever-action rifle built to fire the modern smokeless cartridges that became the military ammunition of the day. Theodore Roosevelt referred to the Model 1895 as his "Big Medicine" Lion Gun, the one he favored when he was face to face with some of Africa's most dangerous game.

Theodore Roosevelt suggested a safari to Africa in 1909. He was sponsored by the Smithsonian Institution, commissioned to deliver as many wild specimens as possible. He successfully returned with over 1,100 preserved animals, many of which he personally took with a variety of Winchester rifles and ammunition. No man at the time was better suited for the job.



MODEL 1895 CUSTOM GRADE

The Model 1895 was the first successful box magazine lever-action repeater ever placed on the market, and one of Theodore Roosevelt's favorites. The Custom Model has Grade III/IV walnut with deep engraving of many African big game animals on a blued receiver plus extensive gold-toned embellishments. A special matte finish along the top of the barrel is patterned after one of Roosevelt's Model 1895 rifles on display at the Cody Firearms Museum in Wyoming. Extreme polish, precision fitting and finishes adorn this breathtaking rifle commemorating the 100th anniversary of Theodore Roosevelt's African safari of 1909. It is only offered in a limited number of 1,000 two-gun sets with the High Grade Model (shown below). Each rifle in the set will bear special matching serial numbers, and is supplied with a complete collector's package, including a full color box sleeve, special edition hang tag, special owner's manual and a copy of President Roosevelt's famous book *African Game Trails*. A deluxe double gun case will also be included, allowing both guns to be displayed together.



MODEL 1895 HIGH GRADE

The Winchester® Model 1895 High Grade also honors and commemorates the 100th anniversary of Theodore Roosevelt's African safari of 1909. It is patterned after the gun he loved and is deeply embellished with an array of engraved African big game animals with gold tone highlights. Hundreds of the species Roosevelt took on this trip were brought back to the Smithsonian Institution Museum for display to the public. The fancy Grade II/III walnut stock is finely checkered, complementing the exquisite gold animal embellishments on the silver nitride receiver. Each rifle includes a gold Theodore Roosevelt signature on the receiver and is chambered in the famous 405 Winchester caliber. A buckhorn rear sight is fitted with a Marble's® gold bead front sight. The receiver is drilled and tapped for scope mounts. Demand of this special rifle will be great, only 1,500 High Grade rifles will be available, 1,000 of which will be sold in a set with the Custom Grade rifles. The remaining 500 will be sold individually.

Custom Two-Gun Cargo Case. Each set of rifles includes a traditional leather-trimmed canvas cargo case. The center divider section can be used to store smaller items. A limited-edition hardback copy of Roosevelt's *African Game Trails* is also included with the set.



MODEL 101™ SWING WITH PERFORMANCE.

FIRE FLIES.

IF YOU ARE SEARCHING FOR A TOP QUALITY, BELGIAN-MADE OVER AND UNDER SHOTGUN, THE MODEL 101 WILL PLEASANTLY EXCEED YOUR EXPECTATIONS. THE SUPER-STRONG ACTION WAS TESTED BY FIRING 25,000 SHELLS WITHOUT A SINGLE PART FAILURE. SHOOTING THE MODEL 101 IS VERY PLEASANT, WITH A LOW-PROFILE RECEIVER THAT MOVES YOUR HANDS AND EYES CLOSER TO THE BORE CENTERLINE FOR FASTER TARGET ACQUISITION WITH LESS FELT RECOIL. ITS RICH WALNUT STOCK IS MASTERFULLY SHAPED FOR A NARROWER, LIGHTER AND FASTER FEEL.



The Model 101 Pigeon is also available with an adjustable comb stock.

Every Model 101 sporting shotgun comes with a durable ABS hard case imprinted with the Winchester logo.

- Belgian-made quality
- Low-profile receiver with dual locking lugs and a fixed third lug underneath the receiver
- Patented Pachmayr® Decelerator® recoil pad with snag-free heel
- .742" Back-Bored Technology barrels for optimum shot performance
- TRUGLO® fiber-optic sight on Sporting models
- Chrome-plated chambers on all Model 101s

MODEL 101™

MODEL 101 OVER & UNDER SHOTGUNS PRICES IN U.S. DOLLARS

Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
MODEL 101 PIGEON TRAP • Grade II/III Walnut Stock with Raised Comb, Made in Belgium										
513057493	12	30"	2¾"	XF, F, IM	47"	14¼"	1¾"	2½"	7	\$2,289
513057494	12	32"	2¾"	XF, F, IM	49"	14¼"	1¾"	2½"	7¼	2,289
MODEL 101 PIGEON TRAP ADJUSTABLE COMB* • Grade II/III Walnut Stock, Made in Belgium										
513059493	12	30"	2¾"	XF, F, IM	47¾"	14¾"	1¾"	2½"	7½	\$2,429
513059494	12	32"	2¾"	XF, F, IM	49¾"	14¾"	1¾"	2½"	7¾	2,429
MODEL 101 PIGEON SPORTING ADJUSTABLE COMB* • Grade II/III Walnut Stock, Made in Belgium										
NEW 513061493	12	30"	2¾"	LF, IM, M, IC, SK	47"	14¾"	1¾"	2"	7	\$2,579
NEW 513061494	12	32"	2¾"	LF, IM, M, IC, SK	49"	14¾"	1¾"	2"	7¼	2,579
MODEL 101 SPORTING • Grade II Walnut Stock, Made in Belgium										
513054492	12	28"	2¾"	LF, IM, M, IC, SK	46"	14½"	1¾"	2¾"	7¼	\$2,139
513054493	12	30"	2¾"	LF, IM, M, IC, SK	48"	14½"	1¾"	2¾"	7½	2,139
513054494	12	32"	2¾"	LF, IM, M, IC, SK	50"	14½"	1¾"	2¾"	7¾	2,139

*Adjustable comb stock dimensions are measured with comb in a mid position.



Steel-Tough Hinge. All hinged areas bear tension from recoil with each shot, so the Model 101 is built with surfaces that are 49% larger than many competitors. The surfaces are machined simultaneously with the hinge to ensure perfect alignment. The locking lugs have 30% more contact surface than the competition for an action that's built to last!

Chrome Plated Chambers. All Winchester Model 101 shotguns feature chrome-plated chambers that stand up to the abuse thousands of shells can take on lesser quality guns. Corrosion resistance is also greatly improved.

Signature Series Extended Choke Tubes. The Model 101 Pigeon and Sporting models come with a full selection of premium grade extended choke tubes. These tubes are crafted from the finest stainless steel, highly polished inside and out for perfect patterns. Knurled grasping bands and bright red identification rings let your friends know you're serious about your shooting.



**BACK-BORED
TECHNOLOGY**

TRUGLO

MODEL 101 PIGEON TRAP

When you step into a shooting station, you need an over and under that is quick to shoulder and naturally pointing. In other words, a gun that shoots with you. The smoother and more consistent you can shoulder and shoot, the higher your score. The Model 101 Pigeon Trap has all the features you need to shoot better. The 10mm wide steel runway rib, mid-bead sight and TRUGLO® TRU-BEAD® interchangeable fiber-optic front sight offer a true, precise and more technical sight picture. The lightweight barrels are highly polished and feature porting and vented side ribs. An adjustable trigger shoe fine tunes your length of pull. Select from models with either a fixed comb or with an adjustable comb that allows individual height and cast on/off custom fitting in just seconds. All are carved from beautiful Grade IV walnut with a slight right-hand palm swell. The Pigeon Trap also features the world-famed Invector-Plus™ choke tube system, .742" Back-Bored Technology and comes with Signature™ Series Extra-Full, Full and Improved Modified choke tubes. A rugged molded ABS hard case is included.



T-Wrench, XF, F, IM



**BACK-BORED
TECHNOLOGY**

TRUGLO

MODEL 101 PIGEON SPORTING

Own the range and your competition with a Model 101 Pigeon Sporting shotgun. Proven .742" Back-Bored Technology, combined with the Invector-Plus™ choke tube system and five Signature™ extended tubes (Light-Full, Improved Modified, Modified, Improved Cylinder and Skeet) give you superior shot patterns from the lightweight ported barrels. New, trimmer stock dimensions bring a lighter feel for faster handling and the slight right-hand palm swell makes the grip very comfortable. An adjustable trigger shoe allows you to fine tune length of pull. A wide 10mm runway rib, mid-bead and TRUGLO® TRU-BEAD® competition front sight make picking up targets a breeze. The polished silver nitride receiver finish is elegant, resists wear and complements the oil finish on the Grade II/III walnut. A rugged molded ABS hard case is included.



T-Wrench, LF, IM, M, IC, SK



**BACK-BORED
TECHNOLOGY**

TRUGLO

MODEL 101 SPORTING

It easily competes with the finest guns on the market in both looks and feel. The richly blued receiver and authentic engraving is framed by high-gloss Grade II walnut. The Sporting includes a long list of high-performance features modern target shooters demand, like the Invector-Plus™ choke tube system with five Signature™ extended tubes (Light-Full, Improved Modified, Modified, Improved Cylinder and Skeet) and .742" Back-Bored Technology to provide optimum shot patterns. You can adjust the trigger position for length of pull. Lightweight ported barrels and the finest Pachmayr® Decelerator® sporting pad control recoil. A 10mm machined runway rib, white mid-bead and TRUGLO® front sight round out this feature-packed shotgun. A rugged molded ABS hard case is included.



T-Wrench, LF, IM, M, IC, SK

MODEL 101™ WATCH THE FEATHERS FLY.

WILD FIRE.

AFICIONADOS OF WINCHESTER® SHOTGUNS KNOW WELL THE MODEL 101. THE STYLING AND HANDLING ARE LEGENDARY, THE RELIABILITY NEVER IN QUESTION. TODAY'S MODEL 101 IS THE FULL EQUAL OF THE SOUGHT-AFTER ORIGINAL WITH THE ADDED BENEFITS OF MODERN MANUFACTURING TECHNIQUES AND AN ADVANCED LOW-PROFILE DESIGN FOR HANDLING PERFORMANCE. ONE THING THAT ISN'T NEW IS THE HIGH STANDARD OF QUALITY YOU EXPECT FROM A WINCHESTER SHOTGUN. AND, LIKE THE GREATEST OVER AND UNDERS IN HISTORY, THEY'RE MADE IN BELGIUM.



MODEL 101™

- Belgian-made quality
- Low-profile receiver with dual locking lugs and a fixed third lug underneath the receiver
- Patented Pachmayr® Decelerator® recoil pad with snag-free heel
- .742" Back-Bored Technology barrels for optimum shot performance
- Chrome-plated chambers on all Model 101s

MODEL 101 OVER & UNDER SHOTGUNS PRICES IN U.S. DOLLARS


Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
MODEL 101 FIELD • Grade II/III Walnut Stock, Made in Belgium										
513046371	12	26"	3"	F, M, IC	43"	14¼"	1⅝"	2⅝"	7	\$1,739
513046361	12	28"	3"	F, M, IC	45"	14¼"	1⅝"	2⅝"	7¼	1,739
MODEL 101 LIGHT • Grade II/III Walnut Stock, Made in Belgium										
NEW 513060391	12	26"	3"	F, M, IC	43"	14¾"	1⅝"	2½"	6	\$1,999
NEW 513060392	12	28"	3"	F, M, IC	45"	14¾"	1⅝"	2½"	6¼	1,999
DELUXE FIELD • Grade II Walnut Stock, Made in Belgium										
513052371	12	26"	3"	F, M, IC	43"	14⅝"	1⅝"	2⅝"	7¼	\$1,659
513052361	12	28"	3"	F, M, IC	45"	14⅝"	1⅝"	2⅝"	7½	1,659
513052360	12	30"	3"	F, M, IC	47"	14⅝"	1⅝"	2⅝"	7¾	1,659



Invector-Plus Chokes. The Model 101 Field, Light and Deluxe Field guns have flush-mounted Invector-Plus™ choke tubes. The Invector-Plus™ tube system is the most popular in the world with target shooters and hunters alike.

Low-Profile Receiver. The Model 101 has the drop on the original with the advantage of a low-profile receiver. This means your forward hand can be closer to the bore center-line, bringing your hands, face and sighting plane into a more natural alignment for more intuitive and accurate shooting.

Familiar Dimensions. Today's Model 101 features the same dimensions set long ago by the original. The familiar drop at comb and narrow, comfortable grip ensures time-tested levels of comfort and performance.




MODEL 101 FIELD

The experience of handling a much more expensive over and under is what you'll find with the Model 101 Field. A high-gloss Grade II walnut stock with classic dimensions and a trim grip provide a total performance fit, complemented by the elegance of a deep-relief engraved, low-profile steel receiver. A Pachmayr® Decelerator® recoil pad with a no-snap heel insert is standard. Lightweight profile barrels swing fast, and open and close with tight precision. The Invector-Plus™ choke tube system (Full, Modified and Improved Cylinder) and .742 Back-Bored Technology provide optimum patterning. With a Model 101 Field, the superlative performance of an over and under field gun is yours, and has never been so affordable.



MODEL 101 LIGHT

Take a walk back in time with the new Model 101 Light. This beauty traces its roots back to one of the finest field guns ever. The new Model 101 Light weighs a pound less than other 101 models. The 26" model is only 6 lbs., and the 28" model weighs just 6 lbs. 5 oz. It has an aluminum alloy receiver, delicately adorned with quail on the right side and flushing pheasants on the left. The bottom is engraved with a springer spaniel holding a bird in its mouth. Framing the receiver is a Grade II select walnut stock with the very finest vented Pachmayr® Decelerator® pad with classic white line spacer. No Winchester® has ever had such a superb mix of elegance and extraordinarily fast handling. It comes with three Invector-Plus™ tubes (Full, Modified and Improved Cylinder) and .742" Back-Bored Technology.



DELUXE FIELD

Perpetuating the rich legacy of the Winchester® is the Deluxe Field, a shotgun every bird hunter should own. It features an engraved steel receiver with silver nitride finish, the same stock fit and dimensions as the Field, executed in tasteful Grade II walnut. A Pachmayr® Decelerator® recoil pad with a no-snap heel insert is standard. Lightweight profile barrels swing fast and fit precisely with the low-profile receiver. The Invector-Plus™ choke system (Full, Modified and Improved Cylinder tubes) keeps the shot pattern you need right in your pocket. The Deluxe Field is a high performance field gun that's very affordable and remains the best value over and under shotgun in the world.

SUPER X[®]3 THE WORLD'S FASTEST SHOTGUN.

HEAT-WAVE.

THE WINCHESTER[®] SUPER X3 IS NOT ONLY THE WORLD'S FASTEST CYCLING SHOTGUN (12 SHOTS IN 1.442 SECONDS), IT'S ALSO THE WORLD'S BEST FITTING, SWEETEST HANDLING AND MOST ADVANCED AUTOLOADER. HERE ARE JUST A FEW REASONS WHY THE WINCHESTER SUPER X3 SHOULD BE IN YOUR GUN RACK.

CAST/DROP SHIMS

Every shooter is different, and no one stock will perfectly fit every person and their shooting style. Composite stock models of the Super X3 allow you to easily adjust both cast on/cast off and drop at comb over a ¼" range simply by inserting one of the six special shims between the receiver and the buttstock.



ELECTROLESS NICKEL PLATED BOLT AND SHELL CARRIER

Breech bolts and shell carriers on all Super X3 shotguns are plated with electroless nickel for longer life, reduced friction and greater corrosion resistance. The bolts on Super X3 camo models are also darkened to reduce any reflections that might spook wary birds and other game.



INFLEX RECOIL PAD

Getting pounded by recoil is a thing of the past with the new Inflex Technology Recoil Pad. Specially-shaped rib structures located inside the pad help direct and channel the recoil impulse, moving the comb down and away from your cheek to reduce felt recoil to very manageable levels, even when shooting heavy magnum loads. A hard heel insert on the pad makes mounting the Super X3 snag free.



AMBIDEXTROUS SAFETY

The safety button on the Super X3 is located at the rear of the trigger guard and is easily reversible for both right- or left-handed shooters.

LENGTH OF PULL SPACERS

There is no reason to put up with a shotgun that does not fit you, because proper stock fit is critical to comfortable and accurate shooting. Most Super X3s come with two spacers that fit between the stock and the recoil pad, allowing easy adjustments to length of pull. When the length of pull is adjusted properly, you'll find you can shoulder the gun with ease and confidence, and the felt recoil you experience is greatly diminished. Adjustments range from 13¾" to 14¾" on wood stocks and from 14¼" to 14¾" on composite models.






PERMA-COTE™ UT FINISH

UT stands for Ultra Tough. The unique gunmetal gray color of the Super X3 is a heavy-duty finish that looks great and is extremely durable, scratch-resistant and corrosion-resistant to provide year after year of sharp looking performance.



.742 BACK-BORED TECHNOLOGY

Extensive research and testing has proven that when it comes to back-boring, .742" is the ideal interior barrel diameter, ensuring tight, consistent patterns. Any larger and gases blow by the shot cup and reduce pellet velocity. Too small and the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.




LOAD DIVERSITY

From light factory target shells to heavy waterfowl and turkey loads, the Super X3 shoots them all reliably.



INVICTOR-PLUS™ CHOKES

From the duck blind to the firing line, the Invictor-Plus choke tube system is the world's favorite. The Super X3 comes with either extended Signature Series or flush-mounted tubes, depending on model. Additional tubes are available at your local Winchester Repeating Arms dealer.



THE ACTIVE VALVE SYSTEM

The Active Valve system automatically self-adjusts, allocating the exact gas pressure necessary to fire a wide range of loads — critical for any autoloader used in real life hunting or target shooting conditions. When firing the heaviest magnum loads in 3½" models, gases vent upward and a portion of the gases are vented forward out of the Quadra-Vent™ ports in the forearm, further regulating bolt speed. 3" models fire everything from light, 1⅛ oz., 2¾" target loads to 3" magnums, while 3½" guns handle everything from 1⅛ oz., 2¾" field loads up to heavy 3½" magnums.

QUADRA-VENT™

Excess gases from heavy loads are channeled through the Quadra-Vent forward venting ports for great efficiency and reduced felt recoil. Punishing magnum load recoil gets tamed in a hurry with the Quadra-Vent.

SUPER X[®]3 FAST ENOUGH FOR PATRICK FLANIGAN.

SUPER X3 FLANIGUN EXHIBITION/SPORTING

Own a duplicate of the distinctive Super X3 shotgun that Patrick Flanigan shoots in his exciting live shows (except Pat's own magazine tube is modified to hold 11 shells). Everything about this unique Super X3 is designed for blazing speed and awesome performance. Light and responsive, the Super X3 makes faster follow-up shots possible because of the reduced felt recoil from the Active Valve system which allocates gases in a clean, precise manner. The barrel's .742" Back-Bored Technology works with the Invector-Plus[™] choke tube system to provide consistent, dense patterns. The Dura-Touch[®] Armor Coating keeps the stock from slipping in your hands, and the stock is adjustable to fit your shooting style and body type, maximizing overall efficiency of fit, balance and swing. The Inflex Technology recoil pad has a hard heel insert for quick, no snag shouldering.

Now, Patrick's striking red and black Super X3 autoloader can be yours, just like the one he uses to break world records (but with a standard magazine tube of course). It is fully configured for exhibition or sporting use, including an additional gas piston to allow the use of a full range of factory loads from the lightest 1 oz. target loads to heavy 3" magnums, all with clockwork reliability.

See Patrick fire 12 shots from his Super X3 in just 1.442 seconds (the fastest dozen ever recorded) at winchesterguns.com/flanigan



DURA-TOUCH[®]
Armor Coating

ACTIVE VALVE
system

BACK-BORED
TECHNOLOGY



IM, M, IC

TWO GAS PISTONS

The Super X3 Flanigun comes with two interchangeable gas pistons that allow you to fine tune the gun for virtually any factory ammunition.



- 12 shots in 1.442 seconds
- Tested in excess of 30,000 rounds without any critical parts failure
- Patrick owns the world record in breaking 11 hand-thrown clays and in breaking nine clays from the hip
- Flanigan says he couldn't have done it without an SX3



SUPER X3 AUTOLOADING SHOTGUN PRICES IN U.S. DOLLARS

Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
3" FLANIGUN EXHIBITION/SPORTING • Composite Stock, Dura-Touch Armor Coating										
511084392	12	28"	3"	IM, M, IC	49"	14 ¹ / ₄ "	1 ³ / ₄ "	2"	7 ¹ / ₄	\$1,459

SX3[™]

HOT SHOT!

WITH A LITTLE "LUCK 'O THE IRISH" IN 2005, PATRICK FLANIGAN SMASHED A WORLD RECORD BY BREAKING 11 HAND-THROWN CLAY TARGETS UNASSISTED BEFORE THEY HIT THE GROUND. IT TOOK INTENSE PRACTICE, LIGHTNING REFLEXES AND HIS INCREDIBLE, SUPER-FAST WINCHESTER® SUPER X®-SERIES AUTOLOADER, NOW FIRMLY ESTABLISHED AS THE WORLD'S FASTEST SHOTGUN. ONE YEAR LATER, PATRICK NABBED ANOTHER WORLD RECORD BY BREAKING NINE CLAY TARGETS, SHOOTING THEM UNASSISTED FROM THE HIP WITH HIS SUPER X AUTOLOADER.

HE REIGNS AS KING OF XTREME SPORT SHOOTERS. A HOST OF FEATURES THAT INCLUDES THE PROVEN ACTIVE VALVE GAS SYSTEM ENSURES HIS SHOTGUN PERFORMS FLAWLESSLY, TIME AFTER TIME, IN FRONT OF SPECTATORS. LIKE A FINELY TUNED RACE CAR, THE FEATURES OF THE WINCHESTER® SUPER X®3 COMBINE TO CREATE THE WORLD'S FASTEST AUTOLOADING SHOTGUN.



Patrick Flanigan

SUPER X[®]3 TOUGH GUNS FOR TOUGH CONDITIONS.

COOKED GOOSE.

THE WINCHESTER[®] AUTOLOADING SHOTGUN TRADITION LIVES ON WITH THIS TRIO OF RELIABLE, GREAT LOOKING AND TOP PERFORMING COMPOSITE GUNS. THESE SUPER X3 MODELS CARRY ON THAT HERITAGE WITH ENHANCED ERGONOMICS AND THE PROVEN SELF-ADJUSTING ACTIVE VALVE SYSTEM THAT OFFERS SPEED, REDUCED FELT RECOIL AND RELIABILITY IN ALL CONDITIONS.

NEW



A red "W" is embedded into the pistol grip on every Super X3 Composite.



- 50% less felt recoil than inertia-operated guns
- 5 shots in .49 seconds
- Tested in excess of 30,000 rounds without critical parts failure
- Removable trigger assembly

SUPER X3 AUTOLOADING SHOTGUN PRICES IN U.S. DOLLARS

Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
3½" GRAY SHADOW • Composite Stock, Dura-Touch Armor Coating, Perma-Cote UT										
NEW 511099291	12	26"	3½"	F, M, IC	49"	14¼"	1¾"	2"	7	\$1,299
NEW 511099292	12	28"	3½"	F, M, IC	47"	14¼"	1¾"	2"	7¼	1,299
3" COMPOSITE • Composite Stock, Dura-Touch Armor Coating, Perma-Cote UT										
511053371	12	26"	3"	F, M, IC	47"	14¼"	1¾"	2"	7	\$1,119
511053361	12	28"	3"	F, M, IC	47"	14¼"	1¾"	2"	7¼	1,119
3½" COMPOSITE • Composite Stock, Dura-Touch Armor Coating, Perma-Cote UT										
511053271	12	26"	3½"	F, M, IC	47"	14¼"	1¾"	2"	7	\$1,239
511053261	12	28"	3½"	F, M, IC	49"	14¼"	1¾"	2"	7¼	1,239
3" CANTILEVER DEER • Composite Stock, Dura-Touch Armor Coating, Fully Rifled Barrel										
511062340	12	22"	3"	N/A	43"	14¼"	1¾"	2"	7	\$1,179

SX3™



DURA-TOUCH®
Armor Coating

ACTIVE VALVE
system

BACK-BORED
TECHNOLOGY



F, M, IC

SUPER X3 GRAY SHADOW

If your shooting calls for the toughest 3½" autoloader on the block, the Super X3 Gray Shadow is your shotgun. The distinctive and durable gunmetal gray Perma-Cote™ UT (Ultra Tough) surface finish is applied to every external surface including the barrel, receiver, buttstock and forearm. The stock and forearm are then given a Dura-Touch® Armor Coating for improved grip in all weather conditions. The proven Active Valve System of the Super X3 reduces recoil and cycles fast for incredible follow-up shot speed. Three Invector-Plus™ choke tubes (Full, Modified and Improved Cylinder) are standard. Two length of pull stock spacers, drop and cast adjustment spacers and sling swivel studs are included.



DURA-TOUCH®
Armor Coating

ACTIVE VALVE
system

BACK-BORED
TECHNOLOGY



F, M, IC

SUPER X3 COMPOSITE

The Winchester® Super X3 Composite shotgun is the model preferred by many hunters because of its tough stock and forearm, and trim dimensions that feel and balance perfectly in your hands. Dura-Touch® Armor Coating provides a sure grip during wet weather conditions. A gunmetal gray Perma-Cote UT (Ultra Tough) surface finish is applied to external metal surfaces for extreme corrosion protection, while the bolt is plated with electroless nickel for reduced friction and added corrosion resistance. A weight-saving alloy magazine tube and recoil spring system, slim barrel with a machined rib, and an alloy receiver contribute to the svelte 7 pound weight. The self-adjusting Active Valve gas system and proprietary next generation Inflex Technology recoil pad reduce felt recoil as much as 50% over that of inertia-operated autoloaders for faster follow-up shots and prolonged shooting comfort. Proven .742" Back-Bored Technology works with the Invector-Plus™ choke tube system to provide consistent, dense patterns. 3" and 3½" chambered models are available. Three choke tubes (Full, Modified and Improved Cylinder) two length of pull stock spacers, drop and cast adjustment spacers and sling swivel studs are all included.



SUPER X3 CANTILEVER DEER

Its rifled 22" barrel is optimized in providing unequalled accuracy with 2¾" and 3" sabot slugs. The proven Active Valve System on the Super X3 System reduces recoil and cycles fast for incredible follow-up shot speed. The cantilever design makes it easy to attach an electronic red dot or conventional scope to the Weaver-style rail, or allows you to aim with the adjustable rear sight and the TRUGLO® fiber-optic front sight. The Cantilever Deer also features the durable gunmetal gray Perma-Cote™ UT (Ultra Tough) surface finish on the barrel and receiver. The bolt is plated with electroless nickel for reduced friction and extreme corrosion resistance. Dura-Touch® Armor Coating on the composite stock and forearm improves your grip in all conditions. Two length of pull stock spacers, drop and cast adjustment spacers and sling swivel studs are included.

SUPER X[®]3 RUGGED AND READY FOR ACTION.

ROAST DUCK.

THE SUPER X3 SHOTGUN BLENDS THE PROVEN TECHNOLOGY OF THE ACTIVE VALVE GAS SYSTEM WITH UPDATED FEATURES AND DISTINCTIVE STYLING TO CREATE AN AUTOLOADER THAT'S READY FOR ANY HUNTING CHALLENGE. THE STOCK AND FOREARM FEATURE SPECIAL CURVES, ANGLES AND CONTOURS THAT HELP ENHANCE THE EFFECTIVENESS OF THE CAMOUFLAGE. THE TRIM STOCK AND FOREARM DIMENSIONS AND DURA-TOUCH[®] ARMOR COATING PROVIDE A SECURE FEEL, EVEN WITH HEAVY GLOVES. WHETHER LYING IN A WET BLIND, SLOGGING THROUGH FLOODED TIMBER OR A LONG DAY ON THE RIVER JUMP SHOOTING, COUNT ON THE SUPER X3.





F, M, IC

SUPER X3 WATERFOWL

Don't let a shiny shotgun flare wary geese! The Super X3 Waterfowl 3½" in high-definition Mossy Oak® Duck Blind® camo is the only choice. It's made specifically for serious waterfowlers with a weather-resistant composite stock and forearm with grip-enhancing Dura-Touch® Armor Coating finish. The bolt is plated with electroless nickel for reduced friction and added corrosion resistance. The barrel has an improved ventilated rib design and features .742" Back-Bored Technology and the Invector-Plus™ choke tube system for ideal shot patterns. The Active Valve system reliably cycles factory ammunition from 1⅛ oz., 2¾" field loads to heavy 3½" magnums. Three choke tubes (Full, Modified and Improved Cylinder) two length of pull stock spacers, drop and cast adjustment shims and sling swivel studs are included.



DURA-TOUCH
Armor Coating

ACTIVE VALVE
system

BACK-BORED
TECHNOLOGY



DURA-TOUCH
Armor Coating

ACTIVE VALVE
system

BACK-BORED
TECHNOLOGY



F, M, IC

SUPER X3 ALL-PURPOSE FIELD

In the tight confines of flooded timber, a balanced, fast swinging, reliable shotgun that can handle the most severe conditions is a must — the Super X3 All-Purpose Field 3½" meets that criteria. The gas-operated Active Valve System cycles a wide variety of loads, and reduces felt recoil vastly better than inertia-operated systems. The entire shotgun is fully concealed in Mossy Oak® New Break-Up® camo with Dura-Touch® Armor Coating for superb grip, feel and protection. The bolt is plated with electroless nickel for reduced friction and added corrosion resistance, while the fast swinging barrel features the Invector-Plus™ choke tube system and .742" Back-Bored Technology for optimal patterning. Three choke tubes (Full, Modified and Improved Cylinder), two length of pull stock spacers, drop and cast adjustment shims and sling swivel studs are included.

SX3TM

- Self-adjusting Active Valve provides world-class performance capable of firing 12 shells in 1.442 seconds
- Patented next generation Inflex Technology pad absorbs recoil, and the slick heel insert won't grab clothing when shouldering
- Easily customized length of pull
- Lightweight magazine tube and recoil spring system trim weight by ¾ of a pound

SUPER X3 AUTOLOADING SHOTGUN PRICES IN U.S. DOLLARS


Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
3½" WATERFOWL • Composite Stock, Mossy Oak Duck Blind, Dura-Touch Armor Coating										
511074271	12	26"	3½"	F, M, IC	47"	14¼"	1¾"	2"	7	\$1,439
511074261	12	28"	3½"	F, M, IC	49"	14¼"	1¾"	2"	7¼	1,439
3½" ALL-PURPOSE FIELD • Composite Stock, Mossy Oak New Break-Up, Dura-Touch Armor Coating										
511059271	12	26"	3½"	F, M, IC	47"	14¼"	1¾"	2"	7	\$1,439
511059261	12	28"	3½"	F, M, IC	49"	14¼"	1¾"	2"	7¼	1,439

SUPER X[®]3 TOM TOOLERY.

RED HEAD.

LEAVE NOTHING TO CHANCE WHEN YOU'VE MANAGED TO TRICK A BIG TOM BY CALLING HIM INTO RANGE. YOU NEED A SHOTGUN YOU CAN COUNT ON, LIKE THE EXCLUSIVE WINCHESTER[®] SUPER X3 NWTF[®] CANTILEVER EXTREME TURKEY. IT'S LOADED WITH GREAT FEATURES LIKE A NEW TRUGLO[®] RED DOT ELECTRONIC SIGHT, FOLDING REAR SIGHT, MOSSY OAK[®] CAMO FOR ULTIMATE CONCEALMENT AND DENSE PATTERNING EXTENDED EXTRA-FULL CHOKE TUBES. YOU ONLY HAVE TO SHOOT ONE TO DISCOVER THE PERFORMANCE OF THE SUPER X3. THE WINCHESTER SUPER X3 NWTF CANTILEVER EXTREME TURKEY IS THE PERFECT TOOL FOR TROPHY TURKEY HUNTING.





Quadra-Vent™ Forward Ducting System. This improved design facilitates more efficient venting of excess gases forward, away from the shooter. This is a special advantage when shooting heavy 3½" loads where the Active Valve system regulates bolt speed by venting off additional gases through the piston.


Inflex Technology Recoil Pad. This ultra soft pad offers the best recoil absorption available. The proprietary construction and material promote a directional deflection of recoil forces, pulling the stock comb away from your face to reduce felt recoil and muzzle climb. The hard heel insert allows no-sag shouldering.

Fine Tune Cast and Drop. All Super X3 Composite shotguns include spacers to adjust stock drop and cast over a ¼" range. The spacers fit between the stock and receiver to lock in your personalized dimensions.



SUPER X3 NWTF® CANTILEVER EXTREME TURKEY

You can't miss with a TRUGLO® Red Dot scope, included with the Super X3 NWTF Cantilever Extreme Turkey! The Active Valve system reduces felt recoil by expelling excess gases before it reaches the shoulder. The 24" barrel with 3½" chamber and an Extra-Full Extended Turkey choke tube make this one incredible turkey gun. Extra features include the protective Dura-Touch® Armor Coating on the weather-resistant camo composite stock, an adjustable rear sight and a TRUGLO® fiber-optic front sight. The .742" Back-Bored Technology provides optimum shot patterns. Steel sling swivel studs are included.



TRUGLO® DELUXE RED DOT SCOPE

Improve your shooting speed and accuracy at extended ranges with a TRUGLO® electronic Red Dot scope, now included as standard equipment on the Super X3 NWTF® Cantilever Extreme Turkey model. The crisp 5 MOA red dot scope can be adjusted for 11 levels of brightness to match any lighting conditions, and offers easy to zero click adjustments for both windage and elevation. With unlimited eye relief and a wide field of view, precise sighting even from difficult field shooting positions is now possible. Multi-coated lenses and internal surface treatments help eliminate reflections. This durable unit is waterproof, fog proof and is rated for 1000 Gs of shock resistance. The integrated Weaver-style mount allows quick attachment and removal from the barrel-mounted cantilever rail without loss of zero. Mossy Oak® New Break-Up® camouflage ensures total concealment from wary eyes.



EXTRA-FULL TURKEY CHOKE TUBE

A tight, dense pattern of heavy shot is critical for taking turkeys. You get an Invector-Plus™ Extra-Full Turkey choke tube standard, with the Super X3 NWTF Cantilever Extreme Turkey. The black knurled band makes it easy to install or remove and the camo band won't give you away to a wary tom.

SUPER X3 AUTOLOADING SHOTGUN PRICES IN U.S. DOLLARS

Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
3½" NWTF CANTILEVER EXTREME TURKEY • Composite Stock, MOBU, TRUGLO Scope, Extra-Full Turkey Tube										
511082290	12	24"	3½"	T	45"	14¼"	1¾"	2"	7¼	\$1,499



SUPER X[®]3 FIRE IT UP.

HOT DOGS.

THE SUPER X3 SHOTGUN'S STOCK, GRIP AND FOREARM DIMENSIONS ARE TRIMMER AND SLIMMER FOR LIGHTER, FASTER CONTROL. AN ULTRALIGHT MAGAZINE TUBE AND LIGHTWEIGHT RECOIL SPRING SYSTEM REMOVES NEARLY $\frac{3}{4}$ OF A POUND OF WEIGHT. THE LIGHTWEIGHT BARREL FURTHER REDUCES WEIGHT WITH A NARROW PROFILE AND A MACHINED RIB. THE BARREL FEATURES .742" BACK-BORED TECHNOLOGY FOR THE IDEAL COMBINATION OF SHOT UNIFORMITY AND VELOCITY. THE GUNMETAL GRAY PERMA-COTE™ UT (ULTRA TOUGH) FINISH IS MORE DURABLE AND CORROSION RESISTANT THAN TRADITIONAL BLUED FINISHES. BEST OF ALL, THE CENTERED BALANCE, SUPERIOR FIT AND FOLLOW-THROUGH IN THE FIELD WINCHESTER SHOTGUNS ARE RENOWNED FOR REMAINING INTACT.





Unique Checkering. Stylish checkering graces the stock on the Super X3 Walnut Field, offering bold looks and an enhanced grip.

Adjustable Length of Pull. Spacers fit between the stock and recoil pad to customize your Super X3 Walnut Field to your exact measurements. Two spacers are included with every Super X3 Walnut Field to adjust stock length between 13¾" and 14¼" on wood stocks and 14¼" and 14¾" on composite stocks.

Perma-Cote™ UT Finish. UT stands for Ultra Tough. The unique gunmetal gray color of the Super X3 is a heavy-duty finish that looks incredible and is extremely durable, scratch-resistant and corrosion-resistant for years of sharp looking performance.

SUPER X3 WALNUT FIELD



SUPER X3 CLASSIC FIELD



SUPER X3 WALNUT FIELD Bold looks and innovative features make the Winchester® Super X3 Field shotgun to be reckoned with. Weighing in at a scant 6¾ pounds, thanks to a weight-saving magazine tube and recoil spring system, slim barrel with a machined rib, and an alloy receiver, the 3" chambered Super X3 Walnut Field has all the features you want in a field gun, or a sporting gun for that matter. The self-adjusting Active Valve gas system reduces recoil significantly more than inertia-operated systems and a soft Inflex Technology recoil pad offers the best recoil absorption available to further increase shooting comfort. Trim grip and forearm dimensions add to the lightweight, fast handling feel. The .742" Back-Bored Technology and Invector-Plus™ choke tube system work together to provide perfect patterns. A unique gunmetal gray Perma-Cote UT™ (Ultra Tough) surface finish is applied to external surfaces for extreme corrosion protection, and the bolt is plated with electroless nickel for reduced friction and added corrosion resistance. This is one shotgun you must experience to believe. Three choke tubes (Full, Modified, Improved Cylinder) and two stock spacers for length of pull adjustments are included.

SUPER X3 CLASSIC FIELD Get a firm hold on the traditionally checkered, sharp diamond style grip of the Winchester® Super X3 Classic Field. A graceful machined rib aligns your eye with the solid brass bead at the muzzle. The self-adjusting Active Valve gas system reduces felt recoil significantly more than inertia-operated systems. A traditionally-styled, proprietary, next generation Pachmayr® Decelerator® recoil pad is fitted directly to the stock. Trim grip and forearm dimensions add to the lightweight, fast handling feeling. The .742" Back-Bored Technology and Invector-Plus™ choke tube system work together to provide perfect patterns. A unique gunmetal gray Perma-Cote UT (Ultra Tough) surface finish is applied to external surfaces for extreme corrosion protection, and the bolt is plated with electroless nickel to reduce friction and for added corrosion resistance. Three choke tubes (Full, Modified, Improved Cylinder) are included.



F, M, IC

SX3™



F, M, IC

SUPER X3 AUTOLOADING SHOTGUN PRICES IN U.S. DOLLARS

Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
WALNUT FIELD • Walnut Stock, Length of Pull Adjustment										
511054371	12	26"	3"	F, M, IC	47"	14¼"	1⅝"	2"	6¾	\$1,159
511054361	12	28"	3"	F, M, IC	49"	14¼"	1⅝"	2"	7	1,159
CLASSIC FIELD • Walnut Stock, Traditional Checkering										
511083391	12	26"	3"	F, M, IC	47"	14¼"	1⅝"	2"	6¾	\$1,159
511083392	12	28"	3"	F, M, IC	49"	14¼"	1⅝"	2"	7	1,159

SUPER X[®] PUMP THE WORLD'S FASTEST PUMP.

PICK UP THE NEW WINCHESTER[®] SXP SHOTGUN AND EXPERIENCE THE LIGHT WEIGHT, CENTERED BALANCE AND INSTANT POINTABILITY FIRSTHAND. THE SUPER X DESIGN PROVIDES YOU WITH THE FASTEST FOLLOW-UP SHOTS. NO OTHER PUMP OFFERS THE FEELING OF AN INERTIA-ASSISTED SLIDE-ACTION THAT CAN DELIVER THREE SHOTS IN A HALF SECOND.



- The SXP Black Shadow Field has a .742" Back-Bored Technology barrel with the Invector-Plus[™] choke system for less shot deformation
- All barrels are fully chrome plated for added durability using steel or tungsten shot and are easy to clean, giving you that extra margin of protection when hunting in wet conditions
- Inflex Technology Recoil Pad
- The only pump shotgun fast enough for Xtreme Sport Shooter Patrick Flanigan

SXP SHOTGUN PRICES IN U.S. DOLLARS (Delivery starting end of 2nd quarter)										
Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
3" BLACK SHADOW FIELD • Composite Stock										
NEW 512251391	12	26"	3"	F, M, IC	47"	13¾"	1¾"	2"	7	\$359
NEW 512251392	12	28"	3"	F, M, IC	49"	13¾"	1¾"	2"	7¼	359
3" DEFENDER • Composite Stock										
NEW 512252395	12	18"	3"	N/A	39½"	13¾"	1¾"	2"	6½	\$319

GREASED LIGHTNING.





The Rotary Bolt. Four massive lugs allow inertia to start the forearm and slide mechanism moving rearward as the stock recoils against your shoulder, giving you a head start on the next shot. Dual steel action bars eliminate twisting, binding and wasted time and energy when cycling the action.



The SXP is FAST! In August of 2006, Patrick Flanigan broke six hand thrown clay targets individually, without assistance, from the hip with the SXP shotgun, setting a new world record. See him in action at winchesterguns.com/flanigan



BLACK SHADOW® FIELD

Rugged reliability with a non-glare matte finish on the barrel and receiver that won't cause birds to flare. The durable composite stock and forearm are up to tough conditions. The hard working SXP action fires all factory 2¾" and 3" steel, tungsten, bismuth and lead loads through a new, chrome plated .724" back-bored barrel with Invector-Plus™ chokes, ensuring optimum patterns. Choose a tough 12 gauge with 26" or 28" barrel.



DEFENDER™ SHOTGUN

Easy to pack and carry, handling buckshot or rifled slugs efficiently through the fully chrome plated, 18" fixed cylinder choked barrel (no constriction) for wide patterning. This open choke is also very accurate when using Foster-type slugs. It also has non-glare metal surfaces with a tough composite stock and forearm. Additional features include a five-shot magazine (plus one in the chamber), and a positive, deeply grooved forearm for control and stability.



STAY SAFE AND SOUND WITH THE DO-IT-ALL DEFENDER. USE IT FOR HOME SECURITY, COMPETITION OR HUNTING. IT ALSO PACKS EASILY FOR CAMPING. THE SIX-ROUND CAPACITY, COMPOSITE STOCK AND FOREARM IMPART CONFIDENCE AND CAPABILITY. IT'S ALL THE GUN YOU NEED FOR SECURITY AND PEACE OF MIND.

ACCESSORIES CUSTOMIZE YOUR FIREARM.



CHOKE TUBES PRICES IN U.S. DOLLARS

Item Number	Gauge	Description	Diameter (.742)	Constriction	Sugg. Retail
SIGNATURE INVECTOR-PLUS CHOKES • 12 gauge for Winchester Supreme, Select, Super X2 and Super X3 Shotguns					
NEW 61307103	12	Turkey	.660	.082	\$44
6130703	12	Extra-Full Trap	.702	.040	44
6130713	12	Full	.707	.035	44
6130723	12	Light Full	.712	.030	44
6130733	12	Improved Modified	.717	.025	44
6130743	12	Modified	.722	.020	44
6130753	12	Light Modified	.727	.015	44
6130763	12	Improved Cylinder	.717	.010	44
6130773	12	Skeet	.722	.005	44
6130783	12	Cylinder	.742	.000	44
6130793	12	Spreader	Rifled	—	64
INVECTOR-PLUS CHOKES • 12 Gauge for Winchester Supreme, Select, Super X2 and Super X3 Shotguns					
613050	12	Extra-Full	.702	.035	\$34
613051	12	Full	.707	.025	29
613052	12	Improved Modified	.717	.020	29
613053	12	Modified	.722	.020	29
613054	12	Improved Cylinder	.717	.010	29
613055	12	Skeet	.722	.005	29
613056	12	Cylinder	.742	.000	29
6130043	12	T-Wrench	—	—	19
STANDARD INVECTOR CHOKES • 12 Gauge for Winchester Super X2 Practical Models					
6130303	12	Full	.707	.025	\$19
6130313	12	Improved Modified	.717	.020	19
6130323	12	Modified	.722	.020	19
6130333	12	Improved Cylinder	.717	.010	19
6130343	12	Skeet	.722	.005	19
6130353	12	Cylinder	.742	.000	19
6130033	12	T-Wrench	—	—	19

WINCHESTER® CHOKE TUBES

Winchester Signature® choke tubes are unsurpassed in the shotgun industry. In collaboration with one of the finest makers of choke tubes in the world, the Invector-Plus® and Standard Invector® tubes are carefully machined from the best materials and calibrated to the strictest tolerances to deliver shot patterns exceeding your highest expectations. Installing these tubes in your barrel insures that you are getting optimum patterning for the most challenging of wild game and the most difficult presentations in clay target shooting.

EXTRA SHOTGUN BARRELS PRICES IN U.S. DOLLARS

Item Number	Gauge	Chamber	Barrel Length	Description	Sugg. Retail
Super X3 Field and Turkey Barrels • 12 Gauge					
611053271	12	3½"	26"	Perma-Cote UT, Vent Rib, with 1 Modified Invector-Plus Choke Tube	\$519
611053261	12	3½"	28"	Perma-Cote UT, Vent Rib, with 1 Modified Invector-Plus Choke Tube	519
611054371	12	3"	26"	Perma-Cote UT, Vent Rib, with 1 Modified Invector-Plus Choke Tube	419
611054361	12	3"	28"	Perma-Cote UT, Vent Rib, with 1 Modified Invector-Plus Choke Tube	419
NEW 611053253	12	3½"	24"	Matte Blue, Vent Rib, TRUGLO® Sights, w/1 X-Full Extended Invector-Plus Choke Tube	519
Super X3 Deer Barrels • 12 Gauge					
NEW 611104340	12	3"	22"	Wood, Rifled, PermaCote UT, Cantilever Scope Mount and Walnut Forearm*	\$529
NEW 611108340	12	3"	22"	Black, Rifled, Cantilever Scope Mount and Synthetic Forearm*	569
NEW 611107340	12	3"	22"	MOBU, Rifled, Cantilever Scope Mount and Synthetic Forearm*	639
NEW 611108240	12	3½"	22"	Black, Rifled, Cantilever Scope Mount and Synthetic Forearm*	609
NEW 611107240	12	3½"	22"	MOBU, Rifled, Cantilever Scope Mount and Synthetic Forearm*	689
Super X2 Field and Turkey Barrels • 12 Gauge					
611063250	12	3½"	26"	Matte Blue, Vent Rib, with 1 Modified Invector-Plus Choke Tube	\$479
611063253	12	3½"	24"	Matte Blue, Vent Rib, TRUGLO® Sights, w/1 X-Full Extended Invector-Plus Choke Tube	499
611064350	12	3"	26"	Gloss Blue, Vent Rib, with 1 Modified Invector-Plus Choke Tube	379
611064346	12	3"	28"	Gloss Blue, Vent Rib, with 1 Modified Invector-Plus Choke Tube	379
611063346	12	3"	28"	Matte Blue, Vent Rib, with 1 Modified Invector-Plus Choke Tube	379
Super X2 Deer Barrel • 12 Gauge					
611101240	12	3½"	22"	Matte Blue, Rifled, Cantilever Scope Mount	\$549

Do not attempt the use of 3½" chambered barrels with 3" receivers nor 3" chambers with 3½" receivers.

*To prevent damage to forearms, all Super X3 rifled cantilever barrels are delivered with a new forearm specifically designed to fit over the thicker, rifled barrel wall



Hinged Floorplate Magazine



Detachable Floorplate Magazine

SUPER X RIFLE EXTRA MAG PRICES IN U.S. DOLLARS

Item Number	Description	Sugg. Retail
Super X Rifle Hinged Floorplate Magazine		
112029907	Super X Rifle, 30-06 Sprg.	\$69
112029906	Super X Rifle, 300 Win. Mag.	69
112029904	Super X Rifle, 270 WSM	69
112029905	Super X Rifle, 300 WSM	69
Super X Rifle Detachable Floorplate Magazine		
112029903	Super X Rifle, 30-06 Sprg.	\$69
112029902	Super X Rifle, 300 Win. Mag.	69
112029900	Super X Rifle, 270 WSM	69
112029901	Super X Rifle, 300 WSM	69

CUSTOMER SERVICE FOR WINCHESTER® FIREARMS

You can expect the same great Customer Service you've become accustomed to over the years. Expert gunsmiths can help you with the most technical problems and repairs to your firearms. There are many Authorized Repair Centers (ARC) throughout the country with gun repair professionals who know your firearm inside and out. If you need service on current models, as well as older Model 70, Model 94, Model 9422 or Model 1300 firearms, please contact one of the Authorized Repair Centers or our main Service Center in Arnold, Missouri. Please call (800) 333-3288 for more information.

WINCHESTER® REPEATING ARMS

Customer Service Department
275 Winchester Avenue
Morgan, UT 84050
(800) 945-5237
(801) 876-3440

Parts and Service
3005 Arnold Tenbrook Road
Arnold, MO 63010
(800) 322-4626

FOR FIREARMS: WINCHESTERGUNS.COM
FOR AMMUNITION: WINCHESTER.COM

Owner's manuals for all Winchester® firearms in this or previous catalogs are available upon request at no charge. Owners of Winchester firearms without owner's manuals are encouraged to request one online or at the address below. Some models and calibers are only made periodically only. Winchester Repeating Arms (WRA) reserves the right to delay, postpone or discontinue production of any Winchester firearm for any reason without notice. All specifications in this catalog are subject to change without notice. Weights, stock dimensions, wood appearance, etc., may vary slightly between individual firearms. Wood is a natural product. No two pieces are alike and variation between stocks is to be expected. WRA reserves the right to modify or change specifications without notice. WRA will make every effort to make sure this catalog is accurate at the time of printing and apologizes for any errors in photographs, descriptions and specifications.

Please note that the following models are or were manufactured in Japan: Models 1885, 1886, 1892, 1895, 63 and 52B. Super X2, Super X3, Super X Rifle and Select shotguns are manufactured in Belgium and assembled in Portugal. Model 70 rifles are manufactured in the USA. Wildcat rifles are manufactured in Russia. The following trademarks are used with permission from the Olin Corporation: Winchester, the Horse and Rider design, Super X, SX2 design, Super X2, SX3 design, Super X3, SXR design, Model 1892, Select, Model 101, Model 1300, Model 94, Model 70, Model Super X Pump, the red W design, Wildcat, and Wildcat design. Other trademarks used in this catalog: Mossy Oak Duck Blind and Mossy Oak New Break-Up are registered trademarks of Haas Outdoors. Pachmayr and Decelerator are registered trademarks of Lyman. Invector-Plus, Dura-Touch and Perma-Cote are trademarks of Browning. TRUGLO is a trademark of Truglo, Inc. © Copyright, WRA August 2008. No part of this catalog may be reproduced without the written permission of Winchester Repeating Arms. Suggested retail pricing is in U.S. dollars and approximate and subject to change without notice. If you have any questions concerning Winchester brand firearms, visit your Winchester firearms dealer or write to: Winchester Repeating Arms, 275 Winchester Ave., Morgan, UT 84050-9333. Printed in USA. CG 0809400/08101 Winchester firearms are imported by BACO, Inc. Winchester is a registered trademark of Olin Corporation.

RED HOT.



A portion of the sale of every Winchester firearm is proudly donated to the Heritage Fund, which helps to expand the legal defense against politically motivated lawsuits against the hunting and shooting industry. Working together, the rightful tradition of firearms in America will continue.



All Winchester firearms are shipped with a free locking device to assist in the safe storage of firearms. (Not shown actual size.)



2009 MARKS ANOTHER MILESTONE IN THE BRILLIANT HISTORY OF WINCHESTER REPEATING ARMS.

The new Model 70[™] rifles are now in full production, and as before are proudly made right here in the USA. With a one MOA accuracy standard and the innovative M.O.A. Trigger System, it's no wonder the Model 70 was named 2008 Gun of the Year by Shooting Industry Academy of Excellence. The autoloading Super X[®] Rifle sports a totally new hinged floorplate with detachable magazine design for smooth, quick reloading. Theodore Roosevelt's 1909 Grand African Safari is commemorated with a pair of magnificently engraved, limited edition Model 1895[™] lever-action rifles in his favorite caliber, the legendary 405 Winchester. Over and under upland fans will love the new Belgian-made Model 101[™] Light with its alloy receiver and lightning fast swing. The Super X[®]3 is justly famous as the fastest cycling autoloader on the planet and the only shotgun that can keep up with Patrick Flanigan. Waterfowl buffs will take to the new all weather 3½" Super X3 Gray Shadow like ducks to water.

Speed. Reliability. Accuracy. Total Performance. Get all this and more from today's Winchester Repeating Arms.

WINCHESTERGUNS.COM



PRICES IN U.S. DOLLARS

We proudly support these organizations.



Winchester Repeating Arms

275 Winchester Ave., Morgan, UT 84050-9333

PRSR1 STD

U.S. POSTAGE PAID

PERMIT 315

OGDEN, UT

BLAZING SPEED.



12 SHOTS IN 1.442 SECONDS.

Patrick Flanigan