



COMMERCIAL PRODUCTS

ATK Commercial Products features a unique collection of brands that gives shooting and outdoor enthusiasts everything they need in one place. From ammunition,

optics and reloading equipment to gun cleaning chemicals and accessories, we offer advanced, high-performance products. Look for these leading brands:

Ammunition Brands



Accessories Brands



We proudly support: Ducks Unlimited, Pheasants Forever, The National Wild Turkey Federation, The Rocky Mountain Elk Foundation, Safari Club International, Delta Waterfowl, Izaak Walton League of America, Whitetails Unlimited, The Ruffed Grouse Society, Becoming an Outdoors Woman, Women in The Outdoors, 4-H Shooting Sports Program, The Boy Scouts of America, International Hunter Education Association and Civilian Marksmanship Program, The Congressional Sportsmen Foundation and the NRA.

Onalaska Operations • PO Box 39 • Onalaska, WI 54650
© 2010 Weaver Inc. • Printed in U.S.A.

For technical questions call Product Service 1-800-635-7656 • www.weaveroptics.com

Weaver is a trademark registered with the U.S. Patent Office.

STORIES TOLD HERE

SINCE 1930



SCOPES

80th Anniversary	4-5
Super Slam	6-7
Grand Slam	8-9
Tactical	10-11
Classic V-Series	12-13
Classic K-Series	14
Classic Rimfire	15
T-Series	16
Classic Handgun	17
40/44 Series	18
Red/Green Dot	19

BUCK COMMANDER 20-21

BINOCULARS	
Super Slam	22-23
Grand Slam	24-25
Classic	26-27

OPTICS ACCESSORIES 28-29

GUNSMITH TOOLS	
Warranty	30
Tool & Kits	32-33



RINGS/BASES/MOUNTS

Grand Slam	34-35
Quad Lock	36
Four Hole	37
Six Hole	37
Muzzleloader/.22 Tip Off	38
Muzzleloader	39
Detachable Top Mount	40-41
Shotgun/Pistol	42-43
AR-15	44
Simmons	45

TACTICAL ACCESSORIES


Rail Systems/AR-15	46
Rail Covers	47-49
Rail Mount/Accessories	50-51
Rings/Mouts/BUIS	52
Bases	53

CHARTS 54-63

REDFIELD 64-67



Since 1830
 Every time I go hunting I remember back to everything my father taught me. I recall his advice on stalking game and the importance of proper shot placement and field dressing. I remember his emphasis on taking game cleanly and ethically. I remember it all. I just wish he were here with me. At this moment. At this place. But deep down I know he's still here walking with me in the morning mist and in the last light of day.



80TH ANNIVERSARY
RIFLESCOPES

4 X 38
849419

**THE RETURN OF
A TRUSTED FAVORITE**

In celebration of our 80th Anniversary we are proud to announce the return of our legendary K4 steel tube scope. Just like our other K-Series™ scopes, this commemorative scope features


all the benefits of modern technology combined with the styling of the original. For those who love the nostalgia of bygone years, and the performance of a true classic, this scope is a must-have optic.



Features & Benefits

- ★ Modern technology, same great design as original K-Series™ scopes
- ★ Rugged steel tube construction for same legendary performance
- ★ Fingertip adjustable 1/4" MOA turrets.
- ★ Commemorative 80th anniversary watch included in vintage collectable tin

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849419	4 x 38	Anniversary Steel Tube	Matte	Dual-X	9.5	26.8/8.2	3.2/81.3	11.5/291	1/4 / 7	50/1.5	15.3/435



Dual-X



*Since 1930
Midmorning steeled at 4000 feet seemed
dawning, but the Steers backcountry
is my home. Riding up to the cliffs
north of camp for a look around
I could give me a good idea*

80th ANNIVERSARY
SUPER SLAM™
 RIFLESCOPES



3-15 X 50
800345

2-10 X 50
800325

SUPER SLAM™

Welcome to the latest evolution of optics—the Super Slam™ series from Weaver®. Engineered to meet the strict standards of the legendary Weaver name, the Super Slam scopes are loaded with all the latest technological advances of modern high-end optics. If you know and trust the Weaver name, you'll be impressed with this

line of premier riflescopes designed for the serious big game hunter and shooter. And now—new for 2010—we offer a Dangerous Game Scope for those hunters who turn to Weaver when mounting optics on their safari-grade, magnum rifles.

..... **Features & Benefits**

- ★ Fully multi-coated lenses with extra hard coating on exterior lenses
- ★ Powerful 5 times magnification
- ★ Expanded reticle offerings including Weaver's proprietary EBX ballistic reticle
- ★ Waterproof / shockproof / fogproof
- ★ Side focus parallax adjustment (except for 2-10 models)
- ★ 3-position, pull-up turrets (no caps to lose)
- ★ Argon purged tubes to eliminate internal fogging

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/ M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/ MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
800310	2-10 x 42		Matte	Dual-X	10.5/3.8	49.5-9.9/16.5-3.3	4.0/102	13.1/333	1/4 / 7	60/1.7	19.0/540
800311	2-10 x 42		Silver	Dual-X	10.5/3.8	49.5-9.9/16.5-3.3	4.0/102	13.1/333	1/4 / 7	60/1.7	19.0/540
800315	2-10 x 42		Matte	BDC	10.5/3.8	49.5-9.9/16.5-3.3	4.0/102	13.1/333	1/4 / 7	60/1.7	19.0/540
800320	2-10 x 50		Matte	Dual-X	10.5/4.4	48.4-9.7/16.1-3.2	4.1/105	13.1/333	1/4 / 7	60/1.7	21.9/620
800325	2-10 x 50		Matte	BDC	10.5/4.4	48.4-9.7/16.1-3.2	4.0/101	13.1/333	1/4 / 7	50/1.5	21.9/620
800330	3-15 x 42	Side Focus	Matte	Dual-X	10.5/2.3	33.1-6.7/11.0-2.2	4.0/101	13.9/330	1/4 / 7	50/1.5	20.8/580
800335	3-15 x 42	Side Focus	Matte	BDC	10.5/2.3	33.1-6.7/11.0-2.2	4.0/101	13.9/330	1/4 / 7	40/1.2	20.8/580
800340	3-15 x 50	Side Focus	Matte	Dual-X	10.5/3.3	34.0-6.8/11.3-2.3	4.0/101	13.9/330	1/4 / 7	40/1.2	23.5/665
800341	3-15 x 50	Side Focus	Silver	Dual-X	10.5/3.3	34.0-6.8/11.3-2.3	4.0/101	13.9/330	1/4 / 7	40/1.2	23.5/665
800345	3-15 x 50	Side Focus	Matte	BDC	10.5/3.3	34.0-6.8/11.3-2.3	4.0/101	13.9/330	1/4 / 7	40/1.2	23.5/665
800348	3-15 x 50	Side Focus	Matte	ill. Duplex	10.5/3.3	34.0-6.8/11.3-2.3	4.0/101	13.9/330	1/4 / 7	34/1.0	24.1/685
800350	4-20 x 50	Side Focus	Matte	Dual-X	10.5/2.4	24.6-4.9/8.2-1.6	4.0/101	13.9/330	1/8 / 3.5	34/1.0	24.0/690
800352	4-20 x 50	Side Focus	Matte	Fine-X w/Dot	10.5/2.4	24.6-4.9/8.2-1.6	4.0/101	13.9/330	1/8 / 3.5	34/1.0	24.0/690
800355	4-20 x 50	Side Focus	Matte	BDC	10.5/2.4	24.6-4.9/8.2-1.6	4.0/101	13.9/330	1/8 / 3.5	34/1.0	24.0/690
NEW 849352	1-5 x 24	Dangerous Game	Matte	Heavy Dual-X	11.4/4.8	100.4-19.9/30.6-6.1	3.9/98	10.6/270	1/4 / 7	50/1.5	14.8/420

EURO STYLE

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/ M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/ MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
800375	1.5-6 x 24	30mm Tube	Matte	ill. German #4	13/4.1	63.3-15.9/19.3-4.8	3.8/97	9.8/250	1/4 / 7	60/1.7	19.9/565
800370	4-20 x 50	30mm Tube, Side Focus	Matte	Dual-X	9.5/2.4	25.1-5/7.7-1.5	3.9/100	13.0/330	1/4 / 7	50/1.5	28.0/795
800373	4-20 x 50	30mm Tube, Side Focus	Matte	ill. Crosshair German #4	9.5/2.4	25.1-5/7.7-1.5	3.9/100	13.0/330	1/4 / 7	50/1.5	28.4/805
800378	3-9 x 56	30mm Tube, Side Focus	Matte	ill. German #4	13.0/5.94	31.0-10.3/9.4-3.1	3.8/97	14.5/368	1/4 / 7	40/1.2	28.6/810

A NEW LOOK AT PREMIUM PERFORMANCE


Get the power and technology of the Super Slam™ series in a 30mm tube design. Containing all the same cutting-edge technology and advancements as the

1" tube Super Slams, the Super Slam Euro Style series boast a more robust tube dimension, additional magnification ranges and illuminated reticles.


..... **Features & Benefits**

- ★ Same great features as the 1" tube Super Slams
- ★ 30mm tubes (Euro Style)
- ★ First focal plane reticles
- ★ Expanded reticle offerings
- ★ Side focus parallax adjustment (except for 1.5-5 model)

..... **SUPER SLAM**



..... **SUPER SLAM EURO STYLE**



80
ANNIVERSARY
GRAND SLAM
RIFLESCOPES



6-20 X 40 A/O
800476


3.5-10 X 50
800589



4.5-14 X 40 A/O
800475

3.5-10 X 50
800474

1.5-5 X 32
800471



Dual-X

Fine Crosshair
1/4 MOA Dot

Varminter

Ballistic-X

BUILT TO BE THE BEST

Weaver's award-winning Grand Slam®, with patented Micro-Trac adjustment system, is consistently rated as one of the best all-around scopes available. With fully multi-coated glass yielding 94% light transmission, fantastic edge-to-edge clarity, reduced glare and incredible image brightness, it's easy to see why the Grand Slam series is the perfect variable power scope for all low light conditions. And with expanded reticle offerings, shooters everywhere have additional choices for the woods, swamps and open plains.

Features & Benefits

- ★ Fully multi-coated lenses for optimum edge-to-edge clarity
- ★ Nitrogen purged tubes to eliminate internal fogging
- ★ One-piece construction
- ★ Waterproof / fogproof / shockproof
- ★ Ballistic-X reticle offering
- ★ Micro-trac® adjustment system

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
800471	1.5-5 x 32		Matte	Dual-X	17.4-6.2	71-21/23.6-7.0	3.3/84	10.3/262	1/4 / 7	120/3.3	11.5/326
800472	3-10 x 40		Matte	Ballistic-X	12.6-4	35-11.3/11.7-3.8	3.5/89	11.9/302	1/4 / 7	70/1.9	13/369
800473	3-10 x 40		Matte	Dual-X	12.6-4	35-11.3/11.7-3.8	3.5/89	11.9/302	1/4 / 7	70/1.9	13/369
800588	3-10 x 40		Silver	Dual-X	12.6-4	35-11.3/11.7-3.8	3.5/89	11.9/302	1/4 / 7	70/1.9	13/369
800474	3.5-10 x 50		Matte	Dual-X	11.5-4.5	23.6-10.9/7.9-3.6	3.5/89	12.8/325	1/4 / 7	65/1.8	16.3/462
800589	3.5-10 x 50		Silver	Dual-X	11.5-4.5	23.6-10.9/7.9-3.6	3.5/89	12.8/325	1/4 / 7	65/1.8	16.3/462
800475	4.5-14 x 40	AO	Matte	Dual-X	8.8-2.6	22.5-10.5/7.5-3.5	3.5/89	14.3/363	1/4 / 7	50/1.4	16.5/468
800477	4.5-14 x 40	AO	Matte	Ballistic-X	8.8-2.6	22.5-10.5/7.5-3.5	3.5/89	14.3/363	1/4 / 7	50/1.4	16.5/468
800469	6-20 x 40	AO	Matte	Varminter	6.6-2	16.5-5.3/5.5-1.8	3/76	14.3/363	1/8 / 3.5	40/1.1	17.8/505
800476	6-20 x 40	AO	Matte	F/C Dot	6.6-2	16.5-5.3/5.5-1.8	3/76	14.3/363	1/8 / 3.5	40/1.1	17.8/505
800478	6-20 x 40	AO	Matte	Ballistic-X	6.6-2	16.5-5.3/5.5-1.8	3/76	14.3/363	1/8 / 3.5	40/1.1	17.8/505



TACTICAL


RIFLESCOPES



4-20 X 50 * 800360

PS-255-P

All Weaver tactical scopes feature first focal plane reticles. This configuration reduces subtension at low-power magnification while increasing the precision of range finding and BDC reticles at all magnifications. First focal plane reticles also mean no point-of-aim/point-of-impact shift as you move through the scope's magnification ranges.



Mil Dot

SERIOUS GLASS FOR SERIOUS SITUATIONS

For those involved in the serious effort of protecting life and liberty—both here and abroad—Weaver® is proud to offer rugged riflescopes designed specifically for tactical appli-

cations. As part of the Super Slam™ series, these tactical scopes are manufactured to the strictest tolerances in order to perform in the harshest environments.

FEATURES & BENEFITS

- Powerful 5 times magnification
- Fully multi-coated lenses w/ extra hard coating on exterior lenses
- First focal plane reticles
- Waterproof / shockproof / fogproof
- Side focus parallax adjustment
- Reset-to-zero turrets (no caps to lose)
- Argon purged tubes to eliminate internal fogging
- One-piece construction
- 30mm tubes
- Mil Dot reticles

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FINISH FEATURES	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/M @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/MM @ 100M	WEIGHT (OZ./G)	
800360	4-20 x 50	Side Focus	Matte	Mil Dot	10.5-2.4	24.6-4.9/8.2-1.6	4.0/101	13.0/331	1/8 / 3.5	34/1.0	28.0/795
800362	3-15 x 50	Side Focus	Matte	Mil Dot	10.5-3.3	34.0-6.8/11.3-2.3	4.0/101	13.4/341	1/8 / 3.5	60/1.7	27.5/780

Alpha Data Sheet



Minute of Angle
Impact in inches from target = MOA of correction
(yards to target / 100)

Come-Ups for Dist w/out Established Zero
(Next highest = Next lowest) X (extn yds/100)
MOA
Add answer to lowest MOA


Angle Fire

Gun to Target Distance	X	Cos of Angle
10°	.98	.98
20°	.94	.94
30°	.85	.85
40°	.75	.75
50°	.65	.65
60°	.50	.50
70°	.35	.35
80°	.20	.20
90°	.00	.00

Mil Dot Ranging
Size in inches X 278 = yards
object size (mils)

MOA to MIL Dot
MOA = Holdover
3.6

1 MOA @ 100 yds = 1"
1 MOA @ 600 yds = 6"



SEVENTY YEAR 80th ANNIVERSARY
CLASSIC V-SERIES™
 RIFLESCOPES



6-24 X 42 A/O
849411

3-9 X 38
849402

2-10 X 38
849405

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849400	1-3 x 20		Matte	Dual-X	15-6.6	87-30.8/29-102	3.1-3.1/79-79	9.1/231	1/4 / 7	120/3.3	8.5/241
849399	2.5-7 x 32		Matte	Dual-X	15-4.6	45-15/15-5.0	3.6-3.3/92-85	10.9/277	1/4 / 7	70/1.9	10/284
849402	3-9 x 38		Matte	Dual-X	12.7-4.2	34-11.4/11.3-3.8	3.3-3/84-76	12.3/312	1/4 / 7	70/1.9	11.3/320
849403	2-10 x 38		Matte	Ballistic-X	19-3.8	38-9.6/12.5-3.2	3.3-3/84-76	12.3/317	1/4 / 7	70/1.9	11/312
849406	2-10 x 38		Silver	Dual-X	19-3.8	38-9.6/12.5-3.2	3.3-3/84-76	12.3/317	1/4 / 7	70/1.9	11/312
849405	2-10 x 38		Matte	Dual-X	19-3.8	38-9.6/12.5-3.2	3.3-3/84-76	12.3/317	1/4 / 7	70/1.9	11/312
849407	4-16 x 42	AO; STT*	Matte	Ballistic-X	10.5-2.6	24.4-7.0/8.1-2.3	3.1-3/79-76	14/356	1/4 / 7	50/1.4	16.8/476
849410	4-16 x 42	AO; STT*	Matte	F/C Dot	10.5-2.6	24.4-7.0/8.1-2.3	3.1-3/79-76	14/356	1/4 / 7	50/1.4	16.8/476
849409	4-16 x 42	AO; STT*	Matte	F/C	10.5-2.6	24.4-7.0/8.1-2.3	3.1-3/79-76	14/356	1/4 / 7	50/1.4	16.8/476
849408	4-16 x 42	AO; STT*	Matte	Dual-X	10.5-2.6	24.4-7.0/8.1-2.3	3.1-3/79-76	14/356	1/4 / 7	50/1.4	16.8/476
849414	4-16 x 42	AO; STT*	Matte	.223 Ballistic-X	10.5-2.6	24.4-7.0/8.1-2.3	3.1-3/79-76	14/356	1/4 / 7	50/1.4	16.8/476
849412	6-24 x 42	AO; STT*	Matte	Mil Dot	7-1.2	15.7-4.4/5.2-1.5	3.1-3.1/79-79	14.1/358	1/8 / 3.5	35/1.0	17.6/499
849411	6-24 x 42	AO; STT*	Matte	Varminter	7-1.2	15.7-4.4/5.2-1.5	3.1-3.1/79-79	14.1/358	1/8 / 3.5	35/1.0	17.6/499
849413	6-24 x 42	AO; STT*	Matte	Ballistic-X	7-1.2	15.7-4.4/5.2-1.5	3.1-3.1/79-79	14.1/358	1/8 / 3.5	35/1.0	17.6/499
849416	6-24 x 42	AO; STT*	Matte	.223 Ballistic-X	7-1.2	15.7-4.4/5.2-1.5	3.1-3.1/79-79	14.1/358	1/8 / 3.5	35/1.0	17.6/499


*Semi Target Turret

VARIABILITY. RELIABILITY. DEPENDABILITY.

Built to deliver a large field of view, generous eye relief and fast power change adjustments, the Classic V-Series™ is the ultimate in versatility—helping hunters spot game in early morning or late evening shadows. Weaver® also expands the Classic V-Series™ with a collection of riflescopes for the avid hunter and shooter. These offerings boast additional reticle options that enhance a shooter's ability to estimate distance and make the shot. For those looking for more choices in a proven line of scopes, check out the Weaver V-Series.

..... « **Features & Benefits** »

- ★ Fully multi-coated lenses
- ★ Hard coating on exterior lenses
- ★ Nitrogen purged tubes to eliminate internal fogging
- ★ 1" tubes
- ★ Waterproof / shockproof / fogproof



Ballistic-X

.223 Ballistic-X

Dual-X

Fine Crosshair

Fine Crosshair
1/4 MOA Dot

Mil Dot

Varminter




Since 1930
 Grandad did it by boat, so that's how
 I'll forever hunt this place. Something
 magical about returning every year,
 using the same woods he did, probably
 ever descendants of the same
 tid.

80th Anniversary
CLASSIC K-SERIES™
 RIFLESCOPIES



4 X 38
849415



Dual-X

SET TO BE SIMPLE, ACCURATE AND DURABLE

Crafted from a one-piece aircraft-grade aluminum tube, the Classic K-Series™ fixed power scopes are built to take heavy recoil punishment and hold zero to 10,000 rounds from a .375 H&H magnum rifle. And because Classic K-Series™ fixed scopes present a consistent field of view that's perfect for open field hunting, they are among the easiest scopes any instinctive shooter will ever use regardless of the range. Classic K-Series™ also feature fully multi-coated optics that dramatically increase image brightness and contrast while eliminating glare. And new for 2010, Weaver offers a Classic K-Series™ Scout Scope for those who enjoy the long eye relief common to the fast handling, scout-style rifles.

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FINISH FEATURES	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)	
849415	4 x 38	Matte	Dual-X	9.5	23.1/7.7	3.2/8	11.5/292	1/4 / 7	120/3.3	9.9/281	
849418	6 x 38	Matte	Dual-X	6.3	18.4/6.2	3.2/8	11.6/295	1/4 / 7	80/2.2	9.8/278	
NEW 849440	8 x 56	Matte	Dual-X	7.0	12.8/3.9	3.5/89	13.5/342	1/4 / 7	50/1.5	16.2/460	
NEW 849417	4 x 28	Scout, 50 yd Parallax	Matte	Dual-X	7.3	8.5/2.4	9.0/230	9.3/237.4	1/4 / 7	50/1.5	14.2/402

80th Anniversary
CLASSIC™ RIMFIRE
 RIFLESCOPIES



2.5-7 X 28
849431



Dual-X

SMALL CALIBER, HIGH PERFORMANCE

Weaver takes rimfire riflescopes as seriously as its big game brethren. Every Classic™ Rimfire scope incorporates many of the exact same features found on Weaver's top-of-the-line models. Designed to bring out the best in rimfire and adult air rifles, the Classic™ Rimfire comes in variable and fixed power models – with fully multi-coated, non-glare optics that produce edge-sharp, low-light brightness, even in the duskiest of conditions. All scopes feature rugged, aircraft-grade one-piece aluminum construction. Waterproof, fogproof and shockproof, the Classic™ Rimfire is designed to withstand the multi-directional recoil from the heaviest spring-loaded adult airguns. Parallax is set at 50 yards for ideal rimfire target acquisition and accuracy.


MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FINISH FEATURES	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849430	4 x 28	Matte	Dual-X	7	21.8/7.3	3.3/84	10.3/262	1/4 / 7	80/2.2	8.5/241
849431	2.5-7 x 28	Matte	Dual-X	11.2-4	41.3-15.7/13.8-5.2	3.7/94	11.5/292	1/4 / 7	80/2.2	9.75/278
849432	2.5-7 x 28	Silver	Dual-X	11.2-4	41.3-15.7/13.8-5.2	3.7/94	11.5/292	1/4 / 7	80/2.2	9.75/278
849398	3-9 x 32	Adj. Obj.	Matte	Dual-X	10.6-3.5	37-13/12.3-4.3	11.3/287	1/4 / 7	60/1.7	12/340



80
ANNIVERSARY
T-SERIES™
RIFLESCOPES



36 X 40 A/O
849970



Fine
Crosshair

Fine Crosshair
1/8 MOA Dot

THE TARGET AND VARMINT TERMINATOR

Whether it's putting repeated rounds into the same hole or picking off small varmints at hundreds of yards – Weaver's T-Series™ fixed riflescopes give you the eighth MOA accuracy you need to be dead on, shot after shot. Each T-Series™ scope features the incredibly accurate QuadZero™ adjustment system that gives you more accurate, completely independent windage and elevation control. An adjustable objective provides parallax-free shooting – so no matter how off-center your eyepiece-to-eye alignment is, your point of impact won't be affected. Fully multi-coated optics increase brightness to 94% at 550mm. These superior optics punch up the contrast, eliminate glare and deliver unparalleled clarity. Every T-Series™ scope comes with traditional eyepiece focus, a sunshade, screw-in metal lens caps and an extra pair of oversized benchrest adjustment knobs.

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849970	36 x 40	AO/SunShade	Matte	F/C	1.16	3/1	3/76	15.4/391	1/8 / 3.5	60/1.7	17/487
849981	36 x 40	AO/SunShade	Silver	F/C	1.16	3/1	3/76	15.4/391	1/8 / 3.5	60/1.7	17/487
849974	36 x 40	AO/SunShade	Matte	1/8 MOA Dot	1.16	3/1	3/76	15.4/391	1/8 / 3.5	60/1.7	17/487
849969	36 x 40	AO/SunShade	Silver	1/8 MOA Dot	1.16	3/1	3/76	15.4/391	1/8 / 3.5	60/1.7	17/487
849976	24 x 40	AO/SunShade	Matte	1/8 MOA Dot	1.6	4.4/1.5	3/76	15.4/391	1/8 / 3.5	60/1.7	16/454



80
ANNIVERSARY
CLASSIC™ HANDGUN
SCOPES



2.5-8 X 28
849429

4 X 28
849425



Dual-X

MAGNUM FORCE RELIABILITY. HIGH IMPACT ACCURACY

Handguns demand a scope that is built to withstand the brutal, shot-after-shot pounding from today's most powerful revolvers and single-shot pistols. Designed for the tremendous recoil of 1,000 rounds from a .454 Casull® revolver, Weaver's Classic™ Handgun scopes deliver the goods on rugged, reliable, repeatable accuracy. Fully multi-coated optics increase brightness, eliminate glare and transmit crisp, clear, edge-to-edge images. Featuring a 50-yard parallax setting, the fixed power Classic scopes provide unlimited eye relief.

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849427	1.5-4 x 20 x 40		Gloss	Dual-X	13.3-5.5	15.5-6.5/5.5-2.2	14-22/356-559	9/229	1/4 / 7	60/1.7	8.2/232
849429	2.5-8 x 28		Matte	Dual-X	11.2-3.5	12.2-3.9/4.1-1.3	16-24/406-610	9.4/239	1/4 / 7	70/1.4	9.1/258
849446	2.5-8 x 28		Silver	Dual-X	11.2-3.5	12.2-3.9/4.1-1.3	16-24/406-610	9.4/239	1/4 / 7	70/1.4	9.1/258
849424	2 x 28		Silver	Dual-X	16	21/7	14-29/356-737	8.4/213	1/4 / 7	120/3.3	6.7/190
849425	4 x 28		Gloss	Dual-X	7	4.4/1.5	12-18/305-457	8.5/2.6	1/4 / 7	100/2.8	6.4/181



Since 1930

Better call Ma and tell her it's garlic bread and Prosciutto time, because near as I can tell there's nothing that's happier than a full hog for the freezer.



80th Anniversary
40/44 SERIES™
 RIFLESCOPES



4-12 X 44
849540

3-9 X 40
849511

GREAT GLASS AT A GREAT VALUE

When it comes to value and performance, Weaver® offers a line for the cost-conscious shooter. The 40/44 Series™ boasts an increase in scope offerings all with either 40mm or 44mm objectives. This line of riflescopes include a variety of magnification ranges and increased reticle choices while maintaining the same trusted performance found in each and every Weaver optic. Winner of Field & Stream's 2009 "Best of the Best Award."

..... **Features & Benefits**

- ★ A broad variety of riflescope choices
- ★ Fully multi-coated lenses
- ★ Ballistic-X reticle (some models)
- ★ Waterproof / shockproof / fogproof
- ★ One-piece tube construction
- ★ Aspherical lens system (some models)

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE # OF CLICKS	WEIGHT (OZ./G)
849507	3-9 x 40	50 Yd Parallax	Matte	Dual-X	13-4.4	33.91-11.26	3.5/89	12.2/310	1/4 / 7	60/1.7	14.2
849508	3-9 x 40	50 Yd Parallax	Matte	Ballistic-X	13-4.4	33.91-11.26	3.5/89	12.2/310	1/4 / 7	60/1.7	14.2
849511	3-9 x 40		Matte	Dual-X	13-4.4	33.91-11.26	3.5/89	12.2/310	1/4 / 7	60/1.7	14.2
849512	3-9 x 40		Matte	Ballistic-X	13-4.4	33.91-11.26	3.5/89	12.2/310	1/4 / 7	60/1.7	14.2
849520	2.8-10 x 44	Aspherical	Matte	Dual-X	15.77-4.4	39.351-12.13	3.3/84	11.42/290	1/4 / 7	60/1.7	16.75
849521	2.8-10 x 44	Aspherical	Silver	Dual-X	15.77-4.4	39.351-12.13	3.3/84	11.42/290	1/4 / 7	60/1.7	16.75
849530	3-10 x 44		Matte	Dual-X	14.66-4.4	33.51-10.3	3/76	12.1/307	1/4 / 7	60/1.7	13.93
849531	3-10 x 44		Silver	Dual-X	14.66-4.4	33.51-10.3	3/76	12.1/307	1/4 / 7	60/1.7	13.93
849532	3-10 x 44		Matte	Ballistic-X	14.66-4.4	33.51-10.3	3/76	12.1/307	1/4 / 7	60/1.7	13.93
849525	3.8-12 x 44	Aspherical; AO	Matte	Dual-X	11.58-3.67	29.84-9.95	3.3/84	12.95/329	1/4 / 7	60/1.7	21.52
849527	3.8-12 x 44	Aspherical; AO	Matte	Varminter	11.58-3.67	29.84-9.95	3.3/84	12.95/329	1/4 / 7	60/1.7	21.52
849540	4-12 x 44	AO	Matte	Dual-X	11-3.66	23.03-7.94	3/76	12.65/321	1/4 / 7	60/1.7	17
849541	4-12 x 44	AO	Silver	Dual-X	11-3.66	23.03-7.94	3/76	12.65/321	1/4 / 7	60/1.7	17
849542	4-12 x 44	AO	Matte	Ballistic-X	11-3.66	23.03-7.94	3/76	12.65/321	1/4 / 7	60/1.7	17
849550	6.5-20 x 44	AO	Matte	Dual-X	6.77-2.2	15.53-4.45	3/76	14.1/358	1/8 / 3.5	40/1.1	20.46
849552	6.5-20 x 44	AO	Matte	Varminter	6.77-2.2	15.53-4.45	3/76	14.1/358	1/8 / 3.5	40/1.1	20.46



Dual-X

Ballistic-X

Varminter

Since 1930
 Turkey season will have a new twist this year.
 I have finally went high-tech with a new
 Red Dot on my shotgun. Guess I will see if
 it helps me whack a bigger tom than using
 iron sights.



80th Anniversary
RED/GREEN DOT
 RIFLESCOPES

NEW!



849250

**WHERE THE DOT GOES,
 SUCCESS FOLLOWS**

We are proud to bring a rugged Red/Green Dot Sight to our lineup of quality optics. This cutting-edge dot is perfect for deer, turkey or virtually any big game adventure. And, for shooters involved in tactical shooting, our new dot sight is the perfect addition to any AR platform. Made for instant and accurate target acquisition, the Red/Green Dot Sight has five red and five green brightness settings to ensure accuracy in all light conditions. Sight comes with removable front sunshade and adjustable rear hood to ensure perfect performance in all weather conditions. Don't get stranded, the Red/Green Dot Sight comes with a spare battery compartment... just in case.

..... **Features & Benefits**

- ★ Waterproof / shockproof / fogproof
- ★ Rugged, durable 30mm tube, one-piece construction
- ★ Perfect for deer, big game or turkey hunting as well as shooting sports
- ★ Five red, five green brightness settings for all light conditions
- ★ Adjustments are 1 MOA and parallax is set for 50-yards
- ★ Anti-reflective coating
- ★ Select from four different illumination modes: Micro dot, dot, circle and circle with dot
- ★ Integral adjustable mounting system mounts to a Weaver® Base
- ★ True 1 times sight

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849250	1	Red & Green Dot Sight	Matte	4 Patterns	30	50-15.2	Any	5/127	1/29	80/2	8



NEW!



TAKE COMMAND OF YOUR HUNT

Catch the whitetail fever with these new scopes endorsed by The Buck Commanders®. Designed by Weaver® engineers with the help of Willie Robertson and his fanatic Buck Commander crew, these scopes feature four times magnification range and super fast focusing power. Select models feature our proprietary Command-X ballistic drop correction reticle.

FEATURES & BENEFITS


- Each scope comes with four times zoom range
- Easy to use reset-to-zero, finger adjustable turrets
- Fully multi-coated lenses
- Select models feature Weaver's Command-X ballistic drop correction reticle
- Fogproof / shockproof / waterproof
- Rugged one-piece tube construction



4-16 X 42
94575
94576

3-12 X 50
94573
94574

2.5-10 X 42
94571
94572




Dual-X

Command-X

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
94571	2.5-10 x 42	Matte	Command-X	16.1-4.2	35.1-9.1/10.7-2.8	3.5/89	11.9/302	1/4	62/1.7	13.6/385
94572	2.5-10 x 42	Matte	Dual-X	16.1-4.2	35.1-9.1/10.7-2.8	3.5/89	11.9/302	1/4	62/1.7	13.6/385
94573	3-12 x 50	Matte	Command-X	15.9-4.1	32.9-8.4/10-2.6	3.5/89	12.9/327	1/4	52/1.5	14.1/400
94574	3-12 x 50	Matte	Dual-X	15.9-4.1	32.9-8.4/10-2.6	3.5/89	12.9/327	1/4	52/1.5	14.1/400
94575	4-16 x 42	SF*	Command-X	10.5-2.6	22-5.5/6.7-1.7	3.5/89	13.3/338	1/4	52/1.5	15.9/450
94576	4-16 x 42	SF*	Dual-X	10.5-2.6	22-5.5/6.7-1.7	3.5/89	13.3/338	1/4	52/1.5	15.9/450

*Side Focus Parallax



80
ANNIVERSARY

SUPER SLAM™ BINOCULARS



8.5 X 45
849630


THE ULTIMATE VIEWING EXPERIENCE

As the perfect partner to the Super Slam™ riflescopes, the Super Slam binoculars up the ante with improvements every outdoor enthusiast will appreciate. From an open bridge design and magnesium body to the roof prism system with SK and BaK-4 glass, the Super Slam binoculars are sleek, rugged and ready for any outdoor adventure. Nitrogen purged tubes provide crystal clear, fog-free viewing while the exterior lenses deliver scratch resistant service no matter how nasty the environment.

Features & Benefits

- ★ Torture tested from -20° to +150° Fahrenheit
- ★ Focus lock so preferred adjustments can be locked in for viewer
- ★ SHR lens coating for increased light transmission
- ★ ED glass for the ultimate in light gathering ability
- ★ Roof prism design with SK and BaK-4 prism glass
- ★ Waterproof / fogproof performance
- ★ Extendable eyecups for comfortable viewing sessions
- ★ Binocular harness system included

MODEL	MAGNIFICATION OBJECTION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
849630	8.5 x 45	Rubber Armor	5.3	341/103.9	0.73/18.5	5.63/143	2.56/65	6.30/160	31.2/885	Roof
849635	10.5 x 45	Rubber Armor	4.3	325/99.1	0.59/15	5.63/143	2.56/65	6.30/160	31.6/895	Roof



Since 1930
I found this shed up near the dry creekbed
today, tires intact. Can't imagine what
led have been like a year ago.
Horses watered so it's an early
tonight for all -



80
ANNIVERSARY

GRAND SLAM™ BINOCULARS



8 X 32
849660

SEE THE WORLD CLEARLY

Grand Slam® binoculars have gone afield in the pursuit of all types of game. And now this respected series of binoculars gets a fresh group to their proven lineup. Available in both full-size and compact designs, the Grand Slam bins offer nitrogen purged tubes, rugged body armor and lenses that gather every bit of available light from dawn to dusk. And now Weaver offers a new 3 position (8-12-16) zoom bino that contains all the same great features of the Grand Slam line.

..... **Features & Benefits**

- ★ Torture tested from -20° to +150° Fahrenheit
- ★ Phase coated prisms for the ultimate in light transmission
- ★ Roof prism design with BK-7/BaK-4 prism glass
- ★ Waterproof / fogproof performance
- ★ Extendable eyecups for comfortable viewing sessions

MODEL	MAGNIFICATION OBJECTION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
849660	8 x 32	Rubber Armor	5.3	393/119.8	0.63/16.0	4.8/122	2.1/53	4.8/122	18.7/530	Roof
849661	10 x 32	Rubber Armor	3.2	314/95.7	0.59/15.0	4.8/122	2.1/53	4.8/122	18.7/530	Roof
849663	8.5 x 45	Rubber Armor	5.3	314/95.7	0.77/19.5	5.1/129	2.2/55	6.0/152	24.7/700	Roof
849664	10.5 x 45	Rubber Armor	4.3	304/92.7	0.59/15.0	5.1/129	2.2/55	5.9/150	24.7/700	Roof
849667	10 x 50	Rubber Armor	5.0	262/79.9	0.79/20.0	5.2/132	2.3/58	6.7/170	27.2/770	Roof
849668	12 x 50	Rubber Armor	4.2	251/76.5	0.61/15.5	5.2/132	2.3/58	6.6/167	26.8/760	Roof
NEW 849669	8-16 x 42	Rubber Armor	5.2-2.6	33/21.4	0.6-0.9/15-22	6.5/164	2.2/55	6.0/152	26/739	Roof



80
ANNIVERSARY

CLASSIC™ BINOCULARS

NEW!



8 X 32
849670



Since 1930

Glad I packed the food this
time because this hunt ended as
quickly as it started. One shot,
one caribou not 45 minutes
the week. Guess I'll do some
napping too.



A CLASSIC WAY TO VIEW YOUR HUNT

Our Classic® series has served hunters well for years—giving them the versatility they need at a reasonable price. New in the lineup are Classic Binoculars. These binos are lightweight, accurate and won't hurt the pocketbook. The sleek roof prism design means viewers can spot any type of game in early morning or late evening shadows. Now hunters and outdoor enthusiasts can appreciate the benefits of modern technology made by our optics experts.

Features & Benefits

- ★ Rugged exterior finish
- ★ Sleek roof prism design
- ★ Fully multi-coated lenses
- ★ Extendable eyecups for comfortable viewing
- ★ Waterproof / fogproof / shockproof
- ★ Carry case & strap included

MODEL	MAGNIFICATION OBJECTION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
849670	8 x 32	Rubber Armor	4.0	42.0/12.8	0.63/16.0	5.1/129	2/51	5.4/137	20.8/590	Roof
849671	8 x 36	Rubber Armor	4.5	34.1/10.4	0.63/16.0	5.1/129	2/51	6.1/155	25.0/720	Roof
849675	8 x 42	Rubber Armor	5.3	33.0/10.1	0.89/22.0	5.1/129	2/53	6.9/175	27.5/780	Roof
849676	10 x 42	Rubber Armor	4.2	21.4/6.5	0.67/17.0	5.2/132	2.3/58	7.0/178	27.5/780	Roof



80th ANNIVERSARY

ACCESSORIES

OPTICS GEAR

POLAR CAPS

Protect your glass with polar caps. Lens covers stay put during stalks and pop-up quick for easy target acquisition.



CAPS PART #	CLEAR LENS PART #	SIZE	OUTSIDE DIAMETER OF OBJ. (INCHES)
71001	71003	A	1.00-1.09
71091	71093	B	1.095-1.10
71221	71223	C	1.22-1.29
71301	71303	D	1.30-1.341
71381	71383	E	1.387-1.429
71431	71433	F	1.432-1.485
71501	71503	G	1.50-1.55
71551	71553	H	1.558-1.66
71611	71613	J	1.612-1.66
71671	71673	K	1.675-1.735
71761	71763	M	1.760-1.820
71841	71843	N	1.840-1.919
71961	71963	P	1.96-2.043
72101	72103	R	2.10-2.22
72221	72222	S	2.225-2.36
72411	72413	T	2.41-2.515
72571	72573	U	2.575-2.725
-	72873	W	2.870-3.000

CLEANING CLOTH

Designed to gently remove dust, dirt and debris from your lenses, this cloth is a valuable tool in the care and ongoing performance of your quality Weaver glass.

Features & Benefits

- ★ Large 6" x 6", micro-fiber cloth
- ★ Embedded with an anti-fog chemical compound
- ★ Excellent for dry application cleaning of all optics
- ★ Long life—200+ uses per cloth
- ★ Environmentally friendly

PART NO.	DESCRIPTION
849710	Cleaning Cloths—1 Pack
849711	Cleaning Cloths—25 ct. box

LENS CLEANING SYSTEM

Keep your quality Weaver® optics free of dirt and debris with the Weaver Lens Cleaning System.

Features & Benefits

- ★ Soft brush for removing bulk of dust and debris
- ★ Chemically treated chamois pad cleans smudges and fingerprints

PART NO.	DESCRIPTION
849715	Lens Cleaning System



SUPER SLAM™ SUNSHADE

Shield your shot from the distracting rays of the sun with the 4" Weaver® Sunshade. Designed for the Super Slam™ series, these sunshades block out glare regardless of sun angle.

PART NO.	DESCRIPTION
846731	4" Super Slam Sunshade; 42mm—black
846732	4" Super Slam Sunshade; 42mm—silver
846733	4" Super Slam Sunshade; 50mm—black
846734	4" Super Slam Sunshade; 50mm—silver



NEW!

BINOCULAR SYSTEM

Keep your binoculars ready for action with our new Binocular System. Ergonomically designed for hours of comfortable wear and constructed of rugged nylon, this system guarantees binoculars are kept out of the way yet close at hand for fast glassing action.

Features & Benefits

- ★ Harness style binocular strap for comfortable carrying
- ★ Tough, rugged nylon construction
- ★ Perfectly places your binoculars for quick viewing
- ★ Eliminates painful pressure on your neck
- ★ Easily adjusts to custom fit your body style



PART NO.	DESCRIPTION
NEW 849740	Weaver® Binocular System



Since 1930
 Something about the smell of
 sage brings me back here each
 year, usually solo, always happy.
 These canyons clear my head
 & so quiet it almost seems loud





OPTICS WARRANTY

WEAVER SERVICE AND SUPPORT

Limited Lifetime Warranty: Weaver warrants this product to be free of defects in materials and workmanship for as long as it is owned by the original owner. Weaver will repair or replace (at Weavers' option) any such defective product when it is returned by the original owner with a copy of the original receipt. The repair or replacement will be without charge* except for reasonable shipping, handling and insurance charges.

THIS WARRANTY IS YOUR EXCLUSIVE WARRANTY AND REPLACES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF EXPRESS OR IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. IN THAT EVENT, SUCH WARRANTIES ARE LIMITED IN DURATION FOR AS LONG AS THE PRODUCT IS OWNED BY YOU (THE ORIGINAL OWNER). IN ADDITION, IN NO EVENT SHALL WEAVER BE LIABLE FOR COSTS IN EXCESS OF THE PRICE OF THE PRODUCT INCLUDING ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME JURISDICTIONS DO NOT ALLOW LIMITATIONS ON CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM JURISDICTION TO JURISDICTION. THIS WARRANTY DOES NOT COVER DEFECTS OR PROBLEMS CAUSED BY ABUSE, MISUSE, NORMAL WEAR AND TEAR, OR BY IMPROPER HANDLING OR INSTALLATION, AND THE WARRANTY IS VOIDED BY UNAUTHORIZED REPAIR.

..... **RGA Number Required**

Prior to the return of any product or part, a Return Goods Authorization (RGA) number must be obtained by Weaver's Technical Service Department or by calling 800-635-7656. Each returned part or product must include a written statement detailing the nature of the claimed defect, and RGA number as well as the owner's name, address, phone number, and a copy of the original sales invoice. Packaging: If possible, ship the product in its original packaging. Please be sure to wrap the package securely and use strapping tape on the outside of the package. Send only the product to be repaired. Please do not send accessory items such as dust caps, carrying case, mounts, etc.

..... **What to Include**

- ★ A short note explaining the reason you are sending the product in for repair and the RGA number.
- ★ Your daytime phone number.
- ★ An address for returning your product to you. (No PO boxes please.)
- ★ A money order in the amount of \$15.00 to cover shipping and handling fees.
- ★ Photocopy of your sales receipt.

..... **Shipping**

We recommend that you ship your product to us by a tracked parcel service. We also recommend that you insure the shipment against loss. Many carriers automatically insure packages up to a certain nominal amount, typically \$100. Please check to see if the insurance provided by the carrier is adequate to cover the replacement value of your product. If you live in the United States, your product should be sent, freight prepaid, to:


..... **Onalaska Operations—Weaver Optics**

Attention: Repair Department ★ N5549 County Road Z ★ Onalaska Wisconsin 54650

In other countries, please contact your Weaver® International Distributor in your country for service.

..... **Repair Process**

After receiving your returned product, a Weaver repair technician will evaluate your product to determine what repairs are needed and whether or not your product is covered by an applicable warranty. If the product is covered by our warranty, you will receive no additional correspondence and we will either repair or replace your product, at our option. Your repaired product, or a comparable replacement of equal value and function, will be shipped back to you. *If, however, your product is no longer covered by our warranty, one of our technicians will provide you with an estimate of the cost to repair or replace your product. You will have 20 business days to respond and either accept or decline the recommendation. If you accept the recommendation for repair or replacement you will need to provide the payment requested before we will commence work on your product. Payment can be made in the form of a money order, or if you prefer, by MasterCard or VISA. If you do not respond within the 20 business day period, we will return the un-repaired product to you.



80
ANNIVERSARY

GUNSMITHING

TOOLS AND KITS

GUNSMITH MOUNTING CENTER

Safely tackle all your gun work needs with the Gunsmith Mounting Center from Weaver®. Whether you are mounting optics, cleaning a firearm or making repairs, the Gunsmith Mounting Center keeps your firearm stable and tools organized.

PART NO.	DESCRIPTION
NEW 849725	Gunsmith Mounting Center



TOOL KITS

Whatever your skill level. Whatever your needs. We have a gunsmith tool kit for you. Choose from among three tool kit models containing professional-grade tools and attachments for gun care and scope mounting work.

..... **Features & Benefits**

- ★ Compact kit features 36 pieces to address the most common gunsmith needs
- ★ Multi Bit is a 77-piece kit for just about any at-home maintenance work
- ★ Deluxe kit offers a robust 88-piece gunsmith set for the most advanced and accomplished gunsmith
- ★ Each kit comes with quality bits and driver.



PART NO.	DESCRIPTION
NEW 849717	Compact Tool Kit
NEW 849718	Multi Bit Tool Kit
NEW 849719	Deluxe Tool Kit

HAMMER & PUNCH SET

Trick out your gunsmithing bench with our professional tools. The new Hammer & Punch Set includes (8) steel punches to fit just about any pin and a hammer with brass and plastic faces. For fast, easy, gentle disassembly and reassembly of firearms, work like a pro with our gunsmith tools.

..... **Features & Benefits**

- ★ High quality steel punch set with brass punch for drifting sights
- ★ Multiple sizes fit a variety of pins
- ★ Assists the gunsmith in disassembly and assembly of firearms



PART NO.	DESCRIPTION
NEW 849723	Hammer & Punch Kit

SURETHREAD™

When mounting optics, our new SureThread™ adhesive helps prevent the loosening of mounting screws caused by the shock and vibrations generated from recoil. Take the time to mount your scope properly and then take the time to ensure it stays that way. Use Weaver® SureThread.

..... **Features & Benefits**

- ★ For use when mounting scopes and bases to assure locked-down optics
- ★ Prevents shock and vibration from loosening screws
- ★ Loosens easily with basic hand tools



PART NO.	DESCRIPTION
NEW 849272	SureThread

MODULAR LEVEL SYSTEM

When mounting optics, precision is the name of the game. And there's one piece of gear that's critical to success—our Modular Level System. This system is a simple, yet effective way to guarantee a scope's crosshairs are level to the receiver. This ensures accuracy and helps shooters maximize their optics investment.

..... **Features & Benefits**

- ★ Simple to use and extremely reliable
- ★ High strength magnets for secure grip
- ★ For use when mounting scopes on most types of firearms
- ★ Indicates if scope crosshairs are level to receiver for optimum accuracy



PART NO.	DESCRIPTION
NEW 849724	Modular Level System

TORQUE WRENCH

Get just the right amount of torque on your rings and bases with our new Torque Wrench. Every mounting system operates best at predetermined manufacturer's specs and with the Torque Wrench you can dial in that constant screw pressure quickly and easily.

..... **Features & Benefits**

- ★ Helps mount scopes and bases with consistent screw pressure to manufacturer's specs
- ★ Includes a variety of bits for different fasteners
- ★ Helps protect riflescope tubes from over tightening
- ★ Magnetized tip secures bits
- ★ Rugged storage case



PART NO.	DESCRIPTION
NEW 849728	Torque Wrench

SCOPE MOUNTING KITS

If you like testing different scopes on different firearms, or simply find yourself buying and mounting a lot of optics, then you need one of our new Scope Mounting Kits. Containing everything needed for precision scope mounting we have kits for the mounting professional or beginner gunsmiths.

..... **Features & Benefits**

- ★ Standard kit features torque wrench, SureThread™, common bits and level system
- ★ Deluxe kit includes torque wrench, SureThread™, common bits, level system, lapping bar, 1 inch alignment pins and lapping compound
- ★ Contains everything needed for precision scope mounting
- ★ Deluxe kit is excellent for the professional or novice gunsmith
- ★ Rugged storage case



PART NO.	DESCRIPTION
NEW 849722	Scope Mounting Kit (w/o Lapping Tools)
NEW 849721	Deluxe Scope Mounting Kit (with 1-inch Lapping Tools)

ENTERING
GRIZZLY
COUNTRY

Since 1930
Intuition will tell you what the maps can't. It's not just about where these critters move, it's where and when, so I don't feel all that bad about the time I've spent learning this mountain.



80th ANNIVERSARY
GRAND SLAM™
 TOP MOUNT RINGS & BASES



STEEL TOP MOUNT RINGS

Solid steel construction means that Weaver® Grand Slam™ Rings perform time after time when the pressure is on. The time tested Weaver cross lock design means a tight, secure fit on your favorite rifle.

49302	1" MED BLACK	49308	30MM HIGH BLACK
49303	1" MED MATTE	49309	30MM HIGH MATTE
49304	1" HIGH BLACK	49321	1" MED SILVER
49305	1" HIGH MATTE	49322	1" HIGH SILVER
49306	1" X-HIGH BLACK	49323	1" X-HIGH SILVER
49307	1" X-HIGH MATTE		



TOP MOUNT WINDAGE ADJUSTABLE RINGS

Get the legendary strength of Weaver® steel along with the versatility of a windage adjustable ring with this offering.

49315	1" MED BLACK	49318	1" MED BLACK
49316	1" HIGH BLACK	49319	1" HIGH MATTE
49317	1" X-HIGH BLACK	49320	1" X-HIGH MATTE



STEEL TOP MOUNT BASES

Our precision-built steel bases are machined to tight tolerances for a custom fit. A square-cut notch mates to the sturdy cross bolt in every Weaver® top mount Ring. Custom-hardened fastening screws included.

48223	S25	48231	S55
48224	S35	48234	S61
48225	S36	48241	S91
48243	S40A	48247	S402
48226	S45	48249	S430
48227	S46	48275	S459
48228	S47	48276	S460
48244	S49A	48282	S466
48230	S54		



LEVER LOK™ TOP MOUNT RINGS

The quick detach feature makes this ring an ideal choice for the serious hunter on the go. This durable, reliable ring easily detaches and re-mounts without tools so you can protect your optics while traveling to your next hunt. The reliable Weaver® cross lock design allows for secure, tight fit on your favorite rifle. With solid steel construction, you can rest assured that this ring will perform in the heat of the hunt.

49325	1" MED MATTE	49329	1" HIGH BLACK
49326	1" HIGH MATTE	49330	1" X-HIGH BLACK
49327	1" X-HIGH MATTE	49335	30MM HIGH MATTE
49328	1" MED BLACK	49336	30MM HIGH BLACK



WINDAGE ADJUSTABLE .22 RINGS

Following in the tradition of the solid steel Grand Slam™ rings, Weaver® adds a solid steel, windage adjustable .22 ring to an already impressive lineup. The design mounts to a 3/8" grooved receiver and includes all of the features you have come to trust in the Grand Slam line.

49313	1" .22 MEDIUM MATTE
49314	1" .22 HIGH MATTE



STEEL DOVETAIL RINGS

These rings feature the positive dovetail locking system and boast rear mount windage adjustments. They offer maximum strength in steel construction and top-notch recoil resistance for the ultimate hold on your scope.

49200	1" LOW BLACK	49238	1" HIGH NKL
49201	1" LOW MATTE	49206	1" X-HIGH BLACK
49202	1" MED BLACK	49207	1" X-HIGH MATTE
49203	1" MED MATTE	49226	30MM MED BLACK
49239	1" MED NKL	49227	30MM MED MATTE
49204	1" HIGH BLACK	49208	30MM HIGH BLACK
49205	1" HIGH MATTE	49209	30MM HIGH MATTE

DOVETAIL EXTENSION RINGS

Adjust the eye relief on your favorite scope. These solid, all-steel rings allow you to move your scope forward or back for optimum placement.



49222	1" STR XTF MED BLACK
49210	1" STR XTF HIGH BLACK
49224	1" XTR XTF MED BLACK
49228	30MM STR XTF HIGH BLACK
49229	30MM STR XTF HIGH MATTE

STEEL DOVETAIL SYSTEM

This proven mounting system gives you everything you need. Solid steel rings and bases lock scopes in place.

49274	BR-ABOLT 1PC BASE BLACK
49264	BR-ABOLT 2PC BASE BLACK
49265	BR-ABOLT 2PC BASE MATTE
49272	MARLIN 336 1PC BASE BLACK
49268	REM 7400 1PC BASE BLACK
49266	REM 700 1PC BASE BLACK
49260	REM 700 2PC BASE BLACK
49261	REM 700 2PC BASE MATTE
49270	SAV 110 2PC BASE BLACK
49262	WIN 70 2PC BASE BLACK
49263	WIN 70 2PC BASE MATTE



STEEL DOVETAIL BASES

Offered as a one or two-piece system, these all-steel bases provide recoil resistance and feature the dovetail locking system for an ultra-secure, positive lock-on rings.

SEE CHART ON page 54 for part numbers



.22 & RUGER STYLE RINGS

Grand Slam Rings are constructed of solid steel which yields amazing strength and scope retention.

49216	1" .22 MED BLACK	49219	1" .22 X-HIGH MATTE
49217	1" .22 MED MATTE	49221	1" .22 X-HIGH NKL
49215	1" .22 MED NKL	49236	1" RUGER #1 77/22 MED BLACK
49212	1" .22 HIGH BLACK	49234	1" RUGER 77 MED BLACK
49213	1" .22 HIGH MATTE	49232	1" RUGER 77 HIGH BLACK
49214	1" .22 HIGH NKL	49233	1" RUGER 77 HIGH MATTE
49218	1" .22 X-HIGH BLACK	49231	1" RUGER 77 HIGH NKL



HANDGUN SYSTEMS

Use these complete systems to outfit your TC Encore handgun. Comes with solid steel rings and bases that lock scopes into place.

48980	TC ENCORE BLACK (3 rings)
48981	TC ENCORE MATTE (3 rings)

MISCELLANEOUS

49250	TORX SCREW ASSORTMENT
-------	-----------------------



80th Anniversary
QUAD LOCK
 AND STEEL LOCK MOUNTS



QUAD LOCK® DETACHABLE RINGS

Two straps and four screws provide added gripping power for these lightweight, all-aluminum rings. Thumb-screws allow for quick detach.

49049	1" X-HIGH MATTE	49054	1" .22 TIP-OFF SILVER
49074	1" MED BLACK	49055	1" MED SILVER
49046	1" MED MATTE	49056	1" HIGH SILVER
49052	1" HIGH BLACK	49048	1" HIGH EXTENSION MATTE
49047	1" HIGH MATTE	49057	1" HIGH EXTENSION SILVER
49053	1" .22 TIP-OFF MATTE	49062	1" HIGH EXTENSION BLACK



QUAD LOCK® SYSTEMS

These systems include scope gripping, four strap rings and Weaver cross lock bases for an unbeatable combination.

49098	MARLIN 336
49099	REM 700



STEEL LOCK MOUNTS

These rings are made to mount to specific firearm receivers to enhance fit and performance. No bases are needed when using these rings. Mounts have steel straps for added strength.

49719	1" BR ABOLT BLACK	49723	1" RGR 77/22, MINI 14 BLACK
49720	1" BAR/LEVER BLACK	49735	1" RGR 77/22, MINI 14, SS
49721	1" FN SERIES BLACK	49717	1" SAVAGE 110 BLACK
49727	1" KNIGHT MK-85 BLACK	49515	1" .22 SEE-THRU, BLACK
49713	1" MARLIN 336 BLACK	49733	1" .22 SEE-THRU, SS
49714	1" REM 7400/7600 BLACK	49736	1" TC THUNDERHAWK BLACK
49712	1" REM 700 BLACK	49718	1" WIN 70 BLACK
49715	1" REM 742/760 BLACK	49725	1" WIN 88, 100 BLACK
49711	1" RGR 10/22 BLACK	49716	1" WIN 94 A/E
49734	1" RGR 10/22, SS		
49724	1" RGR 77 BLACK		
49732	1" RGR 77, SS		



80th Anniversary
FOUR HOLE
 SKELETON RINGS

NEW!



MADE IN USA

Weaver's new 4-Hole Skeleton Rings are available in heights that satisfy just about any shooter and shooting situation. Choose between 1" or 30mm and from among medium, high, extra-high and XX-high. Dressed in matte black and featuring no strip/slip Torx® screws, these new rings incorporate Weaver's famous Cross-Lock design and lightweight aircraft grade aluminum.

..... **Features & Benefits**

- ★ All new product
- ★ Choose between 1" or 30mm
- ★ Cross-Lock design for maximum hold
- ★ Skeletal design lessens weight without losing strength

48360	1" MED MATTE	48364	30MM LOW MATTE
48361	1" HIGH MATTE	48365	30MM MED MATTE
48362	1" X-HIGH MATTE	48366	30MM HIGH MATTE
48363	1" XX-HIGH MATTE	48367	30MM X-HIGH MATTE


80th Anniversary
SIX HOLE
 TACTICAL RINGS



TACTICAL RINGS

In the tactical world, performance is mandatory—there is no compromise. Whether it's intense training or real-life action, you need your zero to stay true. These aircraft-grade aluminum tactical rings feature six points of contact for maximum security and are designed to withstand the most grueling environments imaginable. If you demand the most from your tactical scope, demand Weaver.

48349	1" MEDIUM	48353	1" XX-HIGH MATTE
48350	1" HIGH MATTE	48355	30MM LOW MATTE
48351	1" X-HIGH MATTE	48356	30MM MEDIUM MATTE
48352	30MM HIGH MATTE	48354	30MM X-HIGH MATTE



80
ANNIVERSARY

MUZZLELOADER AND .22 TIP OFF RINGS & BASES



.22 TIP-OFF MOUNTS

These mounts are made for .22s that have factory grooves in the rifle's receiver. They clamp directly to the receiver or Tip-Off Bases.

Sure Grip Rings shown

49819	1" SURE GRIP BLACK
49821	1" SURE GRIP SS
49440	1" .22 BLACK
49039	1" .22 SS
49514	1" .22 SEE-THRU BLACK
49517	1" .22 SEE-THRU SS



.22 TIP-OFF ADAPTOR BASES

Allows .22 Tip-Off Mounts to be used on non-factory dove-tailed rifles. Provide sure, tight fit for the ultimate in reliability.

48203	TO-1	48505	TO-9M
48201	TO-9	48511	TO-11
48202	TO-10	48009	TO-9S

* Fits 3/8" grooved receivers only



MUZZLELOADER RINGS & BASES

Anchor optics to your muzzleloader with Weaver's new line of muzzleloader rings & bases. Rings are made with lightweight aluminum saddles and strong steel caps while bases feature aircraft-grade aluminum and Weaver's proven Crosslock design. For more than 75 years, Weaver has been keeping scopes on firearms and hunters on target. 100% rugged service, 100% of the time. And this unwavering dedication to preserving both your optics and your hunt is now available for muzzleloaders.

MUZZLELOADER BASE W/RINGS

48530	TC ENCORE/OMEGA BASES W/ RINGS
48531	TRADITIONS IN-LINE/CVA ROUND W/ RINGS
48532	KNIGHT MK-85, BK-92 BASES W/ RINGS

MUZZLELOADER BASES

48520	TC ENCORE/OMEGA BASES
48521	TRADITIONS IN-LINE/CVA ROUND BASES
48522	KNIGHT MK-85, BK-92 ETC BASES

80
ANNIVERSARY

MUZZLELOADER INTEGRAL MOUNT SYSTEMS

SINGLE SHOT TRADITIONALIST WELCOME

Get the legendary holding power of Weaver® for your modern in-line muzzleloader. These ring and base sets features lightweight aircraft-grade aluminum for strength and weight reduction. Available in 1-piece or 2-piece formats. Easy mounting for 1" scopes.



RING & BASE SET 1-PC MUZZLELOADER

48540	TC ENCORE/OMEGA MEDIUM
48541	TC ENCORE/OMEGA HIGH
48543	CVA/TRADITIONS/REMINGTON GENESIS MEDIUM
48544	CVA/TRADITIONS/REMINGTON GENESIS HIGH

RING & BASE SET 2-PC MUZZLELOADER

48545	TC ENCORE/OMEGA MEDIUM
48546	TC ENCORE/OMEGA HIGH
48548	CVA/TRADITIONS/WINCHESTER IN-LINE MEDIUM
48549	CVA/TRADITIONS/WINCHESTER IN-LINE HIGH



Since 1930
For as long as I can remember, target shooting
has been a fun way to spend time with friends.
And, gosh, now that I'm older, it's still
in. Plus, it was a great way to practice for my
upcoming hunting season.

80
ANNIVERSARY

DETACHABLE

TOP MOUNT RINGS & BASES



DETACHABLE TOP MOUNT RINGS

Get the best of both worlds with a steel strap for added strength and an aluminum saddle for reduced weight. These quick detach rings are the Original Weaver-style Rings.

49030	1" LOW BLACK	:	49130	30MM HIGH SS
49040	1" LOW MATTE	:	49080	1" X-HIGH BLACK
49034	1" LOW SS	:	49044	1" X-HIGH MATTE
49071	1" MED BLACK	:	49036	1" X-HIGH SS
49041	1" MED MATTE	:	49122	30MM LOW BLACK
49032	1" MED SS	:	49121	30MM LOW MATTE
49050	1" HIGH BLACK	:	49131	30MM LOW SS
49042	1" HIGH MATTE	:	49110	30MM HIGH BLACK
49033	1" HIGH SS	:	49120	30MM HIGH MATTE



DETACHABLE EXTENSION TOP MOUNT RINGS

Try these to get the ideal eye relief. They let you position your scope forward or rearward.

49090	1" MED EXT BLACK	:	49061	1" DUAL EXT BLACK
49091	1" MED EXT MATTE	:	49045	1" DUAL EXT MATTE
49092	1" MED EXT SILVER	:	49038	1" DUAL EXT SS
49060	1" EXT HIGH BLACK	:	49155	30MM LOW EXT BLACK
49043	1" EXT HIGH MATTE	:	49150	30MM LOW EXT MATTE
49035	1" EXT HIGH SS	:	49156	30MM HIGH EXT BLACK
48448	1" EXT X-HIGH BLACK	:	49152	30MM HIGH EXT MATTE
48449	1" EXT X-HIGH MATTE	:		



SURE GRIP WINDAGE ADJUSTABLE

The four-screw system and steel cap offer shot-of-a-life-time dependability. Windage adjustable models ensure that zeroing in your scope to critical accuracy is certain.

49140	1" MED BLACK	:	49144	1" HIGH MATTE
49143	1" MED MATTE	:	49142	1" X-HIGH BLACK
49141	1" HIGH BLACK	:	49145	1" X-HIGH MATTE



SURE GRIP DETACHABLE RINGS

These rings use a four-screw system, and have steel caps and an aluminum saddle for added strength. Also features the quick detach system, allowing you to loosen the thumb screws and go to iron sights in seconds.

49160	1" MED BLACK	:	49164	1" HIGH MATTE
49163	1" MED MATTE	:	49162	1" X-HIGH BLACK
49161	1" HIGH BLACK	:	49165	1" X-HIGH MATTE



SEE-THRU DETACHABLE RINGS

Utilize iron sights or your scope for quick target acquisition with these convenient rings. The square cross lock bolt fits tightly and securely with Weaver® Top Mount Bases.

49513	1" BLACK	:	49510	1" EXT MATTE
49523	1" MATTE	:	49524	1" DUAL EXT BLACK
49522	1" SS	:	49525	1" DUAL EXT MATTE
49512	1" EXT BLACK	:		



TOP MOUNT BASE PAIRS

There's no longer a need to search for front and rear bases for your most popular firearms. Weaver® Base Pairs feature tough, lightweight aluminum construction to hold up to the most powerful recoil. The Weaver cross lock design means a tight, secure fit on your firearm. These bases accept all Weaver top mount cross lock rings.

48460	REM 700 MATTE	:	48470	BROWNING BAR MATTE
48461	REM 700 SILVER	:	48471	MARLIN 336 MATTE
48462	BROWNING A-BOLT MATTE	:	48472	REM 7400 MATTE
48463	BROWNING A-BOLT SILVER	:	48473	MOSSBERG 500/835 MATTE
48464	MAUSER 98 MATTE	:	48474	RUGER 10/22 MATTE
48465	SAVAGE 110 MATTE	:	48475	WIN 94 MATTE
48466	SAVAGE 110 ACCU TRIGGER MATTE	:	48476	REM 798 MATTE
48467	SAVAGE 110 ACCU TRIGGER SILVER	:	48477	REM 799 MATTE
48468	WIN 70 MATTE	:	48493	BROWNING X-BOLT MATTE
48469	WIN 70 SILVER	:	48495	BROWNING X-BOLT SILVER



TOP MOUNT ALUMINUM BASES

Each Weaver base is machined to tight tolerances for a custom fit. These aluminum bases offer maximum strength for rings to hold tight.

REFER TO PAGE 54 FOR PART NUMBERS



DETACHABLE SIDE MOUNTS

Side mount brackets detach and attach in seconds, just like our detachable top mounts (the bases themselves do not). Side mount brackets are available in a "high profile" in a standard or long length to accept a variety of scopes.

48401	1	:	48407	7
48402	2	:	48408	8
48403	3A	:	48416	10M
48412	3B	:	48409	M
48413	3C	:	49340	1" LONG HIGH BRACKET & RINGS
48415	3D	:	49350	1" HIGH BRACKET & RINGS
48405	5	:		



DETACHABLE COMPLETE RIFLE MOUNT SYSTEM

Weaver covers every angle. These systems provide everything you need for the best mounting solution available for these specific models.

48763	MARLIN 336	:	48736	REM 700
48793	REM 4,6,7400,7600	:	48794	WIN 94

MULTI SLOT BASES


These versatile bases from Weaver® help give your gun a versatile edge. Multi Slot Bases are constructed of tough, lightweight aluminum so they can withstand the most powerful recoil. They accept all Weaver Top Mount Rings and accommodate the mounting of devices such as scopes, red dots and laser optics, while allowing for optimal eye relief.



NEW 48329	MULTI SLOT SAVAGE ACCU-L/A
48330	MULTI SLOT REM 700 S/A
48331	MULTI SLOT SKS (STEEL)
48332	MULTI SLOT MINI 14/NO RINGS
48333	MULTI SLOT MOSSBERG 590
48334	MULTI SLOT REM 700 L/A
48335	MULTI SLOT RUGER 10/22
48336	MULTI SLOT REM 597
48337	MULTI SLOT WIN 1300
48338	MULTI SLOT SAVAGE ACCU-S/A
NEW 48339	MULTI SLOT BENELLI SBE II

Since 1930

Don't think I'll ever leave the Heartland. Too much for me here by far good family and plenty of woods to walk. I need some space, which is often enough.



80
ANNIVERSARY

SHOTGUN & PISTOL

MOUNTING SYSTEMS



CONVERTA-MOUNT™ SHOTGUN SYSTEM

They let you transform your bird gun into a deer hunting firearm along with the change in seasons. Two thumb screws put your scope on or take it off. Our see-under systems let you use your scope or bead.

48870	REM 870, 1100, 1187 MED RINGS	48884	SEE-UNDER MOSSBERG 500/835 LOW RINGS
48881	SEE-UNDER REM 870, 1100 LOW RINGS	48883	SEE-UNDER WIN 1200, 1300 LOW RINGS



CONVERTA-MOUNT™ SHOTGUN BRACKETS

These brackets give you a choice of scope mounting position and fit any Converta-Mount side base Available in low-profile or see-under style.

48310	SEE-UNDER WIN, MOSSBERG
48311	SEE-UNDER REM 870
48301	REM 870, 1100



CONVERTA-MOUNT™ SIDE BASES

For use with our Converta-Mount low profile or see-under brackets and Weaver top mount rings. Makes scope mounting on several different shotguns a breeze.

48302	REM 870, 1100
48303	MOSSBERG 500, 835
48307	WIN 1200

NO GUNSMITH SHOTGUN MOUNTS

Mount your favorite sight device with ease using the Weaver® No Gunsmith mounts. The multi slot bases allow you to mount a variety of optics including scopes, red dots and laser sights while obtaining the optimum eye relief. The low profile, form fitting design allows you to shoot in your natural position without "peeking." Strong and lightweight, made of tough polymer composite material, these mounts will operate in temperatures of -40°F to 150°F.

48340	REM 870, 1100, 1187 12 AND 20 GAUGE
48341	MOSSBERG 500, 835 12 GAUGE ONLY
48342	REM 870, 1100, 1187 12 AND 20 GAUGE HARDWOODS HD
48343	MOSSBERG 500, 835 12 GA ONLY HARDWOODS HD



PISTOL MOUNT SYSTEM


An all steel yoke tightens on the frame for recoil-proof performance. This system, with quick detachable medium rings included, offers versatility for scope changes and makes your pistol a more accurate tool for hunting and shooting.



48601	301	48606	306
48610	301S	48620	306S
48602	302	48609	307
48607	302S	48608	307S
48604	304	48611	308S
48605	305	48622	314

PISTOL MOUNT BASES

Available without rings, these bases allow you to purchase the specific rings you want to suit your application. Rugged steel yoke design allows for easy installation.



48638	301 RUGER BLACKHAWK
48635	301S RUGER BLACKHAWK
48644	302 MINI 14
48646	302S MINI 14
48639	304 COLT PYTHON
48640	305 RUGER SECURITY SIX
48641	306 RUGER 22
48637	306S RUGER 22
48642	307 S&W
48634	307S S&W
48648	308S RUGER REDHAWK
48643	314 RUGER SINGLE SIX
48497	RUGER SUPER REDHAWK 1-PC BASE-SILVER
48496	S & W X-FRAME 1-PC BASE-NICKEL PLATED



EIGHTY YEAR
80
ANNIVERSARY

AR-15 ACCESSORIES



PICATINNY SYSTEM

Shooters can now attach a wide variety of accessories to their firearm with the new Swivel Stud Picatinny Rail Adaptor. This adaptor connects to the swivel stud to give standard rifles a Picatinny Rail option.

48328 | PICATINNY SYSTEM



AR-15 MOUNTS

These sturdy, versatile mounts easily attach to various AR-15 style weapons. Picatinny style rails accept Weaver® Top Mount Rings to secure your optics. Utilize the Tri Rail design to mount a variety of accessories including tactical lasers or flashlights.

- 48320 SINGLE RAIL MOUNT SYSTEM—CARRY HANDLE MOUNT
- 48321 SINGLE RAIL MOUNT SYSTEM—FLAT TOP MOUNT
- 48322 TRI RAIL MOUNT SYSTEM—CARRY HANDLE MOUNT
- 48323 TRI RAIL MOUNT SYSTEM—FLAT TOP MOUNT
- 48326 CARRY HANDLE/SIGHT FOR AR-15
- 48327 AR-15 BASE PAIR FOR HAND GUARD



SIMMONS

SIMMONS RINGS



SIMMONS RING CHART

49166	1" SILVER/MEDIUM	:	49170	1" SILVER/22 MEDIUM	:	49174	30MM/MATTE BLACK/MEDIUM
49167	1" BLACK GLOSS/MEDIUM	:	49171	1" BLACK GLOSS/HIGH	:	49175	30MM/MATTE BLACK/HIGH
49168	1" MATTE BLACK/MEDIUM	:	49172	1" MATTE BLACK/HIGH	:	49176	1" MATTE BLACK/SEE-THRU
49169	1" MATTE BLACK/22 MEDIUM	:	49173	1" SILVER/HIGH	:	49178	1" BLACK GLOSS/22 MEDIUM



TACTICAL

ALL NEW
MADE IN USA 

RAIL SYSTEMS/AR-15 ACCESSORIES



RAIL MOUNT VERTICAL GRIPS

Enjoy improved weapon control and heat management with our new Rail Mount Vertical Grips. Molded of high performance fiberglass-reinforced polymer, these vert grips feature redundant clamp screws for secure, reliable mounting and an adjustable fit to compensate for out-of-spec rails. The grip's o-ring sealed storage compartment is ideal for tools, batteries or spare parts while the two different caps (included) allow for custom length. Made in the USA.

FEATURES & BENEFITS

- Constructed of high performance fiberglass-reinforced polymer
- Improves weapon control and heat management
- Redundant clamp screws for secure, reliable mounting
- Adjustable to accommodate out-of-spec rails
- O-ring sealed compartment for tools, batteries, etc.

99676	RAIL MOUNT VERTICAL GRIP
99561	RAIL MOUNT VERTICAL GRIP—OLIVE DRAB
99562	RAIL MOUNT VERTICAL GRIP—FLAT DARK EARTH



2PC QUAD RAIL FORENDS—AR-15 RIFLE & CARBINE

Upgrade your AR-15 rifle or carbine with our new 2-piece Tactical Quad Rail Forend. Engineered to provide superior weapon control and sling movement, this new forend features full length Picatinny quad rails for the ultimate in accessories placement and a rugged 2-piece design that interlocks for maximum strength. Made in the USA.

FEATURES & BENEFITS


- Replaces handguards with no modifications to the weapon
- Interlocking halves are secured using 4 or 6 screws for extra strength and stability (2 screws per side carbine and 3 per side rifle)
- Slim profile @ 2.147" wide for a handguard-like feel. Even with rail covers installed.
- Limited rotation push-button sling swivel attachment points are incorporated on left and right sides, providing ambidextrous sling mounting options
- Unique vent hole design helps dissipate heat and reduce weight
- Carbine weight is 8.4 oz. and rifle length 14.6 oz
- Made in the USA

99680	2-PC QUAD RAIL FOREND—AR-15 RIFLE
99679	2-PC QUAD RAIL FOREND—AR-15 CARBINE

ALL NEW
MADE IN USA 

WEAVER

RAIL COVERS



AR-15/M16 OVERSIZED TRIGGER GUARD

Get to your trigger faster and easier with the new Oversized AR-15/M16 Trigger Guard. This drop-in replacement is enlarged to allow better access to the trigger—even when wearing gloves—and eliminates the need to pivot open guard in cold conditions. The Oversized Trigger Guard also fills in the gap found between pistol grip and rear of guard.

FEATURES & BENEFITS

- Constructed of 6061 T6 aluminum
- Features matte, Type III, hardcoat anodized finish
- Enlarged guard allows quick access to trigger
- Designed to accommodate shooters wearing gloves

99663 | AR-15/M16 OVERSIZED TRIGGER GUARD



FULL COVER RAIL COVER

Weaver's new Full Cover Rail Covers protect unused rail areas from damage while providing a gripping surface that shields the operator from weapon heat and sharp rail edges. Made of santoprene and designed to be a low profile grip surface for improved weapon control, these rail covers clip anywhere on a rail without removing other attachments. They can be easily cut to size if a custom length is required. Made in the USA.

FEATURES & BENEFITS

- Fits most Picatinny spec rails
- Can be cut to size for a custom fit
- Protects unused rail areas from damage
- Shields operator from sharp rail edges and weapon heat
- Clip onto rails without removing other attachments
- Checkered texture and rubbery surface for improved weapon control

(CUT TO SIZE)

99636	FULL COVER RAIL COVER—BLACK
99578	FULL COVER RAIL COVER—OLIVE DRAB
99579	FULL COVER RAIL COVER—DARK EARTH



ERGONOMIC GRIP FOR AR-15/M16

Get maximum weapon control and minimal hand fatigue with Weaver's new Ergonomic Grip. Integral upper extension helps support the web of your hand and slight finger grooves and aggressive textured surface minimizes slippage. Grip is virtually impervious to oils and solvents used to clean and lubricate firearms. Ideal for use with or without gloves.

FEATURES & BENEFITS

- Fits most AR-15/M16 style rifles
- Subtle finger grooves
- Aggressive textured grip surface minimizes slippage
- Integral rear upper extension supports the web of your hand
- Rubber bottom plug with lanyard and storage compartment

99602	ERGONOMIC GRIP—BLACK
99563	ERGONOMIC GRIP—OLIVE DRAB
99564	ERGONOMIC GRIP—DARK EARTH

Lights on, adrenaline on overload, silent as a man's footsteps could ever be. It's go time when that door opens. He's got my back just the same as I've got his.

Impact in inches from target = moa of correction
(yards to target / 100)

MIL Dot Rangings
Size in inches X 278 = yards
object size (mils)

MOA to MIL DOT
MOA = 3.438

2010-01-20

RAIL COVERS

LOCKING RAIL PANELS LONG, MEDIUM & SHORT

Weaver's new Long Locking Rail Panels protect unused rails from damage while providing a gripping surface that shields the operator from weapon heat and sharp rail edges. Made of a tough, ridged polymer and held in place by the patented Rail-Lok integral locking mechanism, these low profile rail panels improve feel and weapon control. Made in the USA.

FEATURES & BENEFITS

- Fits most Picatinny spec rails
- Protects unused rail areas from damage
- Shields operator from sharp rail edges and heat
- Locks on with patented Rail-Lok integral locking mechanism
- Low profile, aggressive grip surface for better weapon control



Locking Rail Panel—Medium

Medium Locking Rail Panel covers 3.2" of rail. Medium version is perfect for 1/2 coverage on an AR-15/M4 Carbine length fore end rail.

99628	LOCKING RAIL PANEL MEDIUM – BLACK
99574	LOCKING RAIL PANEL MEDIUM – OLIVE DRAB
99575	LOCKING RAIL PANEL MEDIUM – DARK EARTH



Locking Rail Panel—Short (sets of 2)


Each Short Locking Rail Panel covers 1.6" of rail. Sold in sets of two, these panels are perfect for those small uncovered areas next to mounted accessories.

99626	LOCKING RAIL PANEL SHORT; PAIR – BLACK
99572	LOCKING RAIL PANEL SHORT; PAIR – OLIVE DRAB
99573	LOCKING RAIL PANEL SHORT; PAIR – DARK EARTH


Locking Rail Panel—Long

Long Locking Rail Panel covers 6 3/8" of rail.

99624	LOCKING RAIL PANEL LONG – BLACK
99576	LOCKING RAIL PANEL LONG – OLIVE DRAB
99577	LOCKING RAIL PANEL LONG – DARK EARTH



RAIL COVERS



LOW PROFILE LADDER COVER

Get complete rail protection with minimal weight with the new Weaver® Low Profile Ladder Cover. These new rail covers are made of lightweight santoprene to provide a rubbery grip surface and can be easily cut to size for custom fitting. Each cover offers enough length for 18 rail slots. Made in the USA.

FEATURES & BENEFITS

- Fits most Picatinny spec rails
- 18 slots of length that can be cut to size for a custom fit
- Ladder style cover offers very low profile
- Protects unused rail areas from damage
- Shields operator from sharp rail edges
- Clip onto rails without removing other attachments
- Rubbery surface for better feel and improved weapon control

99641	LOW PROFILE RAIL LADDER COVER – BLACK
99566	LOW PROFILE RAIL LADDER COVER – OLIVE DRAB
99567	LOW PROFILE RAIL LADDER COVER – DARK EARTH



LOW PROFILE RAIL COVER—WIRE LOOM

Safely keep electrical wires out of the way with the new Wire Loom Rail Cover. This special purpose santoprene 5-slot cover incorporates an integral wire loom to quickly and reliably secure electrical wires commonly found on remote pressure switches. The lattice style cover offers rail protection while adding a minimal amount of weight and profile to any Picatinny style rail. Made in the USA.

FEATURES & BENEFITS

- For Picatinny spec rails
- Integral wire loom secures remote switch wires
- Ladder style adds protection with a minimal amount of weight
- Rubbery grip surface
- Can be cut to size for custom fit

99639	LOW PROFILE RAIL COVER WIRE LOOM – BLACK
99570	LOW PROFILE RAIL COVER WIRE LOOM – OLIVE DRAB
99571	LOW PROFILE RAIL COVER WIRE LOOM – DARK EARTH



MODULAR RAIL COVER SWITCH MOUNT

The new Modular Rail Cover Switch Mount combines rail cover protection and pressure switch mount in one handy package. This special purpose rail cover features an integral, recessed pressure switch mount and two interchangeable inserts for different pressure switches. Clips on to any standard Picatinny spec rail. Made in the USA.

FEATURES & BENEFITS

- For Picatinny spec rails
- Integral, recessed pressure switch mount
- Includes 2 inserts for different pressure switches
- Mounts anywhere on the rail without removing other attachments
- Rubbery grip surface

99647	MODULAR RAIL COVER SWITCH MOUNT – BLACK
99568	MODULAR RAIL COVER SWITCH MOUNT – OLIVE DRAB
99569	MODULAR RAIL COVER SWITCH MOUNT – DARK EARTH

24-10-7-120

TACTICAL

RAIL MOUNTS AND ACCESSORIES

ALL NEW
MADE IN USA 



AR-15 AMBI SLING ADAPTOR

Quickly and easily attach an ambidextrous sling mounting point without removing your AR-15's buffer tube. The new AR-15 Ambi Sling Adaptor is a no-gunsmith mount that provides sling points on both sides of the receiver. Compatible with snaphooks, MASH hooks, wire loops and sling webbing (up to 1.5" wide) this sling adaptor excels in any one-, two- or three-point tactical configuration.

FEATURES & BENEFITS

- Ambidextrous design allows mounting points on both sides of receiver
- No buffer tube disassembly required
- Accepts snaphooks, MASH hooks, wire loops and sling webbing (up to 1.5" wide)
- Can be mounted to any commercial or MIL-Spec tube

99480 | AR-15/M4 AMBI SLING ADAPTOR



RAIL MOUNT SLING ADAPTOR

Attach your sling anywhere on a Picatinny rail with our new Rail Mount Sling Adaptor. Providing multiple sling options/locations, this sling adaptor is compatible with snaphooks, MASH hooks, wire loops, push-button swivels, or up to 1.25" wide sling webbing. Made of 6061 T6 Aluminum with matte Type III hard coat anodize finish, it weighs less than an ounce.

FEATURES & BENEFITS

- Constructed of 6061 T6 Aluminum
- Matte, Type III hardcoat anodized finish for rugged service
- Mounting screw threads into a steel insert for additional strength.
- Works with snaphooks, MASH hooks, wire loops, push button swivels or sling webbing (up to 1.25" wide)
- Limited rotation push button swivel socket prevents twisted slings
- Weighs less than one ounce

99477 | RAIL MOUNT SLING ADAPTOR



This is when the training pays you back threefold. You think in terms of measured reaction. You're moving on instinct. They're depending on you. You're depending on you.



PS-255-P

ALL NEW
MADE IN USA 



PRECISION TACTICAL BI-POD

As a company that knows a little something about precise, rock solid attachments, we are proud to introduce a new tactical bi-pod. The new Precision Tactical Bi-pod features quick-adjust telescoping legs (7-10 inches), 25 degrees of cant adjustment, skid resistant polyurethane feet and no-hassle, tool-free mounting to Picatinny rails. The rapid deployment system lets shooters quickly and confidently deploy the legs under duress. Each leg is released from a locked position via a large paddle which, when depressed, allows the operator to push and rotate the legs in one smooth motion.

FEATURES & BENEFITS

- Strong Lightweight 6061 T6 Aluminum with Type III Hard Coat Anodize Finish
- Telescoping legs quick adjust anywhere from 7-10"
- 25 degrees of cant adjustment to compensate for non-level surfaces
- Can be quickly deployed using the large paddle locks
- Legs lock securely in both open and closed positions
- Simple and strait forward design with common fasteners makes future customization possible
- Extremely durable Polyurethane feet provide stable, skid resistant contact points
- Quick, tool-free mounting and removal from Picatinny rails

99550 | PRECISION TACTICAL BIPOD



WEAVER




HEAVY DUTY PUSH BUTTON SLING SWIVEL

Get your sling into action fast with the new Heavy Duty Push Button Sling Swivel. With just a push of a button, you can quickly attach or detach a sling from your weapon. Made from quality material and featuring a durable manganese phosphate finish.

FEATURES & BENEFITS

- Allows operator to quickly attach/detach sling from the weapon
- Made of quality materials with a durable, protective Manganese Phosphate finish
- Made in the USA
- Compatible with most push button swivel mounting points including those featured on the Weaver® Tactical Rail Mounted Sling Adapter and 2-piece Quad Rail Forends

99476 | HEAVY DUTY PUSH BUTTON SLING SWIVEL



SWIVEL STUD PICATINNY RAIL ADAPTOR

If your rifle has a swivel stud, we have a Picatinny option for you. Our new Swivel Stud Picatinny Rail Adaptor attaches to a rifle's swivel to provide a place for any Picatinny-style rail mounted accessories. Constructed of 6061 T6 aluminum with a matte Type III hard coat anodized finish, the Swivel Stud Picatinny Rail Adaptor includes steel mounting hardware and a side mounted swivel stud that still allows the use of a sling.

FEATURES & BENEFITS

- Mounts to rifle's existing swivel stud
- Provides a Picatinny rail section for rail mounted accessories
- Constructed of rugged 6061 T6 aluminum w/ Type III hard coat anodized finish
- Contains side swivel stud for continued use of sling

99468 | SWIVEL STUD PICATINNY RAIL ADAPTOR

2010-7-20

TACTICAL

RINGS/MOUNTS/BUIS

ALL NEW
MADE IN USA 



6-HOLE PICATINNY RINGS

Weaver's popular 6-Hole Tactical Rings just got the Picatinny treatment. These new rings feature the same six screws for max security and clamping pressure but get serious upgrades for LE and military use. An improved Picatinny crossbolt design (from Weaver® to Picatinny spec), Type III hard coat anodized finish, no strip/slip Torx screws and an increased number of height options make these new 6-hole rings the go-to mounts for all Tactical Precision rifles.

FEATURES & BENEFITS

- Improved crossbolt from Weaver® to Picatinny spec
- Six screws for extra security and clamping pressure
- Type-3 hard coat anodized finish
- Increase height options for broad applications and firearms

99688	1" MED	99692	30MM LOW
99689	1" HIGH	99693	30MM MED
99690	1" XHIGH	99694	30MM HIGH
99691	1" XXHIGH	99695	30MM XHIGH



PICATINNY RING CAP

Make your rings work harder with the new Picatinny Ring Cap. Designed to replace the top ring section of our popular Tactical 6-Hole Ring (in either 1" or 30mm), these new ring caps cleverly incorporate a small Picatinny rail section that's ideal for mounting a small dot optic over a magnified scope. Don't let your need for serious magnification keep you from the close quarter action of a dot optic. Mount our new Picatinny Ring Cap and get the best of both worlds.

FEATURES & BENEFITS

- Replaces either Weaver® Tactical 6 Hole 1" or 30mm ring caps
- Provides a small Picatinny rail section
- Perfect for mounting small dot optics over a magnified scope

99665	TACTICAL PICATINNY RING CAP 1"
99664	TACTICAL PICATINNY RING CAP 30MM



TRIJICON® ACOG MOUNTS

Combine the power of Trijicon's famous ACOG with the 80-year experience of Weaver®. Our Tactical Trijicon® ACOG Mount is constructed from aircraft-grade 6061-T6 aluminum and treated with Type III hard coat anodizing to perform in the harshest environments. Designed for AR-style flat top rifles, this new mount features wide, low profile knobs that allow rapid removal and remounting of this popular optic—even with gloves.

FEATURES & BENEFITS

- For standard Trijicon® ACOG and Compact ACOG optics
- For use on AR style flat top rifles
- Easy removal and remounting of ACOG optics
- Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized

99669	TACTICAL TRIJICON® ACOG MOUNT
99670	TACTICAL TRIJICON® COMPACT ACOG MOUNTS



AIMPOINT® MOUNTS

Flat top AR-15 owners can now mount their Aimpoint® optics with the legendary hold of Weaver® Rings & Bases. These two new mounts accommodate both the Micro and 30mm Aimpoint and feature 1/3rd co-witness with Mil-Spec iron sights, aircraft-grade 6061-T6 aluminum and Type-3 hard coat anodizing.

FEATURES & BENEFITS

- Tactical Aimpoint® Micro Mount
- For Aimpoint R1 and T1 Micro style dot optics on AR style flat top rifles
 - Offers a lower 1/3rd co-witness when used on AR-15 flat top with Mil-Spec iron sights
 - Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized

- Tactical Aimpoint® Ring 30mm
- For 30mm tube, Aimpoint style dot optics on AR style flat top rifles
 - Lower 1/3rd co-witness when used on AR-15 flat top with Mil-Spec iron sights
 - Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized
 - Integral Storage for 1 spare DL1/3N battery

99668	TACTICAL AIMPOINT® MICRO MOUNT
99667	TACTICAL AIMPOINT® RING 30MM

ALL NEW
MADE IN USA 

WEAVER

BASES



FLAT TOP RISER RAIL—AR-15/M16

Turn your flat top AR-15 or M16 into the perfect optics platform with our new Flat Top Riser Rail. This riser rail is made from aircraft-grade 6061-T6, aluminum and has Type III hard coat anodizing for years of rugged use. Engineered to provide the optimal mounting height for all types of optic and ring combinations, the new Flat Top Riser Rail is available in both standard and quick detach models.

FEATURES & BENEFITS

- For AR-15/M16 flat top rifles
- Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized
- Provides optimal mounting height and eye relief for numerous optic/ring combinations
- Hand adjustable knobs for no-tool installation and removal (Quick Detach model only)

99673	TACTICAL AR-15/M16 FLAT TOP RISER RAIL
99659	TACTICAL AR-15/M16 FLAT TOP RISER RAIL QD



OFFSET RAIL ADAPTOR

Quickly go from a primary, magnified optic to red dot action—without head shift—with the new Offset Rail Adaptor. This mount attaches to any Picatinny spec rail and allows shooters to attach a miniature red dot in the offset position. This mount can also be used for lights or other accessories that typically attach to a Picatinny spec rail.

FEATURES & BENEFITS

- Mounts on Picatinny spec rails
- Perfect for mounting miniature red dot scopes, lights or other accessories
- Fast transition between magnified and reflex style optics
- Aircraft Grade 6061-T6 Aluminum Type III Hard Coat Anodized

99671 | TACTICAL OFFSET RAIL ADAPTOR

EXTENDED MULTI-SLOT BASES

Enjoy optical superiority with our new Tactical Multi-Slot Bases. These Picatinny bases are designed for specific models of firearms and provide an additional 1 inch of forward length for more mounting options. Manufactured from 6061 T6 aluminum and protected by a matte, Type III hard coat anodized finish, these multi-slot bases are compatible with Picatinny or Weaver style rings. An integral recoil lug, no slip/strip Torx® screws round out the features of these tactical bases. Available with 20 MOA cant for extended range optic adjustment as well as standard zero cant.

FEATURES & BENEFITS

- Available in either Long Action or Short Action
- Made of 6061 T6 Aluminum with matte Type III hard coat anodize finish
- Compatible with Picatinny or Weaver® style rings
- Additional 1" of forward length provides more mounting options
- 20 MOA of cant version available for extended range optic adjustment

99483	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 LA
99484	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 SA
99478	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER 70 SA 20MOA
99479	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER 70 LA 20MOA
99499	EXTENDED MULTI SLOT BASE REMINGTON® 700 LA
99486	EXTENDED MULTI SLOT BASE REMINGTON® 700 LA 20MOA
99500	EXTENDED MULTI SLOT BASE REMINGTON® 700 SA
99485	EXTENDED MULTI SLOT BASE REMINGTON® 700 SA 20MOA
99493	EXTENDED MULTI SLOT BASE SAVAGE® ACCU LA
99494	EXTENDED MULTI SLOT BASE SAVAGE® ACCU LA 20MOA
99495	EXTENDED MULTI SLOT BASE SAVAGE® ACCU SA
99496	EXTENDED MULTI SLOT BASE SAVAGE® ACCU SA 20MOA

It's not something I talk about with most folks, but precision can't be overstated here. It's a way of life. Mistakes are costly, and therefore, unaffordable. That's the clarity it takes. Nothing less than perfect.



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT			
CHURCHILL (CONTINUED)														
▶ 871				62		49715								
▶ 900	19	19												
▶ 950 & 950-C	61	46			402		1							
▶ MATTE	61M	46M			402M	49717		S61	S46		S402			
▶ SILVER	61S	46S			402S									
▶ 972-C	45	46			402	49721		S45	S46		S402			
▶ SILVER	45S	46S			402S									
COLT														
▶ 57	45	46			402	49721		S45	S46		S402			
▶ SILVER	45S	46S			402S									
▶ COLTSMAN IN 223, 243 & 308 CAL. (ROUND RECEIVER)	25	25						S25	S25					
▶ COLTSMAN IN 264 & 30-06 CAL. (ROUND RECEIVER)	54	54				49720		S54	S54					
▶ COLTSMAN WITH SAKO STYLE ACTION IN 223 & OTHER CAL	67	65												
▶ H BAR							10							
▶ SHARPS	85	85												
▶ PYTHON, KING COBRA, & TROOPER MKIII, MKV (NOT DRILLED/TAPPED)					48639		8							
▶ ANACONDA, PYTHON & KING COBRA PISTOLS (SILVER)					412S		8, 17							
▶ SAUER	35	35			40A	40A						48960		
▶ MATTE	35M	35M			40A-M	40A-M		S35	S35	S40A	S40A			
▶ SILVER	35S	35S			40A-S	40A-S								
COOEEY														
▶ 60 & 600														
▶ 71	47	46			402	49718		S47	S46		S402			
▶ MATTE	47M	46M			402M			S47	S46		S402			
▶ SILVER	47S	46S			402S									
CVA														
▶ OCTAGON BARRELS / RECEIVERS							17							
▶ ROUND BARRELS / RECEIVERS (POST '96 MODELS)	418M	418M										48970		
▶ SILVER	418S	418S												
ENFIELD WITH RECEIVER CUT DOWN LIKE:														
▶ REMINGTON 30	11	11												
▶ WINCHESTER 70	47	46			402									
▶ MATTE	47M	46M			402M	49718		S47	S46		S402			
▶ SILVER	47S	46S			402S									
▶ REMINGTON 721	36	35			40A									
▶ MATTE	36M	35M			40A-M	49712		S36	S35		S40A			
▶ SILVER	36S	35S			40A-S									
GARCIA														
▶ 73				53		49725								
▶ 74	67	65												
GOLDEN EAGLE														
▶ 7000	71	71												
GROOVED RECEIVER WITH 3/8" DOVETAILS														
▶ SEE .22 RING INFORMATION						49515	12							
▶ SILVER						49733								
H & R														
▶ 65, 165, 150 & 151 (AUTO)	18	18											2	
▶ 250, 251, 264, 265, 365, 450 & 550	18	16											2	
▶ 232C SHOTGUN (10 GA.) & 980 ULTRA	19	19												
▶ 155, SB2 ULTRA (.22-250), TOPPER 158C (1973+), 157				82										
▶ 300, 301, 330 & 370 (PRE 1973)	45	46			402	49721		S45	S46		S402			
▶ SILVER	45S	46S			402S									
▶ 300 & 301 S.A. IN 22-250, 243 & 308 (1973+)	83	84												
▶ 300 & 301 L.A. IN 270, 30-06, 7MM & 300 WIN (1973+)	54	46			402			S54	S46		S402			
▶ 317 & 322	11	35			40A									
▶ 317 (PRE 1975)	67	65												
▶ 360 & 361				81										
▶ 700				87A										

MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT			
H & R (CONTINUED)														
▶ 755, 765, 852 & 865	17	21											2	
▶ 800	12	12												
▶ TOPPER 30, 22 JET, & MOD 158 (PRE 1973)					60A		18							
HERTERS														
▶ J9	45	46			402	49721						5	S45 S46 S402	
▶ SILVER	45S	46S			402S									
▶ U9 BSA ACTION	28	28					4							
▶ U9 ROUND RECEIVER	36	35			40A									
▶ MATTE	36M	35M			40A-M	49712		S36	S35		S40A			
▶ SILVER	36S	35S			40A-S									
HIGH-STANDARD														
▶ HIGH-POWER	55	46			402							1	S55 S46	
▶ AUTO SHOTGUN												8		
INTERARMS														
▶ 92 CARBINE (REPLICA OF WIN. 92)							4						3A	
▶ ATD							18			60A				
▶ MARK X	1	55	20A											
▶ MINI MARK X	1	23	71A											
▶ VISCOUNT	1	45	46			402	49721		S45	S46		S402		
ITHACA														
▶ DEERSLAYER, 37 & 87 (12, 16, 20 GA.)					62								49715 49727	
▶ LSA-55 & LSA-65	61	61											S61 S61	
▶ MATTE	61M	61M												
▶ SILVER	61S	61S												
▶ 49SS, .22							4						3A	
▶ LIGHTNING X3	39	39												
JAPANESE														
▶ 6.5MM & 7.7MM					70		6						1	
KNIGHT MUZZLELOADERS														
▶ KNIGHT MK-85, BK-92 & T-BOLT (FLAT RECEIVERS)	61	61												
▶ MATTE	61M	61M				49727		S61	S61					
▶ SILVER	61S	61S												
▶ LK-93, WOLVERINE, LEGEND, DISC, AMERICAN, REVOLUTION	45	45											S45 S45	
▶ SILVER	45S	45S												
KRAG														
▶ (OFFSET TO LEFT FOR EASY EJECTION)							4						2	
LAKEFIELD														
▶ 22 RIFLE							12							
LEE-ENFIELD														
▶ LEE-ENFIELD							4, 15			TO-1				
LEGACY														
▶ HOWA	36	35			40A								48912 48900	
▶ MATTE	36M	35M			40A-M	49712		S36	S35	S40A	48913	48901		
▶ SILVER	36S	35S			40A-S									
LLAMA (PISTOL)														
▶ SUPER COMANCHE (FLAT SURFACE - SEE OCTAGON BARRELS)							4							
MAGNUM RESEARCH														
▶ LONE EAGLE SSP 91 PISTOL							16	16						
MARLIN														
▶ 45, 30AS 336 (ALL MODELS) 444, 1893, 1895, CAMP 9,														
▶ 922M, 989, .22 AUTO										63B 49713			48928	
▶ SILVER										63BS				
▶ MATTE											S466	S466	48929	
▶ A1 & 50	15	15											2	
▶ 39A, 39D & CENTURY (OCTAGON BARREL)	28	31												
▶ 39A (ROUND BARREL)	21	29	16		90								2	
▶ 57 MAGNUM										58				

MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES			
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION				REAR	FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC	
MARLIN (CONTINUED)																
▶ 88, 89 & 98			18	18				2								
▶ 80, 81 & 980			12	12				2								
▶ 455			45	46		402		5	S45	S46	S402					
▶ SILVER			45S	46S		402S										
▶ 512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)								10M								
▶ 60, 990L, 70, 995, 882, 25MN, 883		12														
▶ MR7			47	46		402										
▶ MATTE			47M	46M		402M			S47	S46	S402					
▶ SILVER			47S	46S		402S										
▶ MLS-50 & MLS-54, (BASES SOLD 2/PACK)			406	406												
▶ SILVER			406S	406S												
▶ 1894					63B							48958				
▶ 900 SERIES IN .17 & .22 CALIBERS		12														
MAUSER																
▶ RECEIVER RING ABOUT 1.410" DIAMETER (98FN)		1, 2	45	46		402		5	S45	S46	S402	48954	48952			
▶ SILVER			45S	46S		402S										
▶ RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)		1, 2	55	46		402		1	S55	S46	S402	48950				
▶ BAUER 3000 & 4000			68	46		402										
▶ MARK X		1	55	20A								48916	48910			
▶ 98																
MOSSBERG																
▶ 25, 26, 42, 46M, 140, 142 & 146, 45-46 W/ 3/4" DIA. BBLs			12	13				2								
▶ 40			16	21				2								
▶ 43, 44, 144, 46BT & 35			12	16				2								
▶ 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs			12	16				2								
▶ 320, 340, 342 & 620			21	21				2								
▶ 640					63B											
▶ 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)			55	55					S55	S55						
▶ 50, 51, 151, 152, 350 & 352			12	12				2								
▶ 400			20A	42												
▶ 472, 479 & 679					80											
▶ 500AS (PRE 1997) & 600 SHOTGUNS					88											
▶ 500 (1997+), 590 & 835 SHOTGUNS (MATTE)		25			417M											
▶ 810 & RM7			25	11												
▶ 100 ATR, 1500, 1700			36	35		40A						48912	48900			
▶ MATTE			36M	35M		40A-M			S36	S35	S40A	48913	48901			
▶ SILVER			36S	35S		40A-S										
▶ 935 (MATTE)					430M											
MUSGRAVE																
▶ MARK I & MARK II			54	46		402			S54	S46	S402					
▶ MARK III & MARK IV			45	46		402			S45	S46	S402					
▶ SILVER			45S	46S												
NAVY ARMS																
▶ COUNTRY BOY MUZZLELOADER			46	46	53	402	402									
▶ MATTE			46M	46M		402M	402M		S46	S46	S402	S402				
▶ SILVER			46S	46S		402S	402S									
NEW ENGLAND FIREARMS (H & R)																
▶ HANDY RIFLE, HORNET (USE EXTRA HIGH RINGS)					82											
▶ N.E.F. 10 GAUGE SHOTGUN			19	19												
▶ HUNTSMAN MUZZLELOADER		8			82											
NEW HAVEN																
▶ 495B (MATTE)								10M								
NORINCO																
▶ 22 AUTO (REPLICA OF BROWNING 22 AUTO)		18			60A											
▶ JW-15		12														
OCTAGON BARREL OR FLAT TOP RECEIVERS																
▶ CAN BE FITTED WITH THE FOLLOWING BASES:			61	61	50											
PARKER-HALE																
▶ 1000, 1000C, 1100, 1200 & 1700			45	46		402			S45	S46	S402					

MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES			
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION				REAR	FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC	
PARKER-HALE (CONTINUED)																
▶ SILVER			45S	46S		402S										
▶ 2600			71	85												
▶ MIDLAND			71	75												
PEDER SOLI																
▶ LIGHTNING			75	75												
PUMP SHOTGUNS																
▶ ALL PUMPS EXCEPT WIN. 42		4										8				
RAPTOR ARMS																
▶ SAME AS REMINGTON 700 LONG ACTION		25	36	35	98		40A									
▶ MATTE			36M	35M			40A-M		49712			S36	S35	S40A		
▶ SILVER			36S	35S			40A-S					S36	S35	S40A		
REMINGTON																
▶ 700, 78, 40X-L, 721 & 725 (ALL LONG ACTIONS)		25	36	35	98		40A						48912	48900		
▶ MATTE			36M	35M			40A-M		49712			S36	S35	48913		
▶ SILVER			36S	35S			40A-S							48911		
▶ 700, 78, 40X-S, 722 & 725 (ALL SHORT ACTIONS), 700 MZL. LDR.		25	36	35	97		40A						S36	S35		
▶ MATTE			36M	35M			40A-M		49712			S36	S35	S40A		
▶ SILVER			36S	35S			40A-S					S36	S35	S40A		
▶ 710			71	71												
▶ 788 ALL CALIBERS			76	75												
▶ 788 IN .222 MAG, .22/250, .30/30 CAL														48978		
▶ 788 IN .243, 6MM, .308 CAL														48946		
▶ 7 W/3 HOLES, 600, 660, XP-100 XR-100					70								1			
▶ 7 W/4 HOLES (NEW IN 1999), 673 (MATTE)			421M	35M									S430	S460		
▶ 740, 742 & 760					62				49715					48948		
▶ 4, 6, 74, 76, 7400, 7600 750					93				49714					48914		
▶ MATTE														48915		
▶ 8 & 81													7			
▶ 10, 11, 12, 34", 341", 510, 511, 512 & 521T		6	43	42									2			
▶ 12A, 121 WITH 3/4" DIAMETER BARRELS			18	13									2			
▶ 121 WITH 13/16" DIAMETER BARRELS			18	17									2			
▶ 12C OCTAGON BARREL			18	31									2			
▶ 14 & 141			20A	27												
▶ 41		6	17	17									2			
▶ 24 & 241		18			60A											
▶ 25			18	21									2			
▶ 30 & 720			11	11									1			
▶ 33		6	17	13									2			
▶ 513S & 513T			43	44									2			
▶ 514			16	21									2			
▶ 514 (NOT DRILLED & TAPPED) & 550		4	12	12												
▶ 541S & 541T			15	15												
▶ 522 VIPER		11														
▶ 5, 552, 572 & 581(S)		12														
▶ 597, 597LSS (MATTE)		25			414M											
▶ SILVER					414S											
▶ 798			55	20A												
▶ 799			71A	23												
▶ 870, 1100, 11-87 SHOTGUNS (SEE CONVERTA MOUNT SYSTEM)		24			429M											
▶ 11-48, 1100, SPORTSMAN 48 & 58 SHOTGUNS													8			
▶ GENESIS			418M	418M												
ROSSI (ALSO SEE INTERARMS)																
▶ .410/.22 LR & .410/.17 HMR SMALL FRAME MATCHED PAIR COMBOS ONLY		7			92A											
RUGER																
▶ NO. 1		1, 3, 4	85	89												
▶ NO. 3		1, 3, 4	85	86												
▶ 10/22 IN 22 LONG RIFLE CAL. (GROOVED & DRILLED)			16										T0-9			
▶ MATTE			16, 25										T0-9M	49711		
▶ SILVER			16										T0-9S	49734		
▶ SUPER REDHAWK (SILVER)					48497											

MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		REAR			FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	40A										
RUGER (CONTINUED)																
▶ 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML								49723								
▶ SILVER								49735								
▶ 96/22 & 96/22 MAGNUM		16				TO-11										
▶ 44 CARBINE MAGNUM DEERSTALKER			47	68												
▶ M77 (ROUND TOP DRILLED)			79	35			40A					48912	48900			
▶ MATTE												48913	48901			
▶ M77, (W/BUILT-IN INTEGRAL MOUNTS)								49724								
▶ SILVER								49732								
▶ MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT)								49723								
▶ SILVER								49735								
▶ MINI 14-NO INTEGRAL MNTS (302)		8				48644										
▶ SILVER (302S)		8				48646										
▶ SINGLE SIX & SUPER SINGLE SIX (314)		8				48643										
▶ SECURITY SIX (305)		8				48640										
▶ BLACKHAWK & SUPER BLACKHAWK (301)		8				48638										
▶ SILVER (301S)		8				48635										
▶ REDHAWK (308S) SILVER		8				48648										
▶ MARK II PISTOL, STANDARD MODELS (306)		8, 13				48641										
▶ SILVER (306S)		8, 13				48637										
SAKO																
▶ L579			72	71												
▶ 72, 75 & 78			85	85												
▶ FINNWOLF				53				49725								
▶ FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)			67	65									48962			
▶ WHITETAIL HUNTER			61	61												
▶ MATTE			61M	61M				49727	S61	S61						
▶ SILVER			61S	61S												
SAUER																
▶ 200			35	35		40A										
▶ MATTE			35M	35M		40A-M			S35	S35	S40A	S40A				
▶ SILVER			35S	35S		40A-S										
▶ 202									S459	S460						
▶ SHR 970			25	25				49720	S25	S25						
SAVAGE																
▶ 3			16	21					2							
▶ 4 & 5			12	13					2							
▶ 6 & 7			12	12					2							
▶ 29 (ROUND BARREL)			11	22												
▶ 19 & 23			15	16					2							
▶ 20, 340, 340E, 342, 840 & 842E		14							1							
▶ 24		17				74										
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)		12														
▶ 25 (OCTAGON BARREL)			19	31												
▶ 40 & 45			11	11					2							
▶ 67 SHOTGUN						93		49714								
▶ 93F HEAVY BARREL			16	16												
▶ 99, 1895 & 1899			14	19								48956				
▶ 170						62		49715								
▶ 219			12	30					2							
▶ 10, 12 & 16 (SHORT ACTIONS), STRIKER, PSTL, 510, 512, 516 S/A, 10 ML (2-PIECE ONLY) PRE 2003 MODELS		22	61	46								48920	48902			
▶ MATTE		22	61M	46M					S61	S46	S402		48903			
▶ SILVER		22	61S	46S									48972			
▶ 110, 112, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS		22	61	46	413							48918	48902			
▶ MATTE		22	61M	46M					S61	S46	S402		48903			
▶ SILVER		22	61S	46S									48972			
▶ 2400			67	65												
▶ 10, 12, 110, 112 SERIES, W/ ACCUTRIGGER,, STEVENS 200, 10 ML II		22, 25	46	46												
▶ MATTE		22	46M	46M					S46	S46	S402	S402	48906			
▶ SILVER		22	46S	46S												

MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		REAR			FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	40A										
SCHULTZ & LARSEN																
▶ SCHULTZ & LARSEN			54	45												
SEARS																
▶ 42 & 43			12	21												
▶ 50 & 51			45	46				402	49721	5	S45	S46	S402			
▶ SILVER			45S	46S				402S								
▶ 51L			55	46				402		1	S55	S46	S402			
▶ 53			47	46				402	49718	1						
▶ MATTE			47M	46M				402M			S47	S46	S402			
▶ SILVER			47S	46S				402S					48909			
▶ 54 & 100																
▶ 3B																
SHILEN																
▶ FLAT TOP RECEIVER			61	61					49727							
▶ MATTE			61M	61M							S61	S61				
▶ SILVER			61S	61S												
▶ ROUND RECEIVER			35	35		40A	40A									
▶ MATTE			35M	35M		40A-M	40A-M				S35	S35	S40A			
▶ SILVER			35S	35S		40A-S	40A-S	49725								
SMITH & WESSON																
▶ MAUSER ACTIONS W/SMALL REC. RING ABOUT 1.30" DIA			55	46				402		1	S55	S46	S402			
▶ 1500, 1600 & 1700			36	35				40A					48912			
▶ MATTE			36M	35M				40A-M	49712		S36	S35	S40A			
▶ SILVER			36S	35S				40A-S					48913			
▶ 29, 629, 625, 686 & L, K & N FRAME RVLRS (FACTORY DRILLED)		8, 17, 23														
▶ SILVER		8, 17, 23						401S								
▶ L & K FRAME RVLRS (307)		8						48642								
▶ SILVER (307S)		8						48634								
▶ 41 PISTOL								62								
▶ 2206 TGT PSTL (SILVER)		17						407S								
▶ X FRAME (SILVER)		25						48496								
SPRINGFIELD																
▶ 03		6	54	55						1	S54	S55				
▶ 03-A3		8	59	45												
SPRINGFIELD ARMORY																
▶ 1911 A-2 SASS CONVERSION												26				
STEVENS																
▶ 26			22	22									2			
▶ 27 OCTAGON			31	31												
▶ 53			16	21									2			
▶ 56 & 66			12	13									2			
▶ 57, 76, 4171/2 & 762			12	12									2			
▶ 110E			61	46				402					1			
▶ MATTE			61M	46M				402M	49717		S61	S46	S402			
▶ SILVER			61S	46S				402S								
▶ 322 & 325													1			
▶ 416			18	17									2			
▶ 417			15	15									2			
▶ 418 & 418 1/2			16	16									2			
▶ SAVAGE/STEVENS 200		22	46	46				402	402							
▶ MATTE		22	46M	46M				402M	402M		S46	S46	S402			
▶ SILVER		22	46S	46S				402S	402S				48906			
STEVENS - SPRINGFIELD																
▶ 83			16	21									2			
▶ 85, 87 & 872		4	12	12									2			
▶ 840		14											1			
TAURUS																
▶ L, K & N FRAME RVLRS (LIKE S&W, FACTORY DRILLED)		8, 17, 23						401								
▶ SILVER		8, 17, 23						401S								
▶ L & K FRAME RVLRS (307)		8						48642								
▶ SILVER (307S)		8						48634								

Redfield® — When performance counts

Use the charts on the following pages to match your firearm with the right rings for your next hunting or shooting adventure. These quality Redfield® rings are manufactured to rigorous tolerances and provide guaranteed performance time after time, hunt after hunt, year after year. If your next day afield requires a rock solid hold, mount your scope with Redfield.



Redfield 4 Hole Aluminum Rings.

Redfield Aluminum Rings.

Redfield Aluminum Rings	
47311	1" medium gloss
47312	1" medium matte
47313	1" medium silver
47315	1" high gloss
47316	1" high matte
47317	1" high silver
47320	1" .22 matte
47321	1" 22 silver
47322	1" 22 gloss
47323	30mm med.matte
47324	30mm high matte
47325	1" see-thru matte
Redfield 4 Hole Aluminum Rings	
47330	1" med matte 4 hole
47332	1" high matte 4 hole
47334	1" x-high matte 4 hole
47331	1" med silver 4 hole
47333	1" high silver 4 hole
47335	1" x-high silver 4 hole

Rotary Dovetail Steel Rings (1")	
47214	1" high, nickel
47215	1" std rear ext front high, nickel
47218	1" std rear/ext front med black
47249	1" std rear ext front med black matte
47220	1" std rear ext front high black
47221	1" ext rear ext front med black
47223	1" low black
47224	1" med black
47226	1" high black
47228	1" high black matte
47230	1" med black matte
47231	1" extra high black
47232	1" extra high black matte
47233	1" med nickel
47378	1" low black matte
47379	1" std rear ext front high black matte
Redfield Twin-Dovetail Style Rings	
47425	1" med td matte
47426	1" high td matte
47427	1" x-high td matte

Rotary Dovetail Steel Rings (30mm)	
47250	30mm med black matte
47251	30mm high black
47254	30mm std rear ext front high blk matte
47255	30mm std rear ext front high black
47256	30mm high black matte
47383	30mm med black
Ruger Rifle Steel Rings	
47234	1" med ruger 77 black
47236	1" high ruger 77 black matte
47237	1" high ruger 77 black
47240	30mm high ruger 77 black matte
.22 Caliber Ring Mounts (Grooved Receiver)	
47432	1" med .22 black
47430	1" med .22 matte
47428	1" med .22 nickel
47285	1" high .22 black
47287	1" high .22 matte
47433	1" x-high .22 black
47431	1" x-high .22 matte

Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
ANSCHUTZ											
54, 64, 153, 1400, 1500	-	-	-	47365	-	-	-	-	-	-	-
BROWNING											
.264 thru.458 FN Mauser Action	47154	-	-	47345	-	-	-	-	-	-	-
Semi-Auto (BAR), Mark II, BPR, BA	47174	-	-	-	-	-	-	-	-	-	-
BBR Long & Short Actions	-	-	-	47347	47353	-	-	-	-	-	-
A-Bolt LA (Use SR models for Left Hand)	-	-	-	47183	47352	-	-	-	-	-	47449
A-Bolt SA	-	-	-	47183	47352	-	-	-	-	-	47449
A-Bolt 22	-	-	-	47183	47352	-	-	-	-	-	47449
BSA											
Monarch LA Round Receiver	47152	47266	-	47193	47270	47350	-	-	-	47441	-
Monarch SA	47169	47273	-	47193	47270	47350	-	-	-	4744	-
CHURCHILL											
Long & Short Action	-	-	-	47193	47270	47350	-	-	-	47441	-
COLT											
57, 30-06 & FN Mauser	47154	-	-	47345	-	-	-	-	-	-	-
Coltsman Sako Action (med. & short)	-	-	-	47349	-	-	-	-	-	-	-
Sauer	-	-	-	47185	-	-	-	-	-	-	-
DICKSON-HOWA											
Golden Bear	-	-	-	47349	-	-	-	-	-	-	-
H & R											
300, 301, 330, 370 (Prior to 1973)	47154	-	-	47345	-	-	-	-	-	-	-
INTERARMS											
Mark X	47154	-	-	47345	-	-	-	-	-	-	-
HOWA 1500	47152	47266	-	47193	47270	47350	-	-	-	47441	-
ITHACA (Tikka)											
.37	47170	-	-	-	-	-	-	-	-	-	-
KNIGHT											
Disc Rifle (round receivers)	-	-	-	-	47422	-	-	-	-	-	-
MARLIN											
36, 36A, 336,444 Sporter, 336T, 375 1895, 9, 922	47343	-	-	-	-	-	-	-	-	-	-
455	47154	-	-	47345	-	-	-	-	-	-	-
1894, 1894C, 1894M	47166	-	-	-	-	-	-	-	-	-	-

Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
MAUSER											
98	47156	-	-	-	-	-	-	-	-	-	-
FN, Mark 10	47154	-	-	47345	-	-	-	-	-	-	-
Kar & Swedish after 1906 & Small Ring 95, Mexican & Matte Black	47157	-	-	-	-	-	-	-	-	-	-
MOSSBERG											
1500, 1700 (Short Action)	47169	47273	-	47193	47270	47350	-	-	-	47441	-
1500, 1700 (Long Action)	47152	47266	-	47193	47270	47350	-	-	-	47441	-
MUSGRAVE											
Mark III, Mark IV	-	-	-	47345	-	-	-	-	-	-	-
PARKER HALE											
1000, 1100, 1200	47154	-	-	47345	-	-	-	-	-	-	-
REMINGTON											
7 Lightweight; 600, 660, XP100	47169	47273	-	-	-	-	-	-	-	-	-
4, 6, 74, 7400, 7600	47171	47274	-	-	-	-	-	-	-	-	-
700 (Short Action); 40X, 78, 722, 725, 22/250, 222, 243, 308, 6mm, 6.5, 350 Mag.; 700 Varmint Cals.: 222 Mag., 223, 243, 6mm, 22/250, 308	47169	47273	-	47193	47270	47350	-	-	-	47441	-
700 (Long Action - Right Hand): 40X, 78, 721, 725, 270, 280, 30-06 & 264, 7mm, 300 Mag.	47152	47266	-	47193	47270	47350	-	-	-	47441	-
700 (Long Action - Left Hand) 270, 30-06, 7mm Mag.	-	-	-	47193	47270	47350	-	-	-	47441	-
740, 742, 760	47170	-	-	-	-	-	-	-	-	-	-
788 (Long Action Cals.): 222 Mag., 22/250, 30/30	47162	-	-	-	-	-	-	-	-	-	-
788 (X-Long Action Inc. LH) Cals: 243, 6mm, .308	47163	-	-	-	-	-	-	-	-	-	-
710	-	-	-	47396	-	-	-	-	-	-	-
RUGER											
77 Round Receiver (Long Action)	47152	47266	-	47193	47270	47350	-	-	-	47441	-
SAKO											
Tapered Dovetail (short+med action), A-1, L-416-All, L579(Long action) AV, L61	-	-	-	47349	-	-	-	-	-	-	-
Finnwolf	47148	-	-	-	-	-	-	-	-	-	-
Mauser Actions	47159	-	-	47345	-	-	-	-	-	-	-
SAUER											
90, 200 (Sigrams)	-	-	-	47185	-	-	-	-	-	-	-
SAVAGE											
Anschutz 64MS	-	-	-	47365	-	-	-	-	-	-	-
Anschutz 153 & 54	-	-	-	47365	-	-	-	-	-	-	-

Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
SAVAGE											
110, 110C, 111LA (pre 2003 models)	47150	-	-	47191	47269	-	-	-	-	-	-
110, 110C, 112-V SA (pre 2003 models)	-	-	-	47191	47269	-	-	-	-	-	-
110 Long & Short Action (LH) (pre 2003 models)	-	-	-	47191	47269	-	-	-	-	-	-
SEARS											
(J.C. Higgins) 53	-	-	-	47347	47353	-	-	-	-	-	-
(J.C. Higgins) 50, 51 (Before Jan. 1955)	47154	-	-	47345	-	-	-	-	-	-	-
SPRINGFIELD											
03	47386	-	-	-	-	-	-	-	-	-	-
03A3, A4	47159	-	-	-	-	-	-	-	-	-	-
SMITH & WESSON											
1500, 1600, 1700	47152	47266	-	47193	47270	47350	-	-	-	47441	-
TED WILLIAMS											
73	-	-	-	47347	47353	-	-	-	-	-	-
THOMPSON / CENTER											
Contender & Carbine (with 3 rings)	47203	47202	-	-	-	-	-	-	-	-	-
Encore (with 3 rings)	47376	47210	-	-	-	-	-	-	-	-	-
Encore	47173	-	-	-	-	-	-	-	-	-	-
Contender	-	-	-	-	-	-	-	-	-	-	-
WEATHERBY											
Mark V mag. cal except 240 mag	-	-	-	-	-	-	47451	-	-	-	47450
Mark V std cal inc 240 mag, Ctrfire Pistol	-	-	-	-	-	-	-	-	-	-	-
Vanguard	47152	47266	-	47193	47270	47350	-	-	-	47441	-
FN	-	-	-	47345	-	-	-	-	-	-	-
224 Varmintmaster	-	-	-	-	-	-	-	-	-	-	-
WESTERN FIELD											
30-06	47154	-	-	47345	-	-	-	-	-	-	-
740	47343	-	-	-	-	-	-	-	-	-	-
WINCHESTER											
70 Target	47146	-	-	-	-	-	-	-	-	-	-
70 in .300 Win Mag & .375 H&H Only	-	-	-	-	-	-	-	-	-	-	-
Serial # 66,350 to 700,000 (one hole in rear of action)	47146	-	-	-	-	-	-	-	-	-	-
Serial # 1,896,476 and up &/or rear hole spacing .860	-	-	-	47347	47353	-	-	-	-	-	-
70 (rear hole spacing .860) Includes M70, M70XTR, 670, 770, Ranger & Lightweight. Also .458 Win Mag & Weatherby Mags above serial #66,350.	-	-	-	47347	47353	-	-	-	-	-	-
70 Short Actions introduced in 1984	-	-	-	47347	47353	-	-	-	-	-	-
88, 100	47148	-	-	-	-	-	-	-	-	-	-
BLANK GUNSMITHING SR BASES	-	-	-	-	-	-	-	-	-	-	-