

Olympic Class Sporters 2008



Sporting and varmint rifles with the unmistakable ANSCHÜTZ performance

Only the one who tries the impossible will reach the optimum. Innovative, flexible, competent and dedicated to accuracy – Since 1856 we have manufactured high quality sporting, varmint and target rifles. Many olympic medals are the result of the pioneering ANSCHÜTZ technology.

PERFECTION IS TRADITION

6

"Experience is nothing but memory", wrote the English philosopher Thomas Hobbes. Happy is the one who can take advantage of such a good memory, like the J.G. ANSCHÜTZ company from Ulm.

The reason for the success is due to their technical process, which on the basis of 152 years experience, made the brand ANSCHÜTZ a synonym for precision hunting and target rifles up to this day.

The company was founded by Julius Gottfried Anschütz in 1856 and located in the Thuringian city of Zella-Mehlis until 1945. The founding of the company took place at the beginning of the industrialization period in Germany at a time when many were seeking unity and freedom. The entrepreneurial spirit of the founder and the following generations made the small gunsmith shop grow to become one of the leading companies in Europe for rifle and pistol manufacturing.

World War II put a sudden end to this story of success. Parts of the ANSCHÜTZ family were evacuated to the west part of Germany after the war while the company's possessions were expropriated and dismantled.

The re-establishment of the company in Ulm after the war was due to the overwhelming will of the brothers Max and Rudolf Anschütz. In the new surroundings they prudently lead the company and proved to be veritable successors of their grandfather who founded and developed the "Germania Waffenwerk".

The management of the company remains as then, a family affair. In 1968 Max Anschütz entrusted his son Dieter with the general management who now shares it with his son, Jochen. Since 1856 the "know how" has been part of the family.

Since it's foundation, ANSCHÜTZ stands for innovation and perfection. This has not changed through the years. The name ANSCHÜTZ is inseparably connected with innumerable national and international shooting triumphs. Last but not least the pioneering efforts in biathlon shooting have made the name ANSCHÜTZ recognized all over the world.

ANSCHÜTZ products enjoy an extraordinary and worldwide reputation because of their precision, workmanship and accuracy. This is what president Jochen Anschütz - continuing the tradition – puts as a benchmark for the



future, to ensure that the long history of ANSCHÜTZ continues to give good memories far into the future.



1856

1+2

on July 1, 1856.

Julius's old JGA trademark.

Julius Gottfried Anschütz and his wife

Luise Anschütz foundet the company

J.G. ANSCHÜTZ Germania Waffenwerk

4 AN

ANSCHÜTZ factory, first construction sector, 1897 with residential house in the background.

1901

5

The "Germania", another trademark of the Germania Waffenwerk from 1901 on.

6

The Anschütz family about 1912 in front of Julius Gottfried's house: on the left side standing you see Fritz August Anschütz, on the right side standing is Otto Veit Anschütz. Luise Anschütz is sitting in the middle.

7

JGA revolver No. 780/781: Hammerless revolver for Browning-Cartridges, cal. 6.75 mm, with screwed-in steel barrel, rifled, with swivelling trigger.

1

Richard Anschütz, the brother of Julius Gottfried (left), his son Robert (2nd from left), and his factory, about 1884.

9

Front page of the net price list to the catalog No. 25, valid from September 10, 1922.

10

Work shop rooms in the old ANSCHÜTZ factory, about 1909.

11

Shooting range, about 1909.

12

Rifle warehouse, 1909.

13

Part of the ANSCHÜTZ factory in Zella-Mehlis, about 1944. Dieter and his parents lived underneath the roof of the factory. Dieter's playground was the balcony which was built on the flat roof.

2

14

Another trademarks of J.G. ANSCHÜTZ from 1914 to 1984.

15

J.G. ANSCHÜTZ youth military training rifle cal. 4 mm long.

16

Wages of the J.G. ANSCHÜTZ during the inflation 1923 of 500.000 Mark, signed by Alma Anschütz (wife of Otto Veit Anschütz), guaranteed by the bank Wachenfeld & Gumprich. The indicated amount could not be cashed. It was only good to buy food, clothing, etc.

17

Hermann Wild, plant manager of the newly founded company J.G. ANSCHÜTZ GmbH in Ulm in 1954 working on a prototype of the new receiver Match 54 under supervision of Rudolf Anschütz.

18

JGA air pistol No. 100, cal. 4.5 mm of Germania Waffenwerk AG.

19

Part view of stock blanks magazine of about 100,000 pieces walnut blanks.

20

Rudolf Charles Anschütz as woodcutter in the Thuringia forest after the expropriation and dismantling of the company J.G. ANSCHÜTZ Germania Waffenwerk.

21

The first ANSCHÜTZ target air rifle model 220 with fixed barrel.

22 Gary Anderson USA.

23

During the Shot Show 1990 in Las Vegas Dieter Anschütz handed over fragments of the Berlin Wall to Gary Anderson in appreciation of his efforts as sportsman and official to overcome the contrasts between East and West in those days.

24

This US team was a real sensational one which was respected by all their competitors because of their world records and international successes. From left: Lones Wigger, Margaret Murdock, John Writer und Lanny Bassham.

25

Training rifle for the new German army after World War II, the small bore model 54, manufactured in 1956.

26

The ANSCHÜTZ familiy in 2006. Elfi Anschütz (3rd from left, back row) and Dieter Anschütz (on the right next to his wife) and all their family: Jochen Anschütz (3rd from the right) and his brother Uwe (2nd from the left, back row) represent the eleventh generation. Their children are from the right: Tim next to his mother Elke Anschütz, Tim's brother Max and their sister Nina. To her left Uwe's youngest son Moritz, his sister Lena and Uwe's wife Antje Anschütz.



MAGAZINES AND ACCESSORIES

WARNING:

Do not use this security keyed gun lock on a loaded gun! Always keep gun unloaded when not in use and have the bolt open.



Security Keyed Gun Lock Protection All ANSCHÜTZ sporters and pistols are delivered with security keyed gun lock protection to prevent unauthorized use of the firearm. Item No. 711.7250



· Universal in fit.

- · Quick, easy release.
- Made from strong Boron Alloy.
- Rubber gaskets protect gun's metal.
 Easy access with reversible keys.
- · Complies with applicable laws.



All ANSCHÜTZ Olympic Class Sporters have 11 mm receiver rail and are drilled and tapped for scope mounts to fit

B-Square, Bushnell, Ironsighter # 91 front and rear, Leupold, Millett Universal 22 TP series, Redfield 47365, Simmons, Talley, Warne 721, Weaver 91 front and rear.



1. Rubber butt plate 4709 B-U1, convex. Item No. 710.3710

2. Spacer 4709 P, parallel 8 mm Item No. 710.3750



3. Sight set 6834, rear sight 6805, front sight 6832 and 7 inserts. **Item No. 700.0060**



4. Hand stop 6226, with sling swivel. Item No. 710.3600



5. Target sling 7400S, synthetic, black. Item No. 710.3017





6. Single shot adapter 4846, for repeaters caliber .22 long rifle. Item No. 710.4700

7. Magazine 1420-U5, 5-shot, .22 long rifle. Item No. 700.4005 8. Magazine 1420-U13, 10-shot, .22 long rifle. Item No. 700.4010

9. Magazine 54.18 MS R-U2 5-shot, for 1808 stock, .22 long rifle. Item No. 700.4260 10. Magazine 1515-U3, 4-shot, .22 Win. Magnum .17 HMR. Item No. 700.4304

11.Magazine 1430-U4, 5-shot, .22 Hornet. Item No. 700.4405

12. Magazine 1530-U4, 3-shot, .222 Remington. Item No. 700.4503

150 Years Anniversary Version Model 1710 D HB Classic



150 Years Anniversary Version Model 1710 D HB Classic stainless steel limited edition:

Anniversary version of the ANSCHÜTZ hunting repeater 1710 D HB Classic with a number of anniversary extras in limited edition. With heavy, stainless steel barrel manufactured in the famous ANSCHÜTZ special process. A real anniversary edition because the 150 years logo can be found on the back stock, the barrel is decorated with the original "Germania" logo from 1901. Finally the founder's logo from 1856 is engraved in gold on the black steel trigger guard. The trigger blade is also golden. This extraordinary model is completed by a beautifully grained walnut classic stock with two versions of special, high-quality checkering at pistol grip and fore-end. A reliable partner for hunting in renowned ANSCHÜTZ quality and a model for aficionados who want to own the extraordinary.



150 years logo.



Now, the last ones are only available in the US

JGA founder's gold plated logo from 1856.



Original "Germania" logo from 1901.



150 Years Model 1710 D HB Classic,

Heavy Barrel stainless steel



O Gold plated trigger blade.



				000000	-
150 Years An	niversary Model	ltem No. Meister Grade	Caliber	Magazine capacity	Trigger
1710 D HB Class	sic stainless steel w/o sights	220.2099	.22 l.r.	5-shot	5096 D
1100				Y	
Weight	Barrel length	Length of pull	Overall l	and the second se	
	(inch)	(inch)	(i	-35	
8 lbs.	23	14.2		43.3	20

MODEL 54 MATCH ACTION 1700 SERIES SPORTERS

The model 54 Match action is the championships winner which is the basis for the 1700 series Sporters. It has dominated national, international, and world championships and Olympic Games for over 45 years.

Each 1700 series Sporter is engineered and built with the same attention to workmanship, accuracy and quality as its Olympic target rifle brethren.

Action:

CNC precision machined from a solid block, with the bolt lugs recesses machined eccentrically within the action for proper bedding.

The bolt face is fully recessed for full cartridge head support. Dual locking lugs with claw extractor and cartridge guide insure positive feeding. The bullet head is guided perfectly into the cham-ber, just like the ANSCHÜTZ Olympic Biathlon competition rifles.

A unique in line, very light firing pin design gives the ANSCHÜTZ 54 Match action the world's fastest lock time. Grooved, 11 mm receiver rail is drilled and tapped, and will take most American made rings and bases. American tip off mounts are available from B-Square, Millet, Redfield and Blount.

Safety:

Wing type safety completely encloses the firing pin. When activated, it pulls the firing pin back from the bolt face, positively locking it into a safe position.

Trigger:

Single stage (fully adjustable by professional gunsmiths from 2 to 4.4 lbs.). The same Olympic experience and engineering goes into every trigger. True Match quality, they are manufactured to watch makers tolerances, making ANSCHÜTZ triggers unparalleled by any other rifle for lock time, feel, and crispness. Factory set to 2.2 lbs.

Barrel:

8 groove (for rimfire) or 6 groove (for center fire) Olympic Match ANSCHÜTZ target grade, precision chambered, button rifled and lapped to Olympic competition specifications. Target crowned. A test target is included which attests to each individual rifle's accuracy.



ANSCHÜTZ bevel target crown.

Sights:

Folding rear sight adjustable in height in connection with a sporting ramp front sight with bead adjustable in height with hood (where applicable).

Stocks:

1. Classic Classic styling and sleek, clean lines make these rifles a pleasure to shoot. Stocks are shaped from select straightgrained European walnut, accented by hand checkering at the pistol grip and forearm with border. Grooved black polymer butt plate and swivel studs.

2. Monte Carlo Custom



with the inherent accuracy of this outstanding rifle. The fine Monte Carlo stock is shaped from European walnut and has a distinctively comfortable, hand-carved roll-over cheek piece for sighting comfort with iron sights or scope. The Wundhammer swell pistol grip is further enhanced by a rosewood grip cap, and both schnabel fore-end and pistol grip are hand checkered in the pattern. Grooved black polymer butt plate and swivel

Typical 1710: 10-shot⁻.22 l.r. test fii group at 55 yards.



Typical 1717: 5-shot .17 HMR test fire group at 55 yards.

All ANSCHÜTZ firearms are delivered with a are activered with a security keyed gun lock litem No. 711.7250 as shown on page 4



studs.

All ANSCHÜTZ Olympic Class Sporters have 11 mm receiver rail and are drilled and tapped for scope mounts to fit **B-Square.**

- Bushnell.
- Ironsighter # 91 front and rear.
- Leupold.
- Millett Universal 22 TP series. Redfield 47365.
- Simmons.
- Talley.
- Warne 721.
- Weaver 91 front and rear.

54 Match Action with target knob.







Model 1712 Silhouette Sporter Monte Carlo Model 1717 Silhouette Sporter Monte Carlo

- Eccentrically mounted bolt.
- Dual locking lugs, cam cocking, claw extractor, recessed bolt face for cartridge head support. • Firing pin lock safety.
- 11 mm grooved receiver, drilled and tapped for scope mounts.
- 21.6" Match Grade barrel, precision rifled, lapped, Match target crowned and free floated (muzzle diameter 0.7"). • Weight 7.3 lbs.
- Two stage Match Grade target trigger factory set to 2.2 lbs. with adjustable lop.
- Monte Carlo roll over cheek piece stock.
- Checkered semi-fancy or Meister Grade walnut.



- 23" Match Grade heavy barrel (muzzle diameter 0.83").
- Weight 8 lbs.
- Single stage trigger, Match Grade. • Classic stock.
- Checkered semi-fancy or Meister Grade walnut.

Model 1710 D HB Classic, Heavy Barrel Model 1717 D HB Classic, Heavy Barrel Model 1717 D Classic



Model 1710 D KL Monte Carlo Model 1717 D KL Monte Carlo



• Meister Grade trigger guard.

- 23" barrel
- (muzzle diameter 0.7"). With folding rear sight and ramp front sight.
- Weight 7.5 lbs.
- Single stage trigger, Match Grade.
 Monte Carlo roll over cheek
- piece stock. • Checkered semi-fancy or Meister Grade walnut.

Model	Item No.	Item No.	Caliber	Magazine	Length	Overall	
	Semi-fancy	Meister Grade		capacity	of pull (inch)	length (inch)	
1712 Silh. Sporter Monte Carlo w/o sights	220.1033	220.1043	.22 l.r.	5-shot	$13.8 \pm adjustable$	40.9	
1717 Silh. Sporter Monte Carlo w/o sights	222.1033	222.1043	.17 HMR	4-shot	13.8 ± adjustable	40.9	
1710 D HB Classic w/o sights	220.2095	220.2096	.22 l.r.	5-shot	14.2	43.3	
1717 D HB Classic w/o sights	222.2095	222.2096	.17 HMR	4-shot	14.2	43.3	
1717 D Classic w/o sights	222.2091	222.2093	.17 HMR	4-shot	14.2	43.3	
1710 D KL Monte Carlo	220.2030	220.2040	.22 l.r.	5-shot	14.2	43.3	
1717 D KL Monte Carlo	222.2030	222.2040	.17 HMR	4-shot	14.2	43.3	
R = Repeater D = Single stage trigger L = Left hand version KL = Folding leaf sight HB = Heavy Barrel MP R = Multi Purpose Repeater							

MODEL 64 MATCH ACTION **SPORTERS**

1416/1516/1517 Series Sporters:

The Model 64 Match action is a lighter action than the Model 54, but still retains full ANSCHÜTZ match quality workmanship, ac-curacy and perfection and is used also for our 1903 target rifles.

64 Match action:

CNC precision machined with cam cocking bolt. The bolt face is fully recessed for full cartridge head support. Target type knob on bolt handle. Claw extractor and cartridge guide ensure positive feeding. The bullet head is guided perfectly into the chamber, just like the ANSCHÜTZ Olympic Biathlon competition rifles. Grooved, 11 mm receiver rail is drilled and tapped, and will take American made rings and bases.

Barrel:

8 groove Olympic Match ANSCHÜTZ target grade, precision chambered, and button rifled to Olympic competition specifications. Target crowned. A test target is included with all Sporter Models which attests to individual rifle accuracy.

Trigger:

2.5 lbs. single stage trigger 5094. Fully adjustable by professional gunsmiths from 2 to 4.4 lbs. The trigger is basically the same as used in the ANSCHÜTZ 1903 target rifle. Factory set to 2.5 lbs.

Safety:

Lateral sliding safety disables the trigger, allowing unloading in the "Safe" position.



0

All ANSCHÜTZ Olympic Class Sporters have 11 mm receiver rail and are drilled and tapped for scope mounts to fit

- B-Square. Bushnell.
- Ironsighter #91 front and rear. Leupold.
- Millett Universal 22 TP series.
- Redfield 47365.
- Simmons.
- Talley.
- Warne 721.
- Weaver 91 front and rear.

Stocks:

1. Classic

Elegant Classic straight lines, shaped from European walnut, checkering at pistol grip and forearm with black polymer butt plate and swivel studs accent the unique appearance.

2. Classic Beavertail

The handsome American Classic line is shaped out of European walnut, combined with a distinctively beautiful Beavertail forend which gives this stock an extraordinary appearance. The exclusive ANSCHÜTZ silken mat finish of this stock and the cut checkering at the pistol grip provides both beauty and protection.

Sights:

Folding rear sight is adjustable in height as is the hooded sporting ramp front sight.

> More Information at www.anschutz-sporters.com www.anschuetz-sport.com



Typical Target 1416: 10-shot .22 l.r. test fire group at 55 yards.



Typical Target 1517: 5-shot .17 HMR test fire group at 55 yards.



Typical Target 1516: 5-shot .22 WMR test fire group at 55 yards.





64 Match Action with target knob.



Outstanding rimfire rifles, born of world-famous ANSCHÜTZ target rifle technology and crafted for world-class field shooting accuracy.

Model 1416 D KL Classic Model 1416L D KL Classic, left hand version Model 1516 D KL Classic Model 1517 D Classic, w/o sights Model 1517L D Classic, w/o sights, left hand version



23" barrel. (muzzle diameter 0.63 in.).
Adjustable folding rear sight.
Weight: 5.5 lbs.
Single stage trigger 2.5 lbs.
Classic stock, checkered walnut.

Model 1416 D HB Classic Beavertail, Heavy Barrel Model 1517 D HB Classic Beavertail, Heavy Barrel



23" heavy barrel. (muzzle diameter 0.75 in.).
Weight: 6.2 lbs.
Single stage trigger 2.5 lbs.
Classic Beavertail stock, walnut, checkering at pistol grip.

All ANSCHÜTZ firearms are delivered with a security keyed gun lock Item No. 711.7250 as shown on page 4

Model	ltem No. Semi-fancy	ltem No. Meister Grade	Caliber	Magazine capacity	Length of pull (inch)	Overall length (inch)
1416 D KL Classic	217.2020		.22 l.r.	5-shot	14.0	41 ¹ / ₂
1416L D KL Classic, left hand version	217.3060		.22.l.r.	5-shot	14.0	41 ¹ / ₂
1516 D KL Classic	231.2020		.22 WMR	4-shot	14.0	41 ¹ / ₂
1517 D Classic, w/o sights	221.2023		.17 HMR	4-shot	14.0	41 ¹ / ₂
1517L D Classic, w/o sights	221.3095		.17 HMR	4-shot	14.0	41 ¹ / ₂
1416 D HB Classic Beavertail, w/o sights	217.4005		.22 l.r.	5-shot	14.0	41 ¹ / ₂
1517 D HB Classic Beavertail, w/o sights	221.4005		.17 HMR	4-shot	14.0	41 ¹ / ₂
R = Repeater D = Single stage trigger L = Left hand version KL = Folding leaf sight HB = Heavy Barrel MP R = Multi Purpose Repeater						ose Repeater

MODEL 64 MATCH ACTION Multi Purpose series and Model 64 R Sporter Target

These models represent the finest example of a quality moderately priced match rifle. The rifle is built on the fine 64 Match action coupled to a full size target barrel.

The model 64 MP R Multi Purpose is equipped with the two stage Match trigger 5098, factory set to 10 oz.

The model 1517 MP R Multi Purpose is equipped with the two stage Match trigger 5106, factory set to 1 lbs 9 oz.

Both triggers are fully adjustable (by a qualified gunsmith only!) for weight, creep, and length of pull.

1 2

- 25 1/2" heavy Match barrel diam. 0.89"
- Weight: 9 lbs.
- .22 long rifle 5-shot magazine for .17 HMR - 4-shot magazine. Two stage Match Grade target trigger
- with adjustable lop; for 64 MP R 10 oz. for 1517 MP R 1 lbs 10 oz.



- Beavertail hardwood stock with adjustable butt plate and accessory rail with black removable insert.
- 11 mm grooved receiver rail, drilled and tapped for scopes and target sights.





Adjustable rubber butt plate with 1/3 inch spacer.

3

Model 64 MP R Multi Purpose Model 1517 MP R Multi Purpose

shown with accessories, as shown on page 4

64 Match action Sport and Target **Repeater:**

Bolt action repeater, with detachable 10shot magazine. Action is cam cocking with claw extractor and cartridge holder, recessed bolt face for full cartridge head support. Sliding safety.

A great quality moderately priced ANSCHÜTZ medium weight target rifle for intermediate and advanced Junior Match competitions when fitted with basic target rifle accessories like the ANSCHÜTZ 6834 micrometer sight set, 6226 position hand stop and 4846 single shot magazine block adapter. The target stock fits right and left hand shooters, is vertically and horizontally adjustable at the butt plate, which can be extended with additional 1/3" thick spacers. 2 spacers come with the rifle.

The ergonomic pistol grip is stippled. The forearm has an aluminum target rail for target rifle accessories like a hand stop. The 21 1/4" heavy target barrel with 0.87 muzzle diameter is grooved for ANSCHÜTZ target front sight and chambered and rifled to ANSCHÜTZ target barrel specifications.

6

(8)

(10)

The "ANSCHÜTZ Accurate" 64 R Sporter Target is ready to go right out of the box, you don't need to add other market target barrels, target stocks or rework the trigger.

To convert the rifle for varmint hunting or plinking, just install a scope on the 11 mm grooved receiver.

Trigger:

Two stage Match trigger 5098, factory set to 10 oz.





3

For a limited time also available with stainless steel barrel

Accessory rail with black removable insert.







Model 64 R Sporter Target shown with accessories, as shown on page 4

Model	Item No.	Caliber	Magazine capacity	Weight	Barrel length (inch)	Length of pull (inch)	Overall length (inch)	Sight
64 MP R Multi Purpose	219.4002	.22 l.r.	5-shot	9 lbs.	25 ¹ / ₂	13.8 + 1/3 spacer	43.3	optional
1517 MP R Multi Purpose	221.4102	.17 HMR	4-shot	9 lbs.	25 ¹ / ₂	13.8 + 1/3 spacer	41 ¹ / ₂	optional
64 R Sporter Target	219.4500	.22 l.r.	10-shot	7.7 lbs.	21.4	12 ¹ / ₃ + 2 x ¹ / ₃ spacer	39.4	optional
R = Repeater D = Single stage trigger L = Left hand version KL = Folding leaf sight HB = Heavy Barrel MP R = Multi Purpose Rep						Repeater		

(1) (2)

MODEL 64 MATCH ACTION BENCHREST SERIES



Model 64 Match Action Benchrest Series:

These repeater rifles based on the 64 Match action offer benchrest shooters high ANSCHÜTZ quality at a very favourable price.

Both models are equipped with the two stage Match trigger 5098, factory set to 230 g / 7.4 oz. The trigger is fully adjustable (by a qualified gunsmith only!) for weight, creep and length of pull.

ANSCHUTZ





Prepared for fitting variably adjustable butt plate carrier with tilting column guide.



Possibility to adjust trigger weight.

Model 64 S BR Benchrest Model 1517 S BR Benchrest Accessories shown on page 4

- The model 64 S BR, cal. .22 l.r. is equipped with a 20" heavy match barrel diam. 0.89",
- The model 1517 S BR, cal. .17 HMR is equipped with a 22" heavy match barrel diam. 0.89".
- Special treatment of target crown like ANSCHÜTZ Match rifle model 1907 for both models.
- Weight: 9.5 lbs.
- For .22 long rifle 5-shot magazine, with single shot adapter to be used as single loader.
- For .17 HMR 4-shot magazine.
- Two stage Match Grade target trigger 5098 with adjustable lop, factory set to 7.4 oz.

- Flat beavertail hardwood stock with rubber butt plate 4709 A, backend prepared for variably adjustable butt plate carrier with tilting column guide; millcut for additional weights.
- Grooved receiver rail, drilled and tapped for scopes mounts and telescopic sight.



Target crown like model 1907.



Extension set for butt plate carrier, clamping piece and screws. Item No. 700.3561



Target crown like model 1907.



Butt plate carrier 4759-2000, 30 mm, with tilting column guide. Item No. 700.3564



5098

	A B			The second se				\$6°
Model	Item No.	Caliber	Magazine	Weight	Barrel length	Length of	Overall	Sight
			capacity	-	(inch)	pull (inch)	length (inch)	-
64 S BR Benchrest	219.6000	.22 l.r.	5-shot	9.5 lbs.	20	13.8 + 1/3 spacer	37.8	optional
1517 S BR Benchrest	221.6000	.17 HMR	4-shot	9.5 lbs.	22	13.8 + 1/3 spacer	39.8	optional
R = Repeater D = Single sto	ıge trigger	L = Left hand	version KI	. = Folding le	af sight 🛛 🗰 🗏 =	Heavy Barrel MP I	t = Multi Purpose	Repeater

ANSCHÜTZ SPORTING RIFLES

ANSCHÜTZ Sporting Rifles are assuredly among the most accurate, if not the most accurate and precisely made small bore firearms in the world!

ANSCHÜTZ Sporters are assembled with the same precision rifling, the same bolt assemblies (sporterized in scale), by the same ANSCHÜTZ craftsmen, using the same manufacturing equipment and assembly processes with quality standards as used in the manufacture of the world famous and record setting ANSCHÜTZ Target Rifles. The best small bore shooters in the world have been winning and setting world records with ANSCHÜTZ for the past fifty years.

ANSCHÜTZ firearms and "ANSCHÜTZ ACCURACY" are not for everyone. If you want an adequately accurate rifle that is capable of hitting a tin can size target at 25 to 50 yards you do not need "ANSCHÜTZ ACCURACY." If you are a discriminating shooter and appreciate fine craftsmanship, precise function and demand world class accuracy that will consistently hit dime sized targets at 50 yards or "off hand" silhouettes at 100 yards – you need "ANSCHÜTZ ACCURACY."



ANSCHÜTZ Sporters exclusive imported and serviced by

MERKEL

Merkel USA, Inc. 7661 Commerce Lane Trussville, AL 35173 205-655-8299 205-655-7078 Fax www.merkel-usa.com

Find your dealer at www.anschutz-sporters.com

ANSCHÜTZ Sporters and Sporting accessories are available through leading firearms dealers. If your local dealer does not inventory the ANSCHÜTZ rifle

AcuSport Corporation One Hunter Place Bellefontaine, OH 43311-3001 800-543-3150 937-592-5625 Fax

Ellett Brothers Inc. 267 Columbia Ave Chapin, SC 29036-8322 800-845-3711 803-345-1820 Fax

Bangers 10 South 14th Street Birningham, AL 35233 205-324-8915 205-521-0913 Fax

Jerry's Sport Center, Inc. P.O. Box 121

you are interested in, then find your ANSCHÜTZ dealer through Merkel USA, Inc. or through the following Distributors:

> Bill Hicks & Co., Ltd. 15155 23rd Avenue North Minneapolis, MN 55447 800-223-0702 763-476-0676 Fax

Sport South, Inc. 1039 Kay Lane Shreveport, LA 71115 800-388-3845 318-797-7678 Fax

Champion's Choice, Inc. 201 International BLvd. La Vergne, TN 37086 800-345-7179 615-793-4070 Fax

Zanders Sporting Goods 7525 State Route 154 Baldwin, IL 62217-9706 800-851-4373 618-785-2320 Fax

Champion Shooters Supply 42 No. High Street New Albany, OH 43054 800-821-4867 614-855-1209 Fax

Forest City, PA 18421-0121 570-785-9400 570-785-9505 Fax

Factory Service, Parts & Repair Centers

For Sporters: Merkel USA, Inc. 7661 Commerce Lane Trussville, AL 35173 205-655-8299 205-655-7078 Fax www.merkel-usa.com

For Target Line only: Gunsmithing, Inc. 30 West Buchanan Street Colorado Springs, CO 80907 719-632-3795 719-632-3493 Fax

For Target Line only: **10-Ring Service**, Inc. 2227 West Lou Drive Jacksonville, FL 32216 904-724-7419 904-724-7419 Fax

ANSCHÜTZ is a proud member of the National Shooting Sports Foundation

Note:

Product specifications, design and model changes are subject to change without prior notice. Dimensions and colors are subject to change. With reservation of misprints and errors. Goods are subject to prior sale. Delivery subject to the presentation of the referring license for the purchase of firearms.

ANSCHÜTZ, the ANSCHÜTZ logo and the ANSCHÜTZ logo in connection with the slogan "Die Meister Macher" (also in modified spelling) are protected and registered trademarks of J.G. ANSCHÜTZ GmbH & Co. KĞ, Ulm, Germany. The unauthorized use of this brand name is not allowed and punishable. All rights of this catalog reserved. The use of the catalog, also in excerpts, is not allowed without the permission of J.G. ANSCHÜTZ GmbH & Co. KG and otherwise is punishable. This is especially applicable for unauthorized copying, translations and read-ins into electronic systems.

WWW.ANSCHUTZ-SPORTERS.COM · WWW.ANSCHUETZ-SPORT.COM

J.G. ANSCHÜTZ GmbH & Co. KG · P.O. Box 1128 · D-89001 Ulm, Germany · www.anschutz-sporters.com · www.anschuetz-sport.com