



B.S.A SHOT GUNS



B.S.A SHOT GUNS

Official Proof of B.S.A. Shot Guns & Rifles

IN accordance with the terms of the Gun-barrel Proof Act, 1868, every B.S.A. Gun and Rifle is submitted to the severe official proof test before it is sold. One or more of the proof marks illustrated below will be found on B.S.A. Guns and Rifles—on the barrels near the breech end, and on the actions.



We supply to each purchaser of a B.S.A. Shot Gun (1) a **Certificate** to show that the gun has been officially proved, and (2) a **Guarantee** as to quality. The official proof covers in all particulars the exacting requirements of the Government.

As to accuracy the very highest standard is maintained in all B.S.A. Guns and Rifles—the result of a careful study of details from the making of the steels to the finished product.

The steels—from our own steel works, viz., Jessop's, of Sheffield—are tested physically, microscopically, and chemically by fully-qualified scientists in the B.S.A. Laboratory. All the parts are made on the most modern machinery, viewed and gauged at each stage (to ensure perfect interchangeability), and assembled and finished by skilled craftsmen.

The barrels—bored to a limit of one-thousandth of an inch—shoot marvellously accurately.

B.S.A. Guns embody all the qualities covered by the phrase "hard-hitting"—a claim that is constantly endorsed by the many thousands of successful and satisfied users throughout the world.

B.S.A. Guarantee.

All goods manufactured by the Company carry the following express warranties which exclude all other warranties conditions and liabilities whatsoever whether expressed or implied. In the event of any defect being discovered within six months from date of purchase from the Company the latter undertakes on return of the defective part carriage paid to its Works at Birmingham to examine same and should any fault be found on examination by the Company due to defective material or workmanship the Company will repair the defective part or supply a new part in place thereof free of charge.

The Company's liability is limited to the terms of this guarantee and it shall not be answerable for any liability contingent or otherwise or for consequential loss arising from any defect. This guarantee is not to relate to defects and excludes liability for damage caused by wear and tear dirt misuse neglect or the use of defective or unsuitable cartridge and does not relate to goods the identification numbers or marks of which have been altered or removed or which have been sold to any purchaser not being a wholesaler at less than the full retail prices set out in the Company's Price Lists Catalogues etc. current for the time being, or which have been repaired otherwise than under the terms of this guarantee.




Conditions of Guarantee as set out on back of the Certificate of Proof.

**B.S.A. GUNS LIMITED,
BIRMINGHAM, 11, ENGLAND**

Directors: K. R. DAVIS, O.B.E., A. E. BERRIMAN, G. D. BURTON, P. J. H. HANNON, M.P.
FREDERICK KERR, A. H. POLLEN, COM. G. HERBERT, D.S.O. (Managing).

Always clean your gun with B.S.A. Scientific Cleaners.


B.S.A. Shot Guns




Section of the B.S.A. Shot Gun.

- ① Barrels.—Jessop's fluid-pressed steel.
- ② Body.—Nickel-steel.
- ③ Stock and Fore-end.—Selected walnut.
- ④ Cocking Levers, Sears, and Tumblers.—Chrome-vanadium steel.
- ⑤ Tumbler Main Spring.—Special high-tension steel.
- ⑥ Sear Springs.—Special high-tension steel.

TO most sportsmen the B.S.A. Shot Gun needs no introduction. They know of it either by repute or by experience—know of its strength and wonderful killing power, and that it has no equal for value at its very moderate price.




- A The high-grade Jessop fluid-pressed steel billet.
- B The solid forged barrel.
- C The finished barrel drilled from end to end from the forging B ready for assembling to another.
- D The assembled and finished barrels dovetailed together as shown.



View of B.S.A. Shot Gun Body.


The steels used in the construction of this gun are of the finest Sheffield manufacture, made in our own steel factories. Jessop "fluid-pressed" steel, of which the barrels are made, is submitted to a hydraulic pressure of 1,100 tons while still in the molten state, the finest method known of improving its quality and resistance to wear. The lumps are integral with the barrels, which are dovetailed together as shown in the illustration at the foot, features which make for very exceptional strength. The other illustration shows the sturdily-made nickel-steel body. The B.S.A. gun will, with reasonable care, last a lifetime.

All parts are perfectly interchangeable, ensuring speedy, economical replacement in case of accident.



Showing method of dovetailing the barrels together with solid lumps.

The barrels with solid lumps dovetailed together.



Every B.S.A. Gun or Rifle is fully guaranteed.


Always clean your gun with B.S.A. Scientific Cleaners.

B.S.A. Shot Guns

Locking the Barrels to the Action

THE B.S.A. Shot Gun has a locking system which involves the use of one locking part only, viz., the very strong bolt which slides beneath the action into locking engagement with the lumps, which are formed solid with the barrels.

The B.S.A. gun has no top "bite" such as a "cross bolt," which many gun users consider, quite wrongly, to be necessary.



A—Top lever which turns the spindle B and so unlocks the strong bolt C from the lump D formed solid with the barrels.

The following points should be considered by those interested in this subject of gun-locking:—

- (1) Practically all the most expensive guns—some selling at £100 and upwards each—have for years depended, and still depend, on the one strong underbarrel bolt such as is found in the B.S.A. gun.
- (2) Many thousands of B.S.A. Shot Guns have for years been, and still are, in daily use all over the world, and no trouble has ever been experienced through the absence of a top "bite."
- (3) Guns fitted with top bites are usually found to have also the underbarrel bolt. If both were fitted so as to be in really effective engagement, the thumb operating the top lever in the act of unlocking the gun would have to overcome too much friction in disengaging both. Added to the friction the thumb has also to compress the return spring. The top "bite" added to the underbolt merely makes an appeal to the eye.

Every B.S.A. Gun or Rifle is fully guaranteed.

- (4) A nicely-designed connection between the top lever spindle and the bolt below, as in the B.S.A. gun, is practically frictionless. Perfect fitting of the bolt in its channels ensures a sweet sliding motion. It is rigid perpendicularly and there is absolutely no shake or slack motion.

- (5) The top rib extension forming part of a top "bite" almost always is a short piece soldered to the tops of the barrels. There are many instances on record of this piece pulling away from the soldered seating.
- (6) The top rib extension cramps the amount of extractor circumference for gripping the rims of the cartridges. Besides, it hampers the insertion of the cartridges into the barrels and the removal of the empty cartridge cases.

It may be argued that the top "bite" forms a stand-by in case the underbarrel bolt fails, but the **factor of safety in the B.S.A. underbarrel bolt is immense. It is something like 50 times stronger than it need be.**

This has clearly been proved by extensive B.S.A. experiments in which a specially-designed apparatus attached to the top of the action gave us—through the shearing of a thin wire holding the barrels down, the underbolt being removed—the exact strength of the lift of the barrels upon firing.

Wonderful patterns and penetration of B.S.A. Shot Guns

THE barrels of B.S.A. guns are bored and choked with micrometrical accuracy, which cannot be obtained without the use of the modern drilling plant and the very skilled workmanship such as are available in the magnificent B.S.A. factories.

B.S.A. guns produce the maximum possibilities of ammunition with unfailing regularity. The shot patterns, of which those illustrated are typical, are always even and very hard-hitting.


The collapsible ball type of cartridge may also be used in B.S.A. Shot Guns. This cartridge is ideal for use against medium-sized game.

The following is an extract of a letter received from a user of a B.S.A. Shot Gun.


"I like the gun very much—I like its killing power. Besides feathered game, I have bagged a panther and a wild boar with it in the first week."




*Every B.S.A. Gun or Rifle
is fully guaranteed.*




30 yards' range.
Circle, 30ins. diameter.
Left barrel, full choke.



30 yards' range.
Circle, 30ins. diameter.
Right barrel, true cylinder.



40 yards range.
Circle, 30ins. diameter.
Left barrel, full choke.



40 yards' range.
Circle, 30ins. diameter.
Right barrel, true cylinder.

Charge used in making
above patterns, 1 1/2 oz.
No. 6 shot (287 pellets).

B.S.A. Non-Ejector model

Double-barrelled
Hammerless
12-bore.



THE B.S.A. standard non-ejector Shot Gun is specially manufactured for those sportsmen who require a weapon sufficiently strong to withstand any amount of ordinary wear, but which is at the same time light and perfectly balanced for easy handling and for the quickest snap-shooting. It has crisp trigger pulls and is built on graceful lines.

Its wonderful killing power and consistently good pattern-throwing have evoked considerable praise from well-known shooting experts, whilst in workmanship and finish it conforms to the high standard for which all B.S.A. products are famous. In brief it is a highest-grade gun at a very low price.

BARRELS.

28 or 30ins. Jessop's special Sheffield fluid-pressed steel. Lumps formed solid with the barrels and the barrels dovetailed together. Right, cylinder; left, choke. 2½in. or 2¾in. chambers.

FORE-END.

Selected walnut, nicely checkered.

ACTION.

B.S.A. special pattern (Anson & Deeley type). Sears, tumblers, and other action parts of tough chrome-vanadium steel. Beautifully-engraved body of nickel-steel toughened by special method. This combination makes the action amazingly strong. Top lever: automatic safety.

WEIGHT.

About 6½lbs.

LENGTH.

46½ins. (with 30in. barrels).

STOCK.

Selected walnut, nicely checkered. Straight-hand or half-pistol grip. Bend at heel, 2ins.; at comb, 1½ins. Length, 14½ins.

BALANCE AND TRIGGER PULL.

Specially attended to to give this B.S.A. gun the superb handling qualities of the best hand-made gun.

Price as specification,

Hand-made Stock to customer's measurements extra.

A vulcanite Butt Plate can be supplied at extra.

CLEANING ROD

12-bore cleaning rod, redwood, in two pieces, brass screw joint, complete with brass jag, wire brush, and sponge. No. 100. Price,

Every B.S.A. Gun or Rifle is fully guaranteed.

Always clean your gun with B.S.A. Scientific Cleaners

B.S.A. Ejector model

Double-barrelled
Hammerless
12-bore.



THIS ejector model of the famous B.S.A. Shot Gun is in every way as remarkably good value as the standard non-ejector model. It is sufficiently strong to withstand any amount of hard wear, but is at the same time light and perfectly balanced for easy handling and quick snap-shooting. It is built on graceful lines and has crisp snappy trigger pulls. The ejectors are simple and sure in action. As to its shooting qualities many sportsmen have testified that these are without superior. We offer this ejector gun confident in the knowledge that it has already given thorough satisfaction to thousands of experienced shooters. With reasonable care it will last a lifetime.

BARRELS.

28 or 30ins. Jessop's special Sheffield fluid-pressed steel. Lumps formed solid with the barrels and the barrels dovetailed together. Right, cylinder; left, choke. 2½" or 2¾" chambers.

FORE-END.

Selected walnut, nicely checkered. Anson push-down rod type.

ACTION.

B.S.A. special pattern (Anson & Deeley type). Sears, tumblers, and other action parts of tough chrome-vanadium steel. Beautifully-engraved body of nickel-steel toughened by special method. This combination makes the action amazingly strong. Top lever: automatic safety. B.S.A. ejector mechanism.

WEIGHT.

About 6½lbs.

LENGTH.

46½ins. (with 30in. barrels).

STOCK.

Selected walnut, nicely checkered. Straight-hand or half-pistol grip. Bend at heel, 2ins.; at comb, 1½ins. Length, 14½ins.

BALANCE AND TRIGGER PULL.

Specially attended to to give this B.S.A. gun the most superb handling qualities.

Price as specification.

Hand-made Stock to customer's measurements extra.

A vulcanite Butt Plate can be supplied at extra.

Redwood Cleaning Rod as described on page 6.

Every B.S.A. Gun or Rifle is fully guaranteed.

Always clean your gun with B.S.A. Scientific Cleaners.



B.S.A. Ejector model-de-luxe

Double-barrelled
Hammerless
12-bore.



THIS gun has been produced to meet the needs of those sportsmen who, while desiring above all things strength, lightness, perfect balance, crisp trigger pulls, and killing power in a shot gun, are yet anxious to secure a weapon distinctive and beautiful in appearance and are prepared to pay a little extra for it.

It is the B.S.A. Ejector model, fitted with very handsomely marked specially-selected Italian walnut stock and fore-end, making it a really graceful and beautiful example of the gunmaker's craftsmanship, fully deserving the description "model-de-luxe." It is beautifully engraved, part scroll and part wild duck, in London style as illustrated. We feel that we have produced a weapon which will delight the discriminating sportsman both in its appearance and utility.

BARRELS.

28ins. or 30ins. Jessop's special high-grade fluid-pressed steel. Lumps formed solid with the barrels and the barrels dovetailed together. Right, cylinder; left, choke. 2½" or 2¾" chambers. Engine-turned rib.

STOCK.

Very handsomely marked specially-selected Italian walnut. Straight-hand or half-pistol grip. Bend at heel, 2ins.; at comb, 1½ins. Length, 14½ins.

LENGTH.

Overall, 44½ins. (with 28in. barrels).

WEIGHT.

About 6¾lbs

ACTION.

B.S.A. special pattern (Anson & Deeley type). Sears, tumblers, and other action parts of tough chrome-vanadium steel. Body, engraved in the best London style, of nickel-steel toughened by special B.S.A. scientific treatment. This combination makes the action as a whole amazingly strong. Top lever; automatic safety. B.S.A. ejector mechanism.

Price as specification,

Hand-made Stock to customer's measurements, extra.

A vulcanite Butt Plate can be supplied at extra.

Redwood Cleaning Rod as described on page 6.

Every B.S.A. Gun or Rifle is fully guaranteed.



Always clean your gun with B.S.A. Scientific Cleaners.

B.S.A. Special Game model Fitted with 25 in. Barrels.

Double-barrelled
Hammerless
12-bore.



Ejector

ALTHOUGH designed for all-round game (and clay bird) shooting, this model particularly enables the shooter to add to the bag birds and ground game which are visible owing to trees or undergrowth for the merest fraction of time only.

The wonderful balance of the gun, its extreme lightness forward as well as the lightness of the gun as a whole, enable the shooter to get on to the game and fire with lightning rapidity.

An extreme amount of satisfaction is to be derived from the use of this remarkable new B.S.A. model, which empowers the shot of even medium skill to take birds which would often be missed with game guns of the ordinary specification.

BARRELS. Length, 25 inches. Jessop's highest-grade fluid-pressed steel.

The locking lumps are an actual part of the steel of the barrel—not a separate brazed-on part as is usual. The barrels are dovetailed together. Right barrel, cylinder; left barrel, full choke. Chambered for 2½ in. game cartridges. Supplied with 2½ in. chambers if desired. Top rib engine turned.

STOCK. Very handsomely figured specially selected Italian walnut. Straight-hand or half-pistol grip. Bend at heel, 2 ins.; at comb, 1½ ins. Length, 14½ ins. Cast-off, ¼ in. to ½ in.

LENGTH. Overall, 41½ ins. **WEIGHT.** 6 lbs. 3 oz.

ACTION. B.S.A. special pattern (Anson & Deeley type). Sears, tumblers, and other action parts of tough chrome-vanadium steel. Body, engraved in the best London style, of nickel-steel toughened by special B.S.A. scientific heat treatment.

Price as specification,

Stocked to special dimensions extra.

A vulcanite Butt Plate can be supplied at extra.

Every B.S.A. Gun or Rifle is fully guaranteed.



Always clean your gun with B.S.A. Scientific Cleaners.



B.S.A. Wildfowling model

Double-barrelled
Hammerless
12-bore.



Non-Ejector or Ejector

THIS B.S.A. Wildfowling Gun is specially designed to shoot the 3in. 12-bore "duck" cartridge, the standard load of which is $1\frac{5}{16}$ oz. shot. (The standard game cartridge is $2\frac{1}{2}$ ins. in length and is generally loaded with $1\frac{1}{16}$ oz. shot.) The B.S.A. Wildfowling Gun weighs 8lbs., $1\frac{1}{2}$ lbs. more than the average weight of the B.S.A. standard game gun. A gun of less weight shooting the heavy 3in. cartridge load would give uncomfortable recoil results. Notwithstanding its weight the B.S.A. gun balances exceedingly well. It comes to the shoulder as readily as a fine game gun and does not entail fatigue in the course of a long day's shooting.

There is no objection to the use of $2\frac{3}{4}$ in. or $2\frac{1}{2}$ in. cartridges in the B.S.A. Wildfowling Gun with 3in. chambers.

BODY.

Beautifully engraved and sturdily constructed of Jessop's nickel-steel, heat-treated by special B.S.A. methods to toughen it in order that it may withstand the heavy explosion of the 3in. cartridge.

BARRELS.

30ins. (28ins. supplied to order), Jessop's special fluid-pressed steel. The lumps are formed solid with the barrels. The two barrels are dovetailed together. This construction is the strongest known. Right, cylinder; left, choke, or both barrels full choke. 3in. chambers.

ACTION.

Sears, tumblers, and other action parts of chrome-vanadium steel. Top lever and automatic safety.

STOCK.

Selected walnut. Straight-hand or half-pistol grip (as illustrated). Nicely checkered. Bend at heel, 2ins.; at comb, $1\frac{1}{2}$ ins. Length, $14\frac{1}{2}$ ins.

FORE-END.

Push-down rod type. Selected walnut, nicely checkered.

LENGTH.

Overall, $46\frac{1}{2}$ ins. (with 30in. barrels).

WEIGHT.

8lbs.

*Price, Non-Ejector
Ejector*

Hand-made Stock to customer's measurements extra.

A vulcanite Butt Plate can be supplied at extra.

Redwood Cleaning Rod as described on page 6.

Every B.S.A. Gun or Rifle is fully guaranteed.



Always clean your gun with B.S.A. Scientific Cleaners.

B.S.A. .410 bore Single-barrel Ejector



FOR many purposes—in the garden or orchard, on the farm, or for a gamekeeper's use—a 12-bore shot gun is a waste of power and unduly prodigal in ammunition cost. A lighter and less costly gun is quite satisfactory.

The B.S.A. .410-bore Shot Gun is designed to meet this need. It is a wonderfully strong, light weapon, firing the cheap but powerful $2\frac{1}{2}$ in. cartridge with deadly effect. This cartridge was first introduced by the B.S.A. Company.

It is a single-barrel gun, has a bolt-type action, and is an ejector. Its velocity and hitting-power are amazing. By turning up the bolt-head the bolt may be entirely withdrawn, thus greatly facilitating cleaning.

The gun is made from the finest obtainable materials, is beautifully finished, and every part is interchangeable. Every weapon bears the official proof-marks—a guarantee of quality and safety.

The lightness and freedom from recoil of this gun makes it the ideal sporting weapon for ladies and boys.

One user paid testimony to the shooting qualities of this gun in a letter to *The "Shooting Times,"* in which he said:—

"I have used a B.S.A. .410 for the last 16 years and cannot wish for a better. I have shot almost every kind of game with this gun—hares, rabbits, duck, pheasants, partridge, pigeon, snipe, and endless vermin. With No. 6 shot this little B.S.A. will drive clean through a rabbit at 30 yards; its force is tremendous."

BARREL.

Length, 24ins. Specially bored and choked to give the best possible pattern and penetration. To facilitate carriage the barrel and action can easily be removed from the stock by unscrewing the fixing screw underneath the stock $4\frac{1}{2}$ ins. in front of the trigger guard. This screw is so held that it cannot drop out of the wood and be lost.

ACTION.

Bolt type, as strong as Lee-Enfield Service Rifle, easily and quickly manipulated. Fitted with Safety Catch.

LENGTH.

Overall, 42ins.

DISTANCE

from trigger to end of stock, $13\frac{3}{4}$ ins.

WEIGHT.

About 4lbs. 13oz.

Price as specification,

.410 Cleaning Rod, redwood, 2-piece, wire brush, jag and sponge. No. 124. Price


Every B.S.A. Gun or Rifle is fully guaranteed.



Always clean your gun with B.S.A. Scientific Cleaners.

Shot Gun Accessories

Shot Gun Cases



Canvas.

No. 104. A strong, rigid **green canvas** case, reinforced with cow-hide bindings on the edges and lined with flannelette. Special compartments for stock, barrels, cleaning material and cartridges. Fitted with stout leather handle, two straps and lock and key.

No. 105. A similar case to above but of **superior quality canvas and finish.**

Leather.


No. 117. A good-quality **solid leather** case, strong, reinforced at the corners with brass, and lined with flannelette. Special compartments for accessories as in Case No. 104. Fitted with stout leather handle, two straps, and slide lock and key.

No. 112. A similar case to above, but of **superior quality leather and finish.** A really high-class case of which any sportsman might be proud.

Leg-of-mutton Cases.

Canvas.

No. 120. A **brown canvas** leg-of-mutton case, strong and rigid, with leather-bound edges and flannelette lining. Fitted with stout leather shoulder sling, handle and strap, and slide-lock and key. Contains separate compartments for barrels, stock, and cleaning rods.



No. 119. A **good-quality leather** leg-of-mutton case, well finished, strong and rigid, with flannelette lining. Fitted with stout leather shoulder sling, handle and strap, and slide-lock and key. Contains separate compartments for barrels, stock and cleaning rods.

No. 118. A **superior grade case**, similar to No. 119 but made of the **best-quality leather.** A well-finished case of splendid value.

Shot Gun Covers



Canvas.


No. 121. **Tan canvas rubber-proofed cover**, leather-bound edges, leather nose-cap, with double flap, strap, and buckle.

No. 122. A tan canvas rubber-proofed **leg-of-mutton cover**, with leather-bound edges and leather nose-cap. Fitted with leather handle, two straps and buckles and divided into two compartments.

Rubber.

No. 115. A strong **rubber water-proof cover**, double seam, lined, with flap & two buttons


B.S.A. Sporting Rifles



B.S.A. Lee-Enfield Sporting Rifles

They are extremely accurate weapons and are suitable for killing all kinds of animals except the very dangerous or thick-skinned beasts.


No. 6 pattern, .303 or .315
CHARGER LOADING



B.S.A. .22 Repeating Rifle

This rifle has a tubular magazine to take 10 long rifle, 11 long or 15 short cartridges, mixed if required. It is a powerful hitter at 200 yards.


Price



B.S.A. .22 No. 1 Sporting Rifle

The inexpensive B.S.A. .22 bore No. 1 Rifle is an ideal weapon for shooting small ground game. It is a bolt-action weapon, sturdily built and very accurate.


Price



B.S.A. No. 6 .22 or .300 bore Sporting Rifle

A perfectly-balanced, high-grade Martini Rifle, deadly accurate, and quite suitable for ladies and boys to handle.

Price



B.S.A. "Breakdown" Air Rifle

The B.S.A. "Breakdown" .177 bore Air Rifle differs from the standard models only in the method of cocking—this is done by "breaking" the barrel.


It is specially suitable for boys' use, and is remarkably accurate and powerful. This model, of course, will shoot darts when this form of shooting is desired.

Price

Write for special Rifle Catalogue, post free.

Every B.S.A. Gun or Rifle is fully guaranteed.

A great Sport



SHOOTING with a B.S.A. Air Rifle is a great sport. This rifle is amazingly accurate and effective up to 25 yards (.22 model 50 yards), because it has a fixed barrel rifled like a military rifle. It is cocked by a special lever under the barrel—there is no joint between barrel and air chamber, so that *air cannot escape*. B.S.A. Air Rifles are made in .177 and .22 calibres, and shoot inexpensive B.S.A. lead pellets.

No. 1 .177 Model
Club Model .177
No. 2 .22 Model

B.S.A. PELLETS.
500 No. 1 - -
1,000 No. 1 - -
1,000 No. 2 - -
(In boxes of 500.)

B.S.A. Air Rifles

B.S.A. Target Rifles




B.S.A. No. 12 .22 bore super-accurate
Match Rifle, with open sights ..
No. 13 model, with open sights ..
No. 8 model, with open sights ..
No. 12 model fitted with No. 8a and
No. 19 sights ..

No. 13 model fitted with No. 8a and
No. 19 sights ..
No. 8 model fitted with No. 8a and No.
19 sights ..

B.S.A. .22 bore Lee-Enfield Pattern Target Rifle ..
B.S.A. .303 Mark III. S.M.L.E. Rifle ..
B.S.A. patent .303 cum .22 Rifle for service rifle practice ..

The B.S.A. No. 15 Rifle

.22 bore Martini Action.



This B.S.A. Rifle will please every marksman who desires unsurpassed accuracy and distinctive appearance. It is an improved model of the world-famous B.S.A. Twelve and its features include: **Aperture Backsight integral with body**; permits cleaning from the breech end; pistol grip stock with cheekpiece, etc.

The B.S.A. "Centurion" Rifle is fitted with flat top rib and tested to give 1½ inch groups at 100 yards.

The B.S.A. No. 15 Rifle is a rifle for the expert at a price within the reach of the ordinary clubman.

Write for special Rifle Catalogue, post free.

Every B.S.A. Gun or Rifle is fully guaranteed.

Price

Price

B.S.A. Scientific Cleaners

EVERY shot gun and rifle user knows the importance of a clean barrel. The original accuracy is maintained and the life of the weapon considerably lengthened. But it is not always possible to clean a weapon thoroughly immediately after using it. On these occasions use B.S.A. "Safetipaste." Place a thin film of this preservative in the barrel and it can be left without fear for any length of time. "Safetipaste" protects, completely, from all fouling.

For a thorough cleaning—removing fouling, washing out, and polishing—use the other three B.S.A. Scientific Cleaners described below. They do their job effectively.



B.S.A. "Cunirid."

An abrasive paste which removes metallic and other fouling from the bore but which does not abrade the steel. Lead fouling in shot guns and nickel fouling in rifles alike succumb to this potent cleaning paste.

In handy tubes 4ins. long,

(Can be supplied in larger quantities in tins: ½lb., 1lb., 5lb.,

B.S.A. "Kleenwell" Oil.

A thin alkaline oil for washing out the bore after shooting or after using "Cunirid."

Will wash out thoroughly all fouling and neutralize the acid from burnt-powder deposit without harming the barrel in any way.

In handy 4oz. oval tins with screw cap,

(Can be supplied in larger quantities if desired: Quart, Half-gallon, Gallon,

B.S.A. Bore Polishing Paste.

A paste specially prepared for polishing the bore, if necessary, after cleaning. It gives a smooth highly-polished surface, puts the bore in perfect condition for shooting, and makes subsequent fouling less difficult to remove because a carefully-polished bore picks up very little metallic fouling.

In handy 1oz. tubes,

B.S.A. "Safetipaste."

A composition specially prepared for preserving shot gun and rifle barrels under all conditions. A "Safetipaste"-protected bore cannot foul. A thin film placed in the bore after firing kills all fouling. It keeps the bore bright and right for any length of time.

"Safetipaste" can be applied effectively to exterior metal and wood parts of your gun or rifle.

In handy tubes 5½ins. long,

(Can also be supplied in larger quantities in tins: ½lb., 1lb., 5lb.,

B.S.A. "Fluor" Oil.

Facilitates the removal of powder-fouling and is a handy medium when thorough cleaning of the bore between shooting is impracticable. It ensures that the barrel is kept entirely free from powder-fouling, one of the chief causes of inconsistent shooting. Price per 4oz. bottle



The Set
in box

B.S.A. "Fluor" Oil .. extra.

B.S.A. Scientific Cleaners are supplied post free if ordered to the value of upwards.