


The trademarks displayed, except the Winchester® trademark are the exclusive property of Browning International. No use will be allowed prior to formal approval by Browning International, and unauthorised use will be prosecuted. The Winchester® trademark is licensed to Browning International by Olin Corporation. (USA) The documents, information, technical data, and photographs displayed in the present catalogue may not be reproduced, modified, translated or inserted in a databank, communicated to the public, in whole or in part, in any form whatsoever, without Browning International's prior and written approval. All rights reserved for all countries."

Specifications in this catalogue are liable to change without prior notice.


The purchase and possession of the products shown in this catalogue are subject to local legislation in force.

Editor in charge: Philippe Chamoret, Marketing Manager Browning International
 Design & computer graphics: Agence To Be, Thimister (Belgium) www.to-be.be
 Photographs: Ph. Allard, To Be, Pom'g, Browning and Winchester
 Printing: Graphing

Contents Winchester Short Magnum		3
The Browning Charter		e
Internet		
Custom Shop Guns		11
Hunting Firearms		
-	Over-and-Under Shotguns	23
	Semi-automatic Shotguns	33
	Express Rifle	39
	Semi-automatic Rifles	4′
	Repeating Rifles	5´
	Straight-line Action Rifles	53
Scopes - Optalens		57
Game and Target Shooting (GTS) Target Shooting		63
	Over-and-Under Shotguns	67
	.22 Rifles	77
	Hand Guns	79
	Compressed Air	
Outdoor		
	Clothing	8
	Accessories	
Cartridges		99




WSM Concept



The trend in rifle design over the past few years has been towards lighter weight guns. With the introduction of WSM calibres, developed in close collaboration with Browning. proposes a new concept that combines compact, lightweight guns with a calibre providing the exceptional level of ballistic performance that until now has been reserved to the most powerful magnum calibres.

These WSM calibres will allow you to use ammunition offering even better performance than a conventional or standard magnum calibre, in terms of velocity, energy and trajectory.



MUZZL

ROM

Short Trac Standard

300 WSM



300 Win. Mag.

Ammunition of the Year

300





WINCHES HES

Calibre	Weight	Size of	Velocity	Drop (cm) at 300 m	Energy
	(Grains)	cartridge (mm)	m/s	(adjusted for 200m)	(Joules)
270 WSM	130	72,60	998	24,90	4193
270 Win.	130	84,80	929	27,60	3633
270 Wby. Mag.	130	83,70	975	24,30	4000
7 mm WSM	140	72,60	982	23,64	4373
7 mm Rem. Mag.	140	83,50	944	25,80	4041
300 WSM	180	72,60	905	29,9	4750
300 Win. Mag.	180	84,80	902	29,9	4718
300 H & H	180	91,40	877	29,9	4460

The Browning Charter



The Safety Charter

Whatever the country they are supplied to. Browning guns come equipped with the "Gun Lock" and the "Trigger Lock". Browning encourages and supports responsible gun owners, and offers other products in addition to guns, that are specifically geared towards safety, in particular specially designed gun safes.

Browning guns are subject to the strictest standards of production and testing in the business (drop tests, etc.) The BACO standards constitute a very severe test.

The Ethical Charter

The guns produced and marketed by Browning meet the ethical requirements of all of the different shooting disciplines. Browning hunting guns also comply with the art and the ethics of hunting, as well as with the laws of each country. Guns of an aggressive or paramilitary nature are not allowed. All Browning products are manufactured in countries where human rights are guaranteed and which never use child labour.

The Young Persons' Charter

Browning actively supports young shooters through its programme of sponsoring official "Browning" teams. Browning also carries out sponsorship operations on behalf of national shooting federations.

The Craftsman's Charter

ž

BROWNING ustom Shop

Hand made, using techniques that retain all the best aspects of the traditional methods each gun produced by the "Custom Shop" at Herstal is unique

The close ties that exist between Browning and the School of gunsmithing of Liege guarantee that these age-old skills will continue to be passed down for the benefit of future generations.



by Browning and Winchester



Dura-Touch Label

Browning introduces Dura-Touch, a unique wood treatment, specially designed to improve the grip and the handling of your gun. Dura-Touch is also an exclusive finish that will perfectly protect the wooden parts of your gun against bad weather, as well as providing an exceptionally smooth and pleasing feel. This treatment will be offered on various guns in our range to allow you to derive even greater pleasure from using your Browning gun.



The Consumers' Charter

nal manufacturers' spare parts are used.

We provide a 100% guarantee on the 10 following

1. Using European walnut at least 150 years old.

4. Wooden parts fitted by highly qualified

5. Action frames fitted using the lampblacking

6. Pitch and twist of all stocks checked with mil-

7. Electronic measurement of ballistic perform-

8. Diameter and length of the firing pin checked

9. Trigger pull measured twice (once after

mounting trigger assembly and again after the shooting test) to the nearest gram.

ance and calculation of centre of gravity of

2. With a hand-produced oil-rubbed finish.

guns are guaranteed for 10 years.

Opaline Label

3. With hand-cut checkering

qualitative criteria :

craftsmen.

technique.

limeter precision.

the shot pattern.

with micron accuracy.

10. Supplied in a special carry case.

The Browning name is synonymous of quality. All our firearms carry a 3

vear warranty. The action frames of all Browning over-and-under shot-

Brownings' world-wide distribution network ensures that its customers

receive a reliable, high quality of service, and guarantees that only origi-



Environmental Charter

The environment is a constant concern for Browning

This is demonstrated, for example, in Brownings' decision to restrict the use of toxic products in its production processes. All the cutting oil from our numerically controlled machines is filtered and reused within a closed circuit

Brownings' back-bored barrels with interchangeable invector Plus chokes allow the use of cartridges loaded with non-toxic shot. thus reducing lead pollution, in particular in wetland areas.

Browning cartridges are fitted with wads made of a special, photodegradable plastic material. Under the action of UV rays, this wad decomposes in a matter of months rather than the decades taken by traditional wads

Finally, with the aim of reducing visual pollution. Browning recommends that you pick up your empty cartridge cases, a simple gesture but an important one for the future of our sport.



Back-Bored • Invector

Guns equipped with back-bored barrels with Invector+ chokes will give a reduction in recoil, an improved shot pattern and an increased penetration velocity. (see page 34 for further details)







Browning recommends the use of ammunition







Order a catalogue for a friend, receive information or offers as a privileged customer



Information concerning new products



Be the first to discover all our latest additions as well as many other advantages



An advice centre



Know your gun inside out, know how to clean and maintain it ...

Custom Shop

Barrel assembly

Chokes

Trimming

Adjusting of the action frame

Сизтом Ѕнор

10	Over-and-under shotguns	
14	Engravings	
16	Side-by-side shotguns	
17	Rifles	

BROWNING Custom Shop

Excellence Made in Belgium

- The manufacture of fine hunting and sports weapons.
- The greatest respect for traditional production norms.
- The concept of a made-to-measure weapon choice and wood finishes.
- Customised engraving.
- Specific quality control for each weapon.
- Direct contact with our technicians.
- We share our passion for our profession with our clients.
- Hand-made using techniques which retain the best of the traditional methods, weapons which leave the "Custom Shop" workshop in Herstal are unique items.



Wooden parts





The B25 Colden Feather is the latest major creation to come out of Browning's Custom Shop. This unique and prestigious model was in fact designed and manufactured by our team of qualified craftsmen.

You can also contact us about creating the masterpiece of your dreams.

	B25	B25	B25	B25
MODEL	Special Game 13	Special Game 24	Special Duck	Special Woodcock
BARRELS				
Calibre	12	20 M	12	12
Chamber	70 mm	76 mm	76 mm	70 mm
Length	700 mm	670 mm	760 mm	670 mm
Chokes	fixed	fixed	fixed	fixed
Ribs	ventilated 6 to 4 mm	ventilated 6 mm	ventilated 8 mm	•
STOCK (*)	straight or 1/2 swan neck	straight or pistol	pistol	straight
Length	375 mm	370 mm	375 mm	365 mm
Drop at comb	36 mm	38 mm	36 mm	39,5 mm
Drop at heel	56 mm	58 mm	56 mm	63,5 mm
FORE-END	tulip	tulip	tulip	Rounded Game
TOTAL WEIGHT (**)	3 kg	2,8 kg	3,45 kg	2,75 kg
FINISHING				
Action frame	blued or greyed	blued or greyed	greyed	blued
Wood	walnut, oil finished	walnut, oil finished	walnut, oil finished	walnut, oil finished
SPECIAL	Engravings B2G, C11, C12,	C2G, D2L, D11, D12, D5G,	Specific engraving on	Specific engraving on
FEATURES	Sp.Autumn and Chevern	y on "Box-lock models	these models	these models
	Engravings I1, M1, M2, E1,	Windsor Or, Renaissance,		Semi back-bored barrels.
	Cheverny Side Plate, Chenon	ceau and Special Woodcock		Longer forcing cone
	on side-plate engraving mo	dels with three piece fore-		No ejection system
	end and f	lush pad.		
OPTIONS	May be customised with you	r own stock measurements,		
	engraving, second set of barr			

(*) Average values

B25 Golden Covey





(*) Average values







B25 Sporting 207 GOLD 25

Mainly designed for sporting clays, the GOLD 25 could also be perfect for hunting, thanks in particular to its 8 mm vented rib and its 76 mm chamber that can fire magnum cartridges. With an anti-recoil butt

plate providing great shooting comfort, it is also characterised by its special "GOLD 25" engraving





B25 Spécial Duck



B25 Grade i1



B25 Grade M1



B25 Grade E1



B25 Grade M2



B25 Spécial Perdrix 100







B25 Cheverny Side Plate



B25 Chenonceau




B25 Spécial Autumn



B25 Cheverny





(*) Average values

MODEL BARRELS	BAR ACIER BAR ACI Affût Std Affût M	ag Battue	 (*) Average values (**) or fixed according to local legislation 	BAR Somi automatic ritla		
Length	550 mm 600 mr		(***) according to local leg- islation	Semi-automatic rifles		
Calibre	(1) (2)	(3)	(1) .243 Win, .30-06 Sprg,			
Rearsight	LPA LPA	battle rib	.270 Win, .308 Win			
	front bead with front bead presight protection foresight pro		(2) .300 Win Mag, 7 mm Rem Mag,			-
STOCK (*) Length	351 mm 351 mr	m 351 mm	.338 Win Mag		all 的话切的话道	and the second se
Drop at comb	351 mm 351 mr 42,5 mm 42,5 mi		(3) .300 Win Mag,	the second s		
Drop at heel	52 mm 52 mm		7 mm Rem Mag, .338 Win Mag,			
MAGAZINE	52 1111 52 1111	45 1111	.270 Win, .30-06 Sprg,		and the second sec	
Туре	chargeur a	ımovible(**)	.308 Win.			
Capacity Std	4 or 2 (***) 3 or 2 (*				BAR Grade D	
Capacity Mag	4012(1) 5012(3 or 2 (***)			This is the luxury version of the	calibres in "Battue" or "Affût" ver-
TOTAL WEIGHT (*)	3,5 kg 3,75 kg			-		
FINISHING		g 0,0 kg mug. 0,7 kg			BAR MK1, assembled in the Custom	sions.
Wood	walnut, satin	varnish			Shop. It is available in all the usual	
SPECIAL FEATURES	4 threaded holes for s	scope mounting	- company		S.F.	
ACCESSORIES	Mounted : screw h	head for sling	Sector Sector		N (
	Furnished : pair of remo	ovable sling swivels			2	
OPTIONS	Avaible : Mk1 (limit	ted quantity)		8	2	
A DEPARTMENT	Grades	IV	10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		167 C	
Concentration in	and the second s					
and the second second	and the guilt				X	
				BMM African Repeating rifles		
				A REAL PROPERTY AND A REAL	W	
	BOLT ACTION RIFLES	BOLT ACTION RIFLES				
MODEL	BMS	BMM			BMM African	
BARRELS	560 or 610 mm	640 mm				
Length Calibre	(1)	(2)			Based on the Mauser system and	azine can hold 4 cartridges and is
Rearsight	adjustable height and direction	2 sights			developed in conjunction with Ernest Dumoulin the great bolt-	equipped with a hinged floor plate with a transverse cut-off, exclusive
Frontsight	red luminescent with	brass with			action specialist, this rifle has been	to Browning. The Browning Mauser
	foresight protection	foresight protection			oversized to adapt it to the African	Magnum is notably manufactured
STOCK (*)	370 mm	370 mm			calibres : the diameter of the 3 lug	in .416 Rigby, .500 Jeffrey and .505
Length	48 mm	48 mm			rotary bolt has been increased to 19	Gibbs calibres.
Drop at comb	63 mm	63 mm		DICO	mm. The reinforced breech box has	
Drop at heel				BMS	been countersunk and prepared for	
MAGAZINE					scope mounting. The integral mag-	
Туре	fixed	fixed - removable		Repeating rifles		
Capacity Std	5	4		hopeaning ripico		
Capacity Mag	3	4.7.km				_
TOTAL WEIGHT (*)	3,6 to 4,1 kg	4,7 kg			and the second division of the second divisio	
FINISHING	around	colour hardened		And the second sec	OF THE STATE	
Receiver Wood	greyed walnut oil finished	walnut oil finished		and the second s		
SPECIAL	Engravings : ALPINA and EUROPE					
FEATURES	3 position safety	bolt and receiver			BMS	
1 EM OKED	Transversal bolt for magazine botto					
OPTIONS	Scope mounting				This prestigious gun uses original	
 (*) Average values (1) 270Win, .30-06, .308 W (2) 416 Rigby, 500 Jeffrey, 	«Custom» guns in, .300WM, .338WM, .375HH 505 Gibbs				FN components with a forged steel breech box and its long extractor bolt. The BMS exists in the most common calibres such as .270W, 30.06Sprg, .308, 7 mm RM, 300WM, .338WM and .375HH.	Decret in Sec.
						Mar Second



Express CCS 25 .375 HH

This gun has been developed to meet the demands of the H&H .375 calibre cartridge that is very widely used for big game hunting and African safaris. Solid action frame with a reinforced lock, thickened 60 cm long barrels, pistol grip stock with an anti-recoil pad for increased comfort. This gun can be equipped



with claw scope mounts upon request.

CCS 25 B2E

CCS 375 African

CCS 25 D5G

Express CCS 25 "Custom" with side-plate engraving

CCS 25 Double Express rifles

Fitted with side plates, this rifle exists in a "Custom" version having 65 cm barrels with a battue-type rib and a folding "ear shaped" leaf rear sight. It has a 3 piece fore-end and a pistol grip stock with teardrops and with a hidden butt plate, in walnut specially selected for the direction of its grain. The CCS 25 exists in numerous calibres, such as .270W, .30-06, .30R Blaser, 7X65R, 8X57JRS, 9.2X62 and 9.3X74R. It is also available in a box-lock version with a wide selection of engravings.

Express Herstal Cal. 8 x 57 JRS or 9,3 x 74R

This version offers the quality of the CCS 25 adapted for large game. It includes a battue-type rib incorporating the fixing locations for the base of a universal pivot scope mount (allowing a scope to be mounted in a matter of minutes and at lesser cost), a pistol grip stock with an insert type antirecoil pad and a tulip fore-end made from beautiful French walnut with an oil-rubbed finish. Medallion engraving featuring boar and deer, grey-tempered action frame. Only exists in calibres 8X57JRS and 9.3X74R.

19

CCS 25 M1

Herstal



MODEL	Express HERSTAL	Express CCS 25	Express CCS 25 .375
BARRELS			
Calibre	8x57JRS - 9,3x74R	.270W, .30.06,	375HH
		.30 Blaser, 7x65R,	
		8x57JRS, 9,3x74R.	
Length	590 mm	610 or 650 mm	600 mm
Top Rib	battue, with pivot	battue	battue
	mounting		
Frontsight	bead maillechort	bead maillechort	bead maillechort
Rearsight	fixed rearsight	folding	folding
STOCK	pistol with	pistol	pistol with
	anti-recoil		anti-recoil
Length	370 mm	370 mm	366 mm
Drop at comb	40 mm	40 mm	45 mm
Drop at heel	62 mm	62 mm	70 mm
FORE-END	tulip	tulip	tulip
TOTAL WEIGHT (*)	3,4 Kg	3,4 Kg	4,3 Kg
Finishing			
Action frame	greyed	blued or	blued or
		greyed	greyed
Wood	oil finished	oil finished	oil finished
SPECIAL	Specific	Engravings : B2E,	Specific
FEATURES	engraving	BAVARIAN, D5G, M1	engraving
		Flush pad on engraved	
		models M1+ GM 3 pc	
OPTIONS	Scope mounting	Scope mounting	Scope mounting
		2° set of barrels 20	2° set of barrels 20
		Stock to your	Stock to your
		measurements	measurements






(*) Average values

CCS 25 Bavarian

HUNTING

Over-and-under shotguns	22
Semi-Automatic Shotguns	32
Express Rifles	40
Semi-automatic rifles	42
Repeating rifles	52
Straight-pull action rifles	54





THE PINNACLE OF ACHIEVE-MENT IN OVER AND UNDER SHOTGUN DESIGN

In 2003, Browning launched a hunting version of the B525 Classic, the 5th generation of the original overand-under shotguns designed by John Moses Browning. This model retains all the characteristics that have made Browning over-and-under shotguns the most appreciated guns in the market. Its handling, its balance and its reliability testify to the care taken by Browning in the making of its guns. The B525 Classic combines the very best of the traditional gun maker's craft with the most advanced production techniques. For the B525 Classic, Browning has

gone even further, to ensure that

each hunter experiences greater

satisfaction when using its guns. A

great deal of work has gone into the

firing mechanism, to improve its

accuracy while at the same time

retaining all the unique safety fea-

tures associated with Browning

guns. Particular attention has been

paid to the finish of the wooden ele-

ments and the checkering has been

redesigned for improved handling.

The barrels have been revised to

enable all "invector" models to fire

steel shot cartridges, as guaranteed

by means of a test certified by the Liege Test Bench (BEL) label. Finally, the design of the action frame incorporates a small shell on the top, giving it a particular elegance and a unique identity within the Browning

range.

Cartridges are elected by means of a hammer-operated mechanism.

the only system which quarantees positive powerful and regular ejection. Only spent cartridges are ejected, thanks to an ingenious system of rods operated by the hammers as they drop.

2. Positive, powerful ejection

3• Chrome-plated barrels

Barrels are chrome-plated internally : for hunting under the worst conditions...

5• Forged steel action frame The action frame is machined from a block of forged steel. It is able to resist pressures several times greater than those actually used in the Belaium

Proof House at

Liege.

8• Wood and checkering

A choice of woods and new, higher quality finishes. Ideally situated checkered areas ensure accurate and comfortable handling.

23

1• Large sized bolt

The bolt is large and made of one piece.

It is adjusted to suit the action frame that receives it to guarantee play-free action.

The bolt is adjusted to bear at precisely where it should: on the bottom face of the groove of the barrel locking lug

The bolt lever is adjusted in such a way that the shooter can tell from its angle to the line of sight that the bolt is bearing correctly and is not fully closed.

4• Highly durable hinge pin

The hinge pin is made of one piece and has a large surface area which ensures that the sliding and rotation forces induced during opening and closing are evenly distributed, thus ensuring maximum resistance to wear.

6• Single selective trigger

The single selective trigger allows you to select the upper or lower barrel for the first cartridge

7• Firing system

The new, more direct firing system gives you a more precise, safer and more consistent shot.

Black, 100% recyclable polypropylene carry case marked with the Browning

logo in gold colour.



action frame incorporates a shell that gives this model a certain elegance and

makes it spe-

cial.





That

Something

that makes





Over-AND-UNDER SHOTGUNS

The 5th generation of Browning over-and-under shotguns

B525 Classic Cal 12 Magnum

The multi-purpose gun par excellence as it incorporates a $3^{"}$ barrel that can fire both 70 mm (2 $3/4^{"}$) and 76 mm (3") cartridges, while at the same time being low in weight for the comfort of the shooter.



Only B525s equipped with an invector choke are tested for steel shot.



B525 Classic Cal 12 Magnum Elite Gr 3

Sobriety and elegance characterise the B525 in its Elite (Gr3) version : its engraving, the meticulously selected walnut and oil-rubbed finish make this an ideal compromise between traditional looks and personality. It has a 3" Magnum barrel, just like

the Classic model.


	B525
MODEL	Hunting/Hunter
BARRELS	
Calibre	12 M
Chamber	76 mm
Length	660 - 710 - 760 mm
Chokes	fixed / Invector
Top Rib	ventilated 6 mm
STOCK (*)	Pistol
Length	375 mm
Drop at comb	36 mm
Drop at heel	56 mm
FORE-END	Tulip
TOTAL WEIGHT (*)	3,15 kg
FINISHING	
Action frame	greyed
Wood	satin varnish
OPTIONS	FINISHING Elite, Prestige
	inletted swivel bases
CHOKES	Hunter model : Invector Inox 1/4
	- 1/2 mounted
	3/4 - full and key supplied

(*) Average values



B525 Classic Cal 12 Magnum Prestige Gr 5

The charm of the prestige (Gr 5) is more discret. The fit of the barrels, the engraving and the very attractive old silver colour of its action frame make this an elegant gun of the best possible taste. It comes in an Opaline case. This model has a stock with teardrops, and a multi-purpose 3" Magnum barrel like that of the Gr 1.



B525 Classic Ultimate Gr 6

B525 Classic Cal 12 Magnum Ultimate Gr 6

Gold, pheasant and duck inlay on this luxury version of the B525.



25



Opaline case

Developed exclusively for our OPA-LINE label, this superb case with its laminated structure and highly resistant polymer-coated fabric finish is fitted with two combination locks Providing perfect protection when transporting your gun, it combines modern design and refined elegance



Hu	Inting	
	B525	
MODEL	Hunting/Hunter	_
BARRELS		-

20 M

76 mm

660 - 710 mm

fixed / Invector

ventilated 6 mm

Pistol

375 mm

36 mm

56 mm

Tulip

2,9 kg

greyed

satin

FINISH : Elite - Prestige

English grip version

Hunter model : Invector Inox 1/4 - 1/2 mounted 3/4 - full and key supplied

The 5th generation of Browning over-and-under shotguns

B525 Classic Cal 20M

OVER-AND-UNDER SHOTGUNS

B525 Classsic 20M

This model represents the traditional compromise between efficiency and weight. A steel 20 gauge action frame and barrels chambered for 3" Magnum allow

optimum efficiency while keeping the weight deliberately low, which is a considerable advantage during a long day's hunting.

B525 Classic Cal 20M Elite Gr 3

Particular attention has been paid to the choice of wood, the finish of the action frame and the type of engraving (incorporating new game scenes), all of which give this model a refined elegance while retaining the advantages of the basic model.

> **B525 Classic Cal** 20M Elite Gr 3



B525 Classic Cal

20M Elite Gr 3



Calibre

Length

Chokes

Top Rib

STOCK (*)

Length

FORE-END

FINISHING

Wood

OPTIONS

CHOKES

(*) Average values

Drop at comb

TOTAL WEIGHT (*)

Action frame

Drop at heel

Chamber









B525 Classic Light 12

Over-AND-UNDER SHOTGUNS

which constitutes the ultimate

synthesis of efficiency, weight and

good looks. An action frame made

The 5th generation of Browning over-and-under shotguns

B525 Classic Light Cal 12
The gun of the 3rd millennium for
the demanding hunter.
All of the developments introduced with each new generation
of Browning light models are
incorporated in the B525 Light

of a lightweight "Aircraft" grade alloy reinforced with high strength steel inserts, a suitably profiled barrel and a suitable choice of wood and form result in a lightweight gun with perfect handling and balance, as well as an unequalled elegance, further enhanced by game scene engravings.

11005	B525 light
MODEL	Hunting/Hunter
BARRELS	
Calibre	12
Chamber	70 mm
Length	610 - 660 - 710 mm
Chokes	fixed / Invector
Top Rib	ventilated 6 mm
STOCK (*)	pistol
Length	375 mm
Drop at comb	36 mm
Drop at heel	56 mm
FORE-END	Tulip
TOTAL WEIGHT (*)	2,85 kg
FINISHING	
Action frame	greyed
Wood	satin
CHOKES (**)	Hunter Model: Invector
	Inox 1/4 - 3/4 mounted
	1/2 - full and key supplied

(*) Average values

(**) Fixed chokes for Hunting model; Invectors chokes for Hunter

B525 Classic Light Cal 12

B525 Classic Light Cal 12



	B425 light	B425 light	B425 light	B425 Light	
MODEL	Hunting/Hunter	Elite 28	Elite 410		
BARRELS				Small Calibres	
Calibre	20 M	28	410		
Chamber	76 mm	70 mm 710-760 mm	76 mm		
Length Chokes	660 - 710 mm fixed / Invector	fixed	710-760 mm		
Top Rib	ventilated 6 mm	ventilated 6 mm	fixed		
STOCK (*)	half-pistol	half-pistol	ventilated 6 mm		
Length	360 mm	360 mm	half-pistol 360 mm		
Drop at comb	39 mm	39 mm	39 mm		
Drop at heel	61 mm	61 mm	61 mm		
FORE-END	Tulip	Tulip	Tulip		
TOTAL WEIGHT (*)	2,7 kg	2,6-2,7 kg	2,6-2,7 kg		
FINISHING	2,7 Kg	-10 -1,7 Kg	2,0°2,7 Kg	📻 <u>B425 Light 20M</u>	
Action frame	greyed	greyed	greyed		
Wood	oil finished	oil finished	oil finished	This gun represents a perfect com- tulip fore-end and semi pistol grip	
CHOKES (**)	Hunter Model :	C. I.	on minimed	bination of lightness, looks and stock make this a particularly	
CHORED()	Invector Std 1/2 - 1/1		1 10 10	strength. Its action frame is made ergonomic gun.	
128 - 10 Sugar	mounted,	1	1111	of 7075 alloy with a stainless steel	
	Inv. 1/4 and key supplied		K /	toner insert. Its new, narrower,	
	inv. i/4 and key supplied	1 1		toner insert. Its new, narrower,	
 Average values Fixed chokes for Hun 		1	1 Breeze		
				B425 Light Elite 28 Sober and elegant : a new, original engraving, meticulously selected walnut with an oil-rubbed finish make this an ideal compromise between traditional looks and personality. This gun will provide maximum pleasure by allowing you to attempt a novel experience: sporting clays with a 28 !	
			À		

er <u>B425 Light Elite 410</u>

Let yourself be seduced by the surprising efficiency of the famous B425 shotgun in its .410 gauge version. This gun combines high performance with a brand new stock and a new fore-end, which give it very a fluid line and great finesse. This shotgun also has a new, profiled rib.







OVER-AND-UNDER SHOTGUNS

B425 Privilège Hunting Cal

A "fine" firearm in the true sense of the word, the Privilege is one of the key products of Browning's know-how. The walnut used is a 4 star quality wood that is then oil rub finished by hand. The sideplate engraving combines deep engraving, decorative motifs and game scenes. This gun comes in an Opaline case.

Opaline case

Developed exclusively for our OPA-LINE label, this superb case with its laminated structure and highly resistant polymer-coated fabric finish is fitted with two combina-



tion locks Providing perfect protection when transporting your gun, it combines modern design and refined elegance

	B425	B425	B425	B425
MODEL	Privilege	Privilege	Special Waterfowl	Special Waterfowl Camo
BARRELS				
Calibre	12	20 M	12	12
Chamber	70 mm	76 mm	89 mm (31/2")	89 mm (31/2")
Length	710 - 760 mm	710 - 760 mm	710 - 760 mm	760 mm
Chokes	1/4 - 3/4	1/4 - 3/4	Invector Plus	Invector Plus
Top Rib	ventilated 6 mm	ventilated 6 mm	ventilated 6 mm	ventilated 6 mm
STOCK (*)	pistol	pistol	rounded pistol	rounded pistol
Length	375 mm	375 mm	375 mm	375 mm
Drop at comb	36 mm	36 mm	38 mm	38 mm
Drop at heel	56 mm	56 mm	52 mm	52 mm
FORE-END	Tulip	Tulip	rounded	rounded
TOTAL WEIGHT (*)	3-3,1 kg	2,85-2,9 kg	3,4 kg	3,4 kg
FINISHING				
Action frame	greyed	greyed	greyed	greyed
Wood	oil finished	oil finished	satin varnish	Camo + Dura-Touch

(*) Average values







new

Fusion Evolve

SEMI-AUTOMATIC SHOTGUNS

<u>Grip and Fore-end</u>

rusicin evol

Completely re-designed for exceptional handling as well as an elegant contour.

Fusion Evolve Cal 12 M

A new arrival in the range of semiautomatic shotguns, the Fusion Evolve is synonymous with major developments. Firstly, the contour and design are resolutely innovative which gives it a modern, sober look. Next, Fusion's exemplary reliability and sturdiness have been improved on this model thanks to numerous technical developments. The Fusion Evolve has all the assets to seduce and serve you. Fore-end plug Far more ergonomic



Fusion Evolve:

latest version from the inventor of the Semi-automatic Shotgun

Exceptional barrel	
--------------------	--

The Fusion Evolve's Back-Bored barrel and its new, ventilated strip which is silver-welded are synonymous with great rigidity. INVECTOR+

BACK BORED

The advantage of this rigidity when firing is that the points of impact are perfectly consistent and regular. Your lead pellet spray isn't scattered.

	FUSION	
MODEL	Evolve	
BARRELS		
Calibre	12 M	
Chamber	76 mm	
Length	610 - 660 - 710 - 760 mm	
Chokes	Invector Plus	
Top Rib	6 mm	
STOCK (*)		
Length	370 mm	
Drop at comb	35 mm	
Drop at heel	57 mm	
MAGAZINE		
Туре	tubular aluminium	
Capacity without reducer	4 (3 in 76 mm)	
Capacity with reducer	2	
TOTAL WEIGHT (*)	2,9 - 3 kg	
FINISHING		
Receiver	anodized, black varnish	
Wood	walnut, satin varnish	
SPECIAL	Light alloy receiver	
FEATURES	with magazine cut-off	
	chrome-plated barrels	
	machined dovetails on	
	top of receiver	
	inletted swivel bases	
ACCESSORIES	Invector Plus mounted : 1/2	_
	supplied : 1/4 - 3/4 - full	
	6 inserts for stock adjust-	
	ment	
	Set of 6 interchangeable	
	optical fibre foresights	
	Stock care oil	
Statement of the second se	and the second se	

33

(*) Average values

Available : Summer 2004





3 precious advantages

Browning reveals the professionals' secret: back-bored barrels. First used in 1992, back-boring is a technical breakthrough that has allowed our shooters to win numerous medals.

Better impact and higher velocities for improved shooting accuracy. A "back-bored" barrel is one whose internal diameter (the bore diameter) has been increased beyond traditional specifications.

Increased penetration velocity

Back-boring ensures that there is less friction between the shot and the wall of the barrel. Instead of having to overcome friction, more of the energy generated by the gunpowder gases serves to propel the cartridge, thus increasing the velocity of the load

The shot retains its ballistic quality. The force of contraction or the pressure exerted by the barrel wall on the load is reduced, thus reducing the number of deformed pellets fired. Without

With

Improved shot pattern

The ballistic characteristics are improved and you achieve exceptionally uniform shots with many more effective pellets hitting the target.

Reduced recoil

A reduction in recoil means improved shooting comfort. In a back-bored barrel, the load passes more easily reducing the amount of recoil felt by the shooter, thus improving his shooting comfort.



Quick load switching

Magazine cut-off for quick load switching.

When engaged, this device is able to block the cartridges in the magazine so as to only load the cartridge located in the chamber.

That Something that makes the difference

Very safe to use

It also has the advantage of enabling you to keep the breech of your fusion open with cartridges in the magazine by engaging the cut-off and ejecting the cartridge contained in the chamber.

To quickly reload, release the cut-off and the breech will move forward to feed a new cartridge in the chamber.





<u>1• Perfectly ergonomic</u>

Stock: the more marked cheek piece and asymmetric pistol grip guarantee a gun of unmatched ergonomic quality.

2• Safe

Easy-to-reach transverse safety lever, reversible to suit lefthanded shooters

3. Easy to maintain

A Trigger assembly removed simply by popping out two pins from the receiver for quick and easy cleaning of the mechanism.

4• Flowing lines

The narrower fore-end with a particularly well designed shape and magazine plug make this a flowing and extremely elegant gun.

5• Optimum

aim New sighting rib and optical fibre fore sight

for an unequalled quality of shot. Set of 6 interchangeable optical fibre foresights pro-

vided.

EXCLUSIVE


The "Speed-loading" system allows you to load more quickly. With the breech in the rear-most position, simply slide a shell into the magazine and it is automatically sent to the chamber, ready to fire.



Fully adjustable stock Quick and easy to adjust to your measurements thanks to the 6 inserts provided.



 Trigger guard lock for increased safety
 50 mm barrel extension



Works perfectly with 24 to 57 g. cartridges.



35



Fusion Semi-Automatic Shotguns

Fusion Ultimate Cal 12 M

A superb deluxe version of the Fusion. Anthracite grey receiver, finely engraved and edged with 24

carat gold edging and a very attractive oil-rubbed walnut stock and fore-end.



Browning: the inventor of the semi-automatic shotgun

Fusion Ultimate Cal 20 Magnum

The Fusion 20 gauge also exists in a deluxe version, with a superb anthracite grey receiver edged in fine gold and a new engraving. The

oil-rubbed walnut stock and fore end contribute to the superior quality of this gun.

long Invector Plus chokes. The 3"

chambering of this gun allows it to

fire all 20 bore cartridges, regard-

less of length or load.





Fusion Cal 20 M

The Fusion range includes the Fusion 20M. In addition to the qualities of the 12 gauge, the Fusion 20M also provides lightness and ease of handling The narrower receiver has been scaled to suit the gauge. The quality of the shot pattern is ensured by the 62 mm





Fusion Cal 12 M - Fusion Grade 3 Cal 12 M (p34)

The more marked cheek piece, the more pronounced pistol grip, the longer, narrower fore-end all make for exceptional handling. Its new shape and new sighting rib give it ideal balance. All the receivers are countersunk for mounting a scope. The very high quality European walnut has an oil-rubbed finish.

ALERCH.

Accurately shoots all cartridges from 24 to 57g thanks to a regulating valve incorporated within the gas operated mechanism. Its new back bored barrel allows it to shoot all cartridges available on the market without exception, even steel shot cartridges. This 12M gauge shotgun weighs only 2.9 kg. The new Grade 3 Fusion uses specially selected Turkish walnut with an oil finish, featuring

superb che-

quering.









Fusion Ultimate 20 M



	FUSION	FUSION	FUSION	FUSION
MODEL	Ultimate 12 M	12 M & 12 M Grade 3	Ultimate 20 M	20 M
BARRELS		ACCESS V		
Calibre	12 M	12 M	20 M	20 M
Chamber	76 mm	76 mm	76 mm	76 mm
Length	660 - 710 - 760 mm	660 - 710 - 760 mm	660 - 710 mm	660 - 710 mm
Chokes	Invector Plus	Invector Plus	Invector Plus	Invector Plus
Top Rib	6 mm	6 mm	6 mm	6 mm
STOCK (*)		Service and a service of the service		
Length	370 mm	370 mm	365 mm	365 mm
Drop at comb	35 mm	35 mm	36 mm	35 mm
Drop at heel	57 mm	57 mm	60 mm	60 mm
MAGAZINE				
Туре	tubular aluminium	tubular aluminium	tubular aluminium	tubular aluminium
Capacity without reducer	4 (3 in 76 mm)	4 (3 in 76 mm)	4 (3 in 76 mm)	4 (3 in 76 mm)
Capacity with reducer (cart.70 m	m) 2	2	2	2
TOTAL WEIGHT (*)	2,9 / 3 kg	2,9 - 3 kg	2,8 kg	2,8 kg
FINISHING				
Receiver	engraving, Ni, Anthracite grey	anodized, black varnish	engraving, Ni	anodized, black varnish
Wood	luxe walnut, oil finished	walnut, oil finished	luxe walnut, oil finished	walnut, oil finished
SPECIAL	Light alloy receiver	Light alloy receiver	Light alloy receiver	Light alloy receiver
FEATURES	with magazine cut-off	with magazine cut-off	with magazine cut-off	with magazine cut-off
	chrome-plated barrels	chrome-plated barrels	chrome-plated barrels	chrome-plated barrels
		machined dovetails on top of receiver		
ACCESSORIES	inletted swivel bases	inletted swivel bases	inletted swivel bases	inletted swivel bases
	Invector Plus mounted : 1/2	Invector Plus mounted : 1/2	Invector Plus mounted : 1/2	Invector Plus mounted : 1/2
	supplied : 1/4 - 3/4 - full - exterior	supplied : 1/4 - 3/4 - full	supplied : 1/4 - 3/4 - full	supplied : 1/4 - 3/4 - full
	50 mm	6 inserts for stock adjustment	3 inserts for stock adjustment	3 inserts for stock adjustment
	6 inserts for stock adjustment	Set of 6 interchangeable optical	Set of 6 interchangeable optical	Set of 6 interchangeable optical
	Set of 6 interchangeable optical	fibre foresights	fibre foresights	fibre foresights
	fibre foresights	Stock care oil	Stock care oil	Stock care oil
	Stock care oil			

Fusion · Gold

SEMI-AUTOMATIC SHOTGUNS

FUSION <

Fusion Slug Cal 12

new

This special slug version is equipped with a chromed 3" barrel with a fulllength rifled bore. The sighting system has been designed to provide accurate aiming in any weather and any lighting conditions. It includes an adjustable rear sight and an optical fibre front sight. The pitch of the stock is adjustable and the gun is supplied with a set of sling swivels.

22	74	ANT I	4 5	34
	GOLD	GOLD LIGHT	FUSION	FUSION
MODEL	Hunter 31/2"	Cal 10	3" Combo	Slug
BARRELS	3	1000	x 2	26
Calibre	12 31/2"	10	12 M	12
Chamber	89 mm	89 mm	76 mm	76 mm
Length	710-760 mm	710 mm	710 mm 610 mm	610 mm
Chokes	Invector Plus	Invector Plus	Invector Plus Rifled	Rifled
Ribs	ventilated 6 mm	ventilated 8 mm	6 mm Front and rear sight	Front and rear sight
STOCK (*)				
Length	362 mm	362 mm	370 mm	370 mm
Drop at comb	41 mm	41 mm	35 mm	35 mm (**)
Drop at heel	45 mm	47 mm	57 mm	57 mm (**)
MAGAZINE				
Туре	tubular chrome	tubular chrome	tubular aluminiun	tubular chrome
Capacity without reducer	4 (3 in 76 mm)	4 (3 in 76 mm)	4 (3 in 76 mm)	4 (3 in 76 mm)
Capacity with reducer (cart.70 mm)	2	2	2	2
TOTAL WEIGHT (*)	3,4-3,6 kg	4,4 kg	2,9 - 3 kg	3,1 kg
FINISHING				and the second
Receiver	A		anodized, black varnish	anodized, black varnish
Wood			walnut, oil finished	walnut, oil finished
SPECIAL	Light alloy receiver	with magazine cut-off	Light alloy receiver	Light alloy receiver
FEATURES	Chrome-pl	lated barrels	with magazine cut-off	with magazine cut-off
	Invectors Plus models	: 2 additional tubes and	Chrome-plated barrels	Chrome-plated barrels
	cross-shap	ped wrench.	Machined dovetails on	Machined dovetails on
			top of receiver	top of receiver
OPTIONS	CAMO model	Composite/CAMO	Inletted swivel bases	
	Dura-Touch	Dura-Touch		
ACCESSORIES	Furnished: scr	or front sling swivel ew head for rear ovable pair of rings	Invector Plus mounted : 1/2 Supplied : 1/4 - 3/4 - full - exterior 50 mm 6 inserts for stock adjustment Set of 6 interchangeable optical fibre foresights Stock care oil	Mounted : head for front sling swivel Furnished: screw head for rear swivels and removable pair of rings 2 spacers for adjusting stock heidht(**)



Also available with

a synthetic stock

Cal 10

mate power...

anti-recoil).

Gold camo Cal10 the ulti-

Intended above all for wildfowlers, the 10 gauge is without doubt the ideal solution in those regions requiring the use of steel shot. Our new light version retains a comfortable recoil (ventilated butt plate,

DURA-TOUCH

Hunting

(**) Average value with adjustable stock system (spacer n°2) • Spacer n°1 = 34-53 mm • Spacer n°3 = 36-61 mm





An all new line - New wood design

with Tartan chequering.

40






	CCS 525
MODEL	
BARRELS	
Calibre	8 x 57 JRS
	9,3 x 74 R
Length	560 mm
SIGHT	
Frontsight	Fibre optic
Rearsight	battie Rib
STOCK (*)	Hog's back - the Bavarian
	cheek piece
Length	370 mm
FORE-END	Tulip
TOTAL WEIGHT (*)	3,1 kg
FINISHING	
Action frame	greyed
Wood	satin varnish
SPECIAL FEATURES	animal engravings

(*) Average values



Browning has reinvented the Express Rifle



New battue strip which facilitates sight assembly.



Browning has been the leading producer of express under and over rifles for decades. With the introduction of the CCS 525 in the 525 range, Browning wanted to provide the demanding hunter with a gun that is attractive, while at the same time guaranteeing flawless operation and unequalled accuracy, and that can be easily adjusted to accept the different types of cartridge available on the market.





Browning has reinvented the Express Rifle

The barrels, the essential part of this gun, are both traditional and original. A spacer on the upper barrel ensures the accuracy of the vertical convergence of the barrels. while lateral convergence is ensured by the design of the barrel itself, which incorporates a unique "Cradle" strip. Once the ammunition has been chosen, a spacer ring is recommended and inserted securely under the foresight on the upper barrel, guaranteeing unequalled accuracy. (*). The weight and balance are perfect for current hunting conditions. The action frame has been strengthened by means of high strength stainless steel inserts. Very special attention has been



New animal engraving – Alloy action frame with steel insert, a balance and robustness gauge

paid to every detail of this gun: a "hog's back" stock with a Bavarian cheek piece, an accentuated tulipshaped forearm for greater elegance, a fluorescent optical fibre foresight and a traditional battue rib allowing a scope to be mounted by a gunsmith in minimum time. The animal engravings with which it is decorated make this a very special and unique rifle.

(*) It is essential that this operation is carried out by your gunsmith.

41







Specially designed for the new Winchester Short Magnum calibres







In 1966, Browning launched the BAR (Browning Automatic Rifle) that was to quickly become THE market reference. In spite of severe but often ineffective, competition. the BAR became the leading



with

WSM

semi-automatic the accuracy of rifle in Europe. classic "magnum" calibres In 2002, in close with a smaller collaboration cartridge. Winchester, In 2003, Browning Browning is launching the

MCHES, FS

developed the (Winchester Short Magnum) calibres, combining the power and

for WSM calibres. The smaller dimensions of the WSM car-

to be devel-

tridges have made it possible to create a lightweight, compact gun that guaran-

tees "Magnum"

performance.

The Short**Trac**

Short**Trac** the first semiautomatic rifle incorporates all on the market the experience of the BAR oped specially gained by our Research and Development departments

over a period of almost 40 years for your maximum satisfaction.

	Short Trac	Short Trac
MODEL	Standard	Elite
BARRELS		
Calibre	270 WSM - 7 mm WSM	270 WSM - 7 mm WSM
	300 WSM - 308 Win	300 WSM
Length	510 mm	510 mm
SIGHTS		
Frontsight	Adjustable fibre optic	Adjustable fibre optic
Rearsight	Adjustable battue rib	Adjustable battue rib
STOCK		
Length	351 mm	351 mm
MAGAZINE		
Туре	removable magazine**	removable magazine**
Capacity	4 (308 Win) or 2 (WSM)***	2
TOTAL WEIGHT*	3,25 kg	3,25 kg
FINISHING		
Receiver	light alloy	light alloy
Wood	satin varnish	satin varnish
SPECIAL	4 threaded holes for scope	4 threaded holes for scope
FEATURES	mounting	mounting
ACCESSORIES	6 spacers for	6 spacers for
	adjusting stock height	adjusting stock height

(*) Average values

(**) Or fixed according to local legislation

(***) According to local legislation

1. A reliable and regular gas-operated system ensuring sound semiautomatic operation and a consistent shot.

A 7 lug bolt engaging in the barrel, for maximum safety.
 Highly compact, making it easier to swing the gun and keep the prey in your sights.





4. An aircraft grade aluminum alloy receiver, plus a trigger assembly and magazine floor plate made of composite material for optimum weight.



6. Wooden elements in keeping with the rifle's resolutely modern design.



43

Streets ahead

Two versions are available from now on, a Standard model which is fitted with grade 1 walnut and an Elite model which offers exclusive wood-cutting and magnificent grade 3 walnut. 5. An adjustable stock to adapt the gun to suit your preferences and your build, for maximum comfort.





MODEL	Long Trac Standard	Long Trac Elite
BARRELS		
Calibre	30-06 - 300 WM	30-06 - 300 WM - 7 x 64
Length	510 mm	510 mm
SIGHTS		
Frontsight	Adjustable fibre optic	Adjustable fibre optic
Rearsight	Adjustable battue rib	Adjustable battue rib
STOCK		
Length	351 mm	351 mm
MAGAZINE		
Туре	removable magazine**	removable magazine**
Capacity	4 or 2 (***)	4 or 2 (***)
TOTAL WEIGHT*	3,25 kg	3,25 kg
FINISHING		
Receiver	light alloy	light alloy
Wood	oil finished	oil finished
SPECIAL	4 threaded holes for scope	4 threaded holes for scope
FEATURES	mounting	mounting
ACCESSORIES	6 spacers for	6 spacers for
	adjusting stock height	adjusting stock height

(*) Average values

(**) Or fixed according to local legislation (***) According to local legislation

LongTrac SEMI-AUTOMATIC RIFLES

Specially designed for conventional calibres

Presented exclusively at the IWA 2003 exhibition in Nuremberg, the LongTrac is available with the same Standard and Elite levels of finishing as its little sister, the ShortTrac. Chambered in the most widely-used standard calibres which are the 300 WM and the 30-06 Sprg, the Longtrac Elite will be available from now on in 7x64, which is sure to seduce a large number of hunters.





Streets ahead

7. Perfect handling, for a smooth mount and a fast aim.



8. A cold-hammered barrel produced by FN Herstal in Belgium, the guarantee of perfect accuracy.



11. A vertically adjustable battue rib and a front sight with crosswise adjustment guarantee absolute shooting efficiency. 9. A bolt catch allowing cartridges to be quickly and safely loaded into the chamber. 45



10. An ergonomic magazine catch allowing easy access to the hinged magazine holder and easier loading.





Fore-end for better handling, all enhanced with a magnificent "Scottish" chequering. Fibre optic front sight of unequalled brightness.


The seven lug rotating bolt is the key to the BAR's strength and reliability.



				MODEL	BAR Evolve	BAR Light Battue Luxe	BAR Light Affût
			(1) 7x64, 30-06 Sprg,	BARRELS			
			.270 Win, .300 Win Mag,	Length	510 mm	510 mm	510 mm
	and the second se	STOTA	7 mm Rem Mag, 9,3x62 (2) 30-06 Sprg, .270 Win,	Calibre	(1)	(2)	(3)
	- ALLER	K 100 grand	.300 Win Mag,	Sights Frontsight	red fibre	red fibre	front boad with
	action all	Vino de Cal	7 mm Rem Mag,	FIOILSIGIL	optic	optic	front bead with foresight protection
	E Parts	acces?	35 Whelen	Rearsight	adjustable	adjustable	LPA
	CONSTRAINT -	0 0	(3) 30-06 Sprg, 300 WM (*) Average values	nourorgine	battue rib	battue rib	LIA
		9	(**) Or fixed according	STOCK			
			to local legislation	Length	351 mm	349 mm	351 mm
			(***) According to local	Drop at comb	40,5 mm	40,5 mm	40,5 mm
and the second se			legislation	Drop at heel	49 mm	49 mm	49 mm
Contraction of the local division of the loc				MAGAZINE		able magaz	
A CONTRACT OF A CARDON				Capacity Std	4 or 2 (***)	4 or 2 (***)	4 or 2 (***)
				Mag	3 or 2 (***)	3 or 2 (***)	3 or 2 (***)
Cale of Section 1998 and 1999				POIDS TOT.(*) Std	3,15 kg	3,15 Kg	3,15 kg
			-	Mag FINISHING	3,35 kg	3,35 kg	3,35 kg
A DECEMBER OF THE REAL PROPERTY OF THE REAL PROPERT	Sec. 2		-La	Receiver	light allow	light allow grow tinted	light allow appedized
A DESCRIPTION OF THE OWNER OWNER OWNER OWNER OWNER OWNER OWNER OWNER	and the second s			Receiver	light alloy grey receiver	light alloy; grey-tinted with gold subjects	light alloy anodized black satin varnish
				Wood	walnut oil finished	walnut oil finished	walnut satin varnish
	And a state of the second seco			SPECIAL FEATURE	s 4 thre	aded holes for scope i	nounting
and the second se	and the second s	A REAL PROPERTY AND A REAL		ACCESSORIES		unted : screw head fo	
The best known	comi automa	ic rifle in th	a world			: pair of removable s	
THE DEST KHOWH	semi-automa		ie wond				1000
Although / 18		-	Constant -	- Con			TEH
Adjustable battue-type rib. Its truncated rib affords you a better view of the target. A fine white stripe perfectly guides your eye to the target.	The receiver is drilled and tapped for scope mount- ing.		MAR		zine tions lever ing. Simpl and c and t	facilitates fast y close the loa lepress the bol	ng to regula- e bolt release and easy load- ded magazine t release lever, automatically
	CONTRACTOR OF			_		Charles and the second se	

This model has been produced to answer the demands of those who no longer wish to have to choose between functionality and looks. With its nickel-plated old silver receiver and its animal motif engravings embellished with fine 24 carat gold subjects, its wood made of oil-rubbed European walnut, the Bar Light Deluxe is truly an object of great beauty. It comes in an Opaline carry case that will certainly not disgrace it.





🗩 Bar Light Battue Prima

The finish of the receiver, including a very beautiful engraving, the materials and the techniques used, the colour of the surface treatment, all contribute to make this gun a very successful combination of class and discretion. But the design also expresses itself in the technical performance : the hog's back stock with a very fine Bavarian cheek piece will work wonders when shooting through open sights and even more so when using a scope.

MODEL	BAR Light Battue Prima	BAR Light Stalker	BAR Light Camo		
BARRELS	Light battue Philia	Light Starker			
Length	510 mm	510 mm	510 mm		
Calibre	(1)	(2)	(3)		
Rearsight	Adjustable	Adjustable	Adjustable		
	battue rib	battue rib	battue rib		
Frontsight	red fibre optic	red fibre optic	red fibre optic		
STOCK (*)					
Length	349 mm	349 mm	349 mm		
Drop at comb	48 mm	40,5 mm	40,5 mm		
Drop at heel	80 mm	49 mm	49 mm		
MAGAZINE			and the second second		
Туре	removable magazine (**)	removable magazine (**)	removable magazine (**)		
Capacity Std	4 or 2 (***)	4 or 2 (***)	4 or 2 (***)		
Capacity Mag	3 or 2	2	2		
TOTAL WEIGHT (*) Std	3,15 Kg	3,15 Kg	3,15 Kg		
TOTAL WEIGHT (*) Mag	3,35 kg	3,35 kg	3,35 kg		
FINISHING					
Receiver	Old silver + satin black	light alloy,	light alloy,		
	anodized receiver	anodized black	anodized black		
		satin varnish	satin varnish		
Wood	walnut oil finished	composite + Dura Touch	Camo + Dura Touch		
SPECIAL FEATURES	4 threa	aded holes for scope mo	ounting		
ACCESSORIES	Mounted : screw head for sling				
	Furnished	I : pair of removable sli	ng swivels		
OPTIONS		Affut model available			

- 7x64, 30-06 Sprg, 300 WM
 7 mm Rem Mag, 30-06 Sprg, 300 WM, 338
 30-06, 300 WM
- (*) Average values (**) Or fixed according to local legislation
- (***) According to local legislation









Improved accuracy

The BOSS™ system allows the rifle to be quickly adjusted to the desired load. Each barrel equipped with the BOSS[™] is marked with 10 incremental markings, and a table of average settings is supplied for each calibre.

Reduced recoil

The BOSS™ system allows the bullet to leave the barrel at the ideal moment, i.e. in the "peak" or the "valley" of the vibration wave when the muzzle is virtually motionless.

	BAR ACIER	BAR ACIER	BAR ACIER		
MODEL	Affût standard	Affût magnum	Battue		
BARRELS		10000	ALC: NOT THE OWNER OF		
Length	550 mm	600 mm	550 mm		
Calibre	(1)	(2)	(3)		
Rearsight	LPA	LPA	battue rib		
Frontsight	front bead with foresight protection	front bead with foresight protection	red translucent		
STOCK (*)	100 Percent		The second s		
Length	351 mm	351 mm	351 mm		
Drop at comb	42,5 mm	42,5 mm	40,5 mm		
Drop at heel	52 mm	52 mm	49 mm		
MAGAZINE					
Туре		chargeur amovible (**)			
Capacity Std	4 or 2 (***)	3 or 2 (***)	4 or 2 (***)		
Capacity Mag			3 or 2 (***)		
TOTAL WEIGHT (*)	3,5 kg	3,75 kg	3,5 kg - Mag : 3,7 kg		
FINISHING					
Receiver	blued steel	blued steel	blued steel		
Wood	walnu	t, satin	varnish		
SPECIAL FEATURES	4 thread	ed holes for scope	e mounting		
ACCESSORIES	Mour	ited : screw head f	for sling		
	Furnished	pair of removable	e sling swivels		
OPTIONS	Boss system :		Grade III		
	30-06, 308, 338				

.243 Win, .30-06 Sprg, .270 Win, .308 Win .300 Win Mag,

- 7 mm Rem Mag,
- .338 Win Mag
- (3) .300 Win Mag,
- 7 mm Rem Mag,
- .338 Win Mag,
- .270 Win, .30-06 Sprg,
- .308 Win.

(*) Average values (**) Or fixed according to

local legislation

(***) According to local legis-lation





Underneath the fore-end is the key to the unique reliability, accuracy and good looks of the Dualis. No part is in contact with the barrel which is thus

Dualis Repeating Rifles

Absolute speed

Particularly ergonomic release lever. Simply press to unload instantly

free floating. Its 2 dimensional movement is perfectly ergonomic.





New drop-down magazine. It's asymmetric design allows extremely quick and accurate pointing Adjustable "Battue" type rib. Its truncated rib affords you a better view of the target. A fine white stripe perfectly guides your eye to the target.

Fibre optic front sight : New, increased brightness for more accurate and faster battue shooting.

MODEL	20/12/0
BARRELS	
Length	510 mm
Calibre	.300 WM, 30-06 Sprg,
	7 RM, .270 Win, .308 Win
Rearsight	Adjustable battue rib
Frontsight	red fibre optic
STOCK (*)	
Length	351 mm
Drop at comb	48 mm
Drop at heel	72 mm
MAGAZINE	
Туре	removable magazine
Capacity Std	4
Capacity Mag	3
TOTAL WEIGHT (*)	3,2 kg - Mag : 3,4 kg
FINISHING	
Receiver	light alloy, anodized
Wood	walnut satin varnish
SPECIAL FEATURES	4 threaded holes
	for scope mounting
ACCESSORIES	Mounted : screw head for sling
	Furnished : pair of
	removable sling swivels

DUALIS

(*) Average values

DUALIS Battue

A perfect alternative to the semiautomatic

Totally different from normal pump-action rifles, the Dualis reloads in record time. The foreend moves along 2 axis: you draw it towards you, and it moves backwards and downwards, forming a circular motion and nestling comfortably under the magazine. No visible cams, a silent action and a superb, highly fluid line. This gun is extremely effective with its floating cold-hammered (FN Herstal made) barrel, its drop-down magazine and its modern optical fibre foresight.







The only bolt action rifle in the world to have its

and ease of loading.

Drop-down magazine for speed



Walnut "hog's back" stock. The Bavarian cheek

piece adds to

looks.

its already good

era Elite

New cocking handle

Deluxe version of the Acera with superb oil rubbed walnut and rosewood on the ends of the pistol grip and the forestock. The obturation plate is finely corked. Comes in an Opaline carry case. (Scope not supplied)

📂 <u>Acera Stutzen</u>

Brand new Stutzen long forestock version with perfectly floating 51 cm barrel. With its superb lines, its lightness and ease of handling, you will be able to shoot shot after shot with exemplary accuracy. FN-Herstal cold hammered barrel. Comes in a black ABS carry case.

ee <u>Acera</u>

With the Acera, reloading simply involves a straight-pull action: a straight back-and-forth movement along the line of the gun is all that is required. But its other major advantage is that the bolt is completely enclosed in the receiver. There is therefore no risk of receiving the bolt in the eye: the hunter is thus able to keep the target in his sights while reloading. Available in calibre 270 win, 7X64, 7RM, 30.06 and 300 WM. Comes in a black ABS carry case.

MODEL	ACERA Stutzen	ACERA Battue	ACERA Elite	ACERA Affût
BARRELS				
Length	510 mm	510 mm	510 mm	580 mm
Calibre	300 WM, 30-06, 7x64,	270 Win, 7x64,	270 Win, 7x64, 7 RM,	300 WM, 30-06, 7X64
	270 Win, 7 RM	7 RM, 30-06 Sprg, 300 WM	30-06 Sprg, 300 WM	270 Win
Rearsight	Adjustable battue rib	Adjustable battue rib	Adjustable battue rib	LPA adjustable
Frontsight	red fibre optic	red fibre optic	red fibre optic	metal
STOCK (*)	Hog's back - The Bavarian cheek piece			
Length	350 mm	350 mm	350 mm	350 mm
Drop at comb	48 mm	48 mm	48 mm	48 mm
Drop at heel	80 mm	80 mm	80 mm	80 mm
MAGAZINE				
Туре	drop down	drop down	drop down	drop down
Capacity	standard : 4	standard : 4	standard : 4	standard : 4
	magnum : 3	magnum : 3	magnum : 3	magnum : 3
TOTAL WEIGHT (*)	3,3 à 3,35 kg	3,1 à 3,2 kg	3,1 à 3,2 kg	3,1 à 3,2 kg
FINISHING				
Receiver	light alloy, anodized	light alloy, anodized	light alloy, anodized	light alloy, anodized
Wood	walnut oil finished	walnut oil finished	walnut oil finished	walnut oil finished
SPECIAL FEATURES	S Furnished with inl	etted swivel bases	Furnished with inl	etted swivel bases
	4 threaded holes f	or scope mounting	4 threaded holes f	or scope mounting

(*) Average values

Adjustable "Battue" type rib, truncated to afford you a better view. A fine white stripe perfectly guides your eye to the target. breech block completely enclosed within the receiver

The seven lug rotating bolt engages directly into the barrel extension, making it particularly strong and reliable.




📂 <u>Acera Affût</u>

Designed more for walk-up or still hunting, this new version has a 58 cm barrel with the appropriate sights. Easy scope mounting thanks to the steel inserts on the breech box. Comes in a black ABS carry case.





SCOPES





BROWNING

Browning, the world's leading gun producer wanted to pass on the benefit of its experience of hunting and target shooting by developing the "Optalens" scope range. This range has been designed, down to its minutest details, to meet your highest standards. All Optalens scopes are guaranteed 30 years*.

* Except Optapoint and Optasight.

🟓 <u>Optasight</u>

The Optasight is one of the very latest generation of sights based on the principle of a projected reticule. This revolutionary sight does not have its equal on the market: it incorporates a sensor that measures the ambient light level and adjuts the brightness of the reticule accordingly. The constant need to manually adjust the brightness when passing from bright sunshine to shade is now a thing of the past. The Optasight provides a choice between four reticules, simply by operating a selector knob. It is equipped with a large window (22 x 28 mm), providing the perfect compromise between a wide field of vision, lightness and compactness. (Powered by a CR 2032 lithium battery) – Guaranteed 3 years.

Optasight Quick, accurate, perfect

Model	Optasight			
Size (mm)	Long : 80 - I. : 36 - H. : 55			
Weight (g)	112			
Window	22 x 28			
Magnification	1			
Reticule	0000			
Autonomy (H)	60-80			
	<u>○</u> @©© 60-80			





ment.

n of 3• Vertical and ttery sideways reticule adjustment

OPTA sight

3• Vertical and
sideways reti-
cule adjust-4• Quick, easy
assembly.

5• Self regulating brightness sensor 6• Reticule brightness adjustment thumbwheels (choice of 7)

7• Reticule selector (choice of 4) 8• After adjustment on the target, firmly tighten this screw to avoid any ill-timed shifting of the reticule.



Optalens Optapoint

This illuminated dot scope provides 1x magnification, which is ideal for quick firing. The brightness can be adjusted and the definition of the dot is always perfect (no edge iridescence). The 33 mm diameter tube gives a vast field of vision. This model comes with an adjustable polarising filter, a lithium/manganese battery and a mount that is compati-

Optalens Model 1-4 x 24


Battue hunting requires the use of a scope having very specific optical qualities. The 1-4 x 24 scope (total length 263 mm), with its gualities of lightness and maneuverability, is the perfect answer. It combines a wide field of vision with a reticule No. 4 for rapid firing The care taken in its manufacture and the multi-coat treatment of the lens ensures.

Optalens Model 1-4 x 26 MRE For firing quickly on the hop from a path, in

scrub land or in foggy conditions, an illuminated reticule is just the solution for a battue hunter.



ble with 16.5 mm wide rails. The Optapoint is quaranteed for 1 year.



Optalens 1-4 x 24 Ideal qualities for battue hunting

perfect brightness in even the most unfavourable conditions. Its one-piece alloy body also makes it particularly robust.



reticules

reticule 4IS





The 1-4 x 26 scope offers a choice of 6 easily selectable reticules, simply by operating the selector. The adjustable brightness guarantees perfect definition under all circumstances. Particularly light, compact and

genuinely strong. this scope is the ideal companion for Ill vour hunting ips.

58

Optalens Model 1,5-6 x 42 IS

The disconnectable illuminated reticule of the of the 1.5-6 x 42 IS is ideal for sighting the target when shooting in poor light (twilight) or where the shot requires to be fired extremely quickly. The red dot at the center of the very fine reticule No. 4. with its well defined edge, is combined with a brightness adjustment system to avoid excessive pupil dilation.

Optalens 1,5-6 x 42 IS For use in any weather, under all circumstances



Model	Optapoint	1-4 x 24	1-4 x 26 MRE	1,5-6 x 42 IS
Magnification	1	1-4	1-4	1,5-6
Tube (mm)	33	30	30	30
Reticule	Point	4	MIS	4 IS
Twilight Factors	•	4,9-9,8	5-10,2	7,9-15,9
Exit pupil diameter		24-5	26-6,5	28-7
Field of vision (in m at 100m)		28,5-8	25,4-8	21,1-5,2
Length	119	253	250	294

Each Optalens scope comes with protective lens caps



Each Optalens scope comes in a recyclable cardboard box.



Optalens 3-12 x 56 One of the best Stalking scopes

Optalens Model 3-12 x 56

Designed for still hunting from a stand the 3-12 x 56 scope provides maximum visual comfort. The very high quality multi-coat lens treatment makes this one of the very best scopes in the world where colour transmission and restitution of form are concerned. With twilight factors from 12.9 to 25.9, your scope remains perfectly useable, even under conditions of very poor or

low light. The reticule No. 14 (with an additional dot beneath the intersection) is ideal. The scope is assembled with meticulous care in a clean room and is filled with nitrogen to avoid all risk of fogging or sensitivity to variations in temperature





Optalens 1,5-6 x 42 The universal

Optalens Model 1,5-6 x 42

📄 Optalens Model 3-9 x 40

A virtually universal scope, the 1.5-6 x 42 combines a short length (only 298 mm), a large magnification range (1.5 to 6 times) and a reticule 4. It thus consti-

The combination of a large magnification

range (from 3 to 9 times) and a lens diameter

of 40 mm make this an ideal scope for use in

the mountains, and more generally in all

cases where the key advantage is a compro-

tutes a high performance, extremely versatile scope. Like all Optalens scopes, its inside is filled with nitrogen to prevent fogging due to changing temperatures

Optalens 3-9 x 40 For hunting in the mountains

compensates for the trajectory of the projectile. The very high quality multi-coat treatment and the aperture diameter (which goes up to 13.3 mm) make this a very effective scope for selective shooting. It also ensures perfect colour rendition.





reticule 30/30



mise between weight and magnification. The reticule No. 14 is really perfect for long range shots. The little dot situated beneath the intersection of the cross hairs allows the point of impact to be determined, and thus



Optalens Model 3-12 x 56 IS

Perfectly adapted to still hunting, this illuminated reticule version of the 3-12 x 56 is at its best at twilight or in very bad light. The very fine red dot, with its very well defined edge. ensures unequalled efficiency. Its meticulous construction, its one-piece alloy housing (of total length not exceeding 377 mm) and

silent fine adjustment screws make this an extremely strong scope that is guaranteed for 30 years, like the whole of the OPTALENS range.

Each scope comes with a set of removable folding lens caps



PAGE 1 FULL BOOM	Canada			
Model	1,5-6 x 42	3-9 x 40	3-12 x 56	3-12 x 56 IS
Magnification	1,5-6	3-9	3-12	3-12
Tube (mm)	30	30	30	30
Reticule	4	14	14	4 IS
Twilight Factors	7,9-15,9	10,9-18,9	12,9-25,9	12,9-25,9
Exit pupil diameter	28-7	13,3-4,5	18,7-4,7	18,7-4,7
Field of vision (in m at 100m)	21,1-5,2	11,3-3,3	9-2,3	9-2,3
Length	295	327	361	362

Scopes

60

Model	3-7 x 20	4 x 32	6 x 40	3-9 x 40	3-9 x 50	4-12 x 50
Magnification	3-7	4	6	3-9	3-9	4-12
Tube (inch)	3/4"	1"	1"	1"	1"	1"
Reticule	30/30	30/30	30/30	30/30	30/30	30/30
Twilight Factors	7,7-11,8	11,3	15,5	10,9-19	12,2-21,2	14,1-24,5
Lens diameter (mm)	20	32	40	40	50	50

Optalens Initial 3-7 x 20

Optalens Initial 3-7 x 20

With its 3/4" body and its integrated 11 mm rail compatible mounting, it is the perfect scope for an air gun or a .22 rifle.

Optalens Initial 4 x 32

Optalens Initial 4 x 32 The most widely used magnification for medium distance shots reticule 30/30

reticule 30/30

Optalens

Initial

(75 m). Attractive satin finish, 1" body.

Optalens Initial 6 x 40

Optalens Initial 6 x 40

The key feature is that the exit diameter is 40 mm, allowing a higher twilight factor. Multi-coat anti-refection treatment and nitrogen filled body.



reticule

A wide range of scopes at an affordable price

Optalens Initial 3-9 x 40

reticule 30/30

30/30

reticule

30/30

Optalens Initial 3-9 x 40 A very wide magnification range (3 to 9 times), the zoom is accurate, the thumbwheel perfectly adjusted. Reticule 30/30

Optalens Initial 3-9 x 50

Optalens Initial 3-9 x 50 An optical quality that will surprise you. The image is clear, the antireflection treatment is perfect, no reticule brightness, unbeatable value for money.

Optalens Initial 4-12 x 50

Optalens Initial 4-12 x 50 For all very long range shots. Optimal twilight factor, reticule 30/30, multi-coat treatment of lenses, nitrogen-filled body.



GTS

Game & Target Shooting


OVER-AND-UNDER SHOTGUNS

GTS Cal 12M Grade 1

This is the ideal model for both sporting clays and hunting. Its back-bored barrel, its 10 mm rib and its ability to shoot any type of cartridge (including steel shot) make it an incredibly efficient gun, without loss of comfort, for hunting waterfowl and migrating birds. It has removable butt swivel rings, its stock is made from very attractive selected European walnut with an oil-rubbed finish.

er CTS Cal 12M Elite

With its superb engraving, this version of the GTS gains in distinction and elegance. The engraving is based on the distinctive GTS design (of a duck gradually being transformed by "morphing" into a clay), further enhanced with 24 carat gold and additional decorative engraving, and superb oilrubbed European walnut.





68 70 72 74
72
74
76
77
78
79





Ultra XT • XTR • XS • XSH OVER-AND-UNDER SHOTGUNS

7



4

Ultra XS • XSH • XTR MIDAS

Removable Midas chokes, easily identified by means of the colour codes applied by anodizing. Removal and installation without need of a wrench. Unequalled ballistic performance.





1-Large sized bolt

Very large flat bolt. It bears on the under locking lug of the barrels with a bearing surface of 36 mm2. Able to withstand forces several times those of the Liege test bench. Unequalled durability.

<u>2•Positive, powerful ejec-</u> tion

Positive and powerful ejection ensured by a hammer mechanism. This mechanism provides unequalled durability compared to spring-operated ejectors which weaken over time.

4-European walnut

Superb European walnut with an oil-rubbed finish.

5•Highly durable hinge pin

One-piece hinge bolt. Forces are distributed over a bearing surface 3 times greater than that of guns with trunnions. Maximum resistance to wear.

6.Sport engraving

Very attractive sport theme engraving on grey action frame. Very striking gold edging.



7.Single selective trigger

Single adjustable selective trigger. Supplied with 3 different triggers. Quick and accurate, as its position can be adjusted to suit the size of your hand.

That Something that makes the difference

Discover: the new revolutionary adjustable stock of the Ultra X.

New adjustable cheek piece

Undo the single adjustable screw through the butt plate, move the cheek piece to the desired position and retighten the screw. You are now ready to fire.

3-Back-Bored barrel

Back bored barrel (exclusive Browning patented design). Cives all demanding shooters: reduced recoil; - increased shot velocity;

- improved shot pattern;
- increased penetration. (see page 34)

8-Perfectly ergonomic

Asymmetric grip for perfect handling. Strong and elegant, this aluminum carry case is ideal for transporting your gun in all situations, even by plane. Its four latches ensure faultless reliability.



67

Target

Ultra XT • XTR • XSH

OVER-AND-UNDER SHOTGUNS

🥏 <u>Ultra XT</u>

The Ultra XT (T for Trap) version is a gun of undoubtable efficiency. The adjustment range of its cheek piece allows it to be adapted to all angles of clay. The semi-beavertail fore-end, the symmetrical grip and its extraordinary balance give it impeccable handling. Comes in an aluminum carry case.



产 <u>Ultra XTR</u>


This model is provided with a rubber cheek piece that is non-slip silky smooth to the touch. This gun allows millimeter accuracy of aim with a level of comfort never before achieved. It is intended above all for very intensive use. Comes in an aluminum carry case.



Concentrated technology ...

Ultra XTR Midas Cal 12

This well known Trap model is now also available with keyless removable Midas chokes, giving it greater versatility for the different trap







MODEL	ULTRA	ULTRA	ULTRA	ULTRA
BARRELS	XTR MIDAS	XT	XTR	XSH
Calibre	40	40	40	10
	12	12	12	12
Chamber	70 mm	70 mm	70 mm	70 mm
Length	760 mm	760/810 mm	760/810 mm	740/760 mm
Chokes	Midas	fixes	fixes	Midas
Top Rib	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm
STOCK (*)	Pistol adjustable	Pistol adjustable	Pistol adjustable	Pistol adjustable
Length	375 mm	375 mm	375 mm	375 mm
Drop at comb	28-38 mm	28-38 mm	28-38 mm	28-38 mm
Drop at heel	32-42 mm	32-42 mm	32-42 mm	32-42 mm
FORE-END	semi-beavertail	semi-beavertail	semi-beavertail	Tulip
TOTAL WEIGHT (*)	3,5/3,6 kg	3,5/3,6 kg	3,5/3,6 kg	3,55/3,6 kg
FINISHING				
Action frame	grey & gold engraving	grey & gold engraving	grey & gold engraving	grey & gold engraving
Wood	oil finished	oil finished	oil finished	oil finished
SPECIAL FEATURES	Midas 3/4 Full factory installed		Adjustable rubber cheek piece	Midas 1/4-3/4 factory installed
	Midas 1/2 - Extra Full and key supplied			Midas 1/2 - Full
	Adjustable rubber cheek piece			and key supplied

(*) Average values - supplied with Allen key for adjustment of stock

ev Ultra XSH

Intended for trap shooters seeking maximum versatility between disciplines (trap – double trap and helice (ZZ bird), this Ultra XSH is equipped with removable Midas

(*) Developed in conjunction with Briley.

<u>Chokes</u>

ance.

Midas(*):

Easily replaced without need

for a wrench.

They provide

maximum ballistic performTarget

Ultra XS **OVER-AND-UNDER SHOTGUNS**

U	ltr	<u>a</u>)	(S	S	po	٦C	te	ſ
					_			


Sporting clays is an increasingly technical discipline with a very wide range of trajectories. A field course, a wood course, with a majority of incoming and going away clays... It is therefore necessary to be able to alter the config-

uration of the stock in a matter of seconds.

The XS Sporter version is equipped with Midas chokes and the Sporting version has fixed chokes. Comes in an aluminum carry case.

	ULTRA	ULTRA	ULTRA	ULTRA	
MODEL	XS Sporting	XS Sporter	XS Sporter Ported	XS Sporter Cal 20	
BARRELS					
Calibre	12	12	12	20	
Chamber	70 mm	70 mm	70 mm	70 mm	
Length	710/760 mm	710/760/810 mm	710/760 mm	710/760 mm	
Chokes	fixed	Midas	Midas	Invector+	
Top Rib	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm	vent. 10 mm	
Stock (**)	Pistol adjustable	Pistol adjustable	Pistol adjustable	Pistol	
Length	375 mm	375 mm	375 mm	375 mm	
Drop at comb	28-38 mm	28-38 mm	28-38 mm	36 mm	
Drop at heel	48-58 mm	48-58 mm	48-58 mm	56 mm	
FORE-END	tulip	tulip	tulip	tulip	
TOTAL WEIGHT(**)	3,5/3,55 kg	3,55/3,6 kg	3,55/3,6 kg	3,15/3,2 kg	
FINISHING					
Action frame	grey & gold engraving	grey & gold engraving	grey & gold engraving	grey & gold engravii	
Wood	oil finished	oil finished	oil finished	oil finished	
ACCESSORIES	Sporter : Midas 1/4 - 3/4 - 1/2 - Full and key supplied				

(*) Fixed chokes for Sporting • Midas forXS Sporter, XS Sporter Ported and INV+ for XS Cal 20. (**) Average values - supplied with Allen key for adjustment of stock



Easily replaced without need for a wrench. They provide maximum ballistic performance.

(*) Developed in conjunction with Briley.

Concentrated technology



70



Ultra XS Sporter Ported

With its ported barrels, this gun is the very best there is in terms of efficiency, technology and comfort. By significantly reducing recoil and muzzle flip during shooting, the gun allows a second shot to be fired more quickly and more accurately. Comes in an aluminum carry case.



BACK BORED

Ultra XS Sporter cal 20

Equipped with Invector Plus chokes, a 10 mm sighting rib and a magnificent oil-rubbed wood finish, the Ultra XS 20 is the ideal gun for sports shooters.

Target

Ultra

BACK-BORED

OVER-AND-UNDER SHOTGUNS

Ultra Sporting/Sporter

In its Sporting (fixed chokes) or Sporter (with Invector Plus chokes) versions, this gun is intended for sporting clay or Compact Sporting. The Sporter comes with 4 Invector Plus chokes. The fore-end is tulip shaped.

(Also available, in left-handed version)

🥏 <u>Ultra Trap</u>

This model aims above all to provide efficiency. Its finely polished 76 or 81 cm long barrels (30" or 32"), its streamlined, floating rib provide a particularly pleasing and accurate sighting line. The trigger can be adjusted to 3 positions. (Also available, in left-handed version)



BRIWNING (1976)

	ULTRA	ULTRA	ULTRA
MODEL	Sporting/Sporter	Skeet	Trap
BARRELS			
Calibre	12	12	12
Chamber	70 mm	70 mm	70 mm
Length	710 - 760 - 810 mm	710 mm	760 - 810 mm
Chokes	fixed/ Invector Plus	Invector Plus	fixed
Top Rib	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm
STOCK (*)	pistol	pistol	pistol
Length	375 mm	375 mm	375 mm
Drop at comb	36 mm	35,5 mm	33,5 mm
Drop at heel	56 mm	55 mm	39 mm
FORE-END	tulip	rounded	semi-beavertail
TOTAL WEIGHT (*)	3,5 / 3,55 / 3,6 kg	3,4 kg	3,5 / 3,6 kg
FINISHING			
Action frame	blued	blued	blued
Wood	oil finished	oil finished	oil finished
OPTIONS		left-handed version	

(*) Average values

ev <u>Ultra Skeet</u>

The Skeet version of the Ultra has a rounded fore-end ensuring an excellent grip, regardless of how it is held. The barrels are fitted with Invector Plus chokes, and the stock is designed especially for this discipline.

BACK-BORED





Following the introduction of the hunting B525 in 2003, the range is naturally being developed this year in the Sports shooting field. In fact, it is a complete range of B525 Sport which see the light of day with numerous versions which reveal major innovations:

- Another change, the trigger weights which have been reworked to become both lighter and more accurate.
- The B525 Sport line is resolutely innovative with a specific re-filing of the action frame and the barrel wings. All the models are also fitted with lateral ventilated ribs which improve the weapon's handling in particular.

	B525	B525	B525	B525	B525
MODEL	Sporting	Sporter	Sporting	Sporter	TRAP
BARRELS					
Calibre	12M	12M	20 M	20 M	12
Chamber	76 mm	76 mm	76 mm	76 mm	70 mm
Length	710 - 760 - 810 mm	710 - 760 - 810 mm	710 - 760 mm	710 - 760 mm	760 - 760 mm
Chokes	1/4-3/4	INVECTOR	1/4-3/4	INVECTOR	3/4-1/1
Top Rib	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm
STOCK (*)	pistol	pistol	pistol	pistol	pistol
Length	375 mm	375 mm	375 mm	375 mm	375 mm
Drop at comb	36 mm	36 mm	36 mm	36 mm	33,5 mm
Drop at heel	56 mm	56 mm	56 mm	56 mm	39 mm
FORE-END	tulip	tulip	tulip	tulip	semi-beavertail
TOTAL WEIGHT (*)	3,4 - 3,5 kg	3,45 - 3,55 kg	3,1 - 3,15 kg	3,15 - 3,2 kg	3,5 - 3,55 kg
FINISHING					
Action frame	greyed	greyed	greyed	greyed	greyed
Wood	oil finished	oil finished	oil finished	oil finished	oil finished
ACCESSORIES		(1)		(1)	
OPTIONS		available in left-			available in left-
		handed version			handed version

(1) Sporter : INVECTOR 1/4-1/2 mounted, 3/4 and cyl supplied

(*) Average values

 the new barrels are now chambered in 3" which allow steel shot to be fired, for the models fitted with adjustable, "Invector" type chokes. These same "Invectors" are also new, as they are going to be made of "stainless steel" from now on, which makes them light and sturdy to improve patterns.

 The woods benefit from an all new oil finish which is far brighter.

B525 Sporter Cal 12 available in the following grades

Invector Stainless Steel

Elite Grade 3

Prestige Grade 5

Ultimate Grade 6



Target

	SEMI-AUTO .22	Buck Mark	Buck Mark
MODEL	Grade 1	Rifle	Classic Target Rifle
BARREL			Match
Length	490 mm	500 mm	500 mm
Calibre	.22 S or .22 LR	.22	.22
Rearsight	folding, adjustable in elevation	adjustable	•
Frontsight	transversal	fibre optic	
STOCK (*)	pistol		
Length	345 mm	476 mm	476 mm
Grip		ergonomic plates	ergonomic plates
Material		wood	laminated wood
Drop at comb	30 mm	22 mm	22 mm
Drop at heel	67 mm	38 mm	38 mm
TRIGGER			
Trigger pull		1,15 to 2,25 Kg	1,15 to 2,25 Kg
Magazine			
Туре	tubular (stock)		
Capacity without reducer	11 LR or 15 S	10 cartridges	10 cartridges
Capacity with reducer	9		
TOTAL WEIGHT (*)	2,3 Kg	2 kg	2 kg
TOTAL LENGTH		850 mm	850 mm
FINISHING			
Receiver	blued	polished finish	polished finish
Wood	gloss varnish	sanded, blued	sanded, blued
SPECIAL		Integral	Integral
FEATURES		mounting rail	mounting rail
OPTIONS	Custom version		

Buck Mark rifle / SA .22

.22 RIFLES

<mark>€ Buck Mark</mark> <u>Rifle</u>



(*) Average values

<u>**Rifle</u>** This is the latest addition to the</u>

Buck Mark Classic Target

Buck Mark Rifle range. It has been designed to give the shooter the maximum possible accuracy through the use of a heavy large diameter Match type barrel. The laminated wooden stock and forearm give it a special and highly distinctive look.

<u> 22. Semi-auto</u>

This much copied, never equalled rifle has been continually produced since 1924 and has something for everyone:

operation in "blow-back" mode (unlocked breech operated by gas)

- automatic ejection, cocking and loading
- loading through the stock (the magazine tube is pulled to the rear and the cartridges are dropped one at a time into an opening in the stock)
- bottom ejection
- barrel take-down with wear adjustment

Pro 9 Hand guns

<u>е олЧ (</u>

BROWNING PRO-9

a

The Pro 9 handgun is the result of lengthy research aimed at developing a gun that precisely meets the needs of the market. This classic double action handgun (double action for first shot, single action for the others), which was jointly developed by FN Herstal and Browning, is not only a highly reliable gun but also a unique solution in terms of ergonomics, safety and modularity. The firing mechanism is housed in an easily replaceable "firing box", for ease of servicing, both for yourself and your gunsmith. A medium-sized handgun, the handle can be adapted to suit the hand of each user

new

Safety has not been ignored. The Pro 9 handgun is equipped with the most modern systems:



tal and • Firing pin safety to avoid the gun

MADE IN USA

The expertise of FN Herstal and Browning in handgun design and the care taken in developing the Pro 9 have already made it a " Standard " of reliability, like its predecessor the celebrated HP. This gun incorporates highly sophisticated technological solutions:

The steel slide sits on a steel mechanical cradle, which is itself housed in a receiver made of synthetic material, thus combining strength, weight and balance.

• Firing pin safety to avoid the gun accidentally firing without first pulling the trigger.

• A safety lever to make the gun safe and to deactivate the hammer with or without a cartridge in the chamber.

Finally, it is fitted with a rail which is able to receive an extensive range of accessories, such as flash lights, laser designators, etc.

	PRO 9
MODEL	(DA/SA)*
BARREL	
Length	101,6 mm
Calibre	9 mm LUGER
Rearsight	fixed
Frontsight	fixed
	dovetail notch
GRIP	
Туре	ergonomic
Material	Hi-Impact Nylon
TRIGGER	
Trigger pull (**)	DA: 4,6 kg / SA: 1,7 kg
Magazine	
Capacity	15
TOTAL WEIGHT	710 g magazine empty
TOTAL LENGTH	180 mm
FINISHING	Meconite /
1.00	Tenifer (slide)
SPECIAL	Reversible catch/
FEATURES	Firing pin safety
a series	Integrated Picatinny rail

DA/SA = double action for the first shot, single action for the others

Available : Summer 2004



Target

GP • BDA HAND GUNS

HAND GUNS



GP Vigilante adjustable The latest standard version of the HP handgun incorporating new low profile sights.

GP	GP Direction	GP Cilver Chrome	CP Vigilante	BDA
WIK III S	Practical	Silver Chrome	Adjustable	
440 mm	440 mm	440 mm	440 mm	118.5 mm
				9 mm Luger
				dovetail sight notch
uovetali sigitt flotti				uoverali sigili liotoli
				alau stall sa stala
				dovetail notch
dovetail notch	dovetail notch	dovetail notch	dovetail notch	
ergonomic plates	ergono. checkered	ergono. checkered	ergono. checkered	ergonomic plates
plastic	rubber	rubber	wood	plastic
3,2 to 4,5 Kg	3,2 to 4,5 Kg	3,2 to 4,5 Kg	3,2 to 4,5 Kg	1,7 à 2,7/4,5 to 5,5 Kg
	institute-	the second s		
13 cartridges	13 cartridges	13 cartridges	13 cartridges	14 cartridges
0,91 Kg	0,98 Kg	0,98 Kg	0,93 Kg	0,875 Kg
200 mm	200 mm	200 mm	200 mm	200 mm
sanded, phosphated,	phosphated black	sanded	polished	phosphated
varnished	varnished sanded	chrome plate	chrome plated	varnished
(1)	(1)		(1)	(2)
Additiona	l magazine		1.	Additional magazine
				Cleaning rod.
Transpo	ort case	Televille .		Transport case
		Custom sh	on Additional s	
				-
				calibre 9 X 21
marchigate filly	and the second se			Calibre 5 A 21
	MK III S 119 mm 9 mm Luger dovetail sight notch MH III dovetail notch ergonomic plates plastic 3,2 to 4,5 Kg 13 cartridges 0,91 Kg 200 mm sanded, phosphated, varnished (1) A d d i t i o n a C I e a n i T r a n s pu Custom Shop. Add	MK III S Practical 119 mm 119 mm 9 mm Luger 9 mm Luger dovetail sight notch adjustable helght and direction or fixed MH III specific Sport dovetail notch dovetail notch ergonomic plates ergono. checkered plastic rubber 3,2 to 4,5 Kg 3,2 to 4,5 Kg 13 cartridges 13 cartridges 0,91 Kg 0,98 Kg 200 mm 200 mm sanded, phosphated, phosphated, phosphated black varnished varnished sanded (1) (1) A d d i t i o n al m a g a z i n e C i e a n in g ro d T r a n s p or t c as e Custom Shop. Additional sights MKIII with luminescent spot «Mercolight- Martingale ring 3 position flat spanner	MK III S Practical Silver Chrome 119 mm 119 mm 119 mm 119 mm 9 mm Luger 9 mm Luger 9 mm Luger 9 mm Luger dovetail sight notch adjustable height and direction or fixed adjustable height and direction adjustable height and direction MH III specific Sport specific Sport dovetail notch dovetail notch dovetail notch dovetail notch dovetail notch ergonomic plates ergono. checkered ergono. checkered plastic rubber 3,2 to 4,5 Kg 13 cartridges 13 cartridges 13 cartridges 13 cartridges 200 mm 200 mm 200 mm 200 mm 200 mm 200 mm sanded, phosphated, phosphated black sanded chrome plate (1) (1) Magazine with shock absorber A d d it io n al m ag az in e C is a n in g ro d T r an s p or t c as e Custom Shop. Additional sights MKIII C u s t or m S h w it h. l um it with lu	MK III S Practical Silver Chrome Adjustable 119 mm 119 mm 119 mm 119 mm 119 mm 9 mm Luger 9 mm Luger 9 mm Luger 9 mm Luger dovetail sight notch adjustable height and adjustable height and adjustable height and direction or fixed direction or fixed direction direction MH III specific Sport specific Sport specific Sport dovetail notch dovetail notch dovetail notch dovetail notch ergonomic plates ergono. checkered ergono. checkered ergono. checkered plastic rubber rubber wood 3.2 to 4,5 Kg 3.2 to 4,5 Kg 3.2 to 4,5 Kg 3.2 to 4,5 Kg 3.2 to 4,5 Kg 0.98 Kg 0.98 Kg 0.93 Kg 0.91 Kg 0.98 Kg 0.98 Kg 0.93 Kg 200 mm 200 mm 200 mm 200 mm sanded phosphated black sanded polished varnished varnished sanded chrome plated chrome plated (1) (1) Magazine with shock (1) A d d it i o nal m ag a z i ne C le a n in g n od T ran s p or t c as e Custom Shop, Additional sights MKIII C ustom S

(1) Manual and ambidextrous safety, with lever blocking sear and slide.

Magazine and firing pin automatic safeties. Magazine with visualisation holes and ejection spring

(2) Automatic firing pin safety – Ambidextrous hammer lowering lever. Magazine with visualisation holes and ejection spring. Removable martingale ring. Exposed hammer.

(*) Average values



Service of the servic

The GP Practical has been developed to meet the stringent demands of "Practical Shooting". It includes numerous improvements, such as :

Adjustable, low profile sights

• Particularly crisp trigger pull

Ultra precise handling through the use of Pachmayr chequered rubber grips

Hammer redesigned to avoid getting caught when drawing
 Increased weight and improved stability

- Ambidextrous (left/right) with retained magazine safety
- Larger magazine entry in the frame
- Ejectable magazine equipped with Pachmayr rubber buffer
- Particularly corrosion resistant finishes

<mark>ер <u>GP MK III S</u></mark>

The GP MK III S combines all the qualities of the original HP with an ambidextrous safety and a weight (910 g) that makes it a safer and more accurate gun to handle. It is also fitted with Pachmayr grips for improved handling. A handsome gun with its blued and chrome finishes.

GP Silver Chrome

The GP also exists in a Silver Chrome version, equipped with an adjustable backsight that can be adjusted for both windage and elevation and a sport foresight with a rounded base.

It is also fitted with Pachmayr grips to provide improved handling. A handsome gun with its blued and chrome finishes.

Browning BDA

The new BDA is an extremely reliable gun which is very robust and provides maximum safety. It incorporates the results of decades of experience gained with the famous HP pistol and includes numerous innovations, both in terms of the materials used and the design of certain parts. The BDA offers the following features :

- Greater strength of parts
- Lower weight and increased compactness
- Improved extraction, ejection and feeding
- Automatic firing pin safety
- Fixed sights
- Reversible magazine stop
- New magazine
- Better grip.

Buck Mark

Buck Mark Standard Nickel

Black rubber and bronzed steel combine to make this a particularly tough-looking pistol. The nickel plating on the slide and barrel provide increased protection. The grips provide sure handling. An extremely reliable and accurate pistol.

	BUCK MARK				
MODEL	Standard	Standard Nickel	Plus	Bullseye	Target 5,5
BARREL					
Length	140 mm	140 mm	140 mm	184 mm	140 mm
Calibre	.22 LR				
Rearsight	adjustable	adjustable	adjustable	adjustable	adjustable avec
					pont anti-reflet
Frontsight	fixed	fibre optic	fibre optic	fixed	adjustable
GRIP					
Туре	ergonomic plates				
Material	Plastic	Plastic	laminated wood	wood	walnut
TRIGGER					
Trigger pull (*)	1,15 to 2,25 Kg				
MAGAZINE					
Capacity	10 cartridges				
TOTAL WEIGHT (*)	1 Kg				
TOTAL LENGTH (*)	241 mm	241 mm	241 mm	287 mm	245 mm
FINISHING	polished, sanded, blued	polished, sanded, nickeled	polished, sanded, blued	polished, sanded, blued	polished, sanded, blue
SPECIAL					Ribs ability
FEATURES					to fix scope
ACCESSORIES	Supplied with Allen key	Supplied with Allen key	Supplied with Allen key	Supplied with Allen key	Allen key to adjust trigger pull
OPTIONS					Ergonomic grip

Buck Mark Standard

A cut above the rest, this is Browning's version of a basic pistol. It can easily compete with the best .22 calibre target shooting guns. Hundreds of HMSA winners are there to prove it. Its features include a thumb-operated magazine release, a 10-shot magazine, a bull barrel and "Pro-Target" sight.

<u>Buck</u>	Mark	Target	5.5	blued	finish

Identical to the Buck Mark Target 5.5 Gold, but with the original Target blued finish.



has exactly the same features as the standard model, with the addition of

laminated wooden pistol grips make

for a naturally warm

feeling of warmth

and great looks.

📂 <u>Buck Mark Bullseye</u>

According to the old adage, it's the shooter that counts, not the gun. But the shooter also knows that he wouldn't have been able to win without his gun. It is for this reason that many sports shooters have chosen the Browning Buck Mark Bullseye. Its accuracy and reliability make it the perfect choice for Compton shooting. It is very well balanced, and is available with a rosewood or a rubber grip.



Adjustable vernier rearsite

Allowing adjustment of windage and elevation: Brownings' hallmark attention to detail

Double interleaved spring compression system.

This unique design consists in having not one, but two springs in compression. With a coil pitch two times greater than that of the standard springs used by our competitors, our two springs are subject to less stress, slackening by less than 25%. They thus provide durable power that does not tail off with use.

Double-action lever

Vectis 220 : (50% spring compression forward, 50% back), that greatly simplifies cocking and requires less effort. 14 click non-return system.

of our breakopen barrels thanks to a ball type design. Perfectly airtight. (Vectis 026, Vectis 032)





Hydro-Fleece® Pro Series 4-

<u>in-1 Parka</u>

Shell : • Improved Hydro-Fleece® Pro Series fabric with Gore-Tex® laminate for quiet, waterproof, windproof and breathable performance

Zippered rear pocket
Drawcord waist

Liner : • New DuPont[®] Thermolite[®] Micro insulation for warmth without bulk

Sizes : S-3XL
 Mossy Oak[®] Break-Up[™]
 30363314 • •

new

- 1.- Detachable, insulated, height adjustable hood
- 2.- Two zippered bellows pockets plus inside security pocket
- 3.- Underarm gusset and articulated elbow
- 4.- Adjustable Lycro[®] cuffs
- 5.- Quiet, direct-attach zipper pulls.
- 6.- Liner : Camo fleece reserves to olivecolour tactel nylon
- 7.- Elasticized bottom and knit cuffs
- 8.- Two slash pockets on each side
- 9.- Grip strips on shoulders

new

Hydro-Fleece[®] Pro Series Pant

Improved Hydro-Fleece® ProSeries fabric with Gore-Tex® laminate for quiet, waterproof, windproof and breathable performance • Sizes : S-3XL

Mossy Oak[®] Break-Up[™]

30263814 ••

 Tekna-Fleece lining
 Side-seam leg zippers extend to the knee
 Zippered fly
 Fully constructed waistband with kidney flap (higher in back)
 Two cargo pockets, two front pock-



- rear pocket with quiet zip-
- per pulls



- Hydro-Fleece® caps
- Hydro-Fleece[™] fabric with Gore-Tex[®] inserts
- Adjustable Velcro® headband
- One size fits all
- Mossy Oak[®] Break-Up[™] (MOBU)
- 30892504





Thermolite



Hydro-Fleece[®] Parka Hunting gloves Middle *Hunting gloves Double* er Gore-Tex[®] Hat • Hydro-Fleece fabric is waterproof, • Green • Green Olive windproof & breathable utilizing • Made of polyurethane and Nylon Made of Windstopper[®] • Gore-Tex® Gore-Tex® laminate Windstopper[®] 30720239.. 3082001 • Sizes : S-XXXL 30720539.. Loden Green 30353540X. new new new <u> Hunting Hydro-Fleece®</u> Hunting gloves Cold Socks Brume Cordura • Green Made of 20% Acrylic, 35% Polyamid and Gloves/Mitten • Gloves and Gore-Tex® 45% Wool Made of Windstopper[®] Hydro-Fleece[™] with Cordura[®] Bi-color green S-XL / Mossy Oak® Break-Up™ 30720339 •• 21710043 (40-41) 21710053 (42-43) 30789404... (whilst stocks last) 21710063 (44-46) • Green new STREET, 21710143 (40-41) 21710153 (42-43) 21710163 (44-46) CORDURA® CORDURA®

- Detachable insulated hood
- Tekna-Fleece lining
- 2 lower slash pockets and 1 inside security pocket
- Full-length YKK zipper with flap
- Velcro[®] adjustable Lycra cuffs
- Thermolite insulation
- Drawcord waist

Masters Shooting Vests

• Tailored and engineered for complete freedom of movement with ultimate functionality

• A large water resistant leather patch for easy mounting

 With Reactar™ pad pocket so you can add a Reactar™ pad for maximum recoil protection and comfort when shooting
 Integral vest expander for additional size flexibility

Large shell pockets

Available in black, red and green

• Sizes: S-XXXL (Left or Right Hand)

€ <u>Reactar</u>

 This is a system developed by Browning to reduce the effects of repeated recoil by nearly 30%.
309002



Black 30550190•• right-handed 30550090•• left-handed

Green 30550139•• right-handed 30550039•• left-handed

Mens Deluxe Shooting Vest

- Twill full-length shooting patch
- Mesh body for ventilation
- Two-way front zipper
- 4 large front shell pockets
- Bartacs at all stress points
- Side tab adjustments
- Large back pocket for empties or other gear
- Built-in REACTAR™ pad system
- Right-hand or Left-hand
- Sizes: M-XXXL

5

Black /red

30500290•• right-handed **30500390**•• left-handed

Loden/Beige 30500240•• right-handed 30500340•• left-handed



- er Caps Logo
- Adjustable
- One size
- 100% cotton Twill



Black/Gold 3084521



Clay Master Black 308001901



Twill Logo Olive 308304841



Twill Logo Navy 308304951







—<u>Hearing Protection</u> **US Electronic**

- Electronically eliminates all unwanted sound.
- · Enhances weaker sounds normally not audible when wearing hearing protection.
- NRR 19dB

12639 - Black



Hearing Protection Deluxe Comfortable, extra-wide padded headband Adjustable stainless steel wires

• NRR 22 dB

12632 - Black



new Four Box Carrier

• Holds four boxes of shells in centre compartment Browning logo

Ż

BROWNING

1215541



📂 <u>Roma towel</u>

100 % Cotton / Logo dimensions : 30 x 50 cm 392251 - Black

ROWNING The Best There Is Profile Electronic Ear

Protection

ECTRONII

EARING PRO

- The electronic model features a low frequency "lift", which enables the shooter to hear more bass detail whilst at the same time the treble response is gently rolled off, eliminating distracting and unwanted high-pitch sounds
- When shooting, sound below the 75 dB safe level is heard normally
- As the gun is fired, this threshold is exceeded and the sound output is cut to zero but quickly returns back to normal.

With charger 220-230 V:

12648 - Black

BROWNING

🗩 Toe Rest

• You can use this accessory to let the barrels of your gun lie on the top of your shoes.

WATER !!

NG PROTECTOR

BRO NING

Profile Passive Ear Protection

The passive Pro-tection offers many of

Noise attenuation is approximately

They may be comfortably worn with

glasses, are lightweight and feature padded seals and a cushioned head-

the same design characteristics

- Real leather 100%
- 218511 Black

24 dB

band

12644 - Black



Standard 579302 - 200ml 625117 - 750ml


Longlife 579303 - 200ml 579304 - 200ml

Stockcare

Browning Special Care Products

Our gas-free pump-action system and the adherence of our low volatility oils, make the LEGIA SPRAY 25% more efficient than traditional gun oils.

- LEGIA SPRAY Standard (Red): cleaning oil for barrels and receivers: excellent for maintenance and protection.
- LEGIA SPRAY Stockcare (Green): the ideal product for protecting and maintaining precious woods. Nourishes and increases the impermeability of all "oil rubbed" finishes.
- LEGIA SPRAY Longlife (Grey): Low volatility oil. The oil film remains on the gun longer, making it the ideal product for use in extreme conditions (salty, damp, etc.)



The safe way to protect both firearms and furniture. The soft, felt-like fabric won't damage firearms and has a waterproof Zorb TechTM backing. Zorb Tech stops spills from spreading and inhibits the soak through of cleaners. The mat is also washable, dryable and highly stain resistant. 40.64 x 137.16 cm 12420 - Black



륻 Barrel-cleaning kit

The Browning Barrel WeaseITM is a simple tool that thorougly and effectively cleans your rifles and shotguns in about ten seconds. Bronze bristles, embedded in the nylon cord, loosen deposits while the cord itself wipes away deposits in a way cleaning patches can't equal. Constructed from durable nylon cord, the Barrel Weasel is washable and reusable for many years.





12410 - Cal 22 12411 - Cal 270/7mm 12413 - Cal 300/3006/308 12414 - Cal 20 12415 - Cal 12

No water or towel necessary. Carry in the field for quick clean-up after dressing game or prior to the dinner bell. Quickly cleans. Simply apply soap and rub hands together.

Goes on wet, dries within seconds. Dry wash TM flakes off along with dirt blood, etc.

Remove almost anything from hands including oil, fuel, blood and fish odours. Anti bacterial and environmentally friendly.

116001 - Fragrance free

116002 - Conifer

륻 Dry wash

116003 - Citronella



Dura-Wax Series case

Very resistant to abrasion and scuffing, Browning Dura-Wax will also protect your gun against bad weather and knocks. Gun positioning blocks hold your gun securely in place. For 76 cm shotguns barrel length (green)

142720 - Green



Carry case (leather range)

- Very high quality hand-made 100% leather carry case for exceptional guns.
- Thick leather handle, leather corner reinforcement
- 2 combination locks plus 2 leather closing straps
- Wooden base
- Removable spacers according to the length of the barrels (66cm to 81cm).



The 1,000 denier Cordura fabric exterior is highly resistant to abrasion and scuffing. A special compartment is provided for Invector choke tubes. The case is provided with corner reinforcement and combination locks. For 76 cm shotguns only


142760 - Beige



new

Canvas case

- Canvas exterior accentuated by rich leather corners, thick leather handle and leather Browning logo.
- Fits barrel lengths from 66 cm 81 cm
 Two brass combination lock keep your
- aun secure.
- Short nap wool interior
- 142510 Olive



When travelling, a gun case must be able to stand up to large variations in temperature and humidity. That is why our Travel Vaults provide a perfect seal, so

much so that a purge valve is provided to allow you to equalise internal pressure before opening.

1. A special inset O-ring completely seals out water, humidity, dirt and sand to totally protect your guns and equipment.

 Because Travel Vaults seal 100% airtight when closed, it is necessary to have a purge valve in order to equalize internal pressure after you change altitude. Lesser cases

don't need a purge valve because they don't seal 100% tight.

3. Travel Vaults seal so tightly they'll float, even when fully loaded with gear. This makes them ideal for transporting gear when rafting, canoeing, etc. Small models are great for keeping personal valuables safe and dry.

P <u>Carry case (leather/canvas range)</u>

- Thick leather handle, leather corner reinforcement
- Interior lined in soft fabric marked with the Browning logo.
- Removable spacers according to the length of the barrels (66cm to 81cm)
- 2 combination locks plus 2 leather closing straps

142311 - Olive

142610 - Beige





Ref.	Sizes (cm)
Mod 4815 - 145481	Ext. 59 x 53 x 23
Int. 56 x 43 x 20	
Mod 5015 - 145501	Ext. 95 x 44 x15
(one gun disassembled)	Int. 91 x 34 x 13
Mod 5115 - 145511	Ext. 132 x 44 x15
(2 guns assembled)	Int. 129 x 34 x 13



141310152 - 132 cm regular Black (whilst stocks last)

new

Anden Gunslip 1412801- 132 cm regular Black

(whilst stocks last)

Buck Mark Rifle Gunslip
 600D polyester
 1410036 - 92 cm regular Green

Armoured Gunslips

 Shell : • Reinforced Rubber 600D Polyester • Lining : Quilted Terry cotton • Padding type: 16mm high density foam • Zipper: # 10 Coil • Trim and Binding: 600D Poly • Colour : Olive 141530148 - 122 cm regular Olive 141530152 - 132 cm regular Olive 141530244 - 112 cm scope Olive 141530248 - 122 cm scope Olive



📂 Midas Canvas Gunslip

Shell: 22 oz. Canvas • Lining: Flannel
Padding type: Quilted flannel • Zipper: Snap Closure o• Trim and Binding: Canvas
Color: Green

141999152 - 132 cm regular Green

Deluxe Canvas Gunslips

• Shell : Cotton Ducko Lining : Sherpa Pile • Padding type: Open Cell Foamo Zipper: # 5 Nylon • Trim and Binding: Expanded Vinyl • Colour : Green

 - 122 cm regular Green - 132 cm regular Green - 112 cm scope Green - 122 cm scope Green

Standard Canvas Gunslips

• Shell : • Cotton Canvaso Lining : Brushed Nylon knitted fabric • Padding type: Tuff Pad • Zipper: # 5 Nylon • Trim and Binding: Expanded Vinyl • Colour : Green, Tan, MoBu

141202150 - 127 cm regular Beige **141202152** - 132 cm regular Beige **141205150** - 127 cm regular Green **141205152** - 132 cm regular Green **141221150** - 127 cm regular MoBu **141221152** - 132 cm regular MoBu (MoBu = Mossy Oak Breakup)

Suits all Browning rifles

122302025 - Black 122301425 - Beige 122300125 - MoBu

Suitable for BPS Cal 12/20 A5 and Gold Cal 12/20 **122302029** - Black **122300129** - MoBu

— <u>X-Cellerator braces support</u>

Easily adjustable slip-lock buckle.

- Can be positioned as shoulder or backpack sling.
- Wide range of adjustments.
- Super swivels included.

F

• Width 3.2 cm



121311 - Small Cargo Bag 121312 - Medium Cargo Bag

new *evaluation: Constant and Const* Natura Leather/Canvas • Leather made • Adjustable leather sling • Additional zippered <u>Gunslips</u> pockets on one side • Carrying strap • Fits rifles or shotguns over-all barrel length 81 cm • Colour : Dark Brown • Lining • Hand Made by Handcraft Made in Belgium For Shotguns Natura double Leather /Canvas 1412781 - 176-81 cm barrel length 149211 (whilst stocks last) new Natura Leather Gunslips • Hand Made by Handcraft Made in Belgium • Real leather 100% (whilst stocks last) 149212 For Rifles Print Cartridge Bag new 1412791 Natura ➡ Natura double • Hand Made by Handcraft Leather/Canvas Gunslips Made in Belgium • Hand Made by Handcraft Real leather 100% Made in Belgium 12591 Natura double Leather /Canvas 149215 new new Natura travel bag • Hand Made by Handcraft Natura double Leather Gunslips Made in Belgium Natura double Leather • Hand Made by Handcraft Made in Belgium /Canvas Natura double Leather 12119 149216



Fowl Gear™ Blind Bag

🗩 12 or 24 Pack Dome Cooler

• Durable, coated nylon outer in Mossy Oak Break Up[™] • Water-stay line and zippered storm flap provide a water resistant interior • Both bags have closed-cell foam construction that make them buoyant • Call pockets and a zippered dry pocket for extra water protection • Guide model will float, even with 10 boxes of 12 gauge 3" shells • Outside shell loops provide quick access to alternate loads.

• 600 Denier Polyester coated with heavy-duty polyurethane •

Heavy-gauge vinyl lining • Leakproof, electronically welded liner • Heavy-duty self-repairing nylon zippers • Durable nylon web straps

 Open-cell foam construction provides protection for canned beverages or even a video camera
 Mossy Oak Break-Up[™] camo
 Three sizes to choose from, including a model that converts to a back-

Dimensions 17 x 19 x 10 12171

pack.

121796 - 12 pack 121797 - 24 pack



Soft-Side Coolers

Back Pack Cooler

121795



• 600 denier polyester • PVC coated inner pocket is removable and watertight • Three pockets to separate • Detachable

duck straps • Nylon shoulder strap •

Elastic shell loops • Mossy Oak® Break-Up



<u>Water Hole™ 1000</u> 12910



Water Hole[™] Hydratation Packs

• Days spent afield are often some of the longest and hardest days you'll experience, requiring plenty of water and gear to get through. Water Hole[™] Day Packs address the needs of the hunter head-on. Made from durable saddle cloth, these low profile packs are designed to slip quickly and quietly through brush. Water Hole[™] Days packs feature an integrated hydration reservoir which holds 64 ounces (2L) of water, enough to keep you hydrated and moving all day long. The flexible reservoir is made from a durable, three ply laminate that is able to withstand the effects of boiling, freezing and microwaving and does not impart a plastic taste to water. It is also removable for easy filling and cleaning. The unique Bite Me[™] valve will not leak and allows convenient drinking quickly, quietly and hands-free. Fully adjustable, padded shoulder straps and waist belt keep the pack secure while external compression straps keep gear in place. A mesh back panel aids in moisture transfer to help keep you cool. Water Hole[™] Hydration Bladder included, and also sold separetely

<u>Water Hole™</u> 2000 12911

Water Hole[™]

Water Hole™

Hydratation

Bladder 12913

3000

12912



📂 <u>Water Hole™ Fanny Pack</u>

• Unique single shoulder strap for better support, stability and comfort • Shooting arm stray free • Hydration system with one litre bladder is specially designed for this pack • Bladder is extremely quiet • Quiet, waterproof saddle cloth in Mossy Oak® Break-up[™] • Easy access to pockets for shells, calls and accessories when sitting in a tree stand or against a tree • Foam rollaway seat attaches to bottom of pack



F.D.T Knife Collection (Field Dressing Tools)









Legia Phoenix

📂 Legia Phœnix game cartridges

Browning is proud to present its Phoenix range of high quality hunting cartridges. Retaining the essential features that were so appreciated in the old Legia range, this new cartridge will give entire satisfaction for hunting all types of game. The Phoenix range of cartridges are available in the following weights: 34g, 36g Ni, 42g Ni and 53g Ni. All of the cartridges are provided with a 20mm nickel-plated head to avoid any risk of corrosion and thus ensure that your cartridges remain in perfect working order even after several seasons at the bottom of your cartridge bag. Because we are concerned for the environment. all of the cartridges in the Phoenix range are provided with a photodegradable wad which decomposes much faster than traditional Polyethylene ones.

Eegia Phoenix Super 36g Ni

The ideal cartridge for "difficult" birds such as pigeon, duck and high flying pheasant, as well as for hare. Its 36g nickel-plated shot load ensures an exceptional shot pattern and high penetration.

🛑 Legia Phoenix Magnum 53g Ni

12/76 mm Magnum cartridge for firing from long-range or for hunting migratory birds such as duck and geese. Only to be used in Magnum shotguns.

Legia Phoenix Semi magnum

Legia Phoenix Magnum

Legia Phoenix Brenneke

12/70


12/76

12/70









This 12/70mm cartridge loaded with 34 g of hardened lead offers an excellent compromise for hunting all types of game throughout the hunting season. Available in shot sizes 4-5-6-7-8

<u>Eegia Phoenix Semi-magnum</u> <u>42g Ni</u>

This 12/70 mm cartridge is capable of firing a 42g load of nickel-plated shot. It will satisfy the needs of all wild waterfowl hunters who shoot duck from a longer range. Only to be used in shotguns that have been double tested to 1300 bars.

	CAL				• °z	
Legia Phoenix Classic	12/70	20 Ni	34 g	photodegradable wad	4-5-6-7-8	10
Legia Phoenix Super	12/70	20 Ni	36 g Ni	photodegradable wad	0-2-3-4-5-6-7	10

20 Ni	42 g Ni	photodegradable wad	0-2-3-4-5-6	10
20 Ni	53 g Ni	photodegradable wad	0-2-3-4-5-6	10
20 Ni	31,5 g	-	Brenneke	10

Browning International s.a.

fusign evolve

金田

Parc Industriel des Hauts-Sarts 3^{eme} a v e n u e , 25 B-4040 Herstal - BELGIUM Fax: +32 (0)4 240 52 12 www.browningint.com



