H&R 1871, LLC New England Firearms®

2004 Sporting Firearms



Muzzleloaders: New Sidekick[™]

Two slick Sidekick[™] muzzleloaders are

available: the blued model features a case-hardened frame, a 24" or 26" (Magnum) barrel with deep-cut rifling for pinpoint accuracy, and a walnut-finished hardwood pistol-grip stock.

The stainless model features a matte nickel finish receiver, stainless steel 24" or 26" (Magnum) barrel with deep-cut rifling for pinpoint accuracy, and high-density, black matte polymer pistol grip stock.

The Sidekick[™] design is based on a reconfigured version of the familiar H&R single-barrel break-open action. The new muzzleloader uses standard #209 shotshell primers held in place by a patented primer carrier. This rifle is extra easy to clean and corrosion-resistant. Both models feature adjustable fiber-optic open sights, a unique telescoping brass ramrod, swivel studs and a ventilated recoil pad, and are drilled and tapped for a scope base.

NEW Stainless Sidekick[™] Muzzleloader

NEW Sidekick[™] Muzzleloader

Specifications: (Subject to change without notice.)

Model	Stainless Sidekick™ (24" – SPS-050, 26" – SPS-056)	Sidekick™ (24" – SPO-050, 26" – SPO-056)
Caliber	.50	.50
Action	Break-open, side lever release, muzzleloading	Break-open, side lever release, muzzleloading
Primer	209 Shotshell (5 reusable primer carriers furnished)	209 Shotshell (5 reusable primer carriers furnished)
Stock	High-density polymer, full pistol grip stock with black matte finish, sling swivel studs, ventilated recoil pad	American hardwood full pistol grip stock with walnut finish, sling swivel studs, ventilated recoil pad
Finish	Matte nickel finished frame, stainless steel barrel	Color case-hardened frame, black oxide barrel
Barrel	24" or 26" (Magnum) (1 in 28" twist) with deep-cut rifling	24" or 26" (Magnum) (1 in 28" twist) with deep-cut rifling
Sights	Fiber-optic open sights, tapped for scope base	Fiber-optic open sights, tapped for scope base
Length	39 ¼" (SPS-050), 41 ¼" (SPS-056)	39 ¼" (SP0-050), 41 ¼" (SP0-056)
Length of Pull	14 ¼ [°]	14 ¼"
Drop at Comb	1 1/2"	1 1/2"
Drop at Heel	2 ¼"	2 ¼"
Weight	6 ½ lbs.	6 ½ lbs.



Unique telescoping brass ramrod (Both Models).



Both models come with a breech plug wrench and five primer carriers.



The primer is held in place by a special, patented, reusable primer carrier, which also serves as a visual indicator that the rifle is primed (Both Models).









Huntsman[®] Muzzleloaders^{*}

feature of blackpowder hunting...the clean-up. The Huntsman's stainlesssteel breech plug can be removed quickly with a special wrench (provided), so you can easily swab out the barrel from the breech end, or disassemble the barrel entirely for cleaning.

The standard Huntsman[®] features a blue-black metal finish with color case-hardened frame, and is equipped with a 24" barrel with deep-cut rifling for superb accuracy. Its walnut-finished hardwood stock is equipped with a ventilated recoil pad and swivel studs.

The Stainless Huntsman[®] is a .50 caliber muzzleloader featuring a stainless steel 24" barrel, matte nickel-finished receiver and high-density, black matte polymer pistol grip stock. Both models come with adjustable fiber-optic open sights, a breech plug wrench, patented primer carriers for fast repriming, and a unique telescoping brass ramrod.

The Huntsman[®] from New England Firearms offers you the power, accuracy and reliability you need for a successful hunt; and the pride that comes from making that one shot count. And it's all at a truly affordable, old-time price.



If there's

anything better than hunting

season, it's a longer hunting

season. And when you hunt with

a muzzleloader, that's exactly what you get. Better still, when you hunt with

New England Firearms' Huntsman[®], you

get the best of both the primitive and modern

The proven NEF break-open action protects the

primer from the weather and from loss. Our Transfer Bar

System prevents accidental discharge. The Huntsman® uses

standard 209 shotshell primers for sure, strong ignition every

time. We've even improved what many consider the least enjoyable

hunting experiences.

The primer is held in place by a special, patented, reusable primer carrier, which also serves as a visual indicator that the rifle is primed (Both Models).

Unique telescoping brass ramrod (Both Models).

Specifications:

(Subject to change without notice.)

· ,	·	
*Model	Stainless Huntsman [®] (SMS-050)	Huntsman® (SM0-050)
Caliber	.50	.50
Action	Break-open, side lever release, muzzleloading	Break-open, side lever release, muzzleloading
Primer	209 Shotshell (5 reusable primer carriers furnished)	209 Shotshell (5 reusable primer carriers furnished)
Stock	High-density polymer, full pistol grip stock with black matte finish, sling swivel studs, ventilated recoil pad	American hardwood full pistol grip stock with walnut finish, sling swivel studs, ventilated recoil pad
Finish	Matte nickel finished frame, stainless steel barrel	Color case-hardened frame, black oxide barrel
Barrel	24" (1 in 28" twist) with deep-cut rifling	24" (1 in 28" twist) with deep-cut rifling
Sights	Fiber-optic open sights, tapped for scope base	Fiber-optic open sights, tapped for scope base
Length	40"	40"
Length of Pull	14 ¼"	14 ¼"
Drop at Comb	1 1/2"	1 1/2"
Drop at Heel	2 ¹ /k"	2 1/2"
Weight	6 ½ lbs.	6 ½ lbs.
* Since Huntsman [®] mu	zzleloaders can be fitted with modern rifle and shotgun barrels, they are classified by the BATF as "fir	earms", and are subject to federal firearms regulations.

Huntsman[®] Combos

New England Firearms has the versatile and economical solution to your all-season hunting needs. This trio of combo guns give you a choice of muzzleloading, centerfire rifle, shotgun or slug gun performance. All feature our rugged and field-proven single shot action, with lightning-fast side-lever opening. Our Transfer Bar System provides an enhanced measure of safety against accidental discharge, and each combo

gun includes its own special locking device for safe transport or storage. Why strain your budget on two guns, when one frame with a pair of barrels will serve you well?





Specifications: All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system.

(Subject to change without notice.)

(oubjeet to sharige h			
	Pardner [®] Combo	Tracker [®] II Combo	Handi-Rifle [™] Combo
Model	Pardner® 12 Gauge Modified Choke Shotgun/	Tracker II [®] 12 Gauge Rifled Slug Gun/	Handi-Rifle [™] .243 Win./
	Huntsman [®] .50 Cal. Muzzleloader (SB1-511)	Huntsman [®] .50 Cal. Muzzleloader (SB1-514)	Huntsman [®] .50 Cal. Muzzleloader (SB2-543)
Gauge/	12 Gauge, Up to 3" chamber/	12 Gauge, Up to 3" chamber/	243 Win. /
Caliber	.50 Cal.	.50 Cal.	.50 Cal.
Stock	American hardwood pistol grip stock with walnut	American hardwood pistol grip stock with walnut	American hardwood pistol grip stock with walnut
	finish, ventilated recoil pad	finish, ventilated recoil pad	finish, ventilated recoil pad
Barrel	28" 12 Gauge/24" .50 Cal.	24" 12 Gauge/24" .50 Cal.	22" 243 Win./24" .50 Cal.
Sights	12 Gauge – Bead front sight/	12 Gauge – Adjustable rifle sights/	243 Win. – Scope base included/
	.50 Cal. – Fiber-optic open sights, tapped for scope base	.50 Cal. – Fiber-optic open sights, tapped for scope base	.50 Cal. – Fiber-optic open sights, tapped for scope base
Length	43" 12 Gauge/40" .50 Cal.	40"	38" – 243 Win./40" – .50 Cal.
Length of Pull	14"	14 [°]	14"
Drop at Comb	1 1⁄2"	1 1/2"	1 1/4"
Drop at Heel	2" 12 gauge/2 1/8" .50 Cal.	2 ¹ /8"	1 1/s"
Weight	5 ½ lbs. – 12 Gauge/6 ½ lbs. – .50 Cal.	5 ¼ lbs. – 12 Gauge/6 ½ lbs. – .50 Cal.	7 lbs243 Win./6 ½ lbs50 Cal.



New Pardner[®] Pump

For more than a century, pump shotguns have proven their worth and gained the affection of the American sportsman. And the new NEF Pardner[®] Pump offers the best value you'll ever find in a 12-gauge pump shotgun.

We challenge you to compare the Pardner[®] Pump, feature for feature, with any of its higher-priced competitors. The Pardner[®] Pump has a steel receiver, double action bars, cross-bolt safety, easy take-down, 28" barrel with 3" chamber and ventilated rib, screw-in Modified Choke tube (Additional choke tubes – Winchester/Browning/Mossberg-type – can be purchased from a gun shop.), 5-shot tubular magazine with 2-shot plug furnished, an American walnut stock with ventilated recoil pad and a classic grooved fore-end.

NEW Pardner® Pump

The Pardner[®] Pump is backed by the same H&R 1871[®] one-year warranty protection as all our H&R and NEF branded firearms.

Simple, easy take-down.

Specifications: (Subject to change without notice.)

NEF Pardner[®] Pump Features

Model	Pardner [®] Pump (NP1-228)
Ammo	12 Gauge
Stock	American walnut with grooved fore-end and ventilated recoil pad
Barrel	28" with ventilated rib
Chamber	Up to 3"
Magazine Capacity	5
Sights	Bead front
Choke	Screw-in Modified
Length	48 1⁄2"
Length of Pull	14 ¼"
Drop at Comb	1 1/2"
Drop at Heel	2 1/2"
Weight	7 ½ lbs.

- Steel Receiver
- Double Action Bars
- Cross-Bolt Safety
- Easy Take-Down
- 28" Barrel with 3" Chamber
- Ventilated Rib

- Screw-In Modified Choke Tube
- 5-Shot Tubular Magazine
- 2-Shot Plug included
- American Walnut Stock
- Ventilated Recoil Pad
- Classic Grooved Fore-end



Positive cross-bolt safety and convenient action release lever.



Screw-in choke tube and ventilated rib.



American walnut stock and ventilated recoil pad.



Shotguns: Pardner®

Pardner[®]

The NEF Pardner[®] carries on an honored tradition in American shotguns. For generations, just about every farmhouse in America kept a shotgun handy behind the kitchen door. It was strong medicine for pests and predators, protection when needed, and a useful tool for harvesting Nature's bounty when the larder ran low. Usually, that shotgun was a single shot break-open, and for very good reason. Such guns were rugged, reliable and inexpensive. And the single shot action encouraged careful shooting and ammo conservation.

We are proud of our history of making single shot shotguns that earn their keep without breaking the bank. We offer the Pardner[®] shotguns in 12, 16, 20 and 28 gauges, and .410 bore, and a variety of chokes, with color case-hardened finished receivers with walnut-finished hardwood stocks.

Our rugged single shot action has proven its worth in the field. It opens smoothly when you press the lever, and locks up tight as a bank vault door. Our Transfer Bar System prevents accidental discharge, and each gun comes complete with its own special locking device for added safety in storage or in transport.

> Pardner® 12 Gauge, 16 Gauge, 20 gauge, 28 Gauge, .410 Bore

Pardner® Youth 12 Gauge, 20 Gauge, 28 Gauge, .410 Bore

Model	Pardner [®]	Pardner [®]	Pardner [®]	Pardner [®] Youth
Ammo	12 Gauge (SB1-932)	12 Gauge (SB1-011 and SB1-010) 16 Gauge (SB1-016)	20 Gauge (SB1-021 and SB1-020) 28 Gauge (SB1-028) .410 Bore (SB1-041)	12 Gauge (SB1-150) 20 Gauge (SB1-250) 28 Gauge (SB1-850) .410 Bore (SB1-450)
Stock	American hardwood, walnut finish, pistol grip	American hardwood, walnut finish, pistol grip	American hardwood, walnut finish, pistol grip	American hardwood, walnut finish, straight grip, recoil pad
Barrel	32"	28"	26"	22"
Chamber	Up to 3"	Up to 3" (12 Ga.) 2 ¾" (16 Ga.)	Up to 3" (20 Ga., .410 Bore) 2 ¾" (28 Ga.)	Up to 3" (12 Ga, 20 Ga., .410 Bore) 2 ¾" (28 Ga.)
Sights	Bead front	Bead front	Bead front	Bead front
Choke	Full	Modified or Full (12 Ga.) Full (16 Ga.)	Modified or Full (20 Ga.) Modified (28 Ga.) Full (.410 Bore)	Modified (12 Ga., 20 Ga., 28 Ga.) Full (.410 Bore)
Length	47"	43"	41"	36"
Length of Pull	14"	14"	14"	12 1⁄2"
Drop at Comb	1 1/2"	1 1/2"	1 1/2"	1 1/2"
Drop at Heel	2"	2"	2"	2"
Weight	5-6 lbs.	5-6 lbs.	5-6 lbs.	5-5 ½ lbs.

Shotguns: Pardner® Turkey

One shot. One turkey. Any experienced hunter will tell you that the successful culmination of any turkey hunt depends on one — just one — well-placed shot.

We have many years of experience in making guns for those hunters who can make that one shot count. Our 10-gauge Turkey Gun is one good example. Its 24" barrel has a 3½" chamber, plus a screw-in extended extra-full choke tube to keep a super-tight pattern on your point of aim. The barrel is drilled and tapped for mounting a scope. The matte black or Mossy Oak[®] "Break-UpTM" camo-finished hardwood stock incorporates a counterweight system to soften recoil.

New England Firearms offers you a wide range of turkey guns from which to choose. In addition to our 10-gauge models, we offer 12-gauge models in Mossy Oak[®] "Break-Up[™]" camo or black, with fixed full choke or screw-in turkey choke, and a 20-gauge 22" youth



model with Mossy Oak[®] "Break-Up™" camo-finished wood.

Our field-proven single shot action opens smoothly when you press the lever. Our Transfer Bar System prevents accidental discharge. And each gun comes complete with a special locking device for secure storage.

What you take into the woods can have a big impact on what you take out of the woods. For the ultimate satisfaction that comes from one-shot expertise, see your New England Firearms dealer and select that special gun that suits you and your budget best.



1	Śuh	iert	t٥	chand	ie v	vithout	notice.)	۱
	ຸວແມ	JELL	ιυ	unany	1C V	minour	nouce.	,

Model	Pardner [®] Turkey Gun	Pardner [®] Turkey Gun	Pardner [®] Youth Turkey Gun
Ammo	10 Gauge (SB2-MAB)	10 Gauge (SB2-MAD)	20 Gauge (SB1-F25)
	12 Gauge (SB1-F10)	12 Gauge (SB1-F12)	
Stock	American hardwood, black matte finish,	American hardwood, with Mossy Oak [°] "Break-Up [™]	American hardwood, with Mossy Oak [®] "Break-Up [™]
	pistol grip, ventilated rubber recoil pad,	pattern, pistol grip, ventilated rubber recoil pad,	pattern, pistol grip, ventilated rubber recoil pad,
	sling swivel studs and sling	sling swivel studs and sling	sling swivel studs and sling
Barrel	24"	24"	22"
Chamber	3 ½" (10 Ga.)	3 ½" (10 Ga.)	Up to 3"
	Up to 3 1⁄2" (12 Ga.)	Up to 3 ½" (12 Ga.)	
Sights	Bead front; barrel drilled & tapped for	Bead front; barrel drilled & tapped for	Bead front
-	scope mount (10 Ga.)	scope mount (10 Ga.)	
	Bead front (12 Ga.)	Bead front (12 Ga.)	
Choke	Extra-Full Screw-in	Extra-Full Screw-in (10 Ga.)	Full
		Full (12 Ga.)	
Length	40"	40"	36"
Length of Pull	14 ¼"	14 ¼"	12 ½"
Drop at Comb	1 ½"	1 1/2"	1 1/2"
Drop at Heel	2"	2"	2"
Weight	9 lbs. (10 Ga.)	9 lbs. (10 Ga.)	5 1/2 lbs.
	6 lbs. (12 Ga.)	6 lbs. (12 Ga.)	



Shotguns: Pardner® Waterfowl

Available in 10 and 12 gauge, Pardner[®] waterfowl models are dependable and economical. The 10 gauge is available with a walnut-finished stock and a full choke barrel, or with a Mossy Oak "Break-up^{me}" camo stock and sling and a modified choke barrel. The 12-gauge model features a Mossy Oak "Break-up^{me}" camo stock and a 28" Modified Choke barrel.

Pardner[®] Waterfowl 10 Gauge, Full Choke

> Pardner[®] Waterfowl with Mossy Oak[®] "Break-Up™" Camo 12 Gauge, Modified Choke

> > Pardner[®] Waterfowl with Mossy Oak[®] "Break-Up™" Camo 10 Gauge, Modified Choke



Specifications: All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system.

(Subject to change without notice.)

Model	Pardner [®] Waterfowl	Pardner [®] Waterfowl	Pardner [®] Waterfowl
Ammo	10 Gauge (SB2-MAG)	12 Gauge (SB1-D11)	10 Gauge (SB2-32C)
Stock	American hardwood, walnut finish, pistol grip, ventilated rubber recoil pad, sling swivel studs	American hardwood, with Mossy Oak® Break-Up™ pattern, pistol grip	American hardwood, with Mossy Oak® Break-Up™ pattern, pistol grip, ventilated rubber recoil pad, sling swivel studs and sling
Barrel	28"	28"	32"
Chamber	3 1/2"	Up to 3"	3 ½"
Sights	Bead front	Bead front	Bead front
Choke	Full	Modified	Modified
Length	44"	44"	48"
Length of Pull	14 ¼"	14 ¼ "	14 ¼"
Drop at Comb	1 1/2"	1 1/2"	1 ½"
Drop at Heel	2"	2"	2"
Weight	9 lbs.	6 lbs.	9 ½ lbs.

Shotguns, Rifles: Tracker II, Survivor®

Tracker II

In some areas, deer hunting is a "shotguns-only" proposition. Years ago, that might have been a handicap. Today, thanks to new projectile technology and a new breed of slug guns, the shotgun hunter can have a far-reaching advantage.

Our tack-driving single shot slug guns can cost less than an accessory slug barrel for your repeater. The Tracker II Slug Gun is available in both 12 and 20 gauge, with a 24" fully-rifled barrel designed for long-range accuracy with sabot-style slugs. The Tracker II features a walnutfinished hardwood stock, adjustable rifle-type sights, a recoil pad and sling swivel studs. On all New England Firearms slug guns, our rugged, time-tested single shot action opens smoothly when you press the lever, and locks up tight as a bank vault door. Our Transfer Bar System prevents accidental discharge, and each gun comes complete with its own special locking device for added safety in storage or in transport.

Affordable New England Firearms slug guns offer you the power, accuracy and reliability you need for a successful hunt...and the pride that comes from making that one shot count.



Survivor®

Ready for service when the going gets rough, the NEF Survivor series provides the go-anywhere, do-everything versatility and rugged dependability you want. Take your pick of shotgun, rifle/shotgun combination, or heavy barrel rifle configurations to meet any challenge. A special stock compartment stores survival items. NEF Survivor models in the unique .410/45 Colt are available in either a blue finish or a high-durability electroless nickel finish for harsh environments. The heavy bull-barrel versions in 223 Rem. and 308 Win. are offered in low-profile matte blue. Our Transfer Bar System provides an added measure of safety. Standard shotguns incorporate a Modified Choke, while the .410/45 Colt model has a fully rifled barrel and screw-in choke for shotshell use.

Model	Tracker II	Survivor [®] (Blue or Nickel)	Survivor [*]
Ammo	12 Gauge (SB1-014)	.410/45 Colt	223 Rem. (SB2-623)
	20 Gauge (SB1-024)	(SB1-41C and SB1-41N)	308 Win. (SB2-608)
Stock	American hardwood, walnut finish, full	High-density polymer, black matte finish, thumbhole	High-density polymer, black matte finish, thumbhole
	pistol grip, recoil pad, sling swivel studs	design, butt stock storage compartment, sling swivel studs and sling	design, butt stock storage compartment, sling swivel studs and sling
Barrel	24"	20"	22" Bull Barrel
Chamber	Up to 3"	Up to 3"	N/A
Sights	Adjustable rifle sights	Bead front	Scope mount rail and hammer extension; no iron sights
Choke	Rifled bore	Screw-in	N/A
Length	40"	34 1/2"	36"
Length of Pull	14 ¼"	13 ¼"	13 1⁄2"
Drop at Comb	1 1⁄2"	1 5/8"	2"
Drop at Heel	2 1/8"	2 1/8"	2 ¹ /2"
Weight	5 ¼ lbs.	6 lbs.	6 lbs.

Rifles: Handi-Rifle™

If meat on the table were the sole object of the hunt, then a trip to the supermarket would suffice. We all know that there's much more involved. At its best, the hunt has always been the acid test of the hunter's skills. And the truly skilled hunter is the one who can confidently achieve his or her goal with one well-placed shot.

For generations, the single shot rifle has been the choice of the accomplished and self-assured hunter. And for years, New England Firearms has honored that choice. Our centerfire rifles are designed and built to make that one shot count. For the varmint or big game hunter, we offer many very attractive options. New England Firearms Handi-Rifles[™] are available in a wide range of rifle calibers ranging from 22 Hornet to 45/70 Government, and in 44 Magnum. We're also offering the hot new 204 Ruger chambering.

Handi-Rifle[™] 22 Hornet, 30/30 Win., 44 Rem. Mag., 45/70 Gov't.



Handi-Rifle[™] NEW 204 Ruger 223 Rem. or 243 Win. Bull Barrel Varmint **Specifications:** All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system. (Subject to change without notice.)

Model	Handi-Rifle [™]	Handi-Rifle [™]	Handi-Rifle [™]	Handi-Rifle [™] Youth
Ammo	22 Hornet (SB2-224)	22/250 Rem. (SB2-250), 223 Rem. (SB2-223)	223 Rem. (SB2-323)	223 Rem. (SB2-Y23)
	30/30 Win. (SB2-231)	243 Win. (SB2-243), 25/06 Rem. (SB2-256)	243 Win. (SB2-343)	243 Win. (SB2-Y43)
	44 Rem. Mag. (SB2-044)	270 Win. (SB2-270), 280 Rem. (SB2-280)	204 Ruger (SB2-204)	7mm/08 (SB2-Y08)
	45/70 Gov't. (SB2-457)	30/06 Sprg. (SB2-306), 308 Win. (SB2-208)		
		7mm/08 (SB2-708)		
Stock	American hardwood pistol grip stock with	American hardwood Monte Carlo pistol grip	American hardwood Monte Carlo pistol grip	American hardwood Monte Carlo pistol grip
	walnut finish, recoil pad, sling swivel studs	stock with walnut finish, recoil pad, sling	stock with walnut finish, recoil pad, sling	stock with walnut finish, recoil pad, sling
		swivel studs	swivel studs	swivel studs
Barrel	22 ["]	22" (22/250 Rem., 223 Rem., 243 Win., 270 Win.,	22" Bull Barrel	22"
		30/06 Sprg., 308 Win., 7mm/08 Rem.)		
		26" (25/06 Rem., 280 Rem.)		
Sights	Ramp front sight, fully adjustable rear,	Scope mount rail and hammer extension;	Scope mount rail and hammer extension;	Scope mount rail and hammer extension;
	tapped for scope mount	no iron sights	no iron sights	no iron sights
Length	38"	38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.	38"	36 1/8"
		308 Win., 7mm/08 Rem.)		
		40" (22/250 Rem.)		
		42" (25/06 Rem., 280 Rem.)		
Length	14 1/4"	14 1/4"	14 1/4"	11 ¾"
of Pull				
Weight	7 lbs.	7 lbs.	7 lbs.	7 lbs.









Rifles: Synthetic/Stainless/ Superlight Handi-Rifle™

Synthetic Handi-Rifle[™]

For those who hunt regardless of the weather, today's cutting-edge high-density polymer stocks are a necessity. Synthetic stocks and fore-ends make these NEF

Handi-Rifles[™] the toughest, most weather-resistant ones ever built. Like all NEF rifles and shotguns, these high-durability, synthetic stock versions incorporate our Transfer Bar System. For added versatility, these models can be factory-fitted with your choice of accessory rifle and shotgun barrels. For information on accessory barrels, call our Service Department at (978) 630-8220.

Stainless Handi-Rifles[™]

Spend more time outdoors! Five synthetic Handi-Rifles[™] are available for worry-free all-weather hunting. All models feature matte-finish stainless steel 22" barrels, with scope mount rail and hammer extension. Receivers are matte nickel finished, and stocks and forends are black matte high-density polymer.

Superlight Handi-Rifle[™]

When the going gets tough and the best game is deep into the forest or high on the mountain, every extra ounce you carry feels like a pound. That's the time when the Superlight Handi-Rifle is worth its weight (or lack of it) in gold. These super utility rifles weigh only 5½ pounds – even less in their Youth model configurations. Stocks and fore-ends are made of high-density black polymer, and are fitted with recoil pads and swivel studs. Fully adjustable rifle sights outfit the Youth model, which is also drilled and tapped for a scope base. The 223 Rem. and 243 Win. include a Monte Carlo style stock and factory mounted scope base, plus an offset hammer extension to ease cocking when a scope is mounted.



Specifications: All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system. (Subject to change without notice.)

ModelSynthetic Handi-Rifle ^w Synthetic Handi-Rifle ^w Stainless Handi-Rifle ^w Ammo22 Mermel (\$82-54)223 Rem. (\$82-53), 243 Win. (\$82-543),223 Rem. (\$82-53), 243 Win. (\$82-433),45/70 Gov1. (\$82-557)270 Win. (\$82-50),270 Win. (\$82-50),270 Win. (\$82-53), 243 Win. (\$82-433),StockHigh-density polymer, black matte finish, sling swivel studs, recoil padHigh-density polymer, black matte finish, recoil pad, Monte Carlo stockHigh-density polymer, black matte finish, recoil pad, Monte Carlo stockHigh-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo stockBarrel22°22° (228 Rem., 243 Win., 270 Win., 30/06 \$prg.) 26' (280 Rem.)22° matte stainless steel, bull barrel (22/250 Rem., 243 Win., 270 Win., 30/06 \$prg.) 26' (280 Rem.)22° matte stainless steel, bull barrel (22/250 Rem., 243 Win., 270 Win., 30/06 \$prg.) 27' matte stainless steel, bull barrel (22/250 Rem., 243 Win., 270 Win., 30/06 \$prg.) 26' (280 Rem.)38°Length14 W*14 W*14 W*Veight7 lbs.7 lbs.ModelSuperlight Handi-Rifle ^w Superlight Handi-Rifle ^w YouthAmmo24 hornet (\$82-54), 223 Rem. (\$82-543), 23 Win. (\$82-55), 243 Win. (\$82-55), 243 Win. (\$82-55), 243 Win. (\$82-56), 243 W					
45/70 Gov1. (\$82-\$57) 270 Win. (\$82-\$57), 200 Rem. (\$82-\$50), 200 Sec. (\$82-\$55), 22750 Rem. (\$82-\$55), 22750 Rem. (\$82-\$55), 22750 Rem. (\$82-\$55) Stock High-density polymer, black matte finish, sing swivel studs, recoil pad, Monte Carlo stock High-density polymer, black matte finish, sing swivel studs, recoil pad, Monte Carlo stock Barrel 22° 22° (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 22° matte stainless steel (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension: no iron sights Scope mount rail and hammer extension: no iron sights Length 38° 38° (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 38° Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle ^W Superlight Handi-Rifle ^W Superlight Handi-Rifle ^W Youth Ammo 22 Hornet (\$82-\$14) 223 Rem. (\$82-\$15) 244 Win. (\$82-\$15) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad Stope mount rail and hammer extension: no iron sights Stock Superlight Handi-Rifle ^W 243 Win. (270 Win., 30/06 Sprg.) 38° Veight 7 lbs. 7 lbs. 7 lbs. Stock Superlight Handi-Rifle ^W Superlight Handi-Rifle ^W Y	Mo	odel	Synthetic Handi-Rifle™	Synthetic Handi-Rifle™	Stainless Handi-Rifle [™]
Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo stock High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo stock High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo stock Barrel 22" 22" (223 Rem., 243 Win, 270 Win., 30/06 Sprg.) 22" matte stainless steel, buil barrel (22/250 Rem.) Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Scope mount rail and hammer extension; no iron sights Length 38" 38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 38" Length 14 W" 14 W" 14 W" Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle TM Superlight Handi-Rifle TM Superlight Handi-Rifle TM Youth Ammo 22 Hornet (SB2-St4) 223 Rem. (SB2-St5) 243 Win. (SB2-St7), 243 Win. (SB2-St5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad swivel studs, recoil pad Stock High-density polymer, black matte finish, sling swivel studs, recoil pad swivel studs, recoil pad Superlight Handi-Rifle Superlight Handi-Rifle Superlight Handi-Rifle Remm 22 Hornet (SB2-St4) 223 Rem. (SB2-St5) 243 Win. (SB2-St7), 2	An	nmo	22 Hornet (SB2-S24)	223 Rem. (SB2-S23), 243 Win. (SB2-S43),	223 Rem. (SB2-2S3), 243 Win. (SB2-4S3),
Stock High-density polymer, black matte finish, sing swivel studs, recoil pad High-density polymer, black matte finish, sing swivel studs, recoil pad, Monte Carlo stock High-density polymer, black matte finish, sing swivel studs, recoil pad, Monte Carlo stock Barrel 22" 22" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 26" (280 Rem.) 22" matte stainless steel (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 22" matte stainless steel (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) Sights Ramp front sight, fully adjustable rear, tapped for scope mount 38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 38" Length 38" 38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 40" (280 Rem.) 38" Length 14 ¼" 14 ¼" 14 ¼" Weight 7 lbs. 7 lbs. Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Q2 Hornet (S82-S14) 223 Rem. (S82-S13) 224 Hornet (S82-S14) Q2 Hornet (S82-S14) 223 Rem. (S82-S15) 243 Win. (S82-S15) Stock High-density polymer, black matte finish, sing swivel studs, recoil pad High-density polymer, black matte finish, sing swivel studs, recoil pad Barrel 20" 20" 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights			45/70 Gov't. (SB2-S57)	270 Win. (SB2-S70), 280 Rem. (SB2-S80),	270 Win. (SB2-2S7), 30/06 Sprg. (SB2-3S6),
sting swivel studs, recoil pad recoil pad, Monte Carlo stock recoil pad, Monte Carlo stock Barrel 22" 22" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 26" (280 Rem.) 22" matte stainless steel (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 22" matte stainless steel, bull barrel (22/250 Rem.) Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Scope mount rail and hammer extension; no iron sights Length 38" 38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 40" (280 Rem.) 38" Length 14 ¼" 14 ¼" 14 ¼" Veight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle TM Superlight Handi-Rifle TM Youth Ammo 22 Hornet (S82-SL4) 223 Rem. (S82-SL3) 22 Hornet (S82-SY3), 243 Win. (S82-SY5) Stock High-density polymer, black matte finish, sling sing swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Barrel 20" 20" 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Barrel 20" 20" 20" Stock High-density polymer, black matte finish, sling swivel studs, recoil pad Sing swivel studs, recoil pad Barrel 20"				30/06 Sprg. (SB2-S06)	22/250 Rem. (SB2-2S5)
Barrel 22" 22" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 26" (280 Rem.) 22" matte stainless steel (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 22" matte stainless steel, bull barrel (22/250 Rem.) Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension: no iron sights Scope mount rail and hammer extension: no iron sights Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension: no iron sights Scope mount rail and hammer extension: no iron sights Length 38" 24" (280 Rem.) 24 Win., 270 Win., 30/06 Sprg.) 38" Length 14 W* 14 W* 14 W* 14 W* Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle ^M Superlight Handi-Rifle ^M Youth Ammo 22 Hornet (SB2-St4) 223 Rem. (SB2-St3) 22 Hornet (SB2-St4) 223 Rem. (SB2-St3) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Scope mount rail and hammer extension: no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Stock High-density polymer, black matte finish, sling swivel studs, recoil pad Scope mount rail and hammer extension: no iron sights <th>Sto</th> <th>ock</th> <th>High-density polymer, black matte finish,</th> <th>High-density polymer, black matte finish, sling swivel studs,</th> <th>High-density polymer, black matte finish, sling swivel studs,</th>	Sto	ock	High-density polymer, black matte finish,	High-density polymer, black matte finish, sling swivel studs,	High-density polymer, black matte finish, sling swivel studs,
Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Scope mount rail and hammer extension; no iron sights Length 38" 38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 38" Length 14 ¼" 14 ¼" 14 ¼" Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle [™] Superlight Handi-Rifle [™] Youth Ammo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad swivel studs, recoil pad swivel studs, recoil pad Barrel 20" 20" 20" 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Ength 35 %" 33" 33" 33"			sling swivel studs, recoil pad	recoil pad, Monte Carlo stock	recoil pad, Monte Carlo stock
Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Scope mount rail and hammer extension; no iron sights Length 38" 38" 223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 38" Length 14 ¼" 14 ¼" 14 ¼" Veight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle ^M Superlight Handi-Rifle ^M Superlight Provide the second seco	Ba	rrel	22"	22" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.)	22" matte stainless steel (223 Rem., 243 Win., 270 Win., 30/06 Sprg.)
Length 38" 38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.) 40" (280 Rem.) 38" Length of Pull 14 ¼" 14 ¼" 14 ¼" Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle [™] Superlight Handi-Rifle [™] Youth Ammo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Barrel 20" 20" 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 14 ¼" 14 ¼" 11 ¾"				26" (280 Rem.)	22" matte stainless steel, bull barrel (22/250 Rem.)
A0" (280 Rem.) Length of Pull 14 ¼" Weight 14 ¼" Weight 7 lbs. Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Superlight Handi-Rifle™ Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Superlight Handi-Rifle™ Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Superlight Handi-Rifle™ Armo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) 243 Win. (SB2-SY5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Barrel 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼" 35 ¼" 33"	Sig	phts	Ramp front sight, fully adjustable rear, tapped for scope mount	Scope mount rail and hammer extension; no iron sights	Scope mount rail and hammer extension; no iron sights
Length of Pull 14 ¼" 14 ¼" 14 ¼" Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Youth Ammo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 22 Hornet (SB2-SY3), 243 Win. (SB2-SY3), 243 Win. (SB2-SY5) Stock High-density polymer, black matte finish, sling sing swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Barrel 20" 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 14 ¼" 14 ¼" 11 ¾"	Ler	ngth	38"	38" (223 Rem., 243 Win., 270 Win., 30/06 Sprg.)	38"
of Pull Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Superlight Handi-Rifle™ Youth Ammo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SL5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Ramp front sight, fully adjustable rear, tapped for scope mount Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼" 33" 14 ¼" 14 ¼" 14 ¼"				40" (280 Rem.)	
Weight 7 lbs. 7 lbs. 7 lbs. Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Superlight Handi-Rifle™ Youth Ammo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SV5) Stock High-density polymer, black matte finish, sling suivel studs, recoil pad High-density polymer, black matte finish, sling suivel studs, recoil pad High-density polymer, black matte finish, sling suivel studs, recoil pad Superlight Handi-Rifle™ Youth Barrel 20" 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼" 14 ¼" 14 ¼" 11 ¾"	Ler	ngth	14 ¼"	14 ¼"	14 ¼"
Model Superlight Handi-Rifle™ Superlight Handi-Rifle™ Superlight Handi-Rifle™ Youth Ammo 22 Hornet (SB2-SL4) 223 Rem. (SB2-SL3) 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Barrel 20° 20° 20° Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼° 35 ¼° 33° Length 14 ¼° 14 ¼° 11 ¾°	of	Pull			
Ammo22 Hornet (SB2-SL4)223 Rem. (SB2-SL3) 243 Win. (SB2-SL5)22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5)StockHigh-density polymer, black matte finish, sling swivel studs, recoil padHigh-density polymer, black matte finish, swivel studs, recoil padHigh-density polymer, black matte finish, swivel studs, recoil padHigh-density polymer, black matte finish, sling swivel studs, recoil padBarrel20"20"20"SightsRamp front sight, fully adjustable rear, tapped for scope mountScope mount rail and hammer extension; no iron sightsRamp front sight, fully adjustable rear, tapped for scope mountLength35 ¼"35 ¼"33"Length14 ¼"14 ¼"11 ¾"	14/-	laht	7 lbc	7 lbs	7 lbs
Ammo22 Hornet (SB2-SL4)223 Rem. (SB2-SL3) 243 Win. (SB2-SL5)22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5)StockHigh-density polymer, black matte finish, sling swivel studs, recoil padHigh-density polymer, black matte finish, swivel studs, recoil padHigh-density polymer, black matte finish, swivel studs, recoil padHigh-density polymer, black matte finish, sling swivel studs, recoil padBarrel20"20"20"SightsRamp front sight, fully adjustable rear, tapped for scope mountScope mount rail and hammer extension; no iron sightsRamp front sight, fully adjustable rear, tapped for scope mountLength35 ¼"35 ¼"33"Length14 ¼"14 ¼"11 ¾"	VVe	eignt	7 IDS.	/ IDS.	7 IDS.
243 Win. (SB2-SL5) 243 Win. (SB2-SY5) Stock High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad High-density polymer, black matte finish, sling swivel studs, recoil pad Barrel 20° 20° 20° Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼° 33° In ¼° 14 ¼° 11 ¾°		-			
StockHigh-density polymer, black matte finish, sling swivel studs, recoil padHigh-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo StockHigh-density polymer, black matte finish, sling swivel studs, recoil padBarrel20"20"20"SightsRamp front sight, fully adjustable rear, tapped for scope mountScope mount rail and hammer extension; no iron sightsRamp front sight, fully adjustable rear, tapped for scope mountLength35 ¼"35 ¼"33"Length14 ¼"11 ¾"	Mo	odel	Superlight Handi-Rifle™	Superlight Handi-Rifle™	Superlight Handi-Rifle™ Youth
sling swivel studs, recoil pad swivel studs, recoil pad, Monte Carlo Stock sling swivel studs, recoil pad Barrel 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼" 35 ¼" 33" In formation 14 ¼" 11 ¾"	Мо	odel	Superlight Handi-Rifle™	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3)	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3),
Barrel 20" 20" Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼" 35 ¼" 33" Length 14 ¼" 11 ¾"	Mo Am	odel nmo	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4)	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5)	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5)
Sights Ramp front sight, fully adjustable rear, tapped for scope mount Scope mount rail and hammer extension; no iron sights Ramp front sight, fully adjustable rear, tapped for scope mount Length 35 ¼" 35 ¼" 33" Length 14 ¼" 11 ¾"	Mo Am	odel nmo	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish,	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) 243 Win. (SB2-SY5) High-density polymer, black matte finish,
Length 35 ¼" 35 ¼" 33" Length 14 ¼" 14 ¼" 11 ¼" of Pull 1 1 1	Mo Am Sto	odel nmo ock	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish, sling swivel studs, recoil pad	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo Stock	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) 43 Win. (SB2-SY5) High-density polymer, black matte finish, sling swivel studs, recoil pad Study Study
Length 14 ¼" 11 ¼" 11 ¾" of Pull	Mo Am Sto Ba	odel nmo ock rrel	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish, sling swivel studs, recoil pad 20"	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo Stock 20"	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) High-density polymer, black matte finish, sling swivel studs, recoil pad 20"
of Pull	Mo Am Sto Ba Sig	odel nmo ock rrel jhts	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo Stock 20" Scope mount rail and hammer extension; no iron sights	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount
	Mc Am Sto Ba Sig Ler	odel nmo ock rrel hts ngth	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount 35 ¼"	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo Stock 20" Scope mount rail and hammer extension; no iron sights 35 ¼"	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount 33"
Mought F1/ lbc F1/ lbc	Mo Am Sto Ba Sig Ler Ler	odel nmo ock rrel hts ngth	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount 35 ¼"	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo Stock 20" Scope mount rail and hammer extension; no iron sights 35 ¼"	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount 33"
Weight 5 72 lbs. 5 72 lbs. 5 73 lbs.	Mo Am Sto Ba Sig Ler Ler of	odel nmo ock rrrel hts ngth Pull	Superlight Handi-Rifle™ 22 Hornet (SB2-SL4) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount 35 ¼" 14 ¼"	Superlight Handi-Rifle™ 223 Rem. (SB2-SL3) 243 Win. (SB2-SL5) High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo Stock 20" Scope mount rail and hammer extension; no iron sights 35 ¼" 14 ¼"	Superlight Handi-Rifle™ Youth 22 Hornet (SB2-SY4), 223 Rem. (SB2-SY3), 243 Win. (SB2-SY5) High-density polymer, black matte finish, sling swivel studs, recoil pad 20" Ramp front sight, fully adjustable rear, tapped for scope mount 33" 11 ¾"



Rifles: Sportster[™]/Versa Pack[™]

Sportster[™]

Of all the calibers for which rifles are chambered, the 22 rimfire is America's favorite. Whether you're ventilating paper targets, popping tin cans, or hunting squirrels for a traditional Brunswick stew, the "double deuce" is the caliber of choice. Accurate and economical, it's been America's "fun caliber" since the 1880s.

We pride ourselves in making 22s that can provide generations of shooting enjoyment. Our Sportster[™] rimfire rifle, in both 22 Long Rifle and 22 Win. Mag., features a precision-crowned 20" barrel, factory-mounted scope base and offset hammer extension. This single shot break-open rifle is finished in low-profile matte blue and features a weather-proof black matte high-density polymer Monte Carlo stock and fore-end with swivel studs. Our Youth version is available in both rimfire calibers. The Sportster[™] includes a scope base as standard equipment, and we include an offset hammer extension for easy cocking when a scope is installed.

Sportster[™] 17 HMR

Here's strong medicine for varmints! The NEF Sportster[™] 17 HMR is chambered for the hottest rimfire cartridge on earth. Hornady's 17 Magnum Rimfire is the same length as a 22 Win. Mag cartridge, but generates an amazing 2,500 fps muzzle velocity, at least 25% faster than the 22 Mag. It fires a high-performance 17-grain V-MAX boattail iacketed bullet. The Sportster[™] 17 HMR features our field-proven break-open, sidelever single shot action and a heavy 22" varmint barrel, complete with scope mount. The stock and fore-end are high density black polymer, with recoil pad and sling swivel studs.

22/410 Versa-Pack™



This is the handiest little field gun ever. It's a super, youth-size 22 rimfire rifle for plinking, informal target practice and pest control. The 20" barrel comes with adjustable rifle sights and is chambered for 22 Short, Long and Long Rifle. Swap barrels and, in an instant, it's a light and fasthandling .410 shotgun, a natural for small game. The 22/410 Versa-Pack[™] is based on our field-proven single shot action with Transfer Bar System. Best of all, you get all this performance and versatility in one compact package, at a cost far less than two separate guns.



	inge without houte.)			
Model	Sportster™ (SS1-022 and SS1-M22)	Sportster™ Youth (SS1-Y22 and SS1-MY2)	Sportster™ 17 Hornady Magnum Rimfire (SS1-017)	22/410 Versa-Pack™ (SCY-422)
Ammo	22 S, L, LR, 22 WMR	22 S, L, LR, 22 WMR	17 Hornady Magnum Rimfire	22 S, L, LR/.410 Bore
Stock	High-density polymer, black matte finish, sling swivel studs, recoil pad, Monte Carlo stock	High-density polymer, black matte finish, sling swivel studs, recoil pad	Monte Carlo stock, high-density polymer, black matte finish, sling swivel studs, recoil pad	American hardwood, walnut finish, straight-grip
Barrel	20"	20"	22" heavy varmint	20" 22 Cal./22" .410 Bore
Chamber	N/A	N/A	N/A	Up to 3" – .410 Bore
Sights	Scope mount rail and hammer extension; no iron sights	Scope mount rail and hammer extension; no iron sights	Scope mount rail and hammer extension; no iron sights	22 Cal. – Adjustable rifle sights/ .410 Bore – Bead front sight
Choke	N/A	N/A	N/A	Full – .410 Bore
Length	36 ¼"	33"	38 1/4"	34" – 22 Cal./36" – .410 Bore
Length of Pull	14 ¼"	11 ¾"	14 ¼"	12 ½"
Drop at Comb	N/A	N/A	N/A	1 %"
Drop at Heel	N/A	N/A	N/A	2"
Weight	5 ½ lbs.	5 ¼ lbs.	7 lbs.	5 ¼ lbs. – 22 Cal./4 ¾ lbs. – .410 Bore



An exciting new self-loading 22 with loads of features and a very economical price. Its side-ejecting receiver has a manual bolt hold-open and is grooved for a scope base. The 19-inch barrel is equipped with an adjustable open rear and ramp front sight. Its solidlocking clip magazine holds 10 Long Rifle cartridges.

And the Sportster SL's Monte Carlo stock is walnut-finished hardwood, with a hard rubber butt plate.







......................

The Sportster SL's manual bolt hold-open allows the shooter to see into the action and to carry the rifle in the safe open position.

Specifications:

(Subject to change without notice.)

Model	Sportster SL (SL2-022)	
Ammo	22 LR	
Magazine	10-shot clip	
Stock	Walnut-finished hardwood; Monte Carlo pistol grip; hard rubber butt plate	
Barrel	19"	
Sights	Adjustable open rear, ramp front; receiver grooved for scope mount	
Length	38 1/2"	
Length	14 ¼"	
of Pull		
Weight	5 ½ lbs.	



Shotguns: Topper®

Topper[®] Deluxe

The Topper Deluxe is available in 12 gauge with a 3 ¹/₂" chamber and a screw-in choke that can handle both lead and steel shot. Like the Topper, the Topper Deluxe features the trademark black and nickel finish, with black-finished hardwood stocks and fore-ends. It includes a ventilated recoil pad for greater shooting comfort.

Topper[®]

At Harrington & Richardson, the Topper name has been associated with a long-lived line of rugged, reliable and affordable single shot shotguns, well-known to generations of shooters. We make it in 12, 16, 20 and 28 gauge, and .410 bore with a variety of chokes. It features automatic shell ejection for fast reloading, a brass bead front sight for fast target acquisition, a rugged nickel-plated frame, and a black-finished hardwood stock and fore-end.

Topper[®] **Junior**

The Topper Junior is an ideal firearm for training the next generation of America's hunters. Its 22" barrel is scaled ideally for smaller-framed shooters, and it incorporates a recoil pad to make a youngster's first shooting experiences more comfortable and rewarding.

Topper[®] Junior Classic

For that very special birthday or event, the Topper Junior Classic is a gift that any youngster will always remember. Like the Topper Junior, the Topper Junior Classic has a 22" barrel and is proportioned properly for a youthful shooter. This special model, however, features a blued frame, and a cut-checkered American black walnut stock and fore-end.



This versatile and inexpensive gun protects the henhouse, keeps meat on the table and provides that much-needed measure of security. For the young'uns, it is a good introduction to responsible firearms ownership... and the single shot action encourages careful shooting and ammo conservation.

NEW Topper[®] Deluxe Classic

An upgraded version of the Topper is now available in 12 gauge with a ventilated rib and choke tube system (modified tube provided). The Topper Deluxe Classic features a 28" barrel with a bead front sight, and a nickel-plated receiver. The stock is genuine American Walnut with a ventilated recoil pad. The most handsome Topper ever!



Specifications: All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system.

(Subject to change without notice.)

Model	Topper [®] Deluxe Classic	Topper [®] Deluxe	Topper®	Topper [®] Junior	Topper [®] Junior Classic
Ammo	12 Gauge (SB1-118)	12 Gauge (SB1-098)	12 Gauge (SB1-198) 16 Gauge (SB1-698) 20 Gauge (SB1-298) 28 Gauge (SB1-898) .410 Bore (SB1-498)	20 Gauge (SB1-258) .410 Bore (SB1-458)	20 Gauge (SB1-288) .410 Bore (SB1-488)
Stock	American black walnut pistol grip stock with ventilated recoil pad	American hardwood, black finish, pistol grip stock with ventilated recoil pad	American hardwood, black finish, pistol grip	American hardwood, black finish, pistol grip stock with ventilated recoil pad	American black walnut pistol grip stock with cut checkering, ventilated recoil pad
Barrel	28" with ventilated rib	28"	26" (20 Ga., 28 Ga., .410 Bore) 28" (12 Ga., 16 Ga.)	22"	22 ["]
Chamber	Up to 3"	Up to 3 1⁄2"	2 ¾" (16 Ga., 28 Ga.) Up to 3" (12 Ga., 20 Ga., .410 Bore)	Up to 3"	Up to 3"
Sights	Bead front	Bead front	Bead front	Bead front	Bead front
Choke	Screw-in Modified	Screw-in Modified	Modified (12 Ga., 20 Ga., 28 Ga.) Full (16 Ga., .410 Bore)	Modified (20 Ga.) Full (.410 Bore)	Modified (20 Ga.) Full (.410 Bore)
Length	43"	43"	41" (20 Ga., 28 Ga., .410 Bore) 43" (12 Ga., 16 Ga.)	36"	36"
Length of Pull	14 ¼"	14 1⁄4"	14 1⁄4"	12 1/2"	12 1/2"
Drop at Comb	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 1/2"
Drop at Heel	2 ¼"	2 1/4"	2 1/8"	2"	2"
Weight	5-6 lbs.	5-6 lbs.	5-6 lbs.	5-6 lbs.	5-6 lbs.

On every H&R shotgun, our rugged single shot action has proven its worth in the field. It opens smoothly when you press the lever, and locks up tight as a bank vault door. Our Transfer Bar System prevents accidental discharge, and each gun comes complete with its own special locking device for added safety in storage or in transport. The Harrington & Richardson family of shotguns offers you all the performance and reliability you need at a very reasonable price...and the well-earned pride that comes from one-shot success.





Shotguns: Ultra Slug Hunter/ Tamer®

Ultra Slug Hunter

Thanks to new projectile technology and a new breed of slug guns, today's shotgun hunter can reach way out with impressive accuracy and striking power.

At Harrington & Richardson, we offer a range of tack-driving single shot slug guns that can cost less than an accessory slug barrel for your repeater. At the top of the list is our heavy 24" barrel, fully-rifled H&R Ultra Slug Hunter, in 12- or 20- gauge. We've shot extremely tight groups at 100 yards, using sabot slugs. The Ultra Slug Hunter comes complete with a Monte Carlo stock, recoil pad, factory-installed scope base, sling swivels and a nylon sling. A walnut-finished American hardwood stock is standard, and the Deluxe model comes with a checkered laminate stock and fore-end. A Youth Model is available with a rifled 20-gauge 22" barrel. On all Harrington & Richardson slug guns, our rugged single shot action has proven its worth in the field. It opens smoothly when you press the lever, and locks up tight as a bank vault door. Our Transfer Bar System prevents accidental discharge, and each gun comes complete with its own special locking device for added safety in storage or in transport.

Tamer[®]

For those intrepid spirits who venture into uncharted regions and unpredictable climates, our weather-defying Tamer is a welcome companion. Here is a versatile, easy-to-handle shotgun with a high-density polymer stock and fore-end and matte-finish nickel receiver and barrel that can shrug off the worst that Mother Nature can hand out. The unique thumbhole/pistol grip assures you of a firm hold. The specially designed stock also enables you to store four rounds of .410 ammo. The Tamer includes all the H&R high performance features, including automatic shell ejection, our Transfer Bar System to prevent accidental firing, and a unique locking system for safe storage.



Specifications: All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system. (Subject to change without notice.)

Model	Ultra Slug Hunter	Ultra Slug Hunter Youth	Ultra Slug Hunter Deluxe	Tamer®
Ammo	12 Gauge (SB2-980)	20 Gauge (SB1-925)	12 Gauge (SB2-988)	.410 Bore (SB1-SNK)
	20 Gauge (SB1-920)		20 Gauge (SB1-928)	
Stock	Walnut stained American hardwood Monte Carlo	Walnut stained American hardwood Monte Carlo	Laminated American hardwood Monte Carlo	High-density polymer, black matte finish
	pistol grip stock, sling swivels, nylon sling, ventilated recoil pad	pistol grip stock, sling swivels, nylon sling, ventilated recoil pad	pistol grip stock with cut checkering, sling swivels, nylon sling, ventilated recoil pad	pistol grip stock, thumbhole design with storage compartment
Barrel	24" heavy rifled barrel	22" heavy rifled barrel	24" heavy rifled barrel	20"
Chamber	Up to 3"	Up to 3"	Up to 3"	Up to 3"
Sights	No sights included, but scope mount is provided	No sights included, but scope mount is provided	No sights included, but scope mount is provided	Bead front
Choke	N/A	N/A	N/A	Full
Length	40"	36 %"	40"	34 ¼"
Length of Pull	14 ¼"	13 1/8"	14 ¼"	13 1⁄2"
Drop at Comb	1 ¼"	1 1/2"	1 ¼"	2"
Drop at Heel	1 1/8"	1"	1 1⁄%"	2 ¹ /2"
Weight	8-9 lbs.	7 lbs.	8-9 lbs.	6 lbs.







Four rounds of .410 ammo can be safely and securely stowed in the Tamer stock.



Rifles: Ultra Varmint/ Hunter

For the dedicated hunter, the memories and pride of accomplishment are what endure. At its best, the hunt has always been the acid test of the hunter's skills. And the truly skilled hunter is the one who can confidently achieve his or her goal with one well-placed shot.

For generations, the single shot rifle has been the choice of the accomplished and self-assured hunter, the true heir to a noble tradition. And Harrington & Richardson has honored that choice. Our centerfire Ultra rifles are designed and built to make that one vital shot count. Our rugged single shot action has proven its worth in the field. It opens smoothly when you press the lever, and locks up tight as a bank vault door. Our Transfer Bar System prevents accidental discharge, and for added safety in storage or in transport, each one of our guns comes complete with its own special locking device.

For the one-shot hunter, we offer a wide range of choices. H&R Ultra rifles are available in 223 Rem., 243 Win., 25-06 Rem., 308 Win., 30/06 Sprg. and 270 Win.; and in a heavy-barreled varmint configuration in 22 WMR, 223 Rem. and 243 Win.

Ultra Hunter Rifle *NEW* 223 Rem., *NEW* 243 Win., 25-06 Rem., 308 Win. 30/06 Sprg. or 270 Win.

> Ultra Varmint Rifle 22 WMR, 223 Rem. or 243 Win. Bull Barrel

Specifications: All models are single shot, break-open action with side lever release, automatic ejection and transfer bar system. (Subject to change without notice.)

Model	Ultra Hunter Rifle	Ultra Varmint Rifle
Ammo	223 Rem. (SB2-823), 243 Win. (SB2-840),	22 WMR (SS1-822)
	25-06 Rem. (SB2-806), 308 Win. (SB2-808), 30/06 Sprg. (SB2-866), 270 Win. (SB2-877)	223 Rem. (SB2-833) 243 Win. (SB2-843)
Stock	Cinnamon laminated American hardwood Monte Carlo pistol grip with cut checkering, sling swivel studs, ventilated recoil pad	Cinnamon laminated American hardwood Monte Carlo pistol grip with cut checkering, sling swivel studs, ventilated recoil pad
Barrel	22" (223 Rem., 243 Win., 308 Win., 30/06 Sprg., 270 Win.)	22" bull barrel (22 WMR)
	26" (25-06 Rem.)	24" bull barrel (223 Rem., 243 Win.)
Sights	Scope mount and hammer extension; no iron sights	Scope mount and hammer extension; no iron sights
Length	38" (223 Rem., 243 Win., 308 Win., 30/06 Sprg., 270 Win.)	38" (22 WMR)
	42" (25-06 Rem.)	40" (223 Rem., 243 Win.)
Length of Pull	14 ¼"	14 ¼"
Weight	7-8 lbs.	7-8 lbs.

Rifles: Buffalo Classic and Target Models



Tradition, history and American craftsmanship

combine to create today's Harrington and Richardson rifles, continuing a legacy that began in 1871. The Harrington and Richardson 45/70 Government Buffalo Classic[®] and the 38-55 Win. Target Model are true American classics to their very core. Modeled after the Frank Wesson tip-up rifles that were first made in Worcester, Massachusetts in the 1850s, these modern classics fill the need of the long-range Cowboy Action Shooter as well as those who simply enjoy shooting these great old cartridges.

Both the Buffalo Classic and the Target Model reflect true 19th century styling, including antique color case hardening on the frame and a crescent butt plate, plus cut checkering on their American black walnut stocks and fore-ends. The Harrington & Richardson Buffalo Classic in 45/70 Government has carved out a highly competitive position in today's fast-growing sport of Cowboy Action Shooting. It features a mid-weight 32" barrel to extract all the velocity possible out of the venerable 45/70 cartridge. The 32" barrel length also provides the necessary sighting radius for long-range matches. It's equipped with a Williams receiver sight, and a Lyman target front sight with eight aperture inserts.

The Harrington & Richardson Target Model in 38-55 Win. follows a tradition of fine target offerings. The 38-55 cartridge traces its roots to the early 1880s, when it was developed for target shooting by the Ballard Rifle Company. The Target Model employs a 28" heavy target barrel and original style rifling for consistent accuracy. It has a Williams receiver sight, and a Lyman target front sight with eight aperture inserts.



Model	Buffalo Classic Rifle (CR-1871)	Target Model Rifle (CR-3855)
Caliber	45/70 Government	38-55 Win.
Stock	Cut-checkered American black walnut with case colored crescent steel buttplate	Cut-checkered American black walnut with case colored crescent steel buttplate
Barrel	32"	28" heavy target
Sights	Williams receiver sight; Lyman target front sight with 8 aperture inserts	Williams receiver sight; Lyman target front sight with 8 aperture inserts
Length	46"	42°
Length of Pull	14"	14"
Drop at Comb	1 ³ ⁄4"	1 ¾
Drop at Heel	2 %"	2 ⁵ ⁄⁄k"
Weight	8 lbs.	7 ½ lbs.

H&R[®] and NEF Sporting Firearms



The Other Branch of the Marlin Family

In November of 2000, The Marlin Firearms Co. purchased the assets of H&R 1871, Inc.

Founded in 1871 (one year after Marlin), the original company started in a plant in Worcester, Massachusetts.

The company subsequently moved to Gardner, Massachusetts, and today employs over 200 people. Marketing

its products under the brand names of Harrington & Richardson[®] and New England Firearms[®], H&R 1871[®] is the largest manufacturer of single shot shotguns and rifles in the world.



NEF/H&R Barrel Accessory Program

New England Firearms[•] and Harrington & Richardson[•] offer a barrel accessory program that allows the purchase of additional barrels that may be added to firearms of our manufacture since 1987. Rifle frames may be fitted with additional rifle, shotgun, and muzzleloader barrels; and shotgun frames may be fitted with additional shotgun and muzzleloader barrels (only). All barrels must be factory fitted in Gardner. To learn more about this program, please visit our website at www.hr1871.com, or write to: H&R 1871, LLC, ATTN: Barrel Accessory Offer, 60 Industrial Rowe, Gardner, MA, 01440.

Support Your Sport

If we are going to preserve cherished hunting and shooting traditions, we must all get involved in spreading the truth, as well as contributing time and money to worthwhile conservation organizations.




Join a sportsmen's club. Buy Duck Stamps. Write letters to editors. And join the NRA. Learn the advantages of National Rifle Association membership. Write: National Rifle Association, 11250 Waples Mill Road, Fairfax, VA 22030.



H&R 1871[®] proudly supports the Hunting & Shooting Sports Heritage Fund.

Transfer Bar System







All NEF and H&R single shot firearms incorporate a special safety feature – a transfer bar system that prevents the gun from being fired unless the hammer is fully cocked and the trigger pulled and held completely to the rear.

With the Transfer Bar System, the hammer never strikes the firing pin directly. Instead, cocking the hammer raises the transfer bar, which is held in the "up" position only if the trigger is pulled and held fully to the rear. Only then can the energy of the hammer be transferred to the firing pin.

The transfer bar system prevents the type of accidental firing that might result from a blow to the hammer or from a dropped hammer during the cocking process.

We are committed to safety as well as to quality. The shooting sports have an enviable safety record among all leisure activities, and we applaud your efforts to maintain and improve that record. We urge all shooters to follow standard firearm safety practices and to participate in safety training.

NEF Dog Training/Starter Revolvers

Available in both 22 and 32 caliber blank, these American-made revolvers are rugged and reliable. Metal finish is matte blue, and a bright orange cap on the barrel is a reminder that the revolver is not a firearm. The grips are walnut-fin-

ished hardwood, and a blued lanyard ring is included for security.

The Bureau of Alcohol, Tobacco and Firearms has designated these revolvers "non-firearms," so they are not subject to any Federal firearms restrictions.

Both double-action revolvers feature our Transfer Bar System, virtually eliminating the possibility of an unintentional discharge.

Specifications: NEF Dog Training/Starter Revolvers

Model	B22-002 and B32-002
Caliber	22 Cal. Blank, or 32 Cal. Blank
Capacity	22 Cal. – 9/32 Cal. – 5
Mechanism Double action, heat-treated steel frame, ordnance-grade steel cylinder, hammer,	
	and fire control mechanism
Grips	Walnut-finished American hardwood
Weight	24 ог.

Congressional Sportsmen's Foundation

The Congressional Sportsmen's Foundation serves as American sportsmen's link to Congress, in order to ensure that current and future generations will have the right and opportunity to hunt, fish, and trap.

Governed by a Board of Directors comprised of industry and conservation leaders, the Congressional Sportsmen's Foundation educates Members of Congress, staff, and federal officials to better understand and represent their hunting, angling, and



trapping constituents. In this way, the CSF promotes legislation and policies favorable to conservation and responsible management of our nation's fish and wildlife resources.

To learn more about CSF activities and how to become a member, write: The Congressional Sportsmen's Foundation, 110 North Carolina Avenue, SE, Washington, DC 20003, Phone: (202) 543-6850, Fax: (202) 543-6853 or online: www.sportsmenslink.org.

H&R 1871, LLC 60 Industrial Rowe Gardner, MA 01440 U.S.A. Main Number: (978) 632-9393 Customer Service: (978) 630-8220 Reach us on the Internet www.hr1871.com



All specifications shown in this catalog are subject to change without notice. ©2004 H&R 1871, LLC