



2004 **H1**

2004 H1 DETAILS

MSRP NOTE 1

\$117,508 WAGON \$106,185 OPEN TOP

COMPONENTS AND FEATURES

TURBO DIESEL ENGINE

V8, Optimizer 6500 turbo-charged diesel, electronically-controlled

HORSEPOWER

205 hp@3400 rpm

TORQUE

440 lb.-ft.@1800 rpm

BORE AND STROKE

4.06 x 3.82 in.

COMPRESSION RATIO

20.2:1

TRANSMISSION

4L80-E 4-speed automatic

DRIVETRAIN

Full-time 4WD system plus TorqTrac 4™ (TT4) traction control system

GEAR RATIOS

1ST: 2.48:1 **2ND:** 1.48:1 **3RD:** 1.00:1 **4TH:** 0.75:1

REVERSE: 2.08:1 **TORQUE CONVERTER RATIO:** 2.2:1

TRANSFER CASE

New Venture Gear model 242

GEAR RATIOS

LOW: 2.72:1 **HIGH:** 1.00:1

AXLES

Hypoid with a ratio of 2.56:1. Continuous torque rating is 1,421 lb.-ft.

DIFFERENTIAL

Zexel Torsen® III torque biasing

ELECTRICAL

12V, 124 amp alternator

FUEL CAPACITY

25 gal. plus 17 gal. auxiliary tank

STEERING

Variable ratio, integral power, recirculating ball

BRAKES

Hydroboost power assist, 4-wheel inboard mounted disc brakes, Meritor-WABCO ABS brake control

SUSPENSION

Independent front and rear double "A" frame with open-end coil springs and hydraulic shock absorbers

FRAME

Steel box section with 5 crossmembers

WHEELS AND TIRES

WHEELS

17 in. high-strength cast aluminum with tire bead retaining system

TIRES

37x12.5R-17 load range "E" Goodyear Wrangler GSA radial

GEARED HUBS

1.92:1 ratio

INFLATION CONTROL

Central Tire Inflation System (CTIS) with on-board air compressor

EMERGENCY SYSTEM

Runflat tire system NOTE 5

EXTERIOR FEATURES

6061 T6 hardened aircraft aluminum body

Composite forward-tilting hood

Heavy-duty steel bumper towing shackles

3/16 in. rocker panel protection constructed from T6 aluminum

Heavy-duty brush guard

High impact-resistant full driveline protection

Trailer towing unit with wire harness

Halogen headlights

Removable tonneau cover

INTERIOR FEATURES

Monsoon™ audio system with in-dash 6-disc CD player/changer

Premium leather-trimmed seats in brown and ebony

Heated seats (front only)

3-point seat belts

Central power locking system with remote keyless entry

Adjustable in-board mounted armrests

Glove box

Power windows (express down for driver)

Delay wiper system

Air conditioner with auxiliary rear unit

Privacy glass in rear window (wagon only)

Heated windshield

ISRV mirror with compass and temperature read-outs

CTIS controls and tire pressure gauges

Cruise control

Heat and sound insulation

2004 H1 DETAILS

LENGTH NOTE 2

HEIGHT

WIDTH (EXCLUDING MIRRORS)

WHEELBASE

TRACK WIDTH

GROSS AXLE WEIGHT RATING

FRONT (10,300 lb. GVWR)

REAR (10,300 lb. GVWR)

CURB WEIGHT NOTE 2

PAYLOAD NOTES 2 & 3

MAXIMUM TOWED LOAD NOTE 4

GROUND CLEARANCE

WATER FORDING DEPTH

GRADE CAPACITY

SIDE SLOPE CAPACITY

BREAK-OVER ANGLE

APPROACH ANGLE (WITH WINCH)

APPROACH ANGLE (WITHOUT WINCH)

DEPARTURE ANGLE

RUNFLAT CAPABILITY (AT 20 mph) NOTE 5

TURNING RADIUS

WAGON	OPEN TOP
	184.5 in.
75.0 in.	77.0 in.
	86.5 in.
	130 in.
	72 in.
	4,100 lb. 6,800 lb.
7,608 lb.	7,263 lb.
2,692 lb.	3,037 lb.
7,542 lb.	7,887 lb.
	16.0 in.
	30.0 in.
	60%
	40%
	32.5°
	47.0°
	72.0°
	37.5°
	30 miles
	25.5 ft.

2004 H1 OPTIONS

ADVENTURE PACKAGE

17in. 2-piece forged aluminum wheels with dual beadlocks and runflats featuring a fully concealed air delivery system to support CTIS

12,000 lb. winch

Eaton™ electronic ELocker™ front differential

Eaton™ electronic ELocker™ rear differential

TIRE PACKAGE (Only available when Adventure Option Package is also purchased)

37x12.5R-17 load range "E" Goodyear Wrangler MT/R tire with DuraWall puncture-resistant technology

2004 H1 ACCESSORIES

Tubular side step (black or stainless steel)

Fender flares

Heavy-duty frontal coverage brush guard

Heavy-duty wrap-around brush guard

Rear bumper close-out panel

Center close-out panel

Rocker panel protection cover

Rocker panel protection cover kit (black or stainless steel)

Outside power mirrors

Magnum hitch

Rotating pintle hitch receiver

Winch kit

Winch accessory kit

Winch roller fairlead

Swing-away tire carrier

Bed-mounted spare tire carrier

Bed liner

Front bumper cover

Skid plate cover

Front grille cover

Upper grille cover

Rear bumper cover

Rocker panel decals

Tailgate decals

Soft square back kit

Soft slant back kit

Stainless steel accents

Turnlite visor

Headlight bezel

Hood corner trim

Hood latch covers

Towbar covers

Tail surround

Tailgate hinge covers

Air intake cap

SkyFi XM radio **NOTE 6**

Leather seat covers (gray or tan) **N/A for '04 models**

Protective seat cover kit

Seat heaters **N/A for '04 models**

Rear seat armrests **N/A for '04 models**

Cargo area liner

Auxiliary seat **N/A for '04 models**

Dash applique kit **N/A for '04 models**

Shifter and emergency brake bezel kit **N/A for '04 models**

Floor mat kit (gray or brown) **N/A for '04 models**

Universal electronic holder

Delco infrared remote **N/A for '04 models**

Center console knee panel **N/A for '04 models**

Fender rack

Center tunnel rack

Aluminum roof rack

Universal mounting rack

Side load roof rack

Bike rack

Light bar kit

KC HiLites

Night vision

Garage door interface kit

Dual oil filter kit

Safety reflective triangle kit

Air filter restriction gauge kit

Hour meter kit

Reel lamp kit

Off-road fender mount kit

Pioneer tool kit

Off-road hardware kit

Tire repair kit

Traveler/survivor pak kit

16.5 in. 1-piece aluminum wheel

16.5 in. 2-piece CTIS wheel

17 in. 1-piece aluminum wheel

17 in. 2-piece aluminum wheel


Stainless steel wheel cover kit

Recessed stainless steel wheel cover kit

2004 H1 COLORS



BLACK




BRIGHT WHITE




METALLIC BLACK



BLACK DIAMOND METALLIC




METALLIC PEWTER




COMPETITION YELLOW



FIREHOUSE RED



SUMMIT SILVER



DESERT SAND

2004 H1 WARRANTY

GM backs your new H1 with its New Vehicle Bumper-to-Bumper Limited Warranty, as well as with 12 free scheduled maintenance appointments during the warranty period, for vehicles registered in the USA. See your HUMMER dealer for terms and conditions. The entire vehicle is warranted for repairs, including parts and labor, to correct problems in materials or workmanship for 3 years or 36,000 miles, whichever comes first. The warranty covers the complete vehicle, tires, towing to your nearest HUMMER dealership, cosmetic corrosion resulting from defects, and repairs made to correct any vehicle defect. There is no charge for most warranty repairs. There is also no deductible for repairs during the warranty period. And the warranty transfers automatically with vehicle ownership during the warranty period. You can also take advantage of free scheduled maintenance during the normal warranty period. Maintenance is free of charge to you and can result in substantial savings during the first 3 years or 36,000 miles of your H1 ownership. See dealer for specific maintenance schedule and services, as well as restrictions.

CORROSION: Since HUMMER trucks are designed to resist corrosion, all body sheet metal components are warranted against rust-through corrosion for 6 years or 100,000 miles, whichever comes first. Application of additional rust-inhibiting materials is not required, and none is recommended.

HUMMER® LIKE NOTHING ELSE.™

LEGAL NOTES **1** MSRP does not include tax, title, license, options and accessories. It does include the destination charge. **2** The data on this page applies to models without winch and optional accessories. Models with winch are impacted as follows: **PAYLOAD:** decrease by 137 lb.; **CURB WEIGHT:** increase by 137 lb.; **LENGTH:** increase by 6 in. **APPROACH ANGLE:** decrease by 25° **3** Payload includes passengers, optional equipment and trailer tongue weight. **4** Maximum towing capacity will vary based on vehicle loading. Gross Combination Weight (GCW) of vehicle and trailer cannot exceed 15,300 lb. for highway use only. A weight-carrying hitch gives your vehicle the capability to tow a maximum weight of 7,500 lb. A weight-distributing hitch with spring bars may give your vehicle the capability to tow a maximum weight of 7,887 lb., depending on model and payload. These are not necessarily weights the vehicle will tow at sustained highway speeds or varying altitudes. **NOTE:** The maximum allowable weight your vehicle can tow off-road, no matter what type of hitch is being used, is 5,000 lb. **5** For emergency use only. A "get home" capability that will cause tire damage. **6** Service fees apply. Only available in the 48 contiguous states. Visit www.xmradio.com for details.