#### RIMFIRE RIFLE. CENTERFIRE ATTITUDE.

What do you get when you cross a rimfire with Remington's legendary bolt-action rifle dependability and accuracy? The new Remington® Model 504<sup>™</sup> – it's what every rimfire enthusiast has been waiting for. Crafted to exacting quality and design criteria, the Model 504 is destined to become the standard by which other bolt-action rimfire rifles are judged.

The Model 504's rock-solid receiver design is machined from ordnance grade steel giving it centerfire rifle strength and rigidity. Key features include a newly designed, fully adjustable\* trigger group and a barreled action that utilizes two bedding points to securely anchor it in the stock. We've also built the Model 504 with dual extractors for positive feeding and uniform cartridge support. Its 20" satin-blued clean barrel features 5-R button rifling (the same rifling used in Model 40-XR custom target rifles) with a recessed crown for extra protection.

From casual plinkers to the avid small game hunter to the competitive target shooter, the Model 504 is a perfect choice. Its durable bolt-action design delivers consistent lock-up of the cartridge and fast lock times for more accurate shot placement.

Receiver machined from solid ordnance grade steel

results in centerfire rifle type strength.

With its unique trim and tapered stock, the Model 504 captures the look and feel of a true rimfire rifle. You'll appreciate extra features like a rubber butt pad, stylized grip cap, detachable magazine and sling swivel studs. Top it off with a beautiful American walnut stock with satin finish and satin blued metal and you've got more than a superior rifle, you've got an instant classic. The Remington Model 504 – serious bolt-action performance for serious rimfire shooters.

Adjustable through a Remington® Authorized Repair Center.

for 2004

Model 504™

#### MODEL 504™ FEATURES

- Rock solid receiver design machined from solid ordnance grade steel results in centerfire rifle type strength and rigidity.
- Newly designed trigger group is fully adjustable by a
- Barreled action is securely anchored in the stock
- Bolt features dual extractors for positive feeding and
- 20" satin blued clean barrel with 5-R button rifling (the same rifling used in Model 40-XR custom target rifles) and recessed target crown.

- Remington Authorized Repair Center.
- utilizing two bedding points.
- uniform cartridge support.
- Six round flush mount detachable metal magazine box.
- American Walnut stock with rubber butt pad, stylized grip cap and sling swivel studs.
- · Receiver is drilled and tapped for scope mounts.
- Cocking indicator visible from rear of bolt plug.

Bolt features dual extractors for positive eding and uniform cartridge support.



~MODEL 504" DESIGN FEATURES~

20" satin blued carbon steel barrel with 5-R Button rifling (same as Model 40-XR Target Rifle) and recessed target crown.

Six round detachable metal magazine box fits flush with bottom of the stock.

Model 504 trigger group, fully adjustable by a Remington® Authorized Repair Center.

Dual bedding points anchor the action to the stock for consistent shot placement.

#### MODEL 504™ METAL MAGAZINE

Constructed from a lightweight, magnesium-based alloy and cast as one piece via a non-conventional die-cast process, our six-round metal magazine holds ultra-precise dimensional tolerances and yields an "exceptional" surface finish. Moreover, its extreme rigidity is ideal for demanding, high-volume use. The metal magazine is also available separately as a Remington® accessory.

Caliber	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish		
MODEL 504™ RIFLE DIMENSIONS / AVERAGE WEIGHTS									
22 LR 20" 39 ½" 6 American Walnut Satin Carbon Steel Satin Blued									
Nominal stoc	Nominal stock dimensions: 13 3/4" length of null 11/6" drop at comb 11/4" drop at heal								



#### WHERE TECHNOLOGY MEETS CRAFTSMANSHIP.

Whether you use it for hunting, serious target shooting or an afternoon of plinking, one thing is certain: This is no ordinary rimfire rifle. Far from it. In fact, the Model 597™ is easily the most advanced autoloading rimfire rifle ever built. And the first breakthrough in autoloading rimfire rifle technology in 35 years. The difference starts with our proprietary bolt-guidance system. It features a unique set of twin tool-steel guide rails (other brands feature only grooved aluminum slots). Because steel is stronger and far more resistant to wear, the result is not only better stability, feeding reliability and accuracy right out of the box, but significantly superior performance through time.

Of course, we didn't stop there. The bolt, hammer and sear of the Model 597 all feature an exclusive Teflon nickel plating for absolutely smooth, dependable operation and an ultra-crisp trigger pull (that stays that way). To assure reliable, long-life accuracy, we've also incorporated a unique positive-locking, permanently rigid barrel attachment clamp. Receivers are grooved for standard rimfire mounts and tapped/drilled for Weaverstyle bases. Completing the breakthrough design are an innovative last-shot "hold open" magazine feature and our patented, easy-to-use staggered-stack magazine. For additional Model 597 factory accessories, including extra magazines and scope rails, see page 56.

#### MODEL 597™ FEATURES:

- · Bolt-guidance system features twin, tool-steel guide rails
- · Offered in both textured finish synthetic or laminated wood stocks
- Offered in both blued carbon steel or stainless. steel barrel models
- Non-glare matte finish
- Adjustable big game iron sights (excluding heavy barrel and magnum models)



Constructed from a lightweight, magnesium-

based alloy and cast as one piece via a non-conventional die-cast process, our metal magazine holds ultra-precise dimensional tolerances and vields an exceptional surface finish. Moreover, its extreme rigidity is ideal for demanding, high-volume use. For those who already own an older Model 597, the metal magazine is also available separately as a Remington® accessory.

## ~MODEL 597™ DESIGN FEATURES~

Last shot hold open for positive identification of empty chamber Model 597™ bolt travels on twin tool-steel guide rails for flawless functioning Sear and hammer are -Teflon®/nickel-plated for Unique attachment system rigidly joins crisp, smooth trigger pull

barrel to receiver for perfect alignment and enhanced accuracy Patented drop-out style staggered-stack box magazine assures reliable feeding and fast, easy reloading

#### RIMFIRE RIFLES

#### LOOKING FOR A CLASSIC RIMFIRE? CHOOSE YOUR MASTER.

For those sportsmen who still love the look and feel of classic rimfire rifles, our Model 572™ BDL™ Fieldmaster® and Model 552™ BDL Speedmaster,® may very well be the finest available. They combine richly blued carbon-steel barrels with stocks of generously checkered, high-gloss American walnut. But don't let the good looks fool you - these are serious shooters. The Model 572 BDL Fieldmaster is one of the most popular pumpaction 22 rimfires made in America today. Ultimately versatile, it handles 22 Short, 22 Long and 22 Long-Rifle cartridges interchangeably. Other features include adjustable big-game sights, positive cross-bolt safety and grooved receiver for scope mounts. The Model 552 BDL Speedmaster is the only American-made 22 autoloader that handles 22 shorts, 22 longs and 22 long-rifle cartridges interchangeably. Like its pump-action counterpart, it features adjustable big-game sights, positive cross-bolt safety and grooved receiver for scope mounts.

#### MODEL 552 TM / 572 TM FEATURE:

· Patented, 10-shot metal detachable magazine,

· Last-shot "hold open" bolt for added safety

8-shot for magnum

- Handles 22 Short, 22 Long and 22 Long-Rifle cartridges
- High-gloss American walnut stock and fore-end with cut checkering
- · Tubular magazine fed
- Richly blued carbon-steel barrel
- · Adjustable iron sights for open sight plinking
- · Receiver grooved for scope mounts for precision shooting with optics
- Model 572<sup>™</sup> Fieldmaster® features a smooth classic slide action
- Model 552<sup>™</sup> Speedmaster® features an autoloading action for serious plinking

Model	Order No.	Action Type	Mag./Clip Capacity	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
MODE	L 572	<sup>™</sup> / <b>5 5 2</b> <sup>™</sup>	RIFLE	DIM	ENSI	ONS /	AVERAG	E WE	IGHTS	
552™ BDL™ Deluxe Speedmaster®	25594	Autoloading (22 S, L, LR)	15²	21"	40"1	5 ¾	American Walnut	Gloss	Carbon Steel	Polished Blue
572 <sup>™</sup> BDL <sup>™</sup> Deluxe Fieldmaster <sup>®</sup>	25624	Pump (22 S, L, LR)	15²	21"	40"1	5 ½	American Walnut	Gloss	Carbon Steel	Polished Blue
¹ Nominal stock dimensions: 13 ¾ " length of pull, 1 ¾ " drop at comb, 2 ¼ " drop at heel. ² Capacity is 15 22 Long Rifle, 17 22 Long and 20 22 Short.										

Model	Order No.	Action Type	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Material	Stock Finish	BBL Material	BBL Finish
M	ODEI	L 597™ RIFL	E DI	MEN	SION	IS / AVERA	GE V	EIGHTS	
597™	26550	Autoloading (22 LR)	20"	40"1	5 <sup>1</sup> / <sub>2</sub>	Gray Synthetic	Matte	Carbon Steel	Satin Blue
597™ LSS	26556 Autoloading (22 LR)		20"	40"1	5 <sup>1</sup> / <sub>2</sub>	Brown Laminate	Satin	416 Stainless	Satin Stainless
597™ SS	26565	Autoloading (22 LR)	20"	40"1	5 <sup>1</sup> / <sub>2</sub>	Gray Synthetic	Matte	416 Stainless	Satin Stainless
597™ MAGNUM	26560 26516	Autoloading (22 WMR) Autoloading (17 HMR)	20"	40"	6	Black Synthetic	Matte	Carbon Steel	Satin Blue
597™ HB LS	26579	Autoloading (22 LR)	20"	40"1	6	Brown Laminate	Satin	Carbon Steel	Satin Blue
597™ HB LS MAGNUM	26581	Autoloading (22 WMR)	20"	40"1	6	Brown Laminate	Satin	Carbon Steel	Satin Blue



#### A WIDE RANGE OF MODEL 597™ VERSIONS ARE AVAILABLE:

- Standard Model 597: Carbon-steel barrel with a one-piece, gray synthetic stock.
- Model 597 SS (Stainless Synthetic): Stainless-steel barrel and matching alloy receiver with a one-piece gray synthetic stock.
- Model 597 LSS: Features a stainless-steel barrel and matching alloy receiver with a satin finish, brown laminated wood stock with swivel studs.
- Model 597 HB LS: Features heavy-contour barrel for vibration reduction and ultimate accuracy. Chambered for either 22 long-rifle or 22 Win Mag. Features a brown laminated-wood stock with swivel studs.
- Model 597 Magnum: Serious rimfire rifle that approaches small-bore centerfire performance. Patented heavy-alloy bolt retains uniform bolt speed with magnum ammunition. Blued carbon-steel barrel and alloy receiver with weather-resistant black synthetic stock and factory-installed sling swivel studs. Available in 17 HMR and 22 Win Mag.

#### WE'VE TURNED COMPACT INTO IMPACT.

Model Seven. With a precision balanced 20" barrel and an overall weight of just 6 ½ pounds, it's easy to see why many hunters believe the Model Seven™ Bolt Action is the ultimate dense-cover rifle. But don't underestimate its range. The Model Seven still features the strength of our Model 700™ action and delivers exceptional accuracy for long-range shots. For youngsters or small-stature adults, the Model Seven Youth Synthetic is available in four calibers with a 1"-shorter stock and carbon-steel action.

Model Seven Magnum. When we first introduced the Model Seven Magnum, chambered for the Remington Short Action Ultra Mag cartridges, it literally changed the way a lot of serious hunters thought about compact rifle performance. No longer do shooters need to sacrifice ballistic performance for the advantages of a compact, swift handling rifle. Featuring a 22" magnum contour barrel and the same world-renowned action design as the legendary Model 700, the Model Seven Magnum boasts exceptional bolt operation with action strength, accuracy and reliability other factory-built rifles can't begin to match. All in all, it's no stretch to say that you're looking at today's ultimate compact magnum centerfire.

#### MODEL SEVEN™ FEATURES:

- 2" shorter overall length than Model 700 counterparts make the Model Seven perfectly sized for small stature shooters.
- Compact design ideal for thick cover hunting.
- Boasts legendary strength of the Model 700 action:
   "Three-rings-of-steel" with the bolt face, barrel
   and receiver encasing the cartridge head.
- Cylindrical receiver design provides a consistent bedding area in the stock.
- Available in popular short action calibers as well as in Remington Short Action Ultra Mag calibers for the ultimate in compact magnum performance.

Model Seven™ SS
Stainless Synthetic

FOR FULL CALIBER LISTINGS OFFERINGS REFER TO PAGE 70.

Barrel Length	Overall Length	Avg. Wt.(lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
DIM	ENS	ONS	/ AVE	RAGI	E WEIG	HTS
22"	411/4"1	71/4	Brown Laminate	Satin	Carbon Steel	Polished Blue
22"	411/4"1	71/8	Black Synthetic	Matte	416 Stainless	Satin Stainless
20"	39 <sup>1</sup> / <sub>4</sub> " <sup>1</sup>	61/2	Brown Laminate	Satin	Carbon Steel	Polished Blue
20"	391/4"1	61/4	Black Synthetic	Matte	416 Stainless	Satin Stainless
20"	381/4"1	61/4	Hardwood	Flat	Carbon Steel	Matte Blue
20"	381/4"1	61/4	Black Synthetic	Matte	Carbon Steel	Matte Blue
	DIM 22" 22" 20" 20" 20"	22" 41'/4"\ 22" 41'/4"\ 20" 39'/4"\ 20" 39'/4"\ 20" 38'/4"\ 20" 38'/4"\	22" 41'/4" 7'/4 22" 41'/4" 7'/8 20" 39'/4" 6'/2 20" 39'/4" 6'/4 20" 38'/4" 6'/4 20" 38'/4" 6'/4	DIMENSIONS / AVE           22"         41¹/₄"¹         7¹/₄         Brown Laminate           22"         41¹/₄"¹         7¹/₅         Black Synthetic           20"         39¹/₄"¹         6¹/₂         Brown Laminate           20"         39¹/₄"¹         6¹/₄         Black Synthetic           20"         38¹/₄"¹         6¹/₄         Hardwood           20"         38¹/₄"¹         6¹/₄         Black Synthetic	DIMENSIONS / AVERAGI           22"         41¹/₄"¹         7¹/₄         Brown Laminate         Satin           22"         41¹/₄"¹         7¹/₅         Black Synthetic         Matte           20"         39¹/₄"¹         6¹/₂         Brown Laminate         Satin           20"         39¹/₄"¹         6¹/₄         Black Synthetic         Matte           20"         38¹/₄"¹         6¹/₄         Hardwood         Flat           20"         38¹/₄"¹         6¹/₄         Black Synthetic         Matte	DIMENSIONS / AVERAGE WEIC           22"         411/4"1         71/4         Brown Laminate Nation         Satin         Carbon Steel           22"         411/4"1         71/8         Black Synthetic         Matte         416 Stainless           20"         39 1/4"1         61/2         Brown Laminate         Satin         Carbon Steel           20"         39 1/4"1         61/4         Black Synthetic         Matte         416 Stainless           20"         38 1/4"1         61/4         Hardwood         Flat         Carbon Steel           20"         38 1/4"1         61/4         Black Matte         Carbon Carbon Steel

THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.

Model Seven™ Youth Synthetic (Features 1" shorter length of pull)

# M O D E L 6 7 3<sup>11</sup>

#### THE GUIDE'S FORMULA: MOVE FAST, HIT HARD.

In the mid-60's Remington® introduced the Remington Model 600™ Magnum, a rifle destined to become legendary with many big game guides. Decades later we bring to you a modern version of the classic Model 600 – the Model 673™ Guide Rifle. Based on the Model Seven™ action, this swift-handling rifle features a 22" magnum contour barrel with distinct machined steel ventilated rib and iron sights. It is the definition of fast target acquisition. But to consider the Model 673 as merely a performance oriented rifle is to sell it short. Adorned in a two-tone wide striped, laminated, weather resistant straight comb stock with deep cut checkering and swivel studs – it is an extremely handsome gun. The Remington Model 673. Looks good. Moves fast. Hits hard.

#### MODEL 673™ FEATURES:

- Machined steel ventilated rib with iron sights for fast target acquisition.
- Action based on the popular Model Seven<sup>™</sup> platform for strength and consistent shot placement.
- High strength wood laminate stock boasts stylish alternating light and dark stripes, reminiscent of the legendary Model 600™ Magnum.
- 22" Magnum Contour barrel allows for maneuverabilit without sacrificing ballistic performance.
- · Hinged floorplate magazine

The Model 673 <sup>™</sup> features a distinct machined steel ventilated rib and iron sights – it is the definition of fast target acquisition.





Calibers	Order No.	Action Type	BBL Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
		MODEL 67	3™ RIFL	E DIMENS	SIONS /	AVERAGE WEIGHT	S		
350 Rem Mag	24687	Bolt / SA Magnum	22"	41 3/16" 1	7 1/2	Dark and Light Tan Laminate	Satin	Carbon Steel	Polished Blu
300 Rem SA Ultra Mag	24689	Bolt / SA Magnum	22"	413/16"1	7 1/2	Dark and Light Tan Laminate	Satin	Carbon Steel	Polished Blu
★ 308 Win.	24685	Bolt / SA	22"	41 3/16" 1	7 1/2	Dark and Light Tan Laminate	Satin	Carbon Steel	Polished Blu
★ 6.5mm Rem Mag	24683	Bolt / SA Magnum	22"	41 3/16" 1	7 1/2	Dark and Light Tan Laminate	Satin	Carbon Steel	Polished Blu

★ New for 2004. ¹ Nominal stock dimensions: 13 ³/s" length of pull, 1¹/s" drop at comb, 1¹/s" drop at heel.

#### IN A PERFECT WORLD, EVERY DEER WOULD BE A ONE SHOT KILL.

Maybe you flinched? Or the buck turned at the last split-second? Either way, our Model 7400™ and Model 7600™ centerfire rifles get you back on target. Instantly. Because not only are they built to deliver legendary Remington® first-shot accuracy, they're also designed for ultra-fast follow-up shots — without ever having to unshoulder your rifle. For autoloading fans, there's the gas-operated, soft-recoiling Model 7400 autoloader. And there's the Model 7400 Weathermaster, an all-weather gas-operated autoloader that doesn't miss a beat even in the most inclement conditions. Prefer a slide-action? There's the Model 7600 pump. Both feature quick-release magazines and Remington's rotary bolt lock-up design for exceptional strength, safety and hallmark reliability.



#### MODEL 7600™ FEATURES:

- Robust slide-action design allows for fast follow-up shots in the harshest conditions.
- Action, slide release and safety based on the design of the Model 870,™ America's most popular pump shotgun, for instantaneous end user familiarity.
- Weight distribution and slim line design result in shotgun like balance and pointablity.
- 4-round detachable magazine for convenient and fast loading.
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options.
- · Rotary-bolt lock up provides rock solid action strength.

#### MODEL 7400™ FEATURES:

- Gas-operated action yields softer recoil and speed for quick, accurate follow-up shots.
- Weight distribution and slim line design result in shotgun-like balance and pointability.
- 4-round detachable magazine for convenient and fast loading
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options.
- Rotary-bolt lock-up provides rock-solid action strength.

Pump Action

Model 7600

FOR FULL CALIBER LISTINGS OFFERINGS REFER TO PAGE 70.

Barrel Length	Overall Length	Avg. Wt.(lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
IFLE 1	DIMEN	SIONS	/ AVER	AGE WE	IGHTS	
22"	425/8"1	71/2	American Walnut	Satin or High Gloss	Carbon Steel	Polished Blue
22"	425/8"1	71/2	American Walnut	Satin or High Gloss	Carbon Steel	Polished Blue
22"	425/8"1	71/2	Black Synthetic	Matte	Carbon Steel	Matte Blue
22"	425/8"1	71/2	Black Synthetic	Matte	Carbon Steel	Matte Blue
181/2"	391/8"1	71/4	American Walnut	Satin	Carbon Steel	Polished Blue
181/2"	391/8"1	71/4	American Walnut	Satin	Carbon Steel	Polished Blue
22"	425/8"1	71/2	Black Synthetic	Matte	Carbon Steel	Nickel Plated
	22" 22" 22" 22" 22" 18½" 18½"	Length Length  IFLE DIMEN  22" 42 <sup>9</sup> / <sub>8</sub> "1  18'/ <sub>2</sub> " 39'/ <sub>8</sub> "1  18'/ <sub>2</sub> " 39'/ <sub>8</sub> "1	Length Length Wt.(lbs.)  IF LE DIMENSIONS  22" 425/8"1 71/2  22" 425/8"1 71/2  22" 425/8"1 71/2  22" 425/8"1 71/2  181/2" 391/8"1 71/4  181/2" 391/8"1 71/4	Length   Length   Wt.(lbs.)   Mat'    Length   Mat'    Length   Wt.(lbs.)   Mat'    Length   Mat'    Len	Length   Length   Wt.(lbs.)   Mat'l   Finish	Length   Length   Wt.(lbs.)   Mat'    Finish   Mat'    LET

<sup>1</sup> Nominal stock dimensions: 14" length of pull, 13/16" drop at comb, 2 1/4" drop at heel.

#### 

a remarkable value, it's truly a remarkable gun.

#### LEGENDARY ACCURACY, REMARKABLE VALUE.

Much like the Model 700,™ the Model 710™ possesses exceptional out-of-the-box accuracy, time-honored reliability, crisp, single-stage trigger design, ultra-fast lock time, and famous "three-rings-of-steel" for superior action strength. But while much of the Model 710's base design is owed to its heritage, its real story starts with advancements made possible through the latest technology. Built in America's newest firearms plant – through state-of-the-art manufacturing systems – the Model 710 breaks new ground for firearms engineering and production. Principle among its many remarkable features is its innovative, rugged barrel lock-up design. Its fiberglass-reinforced nylon receiver insert is blended with Teflon and silicone before molding for continual self-lubrication and ultimately smooth operation. A shorter, 60-degree bolt throw allows for faster follow-up shots.

Beyond the superior mechanics, the Model 710 features a uniquely textured gray synthetic stock with cheekpiece. The Remington Model 710 is more than

Model 710<sup>™</sup>

Chief among the Model 710's advanced features is a unique bolt-to-barrel lock-up design. Integrated surfaces on the rear of the barrel are machined to accept three unique locking lugs on the bolt head. When the bolt is engaged, it locks directly into the barrel, rather than the receiver. The result is a rigid assembly with incredible strength.

Caliber	Order No.	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish			
IM	ODEL 7	10" RIF	LE DIM	ENSIO	NS / AVER	AGE W	EIGHTS				
270 Win	27408	22"	421/2"1	7 1/8	Gray Synthetic	Matte	Carbon Steel	Matte			
30-06 SPRG	27410	22"	421/2"1	71/8	Gray Synthetic	Matte	Carbon Steel	Matte			
★ 7mm Rem Mag	27412	22"	421/2"1	71/8	Gray Synthetic	Matte	Carbon Steel	Matte			
* 300 Win Mag	27414	22"	421/2"1	71/8	Gray Synthetic	Matte	Carbon Steel	Matte			
★ New for 2004. ¹ No	* New for 2004. ¹ Nominal stock dimensions: 13 ³/s" length of pull, 1 ¹/s" drop at comb, 1 ²/s" drop at heel.										

## MODEL 710™ FEATURES:

With pre-mounted, bore-sighted

Bushnell® Sharpshooter®

3-9x40 scope

- Three locking lugs lock bolt directly into the barrel for unprecedented action strength.
- 60-degree bolt throw for fast follow-up shots.
- Six-groove button rifled barrel.
- Single-stage trigger boasts famous Remington, bolt-action rifle 3-millisecond lock time.
- 4-round detachable magazine box for convenient loading. (3-round on Magnum models)
- Rugged all-weather synthetic stock.
- Equipped with mounted Bushnell, Sharpshooter, 3-9 x 40 scope, bore-sighted from the factory.

Optional detachable magazine box is constructed of stainless steel for maximum durability and weather resistance

Barrel threaded into receiver

new for 2004

machined from hardened steel

Two-position

positive safety

#### UNRIVALED OUT-OF-THE-BOX ACCURACY.

It's the rifle that changed the landscape of American firearms – the Remington® Model 700™ What sets the Model 700 apart? It's in the way it all comes together. A stronger and more uniform cylindrical receiver design machined from solid steel bar stock proves superior to dated flat-bottom types. Aside from being stronger, this design provides a more consistent bedding area for the action in the stock. Next comes a counterbored bolt face that completely encloses the cartridge head with an unbroken ring of steel. This ring fits inside the barrel and, in turn, is surrounded by the receiver. The result is the famous Remington "three-ringsof-steel" - perhaps the strongest action ever conceived. Of course, strength is not the only hallmark feature of the Model 700. Its accuracy makes it the envy of every other riflemaker.


A completely supported cartridge means snugger chambers and more exact alignment of the cartridge with the bore.

The cylindrical receiver and unique bedding design also come back into play – forcing the barrel to come

to rest in the exact place every time, maximizing consistency from shot-to-shot. Finally, the exceptionally crisp Model 700 trigger assembly, coupled with an ultra-fast lock time of 3.0 milliseconds, dramatically minimizes the effect of shooting movement. All of these features are balanced through proprietary manufacturing processes to produce the renowned Model 700 out-of-the-box accuracy.


Model 700™ CDL™





- · Cylindrical receiver design provides a solid bedding area in the stock for consistent shot placement.
- breech of the barrel which is surrounded by the receiver, forming "three-rings-of-steel" enclosing the cartridge case head for exceptional strength.
- Integral extractor is set in a groove inside the rim
- · Crisp single-stage trigger and 3 millisecond lock time
- Hammer-forged barrel yields exceptional strength and accuracy.
- Model 700™ BDL™ SS / Model 700™ BDL SS DM / Model 700™ CDL comes equipped with Remington's new high-performance R<sub>3</sub>™ recoil pad.

For complete caliber listings see page 70.



MODEL 700™ LSS

MODEL 700™ BDL

Laminated Stock, Stainless


(Left-hand rifles available)


(Left-hand rifles available)


MODEL 700™ BDL DM


Detachable magazine


MODEL 700™ ADL™ SYNTHETIC















Barrel surrounds bolt shroud

for additional strength

Recessed bolt face completely encloses cartridge head in "three-rings-of-steel" for

maximum protection against case rupture

- · Classic style walnut stock with satin finish
- · Black fore-end tip and grip cap
- · Satin Finished barreled action
- 24" (Std. calibers) Clean Barrel
- 26" (Mag. caliber) Clean Barrel
- · Hinged floorplate magazine

For complete caliber listings see page 70.



The Model 700™ BDL SS Camo "Rocky Mountain Elk Foundation" rifle comes with a beautifully engraved floorplate.

#### MODEL 700™ RIFLES OFFERED:

- . MODEL 700™ CDL™
- MODEL 700™ BDL™
- MODEL 700™ BDL™ DM (DETACHABLE MAGAZINE) MODEL 700™ BDL™ SS (STAINLESS, SYNTHETIC)
- MODEL 700™ BDL™ SS DM
- MODEL 700™ LSS (LAMINATE STOCK, STAINLESS)
- MODEL 700™ CLASSIC
- MODEL 700™ ADL™
- MODEL 700™ ADL™ SYNTHETIC
- MODEL 700™ ADL™ SYNTHETIC YOUTH

For complete caliber listings see page 70.

#### AS DEADLY AND SWIFT AS THE PREDATORS YOU HUNT.

You can trace Remington's dedication to the varmint hunter back to 1967 - the year the Model 700 BDL "Varmint Special" was introduced. Since then, Remington® has been an industry leader in varmint rifle technology, bringing you its greatest innovations. It has always been a priority for Remington to listen, and respond to the needs of serious varmint hunters and benchrest shooters and this year is no different.

Introducing the Model 700™ LV SF. It's deadly accuracy and swift handling are redefining the predator hunt. Based on the reliable Model 700 action, the Model 700 LV SF weighs a mere 6.75 pounds and features a stainless steel, short action, pillar bedded receiver; a blind box magazine; and a jeweled bolt. The 22-inch clean stainless steel barrel has a medium contour (0.657" muzzle O.D.) and is fluted to reduce overall weight and increase heat dissipation. Adding to the weight reduction is a custom designed, black composite stock featuring a semi-beavertail fore-end, swivel studs, and a recoil reducing, R3TM recoil pad.

Available in four popular varmint calibers, the Model 700 LV SF is designed to be the newest, and most innovative rifle for the varmint and predator hunter on the move.



#### LIGHT VARMINT™ FEATURES:

- Weighs in at a mere 6 3/4 lb.
- Features a stainless steel, short action receiver. a blind box magazine and jeweled bolt
- 22" stainless steel barrel has a medium contour (0.657" muzzle 0.D.) and a satin stainless finish
- · Six longitudinal flutes reduce barrel weight and increase heat dissipation
- · Black composite stock featuring a semi-beavertail fore-end
- Offered in four, very popular varmint calibers
- Model 700™ LV SF comes equipped with Remington's high-performance R3™ recoil Pad.



FOR FULL CALIBER LISTINGS

Model	Action Type	Barrel Length Overall Length Avg. Wt. (lbs		Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish			
RIFLE DIMENSIONS / AVERAGE WEIGHTS											
* 700™ LV SF	* 700™LV SF Short Action 22" 415/8"¹ 63/4 Black Composite Matte 416 Stainless Steel Satin Stainless										
* New for 2004.	* New for 2004. 'Nominal stock dimensions: 13 ½" length of pull, 1½" drop at comb, 1½" drop at heel.										

# 

#### THAT PRAIRIE DOG HAD IT COMING. FROM ABOUT 500 YARDS AWAY IN FACT.

Built on the famous Model 700™ cylindrical action, Remington® Varmint and Sendero rifles are the most accurate we produce for over-the-counter sale. Barrel choices include heavy contour carbon steel and stainless steel with six longitudinally cut flutes (for lighter weight and increased heat-dissipation). Stock choices for Model 700 Varmint and Sendero rifles are just as impressive. The fiberglass composite models, strengthened by aramid fiber and graphite, are unaffected by temperature or humidity changes. They're further strengthened by aircraft-grade aluminum bedding blocks that run the full length of the receiver. The Model 700 VLS stock offers exceptional

strength through the use of laminated strips of resin-impregnated hardwood while maintaining the balance, heft and feel of a traditional wood stock.

MODEL 700™ VLS

Varmint Laminated Stock

MODEL 700™ VS Varmint Synthetic (3 left-hand rifles available)

Model 700™ VS SF Varmint Synthetic, Stainless Fluted



#### MODEL 700™ VARMINT & SENDERO RIFLES FEATURE:

All features of the legendary Model 700™ plus:

- · 26" heavy contour barrel for the ultimate in long-range accuracy.
- · Concave target-style barrel crown.
- · Composite stock with beavertail fore-end, reinforced with carbon fiber, fiberglass and aramid fiber. (VLS features laminate stock)
- · Stock features full-length aluminum bedding blocks for enhanced stability and shot-to-shot consistency. (VS, VS SF and Sendero SF only)

Model 700™ Sendero™ SF

FOR FULL CALIBER LISTINGS OFFERINGS REFER TO PAGE 7

Model	Action Type	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
		RIFL	E DIMENS	IONS / A	VERAGE WEIGH	TS		
700™ VS SF	Short Action	26"	45 3/4"1	8 1/2	Aramid Fiber Reinforced	Matte	416 Stainless	Satin Stainless
700™ VLS	Short Action	26"	45 1/2"2	9 3/8	Brown Laminated	Satin	Carbon Steel	Satin Blue
700™ VS	Short Action	26"	45 3/4"1	9 1/8	Aramid Fiber Reinforced	Matte	Carbon Steel	Satin Blue
700™ Sendero SF	Short Action Mag	26"	45 3/4"1	8 3/8	Aramid Fiber Reinforced	Matte	416 Stainless	Satin Stainless
700™ Sendero SF	Magnum	26"	46 5/8"1	8 1/2	Aramid Fiber Reinforced	Matte	416 Stainless	Satin Stainless
<sup>1</sup> Nominal stock dime	nsions (VS/Sendero): 13	3/8" length of pull,	11/4" drop at comb, 1	1/4" drop at heel. 2	Nominal stock dimensions (VLS):	13 3/8" length of	f pull, 1" drop at cor	nb, 15/8" drop at heel.

- · Left-handed models available (VS only)
- · Six longitudinal flutes reduce barrel weight and increase heat dissipation (VS SF and Sendero SF only)

#### LIGHTWEIGHT CONSTRUCTION. "LIGHTS OUT" PERFORMANCE.

High country demands high standards, that's why we've built the phenomenally light Model 700™ Titanium. Weighing only 5½ pounds long action, 5¼ pounds short action, and the 6¾ pounds magnum – it's the ultimate rifle for high-altitude spot and stalk hunting. The key to its feathery feel starts with a titanium receiver that's impervious to weather (drilled and tapped for mounts). Titanium delivers incredible strength, but at a lighter weight than steel. Complementing the receiver is a bolt featuring spiral-cut flutes and a skeleton handle – both of which further reduce the overall weight. Finally, the stainless-steel barrel features a trim mountain-style contour (non-magnum calibers only) and is fitted in an ultra-lightweight, carbon-fiber composite stock reinforced with aramid fibers and fitted with sling swivel studs.

For wilderness or high country pack-in hunts that involve rigorous hiking, we make the appropriately named Model 700 Mountain Rifles. Extremely lightweight, they feature trim stocks and tapered barrels to deliver fast, carbine-like handling with full-bore range and accuracy.



MODEL 700™ MOUNTAIN RIFLES FEATURE:

All the features of the Model 700 plus:

- Slim 22" mountain contour barrel to reduce weight.
- Hinged floor plate magazine (Model 700 MTN LSS).
- Model 700 MTN DM features a detachable magazine.

FOR FULL CALIBER LISTINGS OFFERINGS REFER TO PAGE 70.

Model	Action Type	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
	RIFLI	DIME	NSION	S / AV	ERAGE W	EIGH	ГS	
700™ Mtn. LSS	Long Action Short Action	22" 22"	42 <sup>1</sup> / <sub>2</sub> " <sup>1</sup> 41 <sup>5</sup> / <sub>8</sub> " <sup>1</sup>	6 ½ 6 ½	Brown Laminated	Satin	416 Stainless	Satin Stainless
700™ Mtn. DM	Long Action Short Action	22" 22"	42 ½"1 41 %"1	6 ½ 6 ½	American Walnut	Satin	Carbon Steel	Satin Blue
700™ Titanium	Short Action SA Magnum Long Action	22" 22" 22"	41 5/8 " 2 43 5/8 " 2 42 1/2 " 2	5½ 5½ 5½	Carbon-Fiber Synthetic	Matte	416 Stainless	Satin Stainless
1 Nominal stock dimens					n at comb 11/-" dr			

Nominal stock dimensions (700<sup>™</sup> Titanium): 13 <sup>3</sup>/<sub>8</sub>" length of pull, 1 <sup>1</sup>/<sub>2</sub>" drop at comb, 1 <sup>1</sup>/<sub>8</sub>" drop at heel

## MODEL 700™ TITANIUM FEATURES:

All features of the Model 700 plus:

 Receiver is machined from solid titanium, resulting in a ½ pound weight reduction over steel receivers.

Model 700<sup>™</sup> Titanium

- Bolt body is spiral fluted and bolt handle is skeletonized.
- Slim 22" "Mountain" (non-magnum only) contour stainless-steel hammer forged barrel further reduces weight. (Magnum calibers feature a 24" magnum contour barrel).
- Custom designed, lightweight composite stock, reinforced with carbon and aramid fibers.
- Action is pillar bedded.
- All these features work together to produce the ultimate lightweight (5½ lbs long action, 5¼ lbs short action, 6¾ lbs magnum) carry rifle to match the harshest conditions.
- Magnum version equipped with the Remington® high-performance R<sub>3</sub>™ recoil pad

## MODEL 700<sup>TM</sup> MUZZLELOADERS

#### THE ONLY IN-LINE, WITH A FAMOUS BLOODLINE.

Our Model 700<sup>™</sup> black powder rifles create a unique marriage of the past and the present. Borrowing from its legendary centerfire counterpart, the Model 700 Muzzleloader features the same look, feel and balance of a standard short-action Model 700. The same ultra-crisp trigger pull. The same 3-millisecond locktime. The same proven accuracy. Take away the ramrod and you'd barely know it was a muzzleloader. But it is, of course, designed to handle all types of muzzleloading ammunition – from round balls to sabots,

as well as up to 150-grains of black powder or Pyrodex. And it's available as the stealthy, satin-blue Model 700 ML, or the weather-defying, satin-stainless-steel Model 700 MLS Magnum with 26" barrel for increased velocity. The Model 700 MLS Magnum is offered in a fiberglass-reinforced synthetic stock in either matte black or Mossy Oak® Break-Up.

Conversion Kit. Offered as an accessory this powerful three-way ignition system enables the use of 209 primers, musket caps and No.11 percussion caps in older Model 700 ™ Muzzleloaders. See page 56 for more details.



- Model 700™ short action receiver.
- Handles and shoots like a familiar bolt-action centerfire rifle.
- Features famous Model 700 trigger.
- Hammer forged barrels with 1:28" rate of twist rated to handle 150 grains of black powder or Pyrodex.
- Equipped with a full set of nipples which allow the shooter to choose a 209 shot shell primer, musket cap or No. 11 percussion cap as the ignition source.
- Each Model 700 ML is packaged with a full range of accessories including a cleaning tube, breech plug, nipple wrenches, ramrod handle, ramrod extension, weather shroud, Allen wrench and patch jag.
- Shooter can choose between using the included iron sights or mounting a scope on the drilled and tapped receiver which accepts Model 700 bases.




RIFLE DIMENSIONS / AVERAGE WEIGHTS 700 ML 1,2 24" Black Synthetic Carbon Steel Satin Blue 700 MLS 1,2 Magnum 26" 7 7/8" Matte 416 Stainless Satin Black Synthetic Mossy Oak® 700 MLS <sup>1,2</sup> Magnum Camo 416 Stainless Break-Up®

¹ Model 700 muzzleloaders are supplied with cleaning tube, combo breech plug and nipple wrench, ramrod handle, ramrod extension, weather shroud, Allen wrench and patch jag. ² WARNING: USE BLACK POWDER OR PYRODEX ONLY. NEVER USE SMOKELESS POWDER. ³ Nominal stock dimensions: 13 ³/6" length of pull, 1 ¹/6" drop at comb, 1 ³/6" drop at heel.

#### AMERICA'S FINEST CUSTOM SHOP.

There are many sources for beautiful guns. But none quite like those from the Remington® Custom Shop. Why? Most custom gunmakers specialize in just one element of the gun, say, stock making. Or barrel making. Or engraving. Their own specialty is then combined with components obtained elsewhere. The result can indeed be very handsome. But in the end, it's still a conglomeration. At the Remington Custom Shop, every part of the firearm is created right here – by the nation's oldest gunmaker and the most experienced craftsmen. It starts with the soul of the gun, field proven actions for which Remington is most famous. Then, your dream gun is masterfully created using a wide variety of options from caliber to trigger weight and wood finish to engravings and inlays. Many of the options are shown here, but there's much, much more to see. To find out more, visit our website at www.remington.com or call us at 1-800-243-9700.





The purchase of a custom gun is a serious investment. A great comfort to those making such an investment is the ability to personally discuss the exact details, specifications, style and degree of decoration with our master gunmakers. To do so, please call 1-800-243-9700. For detailed information about all our Custom Shop products and services, visit our Web site: www.remington.com or call us and we'll send you a copy of our Custom Shop product brochure.





CUSTOM SHOP PROD	UCTS			
Model	Stock	Barrel Length / Muzzle Diameter	Weight (lbs.)	Notes
Model 700 C Grade	Fancy American Walnut	24" / .65"	7 1/2	Monte Carlo stock with rosewood fore-end tip and grip cap. Choice of caliber.
No. 1 Rolling Block Silhouette	American Walnut	30" / 1.125"	11 <sup>1</sup> / <sub>2</sub>	BPCR silhouette requirements. 45-70 caliber only. Options available.
No. 1 Rolling Block Mid-Range Sporter	American Walnut	30" / .81"	8 3/4	45-70 caliber only. Options available.
Model 700 APR (African Plains Rifle)	Brown Laminated	26" / .65"	7 3/4	Magnum calibers. Right-hand only.
Model 700 AWR (Alaskan Wilderness Rifle)	Black fiberglass w/aramid fiber	Magnum: 24" / .65" Ultra Mag: 26" / .65"	7 3/4	Stainless steel barreled action, teflon-coated. Right-hand and left-hand available.
Model 700 ABG (African Big Game Rifle)	Brown Laminated	26" / .74"	9 1/2	Dangerous game calibers. Right-hand only.
Model 700 Custom KS Safari	Grey fiberglass w/aramid fiber	22" / .82"	9	Available in stainless steel or carbon steel. Right-hand and left-hand available.
Model 700 Custom KS Mountain Rifle	Grey fiberglass w/aramid fiber	Standard: 24" / .59" Magnum: 24" / .65" Ultra Mag: 26" / .65"	6 <sup>1</sup> / <sub>2</sub> 6 <sup>3</sup> / <sub>4</sub> 6 <sup>3</sup> / <sub>4</sub>	Available in stainless steel or carbon steel. Right-hand and left-hand available.
Model Seven AWR (Alaskan Wilderness Rifle)	Black fiberglass w/aramid fiber	22" / .64"	6 ¹/s	Stainless steel barreled action, teflon-coated, short-action calibers. Right-hand only.
Model Seven Custom KS	Grey fiberglass w/aramid fiber	20" / .59"	5 3/4	Carbine steel barreled action, short-action calibers. Right-hand only.
Model Seven MS (Mannlicher Stock)	Full length, brown laminated	20" / .59"	6 <sup>1</sup> / <sub>2</sub>	Carbine steel barreled action, short-action calibers. Right-hand only.
Model 40-XC Target Rifle (not shown)	Grey fiberglass w/aramid fiber	24" / .94"	11	.308 Win only. Stainless steel barreled action. ("Over the course" stock)
Model 40-XB Target Rifle	KS: Black fiberglass w/aramid fiber Rangemaster: American Walnut Thumbhole: Brown laminated	27 <sup>1</sup> / <sub>4</sub> " / .88" 27 <sup>1</sup> / <sub>4</sub> " / .88" 27 <sup>1</sup> / <sub>4</sub> " / .88"	10 <sup>1</sup> / <sub>4</sub> 11 <sup>1</sup> / <sub>4</sub> 11 <sup>3</sup> / <sub>4</sub>	Stainless steel barreled action, single shot or repeater versions available in right- or left-hand, except thumbhole, right-hand only.
Model 40-XBBR Target Rifle (not shown)	Green fiberglass w/aramid fiber	24" / .97"	10 <sup>1</sup> / <sub>2</sub>	Single shot only, benchrest stock, centerfire calibers. Right-hand only.
Model 40-XRBR Target Rifle (not shown)	Green fiberglass w/aramid fiber	24" / .97"	10 ¹/₂	Single shot only, benchrest stock, Rimfire calibers. Right-hand only.
Model 40-XB Tactical Rifle	Black w/green, fiberglass w/aramid fiber	27 1/4" / .88"	10 ¹/₄	Stainless steel barreled action, fluted barrel, teflon-coated. .308 Win caliber. Right-hand only.
Model 700 Custom Grade and Model 40-XR Sporter	Choice	Choice	Choice	Custom built to customers' specifications. Numerous options available.
D & F Grade Shotguns & Rifles	Very Fancy American Walnut	Choice	Choice	D grade has half coverage scroll design hand cut engraving. F grade has full coverage scroll and game scenes, hand engraved Gold inlays available. Options available.

#### A MODERN APPROACH TO A CLASSIC DESIGN.

It's been a year now since the classic was reborn. And based on your reaction, it's a resounding success. Still, we were not satisfied. How could we make a great gun even better? You talked. We listened. So this year, we're offering an enhanced version of the Model 332™ featuring a "dressed up" appearance.

Sure the Remington® Model 332 still possesses the same classic lines as the Model 32. The same balance. Same feel. Same 100% Remington reliability. But this year you'll find some differences, too. Like a stylish, high-gloss American Walnut stock and a generous, 20-line-per-inch checkering pattern just to name a few.

Based on a modified box lock action of under lock design Model 332 provides exceptionally low profile for superior pointability that closely resembles that of a side-by-side – without sacrificing strength, safety or ease of loading.

The mechanical set trigger, a fast-operating safety/barrel selector and standard automatic ejectors all perform flawlessly under any shooting condition. The Model 332 features light-contour barrels made from high-strength chrome-moly steel. It's elegant receiver panel features the original Model 32 "Pointer & Setter" engraving surrounded by an oval of fine scrollwork. The fore-end and classic, straight comb stock are adorned with generous 20-line-per-inch checkering. Its high glossed wood and high-polished deep blue steel add a richness to this gun that's unmistakably 332.

#### MODEL 332™ FEATURES:

- · Superb styling and handling based on the legendary Remington® Model 32.™
- 3" chambers, available in three barrel lengths 26", 28", 30"
- · Barrels made of high strength chrome-moly steel.
- More slender grip on the stock and deep finger grooves in the fore-end for superior pointing and control.
- Fully brazed side ribs mean a solid barrel/monoblock assembly.
- · Hardened trunnions for durability.
- Mechanical trigger with dynamically balanced sears
- · Receiver milled from a solid block of ordnance grade steel.
- Automatic ejectors





8-millimeter-wide steel vent rib with twin beads.


For complete specifications see page 72.

The Remington® Model 332™ over/under shotgun. An update of Remington's premier field shooting classic built to today's standards.

#### M O D E L 1 1 0 0 TM

#### A DESIGN PROVEN BY TIME, TREASURED BY GENERATIONS.

More than 40 years ago, the Model 1100<sup>™</sup> forever changed the way American shooters viewed autoloading shotguns. It was the first autoloader to combine the repeat-shot versatility of early-century models with the sleek, modern lines and handling qualities of revered double barrels. It's been a field-proven favorite ever since. Its superb balance, handling, durability and soft recoil from the gas operated action are the foundation of the Remington® autoloading legacy. Today, the Model 1100 is still going strong - in fact, we're adding a new 20-gauge model in the Classic Field design for 2004. The Remington Model 1100, a classic gun that's still ahead of it's time.



#### MODEL 1100™ CLASSIC FIELD SHOTGUNS FEATURE:

- Our most popular autoloading shotgun.
- Model 1100<sup>™</sup> Classic Field is handsomely styled with American walnut stock and fore-end and a polished plain-sided receiver roll-marked with "Classic Field."


A great choice for an upland autoloader, with light weight,

For complete model listings and specifications

fast handling, low recoil and great balance.

· Available in 16- and 20-gauge.


• The classic field stock features machine cut checkering, traditional white diamond grip cap, white line spacers and one-piece



· Over 40 years of reliab

Model 1100™ Classic Field

Model 1100™ Synthetic 12-, 16- and 20-Gauge



- · Receiver milled from a solid billet of steel for strength and durability.
- · Non-glare matte finish.
- Rem<sup>™</sup> choke vent rib barrel.
- · Available in a wide variety of gauges, barrel configurations and choke options including deer gun, youth and synthetic stock variations

For complete model listings and specifications



12-Gauge Fully Rifled Cantilever Deer Gun (Scope and rings not included.)



#### LEGENDARY REMINGTON® RELIABILITY WITH 31/2" CAPABILITY.

If you could only have one shotgun, few would disagree that the Model 11-87™ Super Magnum<sup>™</sup> tops the list of candidates. It can handle just about any game in any field or flyway. The unmatched versatility of the Model 11-87 Super Magnum results from the unique metering system of its patented gas-operated action.

With 2 3/4" field loads, an integral pressure relief valve remains closed, utilizing all of the shell's pressure to operate the action. When heavier shells are used, the valve opens proportionately to release the unneeded pressure - retaining just the right amount to operate the action. This not only assures reliable handling of all shell sizes, but prevents excessive bolt velocity that could increase wear. It's the same system that hunters have been using for the past seventeen years on the original Model 11-87. Available in a number of versions, ranging from our Model 11-87 Premier® Super Magnum with high-gloss walnut stock and polished blue metalwork to fully camouflaged models for the ultimate in waterfowl and turkey hunting. All versions are furnished with Improved Cylinder, Modified and Full Rem™ Chokes.

#### MODEL 11-87™ SUPER MAGNUM FEATURES:

- All the power of a 31/2" 12-gauge shotgun coupled with the soft recoil of the Model 11-87™ gas system.
- Ultra-fast Model 11-87 autoloading action for rapid follow-up shots.
- All of the superior handling and ergonomics of the standard Model 11-87.
- Super Magnum<sup>™</sup> is available in special purpose, special purpose synthetic, as well as camouflage and Premier® versions.
- A broad selection of barrel and choke options provide great versatility to match any situation.
- · Solid steel receiver for strength and durability.

For complete model listings and specifications see page 71.

Model 11-87<sup>™</sup> Premier

Super Magnum

Super Maanum™ Camo

Premier® Super Magnum

# MODEL 11-87 $^{\text{TM}}$ PREMIE R

#### EVERY NEW SEASON SHOULD BEGIN WITH A PREMIER.

A beautiful and versatile gun, the Model 11-87<sup>™</sup> Premier<sup>®</sup> is an intimidating performer. Its patented pressure-compensating gas system is a key reason why. When shooting lighter 2 3/4" field loads, an integral pressure relief valve remains closed, using all of the shell's pressure to operate the action. When shooting heavier 3" loads, the valve opens proportionately to bleed off unneeded pressure.

Naturally, versatility is also a major advantage of the Model 11-87 Premier. The same gun you use one day on the skeet range can be used the next day in the goose blind. Switch shells. Change a Rem™ choke. And you're in business. That's real versatility. Going from great function to great looks, the Model 11-87 Premier's custom-grade finish and finely grained American walnut stock are exactly what makes it so, well, "premier." Finally, you'll find the Model 11-87 Premier in a range of field-proven versions, including the standard 12-gauge and 20 gauge models.

#### MODEL 11-87™ PREMIER® FEATURES:

- Model 11-87<sup>™</sup> gas operation softens recoil.
- The patented pressure-compensating gas relief valve enables dependable operation with lighter 23/4" loads to heavy 3" magnums.
- · Stainless steel magazine tube for easy maintenance and smooth operation.
- · Nickel-plated piston and piston seal for corrosion resistance.
- Handsome American walnut stock and fore-end with high-gloss finish.
- · Easily interchangeable barrels and Remington's Rem choke system.



Model 11-87™ Premier

Cantilever Scope Mount Deer Gun

(Scope and rings not included.)

• Available in 12- and 20-gauge, deer gun, upland special and left hand configurations.

For complete model listings and specifications see page 71.

**EDITION SHOTGUN:** 

A legendary gun deserves a legendary name. And that's exactly why we're offering the model 20-gauge 11-87 Premier® in the Dale Earnhardt Limited Edition in 2004. A fitting tribute to one of NASCAR's legends, Remington® offers this beautifully appointed Model 11-87™ Premier - the second in a four-year series. Its 20-gauge 28-inch light contoured barrel is complimented with an attractive American walnut stock and fore-end. Couple that with a polished blued receiver engraved with Dale's likeness and a 24-karat gold signature and "Seven time Winston Cup Champion" banner, and this firearm is truly one-ofa-kind. More than a great collectible, a portion of the proceeds go to the Dale Earnhardt Foundation which makes this a very special gun.

DALE EARNHARDT LIMITED

#### THE MOST POPULAR SHOTGUNS EVER MADE, PERIOD.

The original design of the Model 870™ Wingmaster® is so smooth and so reliable that today - more than five decades after its introduction - it's still the standard by which all other pump-action shotguns are judged. Available in standard 12-gauge, Super Magnum<sup>™</sup> 12-, 16-, 20-, 28-gauge and 410 bore, the 870 Wingmaster combines unique, timeless solid steel design and rugged reliability with a custom-quality finish. Its American walnut stock is generously covered with machine-cut checkering. Of course, beneath the attractive exterior is the workhorse Model 870 action - an unmatched shell-shucker with dual non-binding action bars. In the field, its classic balance and natural pointing qualities provide the handling speed for the most evasive and challenging birds. Yet it has the strength to handle the heaviest magnum payloads for long-range waterfowl. And because they practically never wear out, there are more Model 870s in use today than any other shotgun.

#### MODEL 870® WINGMASTER® FEATURES:

- · Remarkable reliability and durability.
- The smoothest pump-action shotgun on the market.
- · Superior balance, handling and looks.
- Points, swings and functions better than anything else in its class.
- The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged
- · A wide array of barrel and choke options make versatility a Wingmaster® hallmark.
- Twin-action bar for non-binding action.
- Available in standard 12-gauge, Super Magnum 12-, 16-, 20-, 28-gauge and 410 bore.

Twin action hars on the Model 870<sup>™</sup> positively eliminate binding or twisting so you get those important extra shots off fast and

Model 1100™

Model 870<sup>™</sup> Wingmaster<sup>®</sup>

12-Gauge

MODEL 1100™ COMPETITION

· Built on the legendary, fast handling, well-balanced,

• Matte black, no-glare finish on receiver and barrel.

• Flat gray synthetic stock and fore-end with

Remington's high-performance R<sub>3</sub>™ recoil pad,

• All-new, 8-round (23/41 shells) magazine capacity All-new carrier and carrier release button

specially contoured for fast gun mounting.

MASTER™ FEATURES:

low recoil Model 1100™ platform.

See page 71 for complete specifications.

## COMPETITION SHOTGUNS

## DESIGN, QUALITY AND BALANCE THAT BREEDS CONFIDENCE.

No company has a more longstanding tradition in the clay target sports than Remington. In fact, competitive skeet shooting actually began at the Remington Gun Club. Since then, more skeet records have been set with the Remington Model 1100™ than any other shotgun. The soft-recoiling action cuts down on shoulder fatigue, keeping you fresh and giving you an edge over the competition. Remington sporting-grade shotguns are available in a number of versions. The Model 1100 Competition Master features an 8-shot magazine, a 7-shot extra shell holder, and a specially engineered carrier release button for speed loading - all of which make it the perfect package for practical 3-gun or tactical competition. And the Model 1100 Tournament Skeet features a 26" light-contour target barrel and twin bead target sights available in 12 and, new for 2004, 20 gauge. Also new for 2004 are the Model 1100 Sporting 28 with 27" barrel and the Sporting 410 with 27" barrel. Other models include: the 1100 Classic Trap, the Model 1100 Sporting 12 and the most historically significant slide-action in the clay target sports: the Model 870™ Classic Trap.

#### MODEL 1100™ TOURNAMENT SKEET FEATURES:

- Semi-fancy American walnut stock and fore-end with high gloss finish.
- 26" light-contour, vent-rib barrel with Bradlev white front bead sight and steel mid bead, 12- and 20- gauge
- · Highly polished, richly blued receiver and barre



Extended target choke tubes - Skeet and Improved Cylinder.

For complete model listings and specifications see page 71.

# Tournament Skee

lodel 870™ Classic Trap

Model 1100™ Competition Master

• Extra large operating handle.

for speed loading.

sling swivel studs.

 Receiver-mounted ammo carrier that can hold 7 extra shells.

• Fiber-optic front sight and steel mid bead for rapid target acquisition.

For complete model listings and specifications see page 71.

#### SPRING FEVER? MAY WE SUGGEST SOMETHING IN MAXIMUM STRENGTH.

No species of game is more wary than the wild turkey. Fortunately, no turkey guns are better made than the ones you see here. Truth is, Remington® offers the most expansive selection of turkey guns in the industry. That's because we know, for every specific circumstance, there's a specific gun.

Take the Model 870™ SPS-T™ 20-gauge, for example. Matched with our 20-gauge turkey loads this camo-clad beauty is perfect for anyone looking to head into the woods with a lighter load delivering superb handling without sacrificing the magnum power. Add that to a list that includes the Model 11-87™ Super Magnum™ SPS-T™ camo with 23" barrel and Tru-Glo® fiber-optic rifle sights and the Model 11-87 SPS-T Super Magnum Camo with 23" vent-rib barrel.




#### MODEL 11-87™ SPS-T™ FEATURES:

- Soft recoiling gas operation.
- Comes in both standard 3" 12-gauge and 3 1/2" 12-gauge Super Magnum.™
- Barrels are Rem<sup>™</sup> Choked from the factory.
- Supplied with Turkey Super Full Choke Tube
- Equipped with sling swivel studs and matching padded camo sling.
- Available in 21" and 23" barrel lengths.
- Twin bead sights and Tru-Glo® fiber-optic rifle sighted barrel also available.
- Fitted with Remington's high-performance  $R_3^{\scriptscriptstyle\mathsf{TM}}$  recoil pad.

For complete model listings and

specifications see page 72.



- Ultra reliable Model 870<sup>™</sup> pump action.
- Supplied with Turkey Super Full Choke Tube.
- Comes in Standard 3" 12-gauge, 3 ½" 12-gauge Super Magnum and 20-gauge Magnum.
- Available in 20" and 23" barrel lengths.
- Twin bead sights and Tru-Glo® fiber-optic rifle sighted barrel also available.
- Fitted with Remington's high-performance R<sub>3™</sub> recoil pad.

For complete model listings and specifications see page 72.

#### 20-GAUGE 870™ SPS-T™ WITH TRU-GLO® FIBER-OPTIC SIGHTS.

Model 870™ SPS-T™ 20-Gauge Camo

Tru-Glo® Fiber-OpticSights

There's more than one way to take a gobbler. The low recoil and light handling 20-gauge shotgun has become a favorite of those on the leading edge of turkey hunting. With the advent of the newer 20-gauge magnum turkey loads and the reliability of the time-honored Model  $870^{\text{TM}}$  action this is an ideal choice for a Spring morning in the woods. An Extended Turkey Super Full choke tube and a weather-defying, ultra-light synthetic stock in Mossy Oak's New Break-Up® pattern fitted with Remington's high-performance  $R3^{\text{TM}}$  recoil pad completes the package.

## SPECIAL PURPOSE WATERFOWL



It's just plain hard to beat our industry-leading lineup of Special Purpose Waterfowl guns. For a well-rounded, feature-packed gun with proven reliability, there's no better choice than the 11-87 ™ SPS™ Waterfowl. The ultimate in concealment, it's camouflaged in Mossy Oak® New Shadowgrass™ from stock to muzzle. The 11-87 SPS Waterfowl comes equipped with a fiber-optic front sight system and a kit with interchangeable light elements. Also included is Remington's fast-loading carrier for quick reloads when the hunting action takes off. If you prefer a slide action, you can choose the equally impressive Model 870™ SPS Super Magnum. Of course, our perennial favorites still remain, including the sure-functioning, 12-gauge Model 11-87 SPS and the powerful 10-gauge Model SP-10™ Magnum.

# MODEL 870™ SPS™ & MODEL 11-87™ SPS™ WATERFOWL SHOTGUNS FEATURE:

- Available in both pump-action and autoloading configurations.
- Camo versions are fully camouflaged in Mossy Oak® Break-Up® or Mossy Oak® New Shadowgrass.™
- 26" and 28" barrels available.
- · Comes with sling swivel studs and padded sling.
- Equipped with Improved Cylinder, Modified and Full Rem™ Chokes.
- Fitted with Remington's high-performance R<sub>3</sub>™ recoil pad.

#### MODEL SP-10™ FEATURES:

- America's most popular gas-operated 10-gauge shotgun.
- Awesome 10-gauge power will handle any waterfowl or turkey hunting situation.
- Perfect platform for Remington's 10-gauge Hevi Shot® waterfowl loads.
- 26" and 30" vent rib barrels.
- · Camouflage version is fully covered in Mossy Oak® Break-Up.®
- All come with sling swivels and matching padded sling.
- Synthetic stock and camo stock versions are equipped with Remington's high-performance R<sub>3</sub>™ recoil pad.

For complete model listings and specifications see page 72.

## SPECIAL PURPOSE DEER/MARINE MAGNUM®



With fully rifled barrels or rifled Rem™ chokes, our Special Purpose Deer guns bring rifle-like accuracy to shotgun deer hunting. Choose from three fast-handling Model 11-87™ auto-loaders, or our deadly accurate "Super Slug" Model 870™ SPS™ which features a unique, heavy-contour barrel that reduces recoil and dramatically improves accuracy, now available in 20-Gauge. Other options include cantilever scope mounts and synthetic stocks. Also see the Universal Scope Mount on page 56.

# MODEL 870<sup>™</sup> SPS<sup>™</sup> & MODEL 11-87<sup>™</sup> SPS<sup>™</sup> DEER SHOTGUNS FEATURE:

- Comes in 3" Magnum 12- and 20-gauge (870 SPS only).
- Highly accurate slug shotgun platforms, both Model 870™ and Model 11-87.™
- Model 11-87 SPS™ comes with 21" fully rifled barrel, either with cantilever scope mount or rifle sights.
- Model 870™ SPS comes with 23" fully rifled (12 gauge) or 18 ½" (20 gauge) barrel with cantilever scope mount.
- Fitted with Remington's high-performance R<sub>3</sub>™ recoil pad.

## MODEL 870™ MARINE MAGNUM® FEATURES:

- 18" cylinder bore, bead sight barrel
- Synthetic stock and fore-end.
- Fully plated with corrosion-resistant electroless nickel.
- Sling swivel studs.
- 7-shot magazine.
- Fitted with Remington's high-performance R<sub>3</sub>™ recoil pad.

For complete model listings and specifications see page 72.

# UNRIVALED IN HISTORY, DEPENDABILITY AND VERSATILITY - CHAMBERED FOR 2 3/4" TO 3 1/2" MAGNUMS.

Because it handles everything from light  $2^{3}/4$ " loads to heavy  $3^{1}/2$ " magnums interchangeably, you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. You can go from shooting heavy  $3^{1}/2$ " loads at high-passing waterfowl to shooting light  $2^{3}/4$ " loads at fast-darting doves without a hitch. And it does it all with the same action stroke, balance and feel of our original Model  $870^{\text{TM}}$  (the most popular pump gun in history). Finally, we can't forget to mention what may be the most appealing thing about the Express® Super Magnum. It comes at a very affordable price. Many workhorse models are available, including stock choices of flat-finished hardwood, durable black synthetic or popular camo finishes. To get the most versatile of any Model 870 Express Super Magnum, choose the two-barrel Combo. For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem<sup>TM</sup> Choke barrel for just about any other shotgunning imaginable.

## MODEL 870™ EXPRESS® SUPER MAGNUM™ FEATURES:

- Will function 2 3/4", 3" and 3 1/2" shells interchangeably.
- Superior design and inherent strength of America's favorite pump shotgun, the Model 870.™
- Super Magnum™ receiver same size as all 12-gauge Model 870™ shotguns for same balance point.
- Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells.
- Magazine capacity is three  $3\frac{1}{2}$ " shells and four  $2\frac{3}{4}$ " and 3" shells.
- Available in wood, synthetic and camouflaged versions as well as a combo package, which features both a vent rib and rifle-sighted deer barrel for maximum versatility



Super Magnum Turkey Camo

Model 870<sup>™</sup> Express®

Model 870™ Express® Super Magnum Synthetic

Model 870™ Express<sup>®</sup> Super Magnum Combo



For complete specifications see page 73.

## ~MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES~

Breakthrough bolt re-design keeps cycle stroke equal for all three sizes of 12-ga. shotshells

Super Magnum™ receiver is same size as all 12-ga. 870™ shotguns for similar balance

Trigger mechanism retains same dimensions and crisp feel of all 12-ga. Model 870s

Model 870™ Express

Model 870  $^{\text{TM}}$  Super Magnums will function with 2  $\frac{3}{4}$ ", 3", and 3  $\frac{1}{2}$ " shells interchangeably

Magazine length unchanged for same balance point; capacity is three  $3\frac{1}{2}$ , and four  $2\frac{3}{4}$  or 3 shells

Superior design and inherent strength of 870<sup>™</sup> receiver easily accommodates the power and longer length of 3½" shells

# 

#### AMERICA'S FAVORITE PUMP SHOTGUN.

If you could take a look in every duck blind, stop by every pheasant field or check out every tract of timber where deer and turkey are hunted, you'd probably see more Model  $870^{\text{\tiny TM}}$  Express® pumps than any other shotgun. The standard for over 50 years, and for good reason. Their versatility, reliability and (best of all) affordability, makes them shotguns anyone can own. That's why we call them America's Pump Guns.



# $\begin{array}{l} \textbf{MODEL} \ 870^{\,\text{\tiny{IM}}} \ \textbf{EXPRESS}^* \\ \textbf{SHOTGUNS} \ \textbf{FEATURE}: \end{array}$

- Receiver milled from a solid billet of steel for strength and durability.
- Twin action bars insure smooth, reliable non-binding action.
- Legendary pointability and accuracy.
- Five shot shooting capacity.
- Non-glare matte finish.
- Rem<sup>™</sup> Choke vent rib barrel.
- Offered in 12-, 16-, 20-, 28-gauge and .410 bore.

Twin action bars on the Model 870™ positively eliminate binding or twisting so you get those important extra shots off fast and super smooth.



For complete specifications see page 73.

INVESTING IN OUR FUTURE. We've gone the extra step to redesign some of our standard, premium-grade stocks for a shorter length-of-pull - then fitted them to some of our finest, most proven rifles and shotguns. But we didn't stop there. Because good between-thehands balance is essential to the handling qualities of any gun, all Youth rifles we make are counter-balanced with a shorter 20" (ADL Synthetic Youth has 22") barrel and all Youth shotguns with a 21" (20" for youth deer gun) barrel to keep them from becoming muzzle-heavy while also retaining effective ballistics. Two centerfire rifle choices are available. They include our compact Model Seven™ bolt action chambered for 260 Remington, and a new Synthetic model for 2004, chambered for 223 Remington, 243 Win and 7mm-08 Remington. The other is our legendary Model 700.™ The Model 700 ADL Synthetic Youth is available in a short action synthetic stock configuration, chambered for either 243 Win or 308 Win, and new for this year, the ADL Synthetic Youth Long Action chambered for either 270 Win or 30-06. Specifically designed to take advantage of our new Managed-Recoil ammunition, this is quite possibly one of the best youth firearms ever offered.

In Youth shotguns, we've gone even further. The line starts with two Model 1100™ Youth Guns. The first is our standard Synthetic LT-20 with 2 ¾" chamber, 21" vent rib and Rem™ Choke barrel. For years, this light-recoiling, easy-handling autoloader has been the favorite of instructors for teaching clay target shooting to youngsters. The second, also a 20-gauge, is the Model 1100™ Turkey Camo featuring 3-inch chambers and finished in Skyline® Excel™ camo. Finally, for an outstanding combination of proven quality and moderate cost, nothing compares to our four Model 870 Express Youth Guns (see pages 26 and 27 on Express shotguns). Although we call it our Youth firearm line, the rifles and shotguns here are ideal for more than just young shooters. They're also perfect for women or other small-stature hunters who need firearms that fit

them properly.



#### YOUTH RIFLES FEATURE:

- Legendary Remington bolt-action accuracy.
- 1-inch shorter stock for smaller-stature shooters.
- · Receiver machined from ordnance grade steel.
- Three-rings-of-steel (bolt, barrel and receiver) surround the cartridge head for strongest lock-up.
- Hammer forged barrel with polished blue finish.
- Internal box magazine. (Model 700 ADL SYN)
- Hinged floorplate magazine (Model Seven)
- Sling swivel studs.
- Iron sights standard.

FOR FULL CALIBER LISTINGS

Model	Action Type	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Stock Mat'l	Stock Finish	BBL Mat'l	BBL Finish
		RIFLE	DIMENSIO	NS / AVERA	GE WEIGHT	rs		
Model Seven™ Youth	Short Action	20"	38³/₄"	6 1/4	Hardwood	Satin	Carbon Steel	Polished Blue
Model Seven™ Synthetic Youth	Short Action	20"	38 1/4"	6 1/4	Synthetic	Matte	Carbon Steel	Matte
700™ ADL™ Synthetic Youth	Short Action	20"	38 5/8"	6 <sup>3</sup> / <sub>4</sub>	Synthetic	Matte	Carbon Steel	Matte
700™ ADL™ Synthetic Youth	Long Action	22"	395/8"	6 ³/ <sub>4</sub>	Synthetic	Matte	Carbon Steel	Matte



#### MODEL 1100™ YOUTH SYNTHETIC 20-GAUGE FEATURES:

- Ideal fit and handling for smaller-stature shooters
- 13" length of pull and 21" vent rib Rem™ Choke barrel for perfect weight and balance.
- · Camouflaged version sports a stock and fore-end in Skyline® Excel™ camo.
- Comes with Rem<sup>™</sup> Choke modified choke tube.
- · Low-recoil gas operation.

#### MODEL 870™ EXPRESS® YOUTH SHOTGUNS FEATURE:

- Offered in 12-, 16- and 20-gauge versions.
- 20" barrel youth deer gun with fully rifled barrel and rifle sights, camo stock and fore-end. Also available in youth turkey gun with Skyline® Excel™ camo and 16-gauge synthetic youth variations.
- All feature Rem<sup>™</sup> Choke barrels and come with Rem Choke modified tubes.
- · Perfect length, weight and balance for smaller-stature shooters.
- Model 870<sup>™</sup> action is the reliability standard for pump shotguns around the world.

	SHOTGUN	J DIMENSIONS	S / AVERAGE W	EIGHTS	
Model	1100™ LT-20 Youth Synthetic	1100™ LT-20 Youth Synthetic Turkey Camo	870™ Express® Youth Turkey Camo	870™ Express® Youth	870™ Express® Youth Deer Gun
Gauge	20	20 (Magnum) <sup>1</sup>	20	20	20
Mag. Capacity	4	4	4	4	4
BBL Lengths/Order No.	21"/25367	21"/25245	21"/25175	21"/25561	20"/25555
Barrel Type	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Full)	Vent Rib Rem™ Choke (Full)	Vent Rib Rem™ Choke (Mod.)	Fully Rifled
Sights	Single Bead	Twin Bead	Twin Bead	Single Bead	Rifle Sights
Metal Finish	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	40 1/4"	40 1/2"	40 1/2"	401/2"	391/2"
Length of Pull	13"	13"	13"	13"	13"
Drop (Comb)	11/2"	11/2"	11/2"	11/2"	11/2"
Drop (Heel)	21/4"	21/4"	21/4"	21/4"	21/4"
Stock Material	Black Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic	Hardwood	Hardwood
Stock Finish	Matte	Skyline® Excel™ Camo	Skyline® Excel™ Camo	Flat	Flat
Avg. Wt. (lbs.)	61/2	6 ¹/₂	6	6	6

## RIFLE SPECIFICATIONS

#### MODEL 700™ RIFLE DIMENSIONS / AVERAGE WEIGHTS

MODEL	ACTION TYPE	BARREL LENGTH	OVERALL LENGTH	AVG.WT. (LBS.)	STOCK MATERIAL	STOCK FINISH	BBL MATERIAL	BBL FINISH
700™ CDL™	Ultra Magnum Magnum Long Action Short Action	26" 26" 24" 24"	46 ½" 46 ½" 44 ½" 43 ½"	7 5/8 7 5/8 7 1/2 7 3/8	American Walnut	Satin	Carbon Steel	Satin
700™ BDL™	Ultra Magnum Magnum Long Action Short Action	26" 24" 22" 22"1	46 ½" 44 ½" 42 ½" 41 ½"	7 ½ 7 ½ 7 ¾ 7 ¼	American Walnut	Gloss	Carbon Steel	Polished Blue
700™ BDL™ DM	Magnum Long Action	24" 22"	44 ½" 42 ½"	7 ½ 7 3/8	American Walnut	Gloss	Carbon Steel	Polished Blue
700™ BDL™ SS	Ultra Magnum Magnum Long Action Short Action Mag	26" 24" 24" 24"	46 ½" 44 ½" 44 ½" 43 ½"	7 5/8 7 1/2 7 3/8 7 3/8	Synthetic	Matte	416 Stainless	Satin Stainless
700™ BDL™ SS DM	Magnum Long Action	24" 24"	44 ½" 44 ½"	7 ½ 7 ¾	Synthetic	Matte	416 Stainless	Satin Stainless
700™ LSS *	Ultra Magnum Magnum	26" 24"	46 ½" 44 ½"	7 <sup>5</sup> /8 7 <sup>1</sup> / <sub>2</sub>	Gray Laminated	Gloss	416 Stainless	Satin Stainless
700™ Titanium ★	Long Action Short Action Mag Short Action	22" 24" 22"	42 ½" 43 ½" 41 ½"	5 ½ 6 ¾ 5 ¼	Carbon-Fiber Synthetic	Matte	416 Stainless	Satin Stainless
700™ Classic *	Long Action Short Action	24" 24"	44 ½" 43 ½"	7 <sup>3</sup> / <sub>8</sub> 7 <sup>1</sup> / <sub>4</sub>	American Walnut	Satin	Carbon Steel	Polished Blue
700™ ADL™	Magnum Long Action	24" 22"	44 ½" 42 ½"	7 ½ 7 ¾8	American Walnut	Satin	Carbon Steel	Polished Blue
700™ ADL™ Syn.	Magnum Long Action Short Action	24" 22" 22"1	44 ½" 42 ½" 41 ½"	7 ½ 7 ¾ 7 ¼	Black Synthetic	Matte	Carbon Steel	Matte Blue
700™ ADL™ ★ Syn. Youth	Long Action Short Action	22" 20"	41 ½" 39 5/8"	7 ½ 6 ¾	Black Synthetic	Matte	Carbon Steel	Matte Blue
700™ Mountain Rifle DM	Long Action Short Action	22" 22"	42 ½" 41 5/8"	6 5/8 6 1/2	American Walnut	Satin	Carbon Steel	Satin Blue
700™ Mountain Rifle LSS	Long Action Short Action	22"	42 ½" 41 5/8"	6 5/8 6 1/2	Brown Laminated	Satin	416 Stainless	Satin Stainless
700™ Sendero SF	Ultra Magnum Magnum Short Action Mag	26" 26" 26"	46 5/8" 46 5/8" 45 3/4"	8 ½ 8 ½ 8 ½	Aramid Fiber Reinforced	Matte	416 Stainless	Satin Stainless
700™ VLS	Short Action	26"	45 3/4"	9 3/8	Brown Laminated	Satin	Carbon Steel	Satin Blue
700™ VS	Short Action	26"	45 3/4"	9 1/8	Aramid Fiber Reinforced	Matte	Carbon Steel	Satin Blue
700™ VS SF	Short Action	26"	45 3/4"	8 1/2	Aramid Fiber Reinforced	Matte	416 Stainless	Satin Stainless
700™ LV SF	Short Action	22"	41 1/8"	6 3/4	Black Composite	Matte	416 Stainless	Satin Stainless

1 24" barrel in 17 Remington, 222 Remington, 223 Remington, 22-250 Remington, 7mm, 300 Remington Short Action Ultra Mag and 25-06 Remington; 43 %" overall length. \* New for 2004

#### MODEL SEVEN™ CALIBER LISTINGS

CALIBERS	TWIST - R-H, 1 TURN IN	SEVEN™ LS	SEVEN <sup>™</sup> SS	SEVEN <sup>™</sup> YOUTH
223 Remington	12"	24728	_	★ 29539 <sup>1</sup>
243 Winchester	9 1/8"	24793	24739	★ 29541 <sup>1</sup>
260 Remington	9"	_	24751	247812
7mm-08 Remington	9 1/4"	24795	24741	<b>★</b> 29547¹
7mm Remington SA Ultra Mag	9 1/4"	29543	29551	
308 Winchester	10"	24789	24743	
300 Remington SA Ultra Mag	10"	24791	29553	

Magazine capacity in 223 Rem. is 5, 7mm Rem SAUM and 300 Rem SAUM is 3, all others 4. All Model Seven" barrel lengths are 20" except magnums that are 22." NOTE: Model Seven" Mannlicher is available from the Remington Custom Shop through your local dealer.

1 Black synthetic stock

2 Hardwood stock

\* New for 20

#### MODEL 7400™ CALIBER LISTINGS

CALIBERS	TWIST — R-H, 1 TURN IN	WALNUT HIGH-GLOSS	WALNUT SATIN	BLACK SYNTHETIC	WEATHERMASTER NICKEL-PLATED/SYNTHETIC
243 Winchester	9 1/8"	_	29755	29793	_
270 Winchester	10"	29759	29757	29794	26458
30-06 Carbine	10"	_	29769	29783	_
30-06	10"	29765	29763	29796	26459
308 Winchester	10"	_	29767	29797	_
Magazine capacity fo	or all calibers is 4.				

#### MODEL 7600™ CALIBER LISTINGS

CALIBERS	TWIST - R-H, 1 TURN IN	WALNUT HIGH-GLOSS	WALNUT SATIN	BLACK SYNTHETIC
243 Winchester	9 1/8"	_	24653	25143
270 Winchester	10"	24667	24655	25145
30-06 Carbine	10"	_	24661	25153
30-06	10"	24671	24657	25149
308 Winchester	10"	_	24659	25151

Magazine capacity for all calibers is 4.

## MODEL 700™ ML/MLS IN-LINE MUZZLELOADING RIFLES

MODEL	TWIST - R-H, 1 TURN IN	45 CALIBER	50 CALIBER
ML	24"	_	27573
MLS Mag (Stainless)	26"	27581	27583
MLS Mag Camo (Stainless)	26"	_	27589

Model 700™ Muzzleloaders are supplied with cleaning tube, combo breech plug and nipple wrench, ramrod handle, ramrod extension, weather shroud, allen wrench, and patch jag.

## MODEL 700™ CALIBER LISTINGS

CALIBERS	MAGAZINE CAPACITY	BARREL LENGTH	TWIST — R-H, 1 TURN IN	MOUNTAIN RIFLE DM	MOUNTAIN RIFLE LSS	SENDERO® SF	BDL™ STAINLESS SYN. DM	BDL™ STAINLESS SYNTHETIC	LSS	ADL™	ADL™ SYNTHETIC	BDL™	BDL™ DM	VLS (LAMINATED STOCK)	VS (VARMINT SYNTHETIC)	VS SF (VARMINT SYNTHETIC STAINLESS FLUTED)	TITANIUM	CLASSIC	CDL	LV SF
17 Remington	5	24"	9"	_	_	_	_	_	_	_	_	25801	_	_	_	_	_	_	_	<b>*</b> 26183
220 Swift	4	26"	14"	_	_	_	_	_	_	_	_	_	_	_	_	29741	_	_	_	_
221 Rem Fireball	5	24"	14"	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	*26185
222 Remington	5	24"	14"	_	_	_	_	_	_	_	_	25781	_	_	_	_	_	_	_	_
223 Remington	5	22"	12"	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	*26187
	5	24"	12"	_	_	_	_	_	_	_	27514	25798	_	_	_	_	_	_	_	_
	5	26"	12"	_	_		_	_		_		_		27491	29703-R/27549-L	29745	_	_		_
22-250 Remington	4	22"	14"	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	<b>*</b> 26189
	4	24"	14"	_	_	_	_	_	_	_	27512	25783	_		_		_	_	_	_
	4	26"	14"	_	_		_	_		_	_	_	_	27489	29701-R/27548-L	29743	_	_	_	
6mm Remington	4	26"	9 1/8"	_	_		_	_		_		_	_	27493			_	_		
243 Win.	4	20"	9 1/8"	_	_	_	_	_	_	_	27518 (Y)	_	_	_	_	_	_	_	_	_
	4	22"	9 1/8"	_	_	_	_	_	_	_	27474	25819-L/25787-R	_	_	_	_	_	_	. 27007	. —
	4	24"	9 1/8"	_	_	_	_	_	_	_	_	_	_	27405	_	_	_	_	<b>*27007</b>	_
25-06 Remington	4	26" 24"	9 1/8"	_						_		25789		27495				_		
	4	22"	9"	25845	26279			_		_		25/89	_			_				
260 Remington 270 Win.	4	20"	10"	25845	26279			_			*27303 (Y)	_	_				26360	_		
270 WIII.	4	22"	10"	25851	26281	_	_		_	25771	27476	25791-R/25811-L		_	_	_	26362	_	_	_
	4	24"	10"	23831	20281	_	26909	29709	_	25//1	2/4/0	25/91-K/25811-L	20909	_	_	_	20302	_	*27011	_
280 Remington	4	22"	9 1/4"	25857			20303	23103											^2/011	
7mm-08 Remington	4	22"	9 1/4"	25855	26285					=							26364		*27015	
7mm Remington Mag.	3	24"	9 1/4"				26933	29692	25933	_	27480	25803-R/25815-L	26969			_	20304	_	*27047	
7 min nemington mag	3	26"	9 1/4"	_	_	27506	_	_	_	_	_	—	_	_	_	_	_	_		_
7mm Rem SAUM¹	3	24"	9 1/4"	_	_	26323	_	26434		_		_	_		_	_	*26368	_	_	
7mm Rem Ultra Mag	3	26"	9 1/2"	_	_	26331	_	26275	26305-R/26308-L	_	_	26408-R/26283-L	_	_	_	_	_	_	*27051	_
30-06 Springfield	4	20"	10"	_	_	_	_	_	_	_	*27305 (Y)		_	_	_	_	_	_	_	_
' "	4	22"	10"	25859	26287	_	_	_	_	25773	27478	25793-R/25813-L	26965	_	_	_	26366	_	_	_
	4	24"	10"	_	_	_	26915	29717	_	_	_	_	_	_	_	_	_	_	<b>*27017</b>	_
300 Win. Mag	3	24"	10"	_	_	_	26935	29694	25935	_	27482	25807	_	_	_	_	_	_	<b>*27049</b>	<del>-</del>
	3	24"	10"	_	_	_	_	★26440 RMEF	_	_	_	_	_	_	_	_	_	_	_	_
	3	26"	10"	_	_	27508	_	_	_	_	_	_	_	_	_	_	_	_	_	_
308 Win.	4	20"	10"	_	_	_	_	_	_	_	27523 (Y)	_	_	_	_	_	_	_	_	_
	4	22"	10"	_	_	_	_	_	_	_	27516	25818-L	_	_	_	_	26356	_	_	_
	4	26"	12"	_	_	_	_	_		_	_	_	_	27499	29705-R/27551-L	_	_	_	_	_
300 Remington SAUM		24"	10"	_	_	26329	_	26436		_	_	_	_	_	_	_	*26354	_	_	_
300 Rem. Ultra Mag	3	26"	10"	_	_	26010	_	26099	25971-R/25973-L	_	_	26410-R/26107-L		_	_	_	_	_	*27053	B —
8mm Mauser	4	24"	9 1/2"	_	_		_	_	_	_	_	_			_	_	_	*26352	_	_
338 Rem. Ultra Mag	3	26"	10"	_		26317		26101	26289-/R26291-L	_		26338-L			_	_		_		_
375 Rem. Ultra Mag.	3	26"	12"	_	_		_	_	26306	_		_			_			_		_
Stock Dimensions:	Length of			13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"		13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 1/2"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 1/2"	13 3/8"
	Drop at C			1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1"	1 1/8"	1"	1"	1"	1 1/4"	1 1/4"	1 1/8"	1 1/8"	1 1/8"	1 1/8"
	Drop at H	eel		1 1/8"	1 1/8"	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	1 3/8"	1 5/8"	1 5/8"	1 3/8"	1 1/4"	1 1/4"	1 3/8"	1 3/8"	1 3/8"	1 3/8"

## SHOTGUN SPECIFICATIONS

#### MODEL 11-87™ SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY 1	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ SP™ Super Magnu	m 12 (3 ½	") 3(3 ½"), 4 (2 ¾" & 3	") 28"/ 25305 26"/ 25307	Vent Rib Rem™ Choke 1,2	Twin Bead	Black Matte, Non-Reflective	48" 45 ¾"	14 <sup>1</sup> / <sub>4</sub> "	1 1/2"	2 1/2"	American Walnut	Satin	8 ½ 8 ½
11-87™ SPS™ Super Magnu	m 12 (3 ½	3(3 ½"), 4(2 ¾" & 3	') 28"/ 25337 26"/ 25339	Vent Rib Rem™ Choke 1,2	Twin Bead	Black Matte, Non-Reflective	48" 45 ¾"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	8 ½ 8 ½
11-87™ SPS™ ( Super Magnu		3(3 ½"), 4(2 ¾" & 3	') 28"/ 25343	Vent Rib Rem™ Choke <sup>1,2</sup>	Twin Bead	Mossy Oak® Break-Up® Camo	48"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak <sup>®</sup> Break-Up <sup>®</sup> Camo	8 1/4
11-87™ Premi Super Magnu		3(3 ½"), 4(2 ¾" & 3	') 28"/ 25303	Vent Rib Rem™ Choke 1,2	Twin Bead	High Polish Blued	48"	141/4"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	8 1/4

1 NOTE: All Model 11-87" and Model 11-87" Super Magnum" shotguns with a Rem" Choke barrel come equipped with Improved Cylinder, Modified and Full Rem" Choke tubes. 2 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. 3 Some states may require plugs.

#### MODEL 11-87™ PREMIER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ Premier®	12	4	30"/ 25287 28"/ 25289 26"/ 25291	Light Contour Vent Rib Rem™ Choke 2	Twin Bead	High Polish Blued	50 ½" 48 ¼" 46"	14 1/4"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	7 <sup>3</sup> / <sub>4</sub> 7 <sup>3</sup> / <sub>4</sub> 7 <sup>5</sup> / <sub>8</sub>
11-87™ Premier®	20	4	28"/ 29591 26"/ 29593	Vent Rib Rem™ Choke <b>2</b>	Twin Bead	High Polish Blued	48 ½" 46"	14"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	7 6 ³/4
11-87™ Premier® Left Handed	12	4	28"/ 29909	Light Contour Vent Rib Rem™ Choke <b>2</b>	Twin Bead	High Polish Blued	48 1/4"	14 <sup>1</sup> /4"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	7 ³/4
* 11-87™ Premier® Dale Earnhardt	20	4	28"/ 29581	Light Contour Vent Rib Rem™ Choke <b>2</b>	Twin Bead	High Polish Blued	48 3/4"	14 1/4"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	7
11-87™ Premier® Cantilever Scope Mount Deer Gun	12	4	21"/ 29831 <sup>1</sup>	Fully Rifled	Cantilever Scope Mount	High Polish Blued	41 ½"	14"	1 3/8"	2 7/8"	American Walnut	Satin	8
11-87™ Upland Special	12 20	4	23"/ 25357 23"/ 25359	Lt. Contour Vent Rib Rem Choke 2	Twin Bead	High Polish Blued	43 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin	7 ½ 6 ½

1 Model 11-87<sup>™</sup> Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.
2 NOTE: All Model 11-87<sup>™</sup> shotguns with a Rem<sup>™</sup> Choke barrel come equipped with Improved Cylinder, Modified and Full Rem<sup>™</sup> Choke tubes.

★ New for 2004

#### MODEL 1100™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MIODEL IIO	0 51	AVEILA	GE WEI	dirib									
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100™ Classic Field	16 16 20	4	28"/ 25257 26"/ 25253 *26"/ 25427	Vent Rib Rem™ Choke	Twin Bead	High Polish Blued	48" 46" 46 <sup>3</sup> /4"	14"	1 1/2"	2 1/2"	American Walnut	Satin	7 7 ½ 7
1100™ Synthetic	12 20	4	28"/ 25369 26"/ 25371	Vent Rib Rem™ Choke (Mod. Only)	Single Bead	Matte Black Non-Reflect	48" (12-ga.) 46" (20-ga.)	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 6 <sup>3</sup> / <sub>4</sub>
1100™ Synthetic Fully Rifled Cantilever Scope Mount / Deer	12	4	21"/ 25363	Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	41 ½"	14"	1 1/2"	1 <sup>7</sup> /8"	Synthetic	Black Matte	7 ½
1100™ LT-20 Synthetic Fully Rifled, Rifle-Sighted / Deer	20	4	21"/ 25365	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	41"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7
1100™ LT-20 Youth Synthetic	20	4	21"/ 25367	Vent Rib Rem™ Choke (Mod. Only)	Single Bead	Matte Black Non-Reflect	40 <sup>1</sup> /2"	13"	1 ½"	2 ½"	Synthetic	Black Matte	6 ½
1100™ LT-20 Youth Synthetic Turkey Camo	20 (Magnum) <b>1</b>	4	21"/ 25245	Vent Rib Rem™ Choke (Full Only)	Twin Bead	Matte Black Non-Reflect	40 <sup>1</sup> /2"	13"	1 ½"	2 ½"	Synthetic	Skyline® Excel® Camo	6 <sup>3</sup> / <sub>4</sub>

13" Magnum is set up to handle heavy 20-ga. shotshells and will not function satisfactorily with target and field loads. 2 Classic Field furnished with Improved Cylinder, Modified and Full Rem" Choke tubes.

★ New for 2004

#### MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS AVG. WT. (LBS.) 3(31/5")1 Light Contour Vent Rib Rem™ Choke 2 12(3 1/2") 28"/ 26975 Twin Bead High Polish Blued 48 1/2" 14 1/4" 1 ½" 2 ½" American Walnut Hi-Gloss 7 1/2 30"/ 25053 28"/ 25055 Light Contour Vent Rib Rem™ Choke 2 12 Twin Bead High Polish Blued American Walnut Hi-Gloss Wingmaster® 26"/25057 28"/ 26941 Light Contour Vent Rib Rem™ Choke **2** 7 1/4 Hi-Gloss High Polish Blued 14 1/4" 16 1 1/2" 2 1/2" Wingmaster® Twin Bead American Walnut 26"/26943 Light Contour Vent Rib Rem™ Choke **2** <sub>4</sub>1 28"/25073 American Walnut Hi-Gloss (26") Wingmaster® 20 Twin Bead High Polish Blued 14" 1 ½" 2 1/2"

Twin Bead

High Polish Blued

Twin Bead High Polish Blued 45 1/5"

45 1/2"

14"

14" 11/5"

1 1/2"

2 1/2"

2 1/2"

American Walnut

American Walnut Satin

1 All Model 870" Wingmaster\* shotguns have 5-shot capacity and come furnished with a 3-shot plug. All 3" and 3 ½" chambers handle 2 ½" shells. Super Magnums have 4-shot total capacity when using 3 ½" shells.

2 NOTE: All Model 870" Wingmaster\* and Model 870" Wingmaster\* Super Magnum" shotguns with a Rem" Choke barrel come equipped with Improved Cylinder, Modified and Full Rem" Choke tubes.

Vent Rib Rem™ Choke 2

Vent Rih Modified

#### COMPETITION SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

25"/25227

25"/ 24987

28

410 Rore

Wingmaster®

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Model 870™ Classic Trap	12	4	30"/ 24857	Lt. Contour Vent Rib Rem™ Choke 1	Twin Bead	High Polish Blued	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Classic Trap	12	4	30"/ 25333	Lt. Contour Vent Rib Rem™ Choke 1	Twin Bead	High Polish Blued	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4
Model 1100™ Tournament Skeet	12 20	4	26"/ 25241 *26"/ 29595	Lt. Contour Vent Rib Rem™ Choke <sup>4</sup>	Twin Bead	High Polish Blued	47"	14 <sup>3</sup> /16"	1 ½"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Sporting 12	12	4	28"/ 25315	Lt. Contour Vent Rib Rem™ Choke <sup>2</sup>	Twin Bead	High Polish Blued	49"	14 3/16"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100 <sup>™</sup> Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem™ Choke <b>2</b>	Twin Bead	High Polish Blued	48 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
★ Model 1100™ Sporting 410	410 bore	4	27"/ 29549	Vent Rib Rem™ Choke <sup>2</sup>	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/2
* Model 1100™ Sporting 28	28	4	27"/ 29583	Vent Rib Rem™ Choke <sup>2</sup>	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/2
Model 1100 <sup>™</sup> Competition Master <sup>™</sup>	12	8	22"/ 25355	Vent Rib Rem™ Choke <sup>3</sup>	Fiber Optic / Steel Bead	Matte	42 1/2"	14"	1 1/2"	2 1/2"	Gray Synthetic	Matte	8 1/4

1 These guns are supplied with special Rem<sup>®</sup> Chokes, Mid Handicap (.034"), and Long Handicap (.041"). 2 NOTE: 1100 Sporting Shotguns are equipped with four extended Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 3 Improved Cylinder, Modified and Rifle choke tubes supplied. See page 73 for information on extra barrels. 4 Supplied with extended choke tubes – cylinder and skeet improved.

## SHOTGUN SPECIFICATIONS

#### SPECIAL PURPOSE TURKEY SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY <sup>3</sup>	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH		ROP DROP OMB) (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870 <sup>™</sup> SPS-T Super Mag Camo <sup>5</sup>	12 (3 ½") <sup>1</sup>	3(3 ½"), 4(2 ¾" & 3")	23"/ 24968 <sup>3</sup>	Vent Rib Rem™ Choke <sup>4</sup>	Twin Bead	Mossy Oak® Break-Up® Camo	44 ½"	14" 1	<sup>1</sup> /2" <b>2</b> <sup>1</sup> /2"	Synthetic	Mossy Oak® Break-Up® Camo	7 <sup>1</sup> /4
11-87™ SPS-T Super Mag Camo RS/TG	12 (3 ½") <sup>1</sup>	3(3½"), 4(2¾" & 3")	23"/ 25353 <sup>3</sup>	Rem™ Choke <sup>6</sup>	Tru-Glo®	Mossy Oak® Break-Up® Camo	43"	14" 1	<sup>1</sup> /2" 1 <sup>7</sup> /8"	Synthetic	Mossy Oak® Break-Up® Camo	8 1/8
11-87™ SPS-T Super Mag Camo	12 (3 ½") <sup>1</sup>	3(3½"), 4(2¾" & 3")	23"/ 25345 <sup>3</sup>	Vent Rib Rem™ Choke <sup>6</sup>	Twin Bead	Mossy Oak® Break-Up® Camo	43"	14" 1	1½" <b>2</b> ½"	Synthetic	Mossy Oak® Break-Up® Camo	8 1/8
870™ SPS-T Camo RS/TG	20 (3")	4	20"/ 24989 <sup>3</sup>	Rem™ Choke <sup>2</sup>	Tru-Glo®	Mossy Oak® "New" Break-Up® Camo	41"	14" 1	<sup>1</sup> /2" 1 <sup>7</sup> /8"	Synthetic	Mossy Oak® "New" Break-Up® Camo	6 1/4

1 All 3" and 3 ½" chambers handle 2½" shells. 2 Note: Model 11-87" SPS-T and Model 870" SPS-T Turkey gups supplied with Turkey Super Full choke tube. 3 Note: 21" Model 11-87" Turkey and Deer barrels and 23" Model 11-87 Super Magnum barrels are not pressure-compensated. Not for use with target or light field loads. 4 Note: Supplied with Turkey Extra Full and Turkey Super Full choke tubes. 5 Note: All Model 870" Super Magnums have 3 1/4" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 3/4", 3" and 3 1/2" shells interchangeably. 6 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. 7 Some states require plugs

#### SPECIAL PURPOSE WATERFOWL SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS DROP DROP OF PULL (COMB) (HEEL) AVG. WT. (LBS.) GAUGE MAG. CAPACITY METAL FINISH STOCK FINISH SP-10 Magnum Synthetic<sup>2</sup> 10 Vent Rib Rem™ Choke1 Twin Bead Matte Black Non Reflect. 47 1/2" 14" 10 <sup>3</sup>/<sub>4</sub> 26"/ 24822 Black Matte SP-10 Magnum<sup>2</sup> 10 30"/ 24808 Vent Rib Rem™ Choke<sup>1</sup> Twin Bead Matte Black Non Reflect. 51 ½" 14" 1 1/2" 2 1/2" Amer, Walnut 11 Satin Mossy Oak® Mossy Oak® SP-10 Magnum Camo<sup>2</sup> 10 26"/ 24809 47 1/2" 14" 1 1/2" 2 1/2" 10 3/4 Vent Rib Rem™ Choke1 Break-Up® Camo Break-Up® Camo Mossy Oak® 12 1 1/2" 2 1/2" Super Mag Camo<sup>3</sup> 4(23/4" & 3") 26"/ 24952 Break-Up® Camo Break-Up® Camo 7 1/4 11-87™ SPS™ 3 (3 1/2") Mossy Oak® Mossy Oak 12 28"/ 25343 Vent Rib Rem™ Choke 4,5 Twin Bead 14" 1½" 2½" Synthetic 8 1/4 Break-Up® Camo Super Mag Camo Break-Up® Camo 28"/ 25269 48 1/41 8 1/4 11-87™ SPS™ 12 Vent Rib Rem™ Choke 4,5 Twin Read Matte Black Non Reflect 14" 1 1/2" 2 1/2" Black Matte 26"/25271 8 1/8 Mossy Oak® 11-87™ SPS™ Camo 12 Vent Rib Rem™ Choke<sup>4,5</sup> Twin Bead 46" 14" 1 1/2" 2 1/2" 8 1/8 Break-Up® Camo Break-Up® Camo t 11-87™ SPS™ Waterfowl 12 28"/ 29883 Vent Rib Rem™ Choke<sup>1</sup> Hi-Viz<sup>®</sup> Mossy Oak<sup>®</sup> New Shadowgrass<sup>™</sup> 48 1/4" 14" 1 1/2" 2 1/2" Mossy Oak® New Shadowgrass™

1 These Model SP-10" shotguns supplied with Full and Mod Rem" Choke tubes. 2 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10" and other manufacturers' 10-gauge shotguns are not interchangeable. 3 NOTE: All Model 870" Super Magnums have 3 1/2" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 1/4", 3" and 3 1/2" shells interchangeably. 4 All 870, 870 Super Magnum, 11-87 Super Magnum. Special Purpose waterfowl shotguns with a Rem<sup>®</sup> Choke barrel come equipped with Improved Cylinder, Modified and Full Rem<sup>®</sup> Choke tubes. 5 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable

#### SPECIAL PURPOSE DEER/MARINE MAGNUM® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
870™ SPS "Super Slug" Fully Rifled Cantilever Scope Mount Deer Gun	12 <b>1</b> 20	4	23"/ 24946 18½"/ 26457★	Fully Rifled Heavy Contour	Cantilever Scope Mount	Matte Black Non-Reflect	43 3/16"	14"	1 ½"	1 7/8"	Synthetic	Black Matte	8
11-87™ SPS Fully Rifled Cantilever Scope Mount Deer Gun	12	4	21"/ 29819 <b>3,4</b>	Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	41 ½"	14"	1 ½"	1 7/8"	Synthetic	Black Matte	8 1/2
11-87™ SPS Fully Rifled Deer Gun	12	4	21"/ 29676 <sup>3,4</sup>	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	41 ½"	14"	1 ½"	2 1/2"	Synthetic	Black Matte	8
870™ Marine Magnum® 2	12 <b>1</b>	6	18"/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 ½"	2 1/2"	Synthetic	Black Matte	7 1/2

1 Note: Model 870" shotguns with 3" chambers handle 2 1/4" shells. 2 Will not accept law enforcement accessories. 3 Note: Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 4 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. ★ New for 2004

#### MODEL 332 DIMENSIONS /

AVEILAGE WE	diris					
MODEL	332™ OVER/UNDER					
Gauge	12					
BBL Lengths/Order No.	30"/ 25235, 28"/ 25237 26"/ 25239					
Barrel Type	Light Contour, Vent Rib, Rem™ Choke					
Sights	Ivory Bead Front, Steel Middle					
Metal Finish	Satin Blued					
Overall Length	47 <sup>1</sup> / <sub>4</sub> " (30" BBL), 45" (28" BBL) 42 <sup>1</sup> / <sub>2</sub> " (26" BBL)					
Length of Pull	14"					
Drop (Comb)	1 7/16"					
Drop (Heel)	1 ½"					
Stock Material	American Walnut					
Stock Finish	Satin					
Avg. Wt. (lbs.)	8 (30" BBL), 7 <sup>3</sup> / <sub>4</sub> " (28" BBL) 7 <sup>1</sup> / <sub>2</sub> " (26" BBL)					

NOTE: Model 332 comes equipped with Improved Cylinder, Modified and Full Choke tubes.

#### GENUINE REMINGTON\* FACTORY EXTRA SHOTGUN BARRELS

#### MODEL SP-10™ MAGNUM EXTRA BARRELS - 3 1/2 " CHAMBER

	ТҮРЕ	LENGTH & CHOKE	10-GA.
	SP™ Magnum, Vent Rib	30" Rem™ Choke	27594
	SP™ Magnum, Vent Rib	26" Rem™ Choke	27598
ı			

PLEASE NOTE THE FOLLOWING AMMUNITION RECOMMENDATIONS

When used with Model 1100™ Magnum shotguns: Use 2 3/4" magnum or 3" magnum steel shotshells.

Use 2 3/4" magnum or 3" magnum lead shotshells.

When used with Model 1100<sup>™</sup> non-Magnum shotguns: Use 2 3/4" magnum or 3" magnum steel shotshells.

· Use 2 3/4" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

#### MODEL 1100™ EXTRA BARRELS - 2 3/4" CHAMBERS

LENGTH & CHOKE	12-GA.	20-GA. LT-201
Field Grade Deer, Cantilever Scor	e Mount	
21" Fully Rifled	26595	_
Field Grade, Deer, Rifle Sights		
21" Fully Rifled	29570	_
21" Rem™ Choke <sup>2</sup>	29565	_
21 " Imp. Cyl.	_	24438
SP™ Deer, Rifle Sights		
21 " Rem™ Choke 2	29571	_
Steel Shot Barrel, Vent-Rib <sup>3</sup> (see	ammunition note at left)	
30" Rem™ Choke	29505	_
26" Rem™ Choke	29509	_
Field Grade, Vent Rib		
30" Rem™ Choke	24488	_
28" Rem™ Choke	24464	24484
26" Rem™ Choke	24466	24486
Skeet, Vent Rib		
26" Rem™ Choke	24490	_

1 NOTE: LT-20, 20-gauge Lightweight barrels (4000 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100™ shotguns. (Refer to parts list for pre-1977 barrels.) 2 Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes. 3 Supplied with Full Choke only.

## SHOTGUN SPECIFICATIONS

#### MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
870™ Express® Super Mag Turkey	12(3 <sup>1</sup> / <sub>2</sub> ")	3(3 ½") 4(2 ¾" & 3")	23"/ 25106	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	44 <sup>1</sup> /2"	14"	1 ½"	2 1/2"	Synthetic	Black Matte	7 <sup>1</sup> /4
870™ Express® Super Mag Turkey Camo	12(3 ½")	3(3 ½") 4(2 ¾" & 3")	23"/ 25105	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Skyline® Excel® Camo	44 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Skyline® Excel® Camo	7 1/4
870™ Express® Super Mag	12(3 1/2")	3(3 ½") 4(2 ¾" & 3")	28"/ 25100	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/2
870™ Express® Super Mag Synth.	12(3 ½")	3(3 ½") 4(2 ¾" & 3")	26"/ 25102	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/4
870™ Express® Super Mag Combo	12(3 ½") <sup>1</sup>	3(3 ½") 4(2 ¾" & 3")	26"/ 25114 20"/ 25114	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/4

1 Combo Deer barrel has 3" chamber

#### MODEL 870™ EXPRESS® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT (LBS.)
870™ Express®	12	4	28"/ 25568 26"/ 25569	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 1/2"	2 1/2"	Hardwood	Satin	7 ½ 7 ¼
870™ Express®	16	4	28"/ 25191	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 <sup>1</sup> /2"	2 1/2"	Hardwood	Satin	7 1/4
870™ Express®	20	4	28"/ 25583 26"/ 25582	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 1/2"	2 1/2"	Hardwood	Satin	6 ½ 6 ¼
870™ Express® Youth	20	4	21"/ 25561	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1/2"	2 1/4"	Hardwood	Flat	
870™ Express®	28	4	25"/ 25599	Vent Rib Fixed Mod Choke	Single Bead	Matte Black Non-Reflect	45 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Satin	6
870™ Express®	.410 Bore	4	25"/ 25601	Vent Rib Fixed Full Choke	Single Bead	Matte Black Non-Reflect	45 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Satin	6
870™ Express® Synthetic	12	4	28"/ 25587 26"/ 25589	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 ½ 7 ¼
870™ Express® Synthetic	16	4	28"/ 25201	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/4
870™ Express® Turkey Camo <sup>1</sup>	12	4	21"/ 25205	Vent Rib Rem™ Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 <sup>1</sup> / <sub>2</sub> "	14"	1 ½"	2 1/2"	Synthetic	Skyline® Excel® Camo	7 <sup>1</sup> / <sub>4</sub>
870™ Express® Turkey	12	4	21"/ 25573	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/4
870™ Express® Turkey Youth	20	4	21"/ 25175	Vent Rib Fixed Full Choke	Twin Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1/2"	2 1/4"	Synthetic	Skyline® Excel® Camo	6
870™ Express® Synthetic Fully Rifled Deer	12	4	20"/ 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 <sup>1</sup> /2"	14"	1 <sup>1</sup> /2 "	1 <sup>7</sup> /8"	Synthetic	Black Matte	7
870™ Express® Deer	12	4	20"/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 <sup>7</sup> /8"	Hardwood	Flat	7 1/4
870™ Express® Deer Youth	20	4	20"/ 25555	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	39 1/2"	13"	1 1/2"	2 1/4 "	Hardwood	Flat	6
870™ Express® Fully Rifled Deer	12	4	20"/ 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 <sup>7</sup> /8"	Hardwood	Flat	7 1/4
870™ Express® Left Hand	12	4	28"/ 25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/2
870™ Express® Synthetic 18"	12	4	18"/ 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/4

1 Stock and fore-end in Skyline® Excel™ came

#### MODEL 870™ EXPRESS® COMBO SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Combo	12	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25571 26" (Vent Rib)/20" (Fully Rifled Deer)/25578			Matte Black Non-Reflect	48 ½", 46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 1/2"	2 1/2"	Hardwood	Satin	7 ½ (Vent Rib) 7 ¼ (Deer BBL)
870™ Express® Combo	20	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25585 26" (Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer 1		Matte Black Non-Reflect	48 ½", 46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 1/2"	2 1/2"	Hardwood	Satin	6 1/2 (Vent Rib) 6 1/2 (Deer BBL)

1 Combo Deer barrel has 3" chamber

#### MODEL 870™ EXTRA BARRELS - 3" CHAMBERS

LENGTH & CHOKE	12-GA.	16-GA.	20-GA.*	
Field Grade, Vent Rib, Wingmaste 30" Rem" Choke, Light Contour 30" Rem" Choke, Light Contour 28" Rem" Choke, Light Contour 28" Rem" Choke 26" Rem" Choke, Light Contour 26" Rem" Choke Deer Barrel, Super Slug Cantileve 23" Fully Rifled	26215 24576 26217 24580 26219 24582 er Scope M 24551		24606 24608	Model 870" extra barrels with 3" chambers used on Super Magnum" and Magnum receivers will handle both 2'¼" and 3" shells only. Use only 2'¼" shells when these barrels are used on non-Magnum receivers. *20-gauge 870" Lightweight barrels will not fit 20-gauge standard 870" guns.
Deer Barrel, Cantilever Scope Mo 20" Fully Rifled Deer Barrel, Rifle Sights 20" Rem" Choke <sup>2</sup> 20" Fully Rifled	24557 24545 24545 24558	naster®		<ol> <li>Cantilever Rem™ Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.</li> <li>Rifle-sighted Rem™ Choke Deer</li> </ol>
20" Imp. Cyl.  SP™ Deer Barrel, Cantilever Scope 20" Fully Rifled			24578	barrels supplied with Rifled and Improved Cylinder Choke tubes.  3 Express® 20-ga. Fully Rifled Deer
20" Fully Rifled Camo <sup>†</sup> 20" Rem™ Choke <sup>1</sup> SP™ Deer, Rifle Sights	26203 26227			barrel has 2 <sup>3</sup> / <sub>4</sub> " chamber. Model 870" extra barrels with 2 <sup>3</sup> / <sub>4</sub> " chambers will fit both Magnum
20" Rem™ Choke <sup>2</sup> Express® Vent Rib	24549 24589	<u> </u>		and 2 <sup>3</sup> / <sub>4</sub> " receivers. Use only 2 <sup>3</sup> / <sub>4</sub> " shells in these barrels.
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	_		† Camo Mossy Oak® Break-Up® Pattern.
Express® Deer, Fully Rifled, Rifle Sights (20") <sup>3</sup>	24611		24609	
SP™, Vent Rib 30" Rem™ Choke 28" Rem™ Choke 26" Rem™ Choke	24590 26225 24592	_ _ _	_ 	

#### MODEL 11-87™ EXTRA BARRELS - 3" CHAMBERS

LENGTH & CHOKE	12-GA.	20-GA.*
Deer Barrel, Cantilever Scope Mount	20045	
21" Fully Rifled	29615	
Deer Barrel, Rifle Sights		
21" Fully Rifled	29606	295633
21" Rem <sup>™</sup> Choke <sup>2</sup>	29623	_
SP™ Deer Barrel, Cantilever Scope Mount		
21" Fully Rifled	24645	_
21" Fully Rifled Camo†	29537	_
21 " Rem <sup>™</sup> Choke 1	24647	_
SP™ Deer Barrel, Rifle Sights		
21" Rem™ Choke 2	29627	_
21" Fully Rifled	29609	_
SP™ Magnum, Vent Rib		
30" Rem™ Choke 4	24638	_
28" Rem™ Choke <b>4</b>	29611	_
26" Rem™ Choke <sup>4</sup>	24640	_
Premier® Vent Rib		
30" Rem™ Choke, Light Contour	29600	_
28" Rem™ Choke, Light Contour	29602	_
28" Rem™ Choke	24644	_
26" Rem™ Choke, Light Contour	29604	_
Premier® Target Barrels (2 3/4" chamber only	_	
see Rem™ Choke target BBL note at left)		
30" Rem™ Choke Trap	24626	_

24629

3 1/2" CHAMBERS

SP™ Magnum Deer Barrel, Rifle Sights 23" Rem™ Fully Rifled w/Rifle Sights

at: www.remington.com 1 Cantilever Rem™ Choke Deer barrels supplied

with Improved Cylinder and Extended Rifled Choke tubes. 2 Rifle-sighted Rem™ Choke Deer barrels supplied

Model 11-87™ Deer barrels are not equipped

with a pressure-compensating gas system, and will not function with target or light

Fitting Standard Barrels on Light

Contour Shotguns – The fore-ends on our

profiled LC barrel, which means that a standard

Vent Rib or Deer barrel cannot be fitted to

have your LC fore-end wood opened up by a

competent gunsmith or stockmaker; or purchase

a standard profile fore-end from our Arms

Service Division by writing to: Arms Service

Division, Remington Arms Co., P.O. Box 700,

Madison NC 27025-0700 or visit our website

your gun unless you do one of two things:

Light Contour Model 11-87™ shotguns are

shaped to follow the curve of the slimmer-

field loads.

with Rifled and Improved Cylinder Choke tubes

4 3 1/2 " chamber

† Camo Mossy Oak® Break-Up® Pattern

72