




DIE MEISTER MACHER

The Line of
HUNTING, SPORTING AND CUSTOM GRADE RIFLES



OUR EXPERIENCE AND PASSION MAKE US PRODUCE A HIGH LEVEL OF QUALITY



Match 64

Match 54



Trigger Chart

TRIGGER CHART

Item No.	Model	Two stage trigger	Single stage trigger	Double set trigger	Adjusted to	Right hand version	Left hand version	For Models
003793	5001			•	100 g	•		1416 ST, 1516 ST
003799	5004			•	100 g	•		1710 ST, 1730 ST, 1740 ST
003136	5007			•	100 g	•		1432 E ST 1740 E ST
003886	5067/2		•		1.360 g	•		1451 D
700.6565	5073	•			200 g	•		1432 E 1740 E
003988	5092	•			800 g	•		1416, 1417, 1516 64 MP R, 64 P, 64 R
003989	5092 L	•			800 g		•	64L MP R, 64L P, 17L P 1416L, 1417L
003992	5094		•		1.200 g	•		1416 D, 1502 D, 1516 D 1517 D, 1518 D
003996	5094 L		•		1.200 g		•	1416L D, 1517L D
003998	5095		•		1.300 g	•		1740 D
004007	5096 D		•		1.200 g	•		1702 D, 1710 D, 1712 D, 1717 D, 1720 D, 1730 D
002144	5103	•			1.500 g	•		64 MS R, 64 R Biathlon
002145	5103 L	•			1.500 g		•	64L MS R, 64L R Biathlon
007540	5106	•			700 g	•		1517 MP R
007679	5108	•			1.000 g	•		1710
007692	5109	•			1.000 g	•		1712
002800	5165		•		2.000 g	•		1365
002771	5175		•		1.500 g	•		525

Symbol Description

SYMBOL DESCRIPTION

Symbols for the referring application:

The ANSCHÜTZ MISSION symbols show you at once for which application the illustrated rifles are especially suitable.



ANSCHÜTZ Mission 1:
For sports, leisure time and competition.



ANSCHÜTZ Mission 2:
For varmint control or for hunting small animals.



ANSCHÜTZ Mission 3:
For hunting small game and small predator.



ANSCHÜTZ Mission 4:
For hunting hoofed game.

Special criteria of quality:

These symbols show you additional advantages of the illustrated rifles.



Special version for left hand shooters:
These rifles are also available for left hand shooters.



Heavy barrel:
These rifles are equipped with a heavy barrel produced in a special ANSCHÜTZ manufacturing process.



The "high level of quality" symbol:

This symbol draws your attention to special passages in the text which explain outstanding quality characteristics of the ANSCHÜTZ products to you. You will esteem these advantages when shooting your ANSCHÜTZ rifle or pistol.

Legend for ANSCHÜTZ Hunting, Sporting and Custom Grade Rifles:

D = Single stage trigger	wos. = Without sights
E = Single loader	R = Repeater
G = Barrel thread	Silh. = Silhouette
HB = Heavy barrel	ST = Double set trigger
KL = Folding leaf sight	* = As long as available
L = Left hand version	
MP = Multi Purpose	

CHARTS, TRIGGERS AND SYMBOL DESCRIPTION Folding page 3 - 4

INTRODUCTION AND HISTORY 6 - 7

VALUABLE INFORMATION 8 - 11

Triggers, barrels and sights 8

Stock types 9

Barreled actions 10 - 11

ANSCHÜTZ MODELS 12 - 27

Repeaters of the series 1416, Match 64 action 12 - 13

Repeaters of the series 1502 / 1516 / 1517, Match 64 action 14 - 15

Small bore hunting match repeaters of the series 64, Match 64 action 16 - 17

Hunting repeaters of the series 1700, Match 54 action 18 - 21

Competition hunting single loaders, Match 54 action 22 - 23

Semi automatic rifles of the series 525, blowback action 24 - 25

Garden shotgun 1365 26

ACCESSORIES 28 - 36

Individual special versions 28 - 29

Masterly hand engravings 29

Accessories 30 - 36

INDEX Folding page 37

MODEL AND ORDER CHARTS Folding page 38

Introduction

INTRODUCTION

Dear hunter,



This is our catalogue of hunting, sporting and custom grade rifles, which we carefully composed for you. We are pleased that you are interested in our products. This catalogue gives you a detailed overview on our line of hunting, sporting and custom grade rifles of the

famous factory of the ANSCHÜTZ Meistermacher.

your reliable companion with unsurpassed accuracy and functionality. This is why this catalogue is trend-setting.

And now have fun with our hunting catalogue.

Good hunting!

Yours



Hunting and sporting rifles must be reliable, especially with regard to a permanently excellent shooting performance. ANSCHÜTZ barrels as well as a detailed action design as offered in the famous ANSCHÜTZ target actions guarantee optimum gunsmith quality. The „Meistermacher“ have more than 150 years experience in the manufacture of high accuracy hunting and sporting rifles. Tradition, however, is just one aspect. The hunters of today demand state-of-the-art firearm technology starting from the light weight sporting rifle up to a perfect custom grade hunting rifle. With an ANSCHÜTZ rifle you are always equipped at its best. You can rely on first class ANSCHÜTZ quality. Your ANSCHÜTZ rifle will always be

Jochen Anschütz
Jochen Anschütz
President



DIE MEISTER MACHER



The History

THE HISTORY

1856



The son of the gunsmith Johann Heinrich Gottlieb Anschütz, **Julius Gottfried Anschütz** and his wife **Luise Anschütz** founded the company J. G. Anschütz in Mehlis, Thuringia, for the manufacture of Flobert and pocket pistols, Teschings, shotguns and Lancaster Terzerole.



1950

A new beginning in Ulm. The company J. G. ANSCHÜTZ GmbH is founded. The company has 7 employees and 20 machines. In the beginning they make air pistols and carry out repair works, then they start to manufacture Flobert and target rifles. Soon the company has 250 employees. The first target shooting successes come in. Then everything goes very fast.



1968

Dieter Anschütz, representing the 4th generation takes over the management of the company and he continues to this day with all his knowledge, competence and personal engagement.



ANSCHÜTZ factory in Ulm, Germany.

1972

After the overwhelming success of the ANSCHÜTZ match barreled action the slogan „ANSCHÜTZ makes Champions“ („Die Meistermacher“) was created and it is still valid.



ANSCHÜTZ factory in 1900.



1992

Jochen Anschütz becomes president of the company and is now leading it together with his father Dieter Anschütz.



ANSCHÜTZ factory in 1909.



Valuable Information

Triggers:

ANSCHÜTZ match two stage triggers and single stage triggers have always been trend-setting with regard to quality, reliability and accuracy. This is why they are the best worldwide.

Many manufacturers offer adaptations to their rifles to make an integration of this master piece of German gunsmith technology possible. The low-weight, hardened and finely polished triggers enable a fast and precise release of the trigger.

Depending on the model two stage triggers, D = single stage triggers or ST = double set triggers are available. Please also see the trigger chart on folding page 3.



Two stage trigger 5109.



Two stage trigger 5108.



Single stage trigger 5096.



Two stage trigger 5073.



Double set trigger 5007.



Single stage trigger 5094.



Barrels:

The barrels are manufactured using the same special process perfected for the ANSCHÜTZ target rifles. The same attention to detail is given to the fitting of the receiver and the counterbore at the muzzle.



We also offer the popular heavy ANSCHÜTZ barrels for some of our models. We have marked this on our order card. The advantage of these barrels is the increased weight, which improves stability in position.



11° Muzzle.



G = Barrel thread, e. g. for model 525 KL G.

Sights:

KL = Folding leaf sight:

The folding leaf sight adjustable in height is usually delivered together with a pearl front sight adjustable in height on ramp with hood.



KL = Folding leaf sight.

Blueing:

The first corrosion protection the gun manufacturers used was bronzing (old word for blueing). This bronzing process was carried out without the help of the common auxiliaries of today such as boiling baths and steel brushes. This had nothing in common with modern blueing. It is a wet-chemical process with which a black layer of iron oxide (Fe₃O₄) is created on the surface of iron and steel materials. The parts to be blued are immersed in a boiling alkaline oxidizing solution at a temperature of 135 - 145°C. Layers with a thickness of 0.2 - 2 µm are thus created. Due to the low treatment temperature it is possible without any problem to also treat parts which have already been hardened. Additional oiling makes the parts even more corrosion resistant. To maintain this corrosion protection, however, it is necessary to apply a corresponding oil to the blued parts once in a while.

S

tock types:

A basic principle of shooting: The barrel shoots, the stock hits the target. Only a stock that fits the shooter perfectly makes a correct position possible.

Stock design:

The ANSCHÜTZ stock design corresponds to the requirements of traditional and competitive hunters.

When choosing a stock it is important to know which purpose it is for and many hunters have their favorites:



Competition stock:

We have developed a special walnut stock for competitive hunting with checkering at pistol grip and fore-end. In addition the ventilated rubber butt plate guarantees a safe position. A pistol grip cap of rosewood with white liner makes this rifle an elegant model for competitive hunting.



Classic stock:

Classic straight walnut stock with checkering at pistol grip and fore-end as well as black butt plate. Depending on model also available with studs for sling swivel.



Monte Carlo stock:

Walnut stock with roll-over cheek piece, with schnabel tipped fore-end, pistol grip cap of rosewood with white liner, hand checkering at pistol grip and fore-end, black plastic butt plate with white liner and studs for sling swivel.



Monte Carlo fiber glass stock:

Weather proof fiber glass stock with roll-over cheek piece, schnabel tipped fore-end, checkering at pistol grip and fore-end, black plastic butt plate.



Stock in Monte Carlo version:

Walnut stock in Monte Carlo version with schnabel tipped fore-end, checkering at pistol grip and fore-end, black butt plate with checkering and white liner, studs for sling swivel.



Beavertail stock:

The Beavertail stock has nothing in common with the classic, European hunting stock. It resulted from the demands of North American hunters and combines the advantages of a classic target stock with the wide beavertail fore-end stock. With a rail in the fore-end stock this type of stock finds more and more fans.



Beavertail fore-end stock

Barreled Actions

BARRELED ACTIONS


Barreled action Match 64:

The Luxus repeaters of the series 1416, 1516, and 64:

The action is a bolt action with cam cocking system, claw extractor and additional cartridge holder and ejector. An 11 mm grooved receiver drilled and tapped for scope mounts makes it possible to attach a telescopic sight.

A lateral sliding safety blocks the trigger. The rifle can be loaded and unloaded in the "safe" position.

The bolt face is recessed for full cartridge head support. An additional gas escape groove guarantees safety.



11 mm grooved receiver drilled and tapped for scope mounts.

Barreled action Match 54:

Hunting repeaters of the series 1700:

ANSCHÜTZ target rifles are famous for their solid design, functionality and unsurpassed performance all around the world.

The ANSCHÜTZ match cylinder action which is also part of the ANSCHÜTZ hunting repeaters dominates national, international, Olympic and world championship competitions in the small bore rifle disciplines.

The bolt with dual locking lugs is seated eccentrically in the receiver to give the action screws more support for better stock bedding. The bolt is cam cocking. Fast and trouble-free repeating is guaranteed by claw extractor and the additional cartridge holder with ejector - a feature from the famous ANSCHÜTZ Fortner Biathlon rifles.

The receiver is equipped with an 11 mm (7/16") wide grooved receiver rail and is additionally drilled and tapped for scope mounts. The bolt face is recessed for full cartridge head support.

An independent lateral bolt stop limits the travel of the bolt and thus protects the trigger as well. An additional gas escape groove guarantees safety. The wing safety pulls and holds the firing pin back when operated into the safe position.



Eccentrically seated bolt in the receiver.

Match 64

Match 54



Barreled Action Match 64

REPEATERS OF THE SERIES 1416



Repeaters of the series 1416:

The action is a bolt action with cam cocking system, claw extractor and additional cartridge holder and ejector. An 11 mm grooved receiver drilled and tapped for scope mounts makes it possible to attach a telescopic sight. A lateral sliding safety blocks the trigger. The rifle can be loaded and unloaded in the "safe" position. The bolt face is recessed for full cartridge head support. An additional gas escape groove guarantees safety.

Trigger:

Two stage trigger and single stage trigger correspond to the match triggers, which are used in the ANSCHÜTZ target rifles of the models 1903. The light

weight, hardened and polished parts guarantee a smooth and precise release of the trigger.

Barrel:

The barrels are manufactured using the same special process perfected for our target rifles. The same attention to detail is given to the fitting of the receiver and the counterbore at the muzzle.

Sight sets:

Folding leaf sight adjustable in height and pearl front sight adjustable in height on ramp with hood.



KL = Folding leaf sight.



Pearl front sight adjustable in height.



ST = Double set trigger.



G = Barrel thread.



Classic stock:

Classic straight hunting stock of colored and lacquered walnut wood without cheek piece, checkering at pistol grip and fore-end, black butt plate and studs for sling swivel.



Caliber .22 l.r.



KL = Folding leaf sight.

Pearl front sight adjustable in height with hood.

1416 D KL Walnut Classic, caliber .22 l.r.

Good gripping properties of checkered surface even in rain.

Studs, sling swivels and slings see accessories.



Model 1416 L D KL Walnut Classic, caliber .22 l.r.



Grouping 1416
10 shots .22 l.r.
on 50 m.
Original size.



1416 D HB Walnut Classic w/o sights, caliber .22 l.r.



1416 D HB Walnut Classic Beavertail w/o sights, caliber .22 l.r.



1417 G Walnut Classic w/o sights, caliber .22 l.r.



1416 D KL Walnut Monte Carlo, caliber .22 l.r.



Barreled Action Match 64

REPEATERS OF THE SERIES 1502 / 1516 / 1517



Repeaters of the series 1502 / 1516 / 1517:

Barreled action and version like for the models of the series 1416, but series 1502 in the new caliber .17 Mach 2, the series 1516 in cal. .22 Win. Mag. R.F., and the models 1517 in cal. .17 HMR.



Repeater of the series 1502:

Shot Show 2004 - a new caliber is born:

Caliber .17 Mach 2. ANSCHÜTZ again was able to present the best partner for this ammunition.

Barreled action and version correspond to the models of the series 1416. Available with heavy barrel (HB) and Classic stock. Grooved, 11 mm rail is drilled and tapped to accept a telescopic sight.



Repeater of the series 1517:

Models 1517 in cal. .17 HMR. The caliber .17 HMR (Hornady Magnum Rimfire) with a bullet diameter of 4.5 mm has been the most innovative ammunition development in the USA in the past few years. At the Shot Show 2002 in Las Vegas, USA, ANSCHÜTZ presented a trend-setting rifle for this caliber as one of the first manufacturers worldwide. The renowned ANSCHÜTZ accuracy and quality is now also available for the new model 1517 for the world's fastest rimfire cartridge.

Depending on the referring version the rifle is equipped with a Match 64 cylinder action and a single or two stage trig-

ger adjusted to 1100 g thus offering an optimum of reliability.

The stock is a walnut stock in Classic or Monte Carlo version. A beavertail stock with rail is available on demand. Depending on the model the rifle is offered without sights, with a folding rear sight or a grooved, 11 mm rail drilled and tapped to accept a telescopic sight or a rear sight. Fans of the caliber .17 HMR may look forward to a further top quality ANSCHÜTZ product.



Repeaters of the series 1516:

The models of the series 1516 in cal. .22 Win. Mag. R.F. have a long tradition at ANSCHÜTZ. This classic caliber with a bullet diameter of 5.5 mm was launched by Winchester in 1959. It is extraordinarily suitable to be used for small animals up to the size of a fox at a distance of up to 100 m.



KL = Folding leaf sight.



Pearl front sight adjustable in height.





Classic stock:

Classic straight hunting stock of colored and lacquered walnut wood without cheek piece, checkering at pistol grip and fore-end, black butt plate and studs for sling swivel.

Beavertail stock:

The Beavertail stock has nothing in common with the classic, European hunting stock. It resulted from the demands of North American hunters and combines the advantages of a classic target stock with the wide beavertail fore-end stock. With a rail in the fore-end stock this type of stock finds more and more fans.

Heavy barrel.




1502 D HB Walnut Classic, heavy barrel w/o sights, caliber .17 Mach 2
1517 D HB Walnut Classic, heavy barrel w/o sights, caliber .17 HMR
1517 D Walnut Classic w/o sights, caliber .17 HMR
1517L D Walnut Classic w/o sights, caliber .17 HMR

Good gripping properties of checkered surface even in rain.

Studs, sling swivels and slings see accessories.



1502 D HB Walnut Classic Beavertail w/o sights, caliber .17 Mach 2
1517 D HB Walnut Classic Beavertail w/o sights, caliber .17 HMR



Grouping 1516
10 shots .22 WMR
on 50 m.
Original size.



1516 D KL Walnut Classic, caliber .22 Win. Mag. R.F.



1517 MP R Hardwood Multi Purpose w/o sights, caliber .17 HMR



Grouping 1517
10 shots .17 HMR
on 50 m.
Original size.



1517 D Walnut Monte Carlo w/o sights, caliber .17 HMR

Stock in Monte Carlo version:

Walnut stock in Monte Carlo version with schnabel tipped fore-end, checkering at pistol grip and fore-end, black butt plate with checkering and white liner, studs for sling swivel.



Barreled Action Match 64

HUNTING MATCH REPEATERS OF THE SERIES 64



Small bore hunting match repeaters of the series 64:

Barreled action and version like for the models of the series 1416 and 1516 but with different stock versions and equipped with renowned precision heavy barrel.



Small bore hunting match repeater of the series 64 MPR Multi Purpose:

Based on the renowned match barreled action 64 in cal. .22 l.r. Equipped with a match two stage trigger, heavy barrel and the universal multi purpose beavertail stock - a version which finds more and more fans. Bolt action with cam cocking system, claw extractor with additional cartridge holder and ejector.



An 11 mm grooved receiver drilled and tapped for scope mounts makes it possible to attach a telescopic sight or match rear sight. A lateral sliding safety blocks the trigger. The rifle can be loaded and unloaded in the "safe" position. The bolt face is recessed for full cartridge head support. An additional gas escape groove guarantees safety.



Caliber .22 l.r.


Magazine easy to exchange.

Match two stage trigger with adjustable trigger blade.

Rubber butt plate 4709 A.



Adjustable rubber butt plate.



Grooved alu rail for hand stop or other accessories.



Caliber .22 l.r.



Small bore hunting match repeater of the series 64 R Sporter Target: Barreled action Match 64 in cal. .22 l.r. With match two stage trigger and perfectly shaped hardwood stock with aluminium rail.

A repeater for the field as well as for competitive shooting on targets. With the single loader adapter 4846 this rifle can also be used as a single loader.



64 R Sporter Target Hardwood, with grooved alu rail, caliber .22 l.r.

Precision heavy barrel.



64 MP R Hardwood Multi Purpose with grooved alu rail w/o sights, caliber .22 l.r.

Grooved alu rail for hand stop.
Also see accessories.



64 MP R Hardwood Multi Purpose with grooved alu rail w/o sights, caliber .22 l.r.
Picture with accessories.

- ① Alu butt plate 4758.
Item No.: 700.3592
- ② Rubber butt plate 4709 B-U1, convex.
Item No.: 710.3710
- ③ Spacer 4709 P, 8 mm.
Item No.: 710.3750
- ④ Sight set 6834.
Item No.: 700.0060
- ⑤ Single loader adapter 4846.
Item No.: 710.4700
- ⑥ 5-shot magazine 1420-U 5.
Item No.: 700.4005
- ⑦ Hand stop 6226, with sling swivel.
Item No.: 710.3600
- ⑧ Sling 7400, leather.
Item No.: 710.3015
- ⑨ Mounts 5516/26-1, 2 pieces, 21 mm high with ring Ø 26 mm.
Item No.: 710.1600
- Mounts 5516/30, 2 pieces, 21 mm high with ring Ø 30 mm.
Item No.: 710.1630



Barreled Action Match 54

HUNTING REPEATERS OF THE SERIES 1700



Hunting repeaters of the series 1700:

ANSCHÜTZ target rifles are famous for their solid design, functionality and unsurpassed performance all around the world.

The ANSCHÜTZ match cylinder action which is also part of the ANSCHÜTZ hunting repeaters dominates national, international, Olympic and world championship competitions in the small bore rifle disciplines. Buying such a hunting repeater does not only mean to acquire state-of-the-art technology but also a master piece in a class of its own.

Action:

The bolt with dual locking lugs is seated eccentrically in the receiver to give the action screws more support for better stock bedding. The bolt is cam cocking. Fast and trouble-free repeating is guaranteed by claw extractor and the additional cartridge holder with ejector. This precision makes ANSCHÜTZ hun-

ting repeaters a reliable partner in the field and in the forest. The receiver is equipped with an 11 mm (7/16") wide grooved receiver rail and is additionally drilled and tapped for scope mounts. The bolt face is recessed for full cartridge head support. An independent lateral bolt stop limits the travel of the bolt and thus protects the trigger as well. An additional gas escape groove guarantees safety.

Safety:


The wing safety pulls and holds the firing pin back when operated into the safe position.

Trigger:

Two stage trigger and single stage trigger correspond to the match triggers of the ANSCHÜTZ target rifles. The low-weight, hardened and finely polished triggers enable a fast and precise release of the trigger.

Barrel:

The barrels are manufactured using the same special process perfected for the ANSCHÜTZ target rifles. The same attention to detail is given to the fitting of the receiver and the counterbore at the muzzle.



KL = Folding leaf sight.



Caliber .22 l.r.



Monte Carlo stock with roll-over cheek piece.



Pearl front sight adjustable in height.



Sight sets:

Folding leaf sight adjustable in height and pearl front sight adjustable in height on ramp with hood.

Monte Carlo stock:

Walnut stock with roll-over cheek piece, with fore-end schnabel tip, pistol grip cap of rosewood with white liner, hand checkering at pistol grip and fore-end, black plastic butt plate with white liner and studs for sling swivel.



KL = Folding leaf sight.

Pearl front sight adjustable in height with hood.

Good gripping properties of checkered surface even in rain.

Studs, sling swivels and slings see accessories.

1710 ST KL Walnut Monte Carlo, caliber .22 l.r.
1710 ST KL Walnut Monte Carlo Meister Grade, caliber .22 l.r.



1710 D KL Walnut Monte Carlo Meister Grade, caliber .22 l.r.
1710 D KL Walnut Monte Carlo, caliber .22 l.r.
1717 D KL Walnut Monte Carlo, caliber .17 HMR
1717 D KL Walnut Monte Carlo Meister Grade, caliber .17 HMR



Grouping 1710 D
10 shots .22 l.r.
on 50 m.
Original size.



1712 Silhouette Sporter Walnut Monte Carlo w/o sights, caliber .22 l.r. with two stage trigger and adjustable trigger blade.



Grouping 1717 D
10 shots .17 HMR
on 50 m.
Original size.



1702 D HB Walnut Classic w/o sights., caliber .17 Mach 2
1710 D HB Walnut Classic w/o sights, caliber .22 l.r.
1710 D HB Walnut Classic Meister Grade w/o sights, caliber .22 l.r.
1717 D HB Walnut Classic w/o sights, caliber .17 HMR
1717 D HB Walnut Classic Meister Grade w/o sights, caliber .17 HMR
1717 D Walnut Classic w/o sights, caliber .17 HMR
1717 D Walnut Classic Meister Grade w/o sights, caliber .17 HMR



Barreled Action Match 54

HUNTING REPEATERS OF THE SERIES 1700



Hunting repeaters of the series 1700:

With regard to function and version of bolt, safety, trigger and barrel the model series 1730 and 1740 correspond to the model series 1710, 1712 and 1717 which are described on the previous pages. These models, however, are in the calibers .22 Hornet and .222 Remington.



ST = Double set trigger. Here of the model 1730 ST KL Walnut Monte Carlo.



KL = Folding leaf sight.



Monte Carlo stock with roll-over cheek piece.



Pearl front sight adjustable in height.






Heavy barrel.



1730 D HB Walnut Classic w/o sights, caliber .22 Hornet
 1730 D HB Walnut Classic Meister Grade w/o sights, caliber .22 Hornet
 1740 D HB Walnut Classic w/o sights, caliber .222 Remington
 1740 D HB Walnut Classic Meister Grade w/o sights, caliber .222 Remington

Good gripping properties of checkered surface even in rain.


Studs, sling swivels and slings see accessories.



Grouping 1730 D
 10 shots .22 Hornet
 on 100 m.
 Original size.



1730 D KL Walnut Monte Carlo, caliber .22 Hornet
 1730 D KL Walnut Monte Carlo Meister Grade, caliber .22 Hornet
 1730 ST KL Walnut Monte Carlo, caliber .22 Hornet
 1730 ST KL Walnut Monte Carlo Meister Grade, caliber .22 Hornet
 1740 D KL Walnut Monte Carlo, caliber .222 Remington
 1740 D KL Walnut Monte Carlo Meister Grade, caliber .222 Remington
 1740 ST KL Walnut Monte Carlo, caliber .222 Remington
 1740 ST KL Walnut Monte Carlo Meister Grade, caliber .222 Remington



Grouping 1740 D
 10 shots
 .222 Remington
 on 100 m.
 Original size.



Barreled Action Match 54

COMPETITION HUNTING SINGLE LOADERS



Competition hunting single loaders: High accuracy hunting competition rifles which can be used for hunting as well.

The bolt action comes from the top series of the ANSCHÜTZ 54 Match rifles and can be equipped with a double set trigger or a two stage trigger.

The heavy match barrel is manufactured according to the same technology as the unsurpassed ANSCHÜTZ target rifles. The walnut stock is designed for competitive hunting and has a checkering at pistol grip and fore-end.

With ventilated rubber butt plate and pistol grip cap of rosewood with white liner.



Match two stage trigger 5073.



ST = Double set trigger 5007.





Heavy precision match barrel.



Checkering.

1740 E Walnut w/o sights, caliber .222 Remington
1740 E ST Walnut w/o sights, caliber .222 Remington



These hunting targets are shot at a distance of 100 m.



Blowback Action


SEMI AUTOMATIC RIFLES OF THE SERIES 525



Semi automatic rifles model 525: Receiver with blowback action and 11 mm rail for telescopic sight, lateral gas vents and deflector plate for safe ejection of fired cases. The trigger housing with its ejector and lateral turnable safety carries the complete release mechanism with a very fast turning hammer for a short lock time. The barrel is manufactured according to the special ANSCHÜTZ process and is secured to the receiver by a single tapered assembly screw.

Sight sets: Folding leaf sight adjustable in height together with a pearl front sight adjustable in height which is screwed into the ramp and equipped with hood.

The Beavertail fore-end stock with checkering, sling swivel and the hardwood stock with checkering at the pistol grip, butt plate and sling swivel is walnut stained and lacquered.



KL = Folding leaf sight.



Pearl front sight adjustable in height.



G = Barrel thread.





Magazine 525-U8, 10 shots.
Magazine 525-U10, 2 shots.



525 KL, caliber .22 l.r.
525 KL G, caliber .22 l.r.



Model 1365 GARDEN SHOTGUN MODEL 1365




Garden shotgun model 1365:
This single barrel shotgun with cylinder action and bolt handle lock in cal. 9 mm Flobert shot is designed for varmint control in the garden, on the yard and in the field. The sighting groove on the receiver is in line with the front sight and the walnut stained hardwood stock thus guaranteeing reliable aiming. A lateral safety blocks the trigger in the "safe" position.



Double shot, caliber 9 mm.





The ANSCHÜTZ line of hunting, sporting and custom grade rifles from the world renowned match rifle manufacturer.

Since 1856 we have manufactured target rifles and pistols in the renowned ANSCHÜTZ quality.

With the combination of tradition and progress, research and development and the permanent search for new ideas, innovations and modern technologies we have created a high level product range.

You as a hunter will profit from the experiences we had through the close contact to top athletes of Olympic target shooting worldwide. They are part of the development of our hunting, sporting and custom grade rifles.

The overwhelming success of our target rifles and pistols at Olympic Games, world and national championships are a proof for the high quality level we dedicate to the design of our products.

Special Versions

INDIVIDUAL SPECIAL VERSIONS

S

Special versions:

In case you have not found your special version on the previous pages we would be pleased to compose it for you and submit you an individual offer. To do this we would need a detailed specification. Special versions are excluded from being exchanged.

Special version:

Model 1710 D KL Monte Carlo
caliber .22 l.r.



Special version:
Model 1730 D Classic
caliber .22 Hornet.



M

asterpiece hand made engravings:

Give your ANSCHÜTZ rifle a personal touch. A high quality individually designed hunting rifle is an investment for generations.

Make your emotions visible-

We realise your artistic ideas, adventures and hunting preferences on your rifle.

Whether you decide for a precious relief engraving or a signature engraving on your trigger guard or if you wish to have your individual special version with artistic decorations - do not hesitate to contact your dealer or our sales staff.



↑
Exclusive engraving:
Precious relief engraving with artistic chasing. Different chasing on demand.
Item No: 860.0010



↑
Signature engraving:
Individual engraving of your signature. Let us have your signature in black on a white piece of paper.
Item No: 860.0005



Special version:
Model 1730 ST KL Monte Carlo, caliber .22 Hornet.



Special version:
Model 1740 D KL Monte Carlo caliber .222 Remington.



Accessories

ACCESSORIES

Knives



↑
ANSCHÜTZ hunting knife:
 Horn grip, approx. 85 mm long blade of stainless high speed steel. Locking mechanism blocks opened blade. Complete with brown scabbard of robust saddle leather, with grinding rod.
Item No.: 710.4010



↑
ANSCHÜTZ hunting knife:
 With wooden grip. Approx. 100 mm long blade of stainless high speed steel. Complete with brown scabbard of robust saddle leather.
Item No.: 710.4005

clothing



← **Water proof All Weather Jacket:**
 With removable, reversible, sleeved body warmer, nylon hood in collar. Nylon/Taffeta, 100 % polyamide, PU coated, breathable. This ANSCHÜTZ jacket offers you an inner lining with bag and large cartridge bags.

- Size S: **Item No.: 680.6003**
- Size M: **Item No.: 680.6004**
- Size L: **Item No.: 680.6005**
- Size XL: **Item No.: 680.6006**
- Size XXL: **Item No.: 680.6007**



↑
ANSCHÜTZ Cap 7910:
 Fits all head sizes.
Item No.: 711.6450

*S*afety



↑
Safety lock for triggers:
Protects your rifle from unauthorized use. Suitable for all ANSCHÜTZ rifles. Caution: Only install at an unloaded rifle. Store your rifle in unloaded condition.



↑
Safety lock for triggers.
Item No.: 711.7250



Removable sling swivel:
Euro 8 mm hinge width. Optimum solution for a fast exchange and removal of slings. 2 pieces.
Item No.: 711.9010



*S*lings

↑
Slings:
With rubber layer and penetrated plait decoration. Adjustable length 87 - 101 cm (34-40"). Width 35 mm (1.4"). Color dark green.
Item No.: 711.9005

*S*tones



↑
ANSCHÜTZ stone:
Item No.: 799.1500

ANSCHÜTZ stone, small:
Item No.: 799.1510

Accessories

ACCESSORIES

Gun cases



↑
Gun case 201:
 For 1 rifle (122.5 x 25.5 x 11.5 cm, 3.25 kg).
Item No.: 711.8000



↑
Gun case 233:
 For 1 break-down gun (96.5 x 32 x 11.5 cm, 3.5 kg).
Item No.: 711.8003




↑
Gun case 202:
 For 2 rifles (133.5 x 32 x 11.5 cm, 4.6 kg).
Item No.: 711.8001



↑
Gun case 203:
 Extra wide for 2 rifles and accessories (133.5 x 37 x 11.5 cm, 4.9 kg).
Item No.: : 711.800.



↑
Hunting gun case 261:
 For 1 hunting gun with telescopic sight (135 x 28.5 x 11 cm, 2.1 kg).
Item No.: 711.8011
 ↓




↑
Gun case 285:
 Water proof, for 2 rifles and accessories (137 x 39 x 15 cm, 7.1 kg).
Item No.: 711.8005



↑
Hunting and sports bag 294:
A practical ANSCHÜTZ development!
Large bag for hunters and target shooters with special compartment for shotgun case and many additional bags.

Finally a bag for everything! Ideal for flights. With extendable frame grip and rolls (91 x 42 x 38 cm).
Item No.: 711.8150



*M*ounts / sights
for 11 mm grooved rail



↑
Two-piece mount 5516/26-1,
21 mm height, with rings
Ø 26 mm/1\"/>



↑
Two-piece mount 5516/30,
21 mm height, with rings
Ø 30 mm/1 1/5\"/>



↑
Sight set 6834, rear sight 6805,
front sight 6832, rubber eyeshade,
7 inserts.
Item No.: 700.0060



↑
Two-piece mount 5525/26-1,
31 mm height, with rings
Ø 26 mm/1\"/>



↑
Two-piece mount 5525/30,
31 mm height, with rings
Ø 30 mm/1 1/5\"/>

Accessories

ACCESSORIES


Magazines



↑
Magazine 525-U8, 10 shots,
 .22 l.r. for semi automatic rifle.
Item No.: 700.4110



↑
Magazine 525-U10, 2 shots,
 .22 l.r. for semi automatic rifle.
Item No.: 700.4111



↑
Magazine 1420-U5, 5 shots,
 .22 l.r. and .17 Mach 2
Item No.: 700.4005



↑
Magazine 1420-U13, 10 shots,
 .22 l.r. and .17 Mach 2.
Item No.: 700.4010



↑
Magazine 54.18 MS R-U2 thumb-
hole,
 5 shots, for 1808 stock, .22 l.r.
Item No.: 700.4260



↑
Magazine 1515-U3, 4 shots,
 .22 Win. Mag. and .17 HMR.
Item No.: 700.4304



↑
Magazine 1430-U4, 5 shots,
 .22 Hornet.
Item No.: 700.4405



↑
Magazine 1530-U4, 3 shots,
 .222 Remington.
Item No.: 700.4503



↑
Single loader adapter 4846,
 for repeaters in caliber .22 l.r.
Item No.: 710.4700

S tickers



↑ **ANSCHÜTZ sticker (to sew on):**
Approx. 85 x 55 mm.
Material 100% polyester.
Item No.: 799.3005



↑ **ANSCHÜTZ sticker (adhesive):**
Approx. 100 x 70 mm.
Item No.: 799.3010

P rotectives



↑ **Electronic muffers 307:**
Automatic sound insulation is actuated at props. Speech permeability. No obstacle during shooting. Extraordinary insulating properties. Variably adjustable. With connection for cigarette lighter and socket (220 V) to load accus.
Item No.: 710.6700



↑ **Peltor pocket muffers 313:**
The slim design makes them especially suitable for target shooters. Very light (approx. 180 g). Comfortable fit. Considerable sound insulation. Variably adjustable.
Item No.: 710.6701



↑ **Pocket muffers 308**
A special product development for the shooter with regard to sound dissipation. Very light (approx. 196 g). Foldable. Wide, soft sealing rings. No obstacle during shooting. Comfortable fit.
Item No.: 710.6702

Accessories

ACCESSORIES



↑
Cleaning kit 507.
Item No.: 710.6325



↑
Cleaning wicks 508.
Item No.: 710.6326

Cleaning



↑
Cleaning kit,
with 4-piece cleaning rod.
Item No.: 710.6332

Visit us in the internet:
www.anschuetz-sport.com

Note:

Product specifications, design and model changes are subject to change without prior notice. Dimensions and colors are subject to change. With reservation of misprints and errors. Goods are subject to prior sale.

Delivery subject to the presentation of the referring license for the purchase of firearms.

ANSCHÜTZ, the ANSCHÜTZ logo and the ANSCHÜTZ logo in connection with the slogan "Die Meister Macher" (also in modified spelling) are protected brands of J.G. ANSCHÜTZ GmbH & Co. KG, Ulm, Germany. The unauthorized use of this brand name is not allowed and punishable.

All rights of this catalogue reserved. The use of the catalogue, also in excerpts, is not allowed without the permission of J. G. ANSCHÜTZ GmbH & Co. KG and otherwise is punishable. This is especially applicable for unauthorized copying, translations and read-ins into electronic systems.

Order Chart

ORDER CHART

Model description	Item No.	Caliber	Magazine	Trigger	Weight	Barrel length	Total length
1365							
1365 Hardwood*	160.0000	9mm Flobert Shot		5165	2.1 kg / 4.6 lbs.	65 cm / 25.6"	110 cm / 43.3
14xx (Barreled Action Match 64)							
1416 D KL Classic	217.2020	.22 l.r.	5 Shots	5094	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1416 D KL Monte Carlo	217.2000	.22 l.r.	5 Shots	5094	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1416L D KL Classic	217.3060	.22 l.r.	5 Shots	5094L	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1416 D HB Classic wos.	217.2080	.22 l.r.	5 Shots	5094	2.7 kg / 6.0 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1416 D HB Classic Beavertail wos.	217.4005	.22 l.r.	5 Shots	5094	2.7 kg / 6.0 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1417 G Classic o.V.	217.9810	.22 l.r.	5 Shots	5092	2.4 kg / 5.2 lbs.	35.5 cm / 14"	83 cm / 32.7"
15xx and 64 (Barreled Action Match 64)							
1502 D HB Classic wos.	240.2095	.17 Mach 2	5 Shots	5094	2.7 kg / 6.0 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1502 D HB Classic Beavertail wos.	240.4005	.17 Mach 2	5 Shots	5094	2.7 kg / 6.0 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1516 D KL Classic	231.2020	.22 WMR	4 Shots	5094	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1517 D HB Classic wos.	221.2095	.17 HMR	4 Shots	5094	2.7 kg / 6.0 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1517 D HB Classic Beavertail wos.	221.4005	.17 HMR	4 Shots	5094	2.7 kg / 6.0 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1517 D Classic wos.	221.2023	.17 HMR	4 Shots	5094	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1517L D Classic wos.	221.3095	.17 HMR	4 Shots	5094	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1517 D Monte Carlo wos.	221.2033	.17 HMR	4 Shots	5094	2.5 kg / 5.5 lbs.	58.4 cm / 23"	105.5 cm / 41.5"
1517 MP R Hardwood wr., wos.	221.4102	.17 HMR	4 Shots	5106	4.1 kg / 9.0 lbs.	65 cm / 25.5"	105.5 cm / 41.5"
64 MP R Hardwood wr., wos.	219.4002	.22 l.r.	5 Shots	5092	4.1 kg / 9.0 lbs.	65 cm / 25.5"	110 cm / 43.3"
64 R Sporter Target Hardwood wr., wos.	219.4500	.22 l.r.	5 Shots	5092	4.1 kg / 9.0 lbs.	65 cm / 25.5"	110 cm / 43.3"
17xx (Barreled Action Match 54)							
1702 D HB Classic wos.	242.2095	.17 Mach 2	5 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1712 Silh. Sporter Monte Carlo wos.	220.1033	.22 l.r.	5 Shots	5109	3.3 kg / 7.3 lbs.	54.9 cm / 21.6"	104 cm / 40.9"
1710 D KL Monte-Carlo	220.2030	.22 l.r.	5 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1710 D KL Monte-Carlo Meister Grade	220.2040	.22 l.r.	5 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1710 D HB Classic wos.	220.2095	.22 l.r.	5 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1710 D HB Classic Meister Grade wos.	220.2096	.22 l.r.	5 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1710 ST KL Monte-Carlo	220.4030	.22 l.r.	5 Shots	5001	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1710 ST KL Monte-Carlo Meister Grade	220.4040	.22 l.r.	5 Shots	5001	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1717 D KL Monte-Carlo	222.2030	.17 HMR	4 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1717 D KL Monte-Carlo Meister Grade	222.2040	.17 HMR	4 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1717 D Classic wos.	222.2091	.17 HMR	4 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1717 D Classic wos. Meister Grade	222.2093	.17 HMR	4 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1717 D HB Classic wos.	222.2095	.17 HMR	4 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1717 D HB Classic wos. Meister Grade	222.2096	.17 HMR	4 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
17xx (Barreled Action Match 54)							
1730 D KL Monte Carlo	340.2030	.22 Hornet	5 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1730 D KL Monte Carlo Meister Grade	340.2040	.22 Hornet	5 Shots	5096 D	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1730 D HB Classic wos.	340.2095	.22 Hornet	5 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1730 D HB Classic Meister Grade wos.	340.2096	.22 Hornet	5 Shots	5096 D	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1730 ST KL Monte-Carlo	340.4030	.22 Hornet	5 Shots	5001	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1730 ST KL Monte-Carlo Meister Grade	340.4040	.22 Hornet	5 Shots	5001	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1740 D KL Monte-Carlo	350.2030	.222 Remington	3 Shots	5095	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1740 D KL Monte-Carlo Meister Grade	350.2040	.222 Remington	3 Shots	5095	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1740 D HB Classic wos.	350.2095	.222 Remington	3 Shots	5095	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1740 D HB Classic Meister Grade wos.	350.2096	.222 Remington	3 Shots	5095	3.6 kg / 8 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1740 ST KL Monte-Carlo	350.4030	.222 Remington	3 Shots	5001	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
1740 ST KL Monte-Carlo Meister Grade	350.4040	.222 Remington	3 Shots	5001	3.4 kg / 7.5 lbs.	58.4 cm / 23"	107.5 cm / 43.3"
Single loaders (Barreled Action Match 54)							
1740 E wos.	352.0000	.222 Remington		5073	3.9 kg / 8.6 lbs.	58.4 cm / 23"	106.5 cm / 42"
1740 E ST wos.	352.4000	.222 Remington		5007	3.9 kg / 8.6 lbs.	58.4 cm / 23"	106.5 cm / 42"
525 Semi automatic rifles							
525 KL	225.0000	.22 l.r.	10 Shots	5175	3.1 kg / 6.8 lbs.	61 cm / 2.4"	109 cm / 42.9"
525 KL G	225.6000	.22 l.r.	10 Shots	5175	3.1 kg / 6.8 lbs.	61 cm / 2.4"	109 cm / 42.9"

wos. = Without sights · wr. = With grooved alu rail · D = Single stage trigger · E = Single loader · G = Barrel thread · HB = Heavy barrel · KL = Folding leaf sight · L = Left hand version

MP = Multi Purpose · P = Pistol · R = Repeater · Silh. = Silhouette · ST = Double set trigger · * = As long as available



€ 5,- Fee



ANSCHÜTZ
DIE MEISTER MACHER

J.G. ANSCHÜTZ GmbH & Co. KG
Jagd- und Sportwaffenfabrik
Daimlerstrasse 12 Phone (++49) - (0) - 7 31 - 40 12-0
D-89079 Ulm / GERMANY Fax (++49) - (0) - 7 31 - 40 12-700
Postfach 1128 anschuetz-sport.com
D-89001 Ulm / GERMANY JGA-Info@anschuetz-sport.com

D SCHI 2/05 · Design and Fotodesign: © Design Agentur Berstecher & Schoblocher · D-89079 Ulm GERMANY · www.design-agentur.de