

PROUD LAW ENFORCEMENT SUPPORTER

In addition to providing military and law enforcement agencies with the superior optics they need to fulfill their missions, Leupold is proud to be a member of the following organizations:

ASLET—The American Society of Law Enforcement Trainers

IALEFI—The International Association of Law Enforcement Firearms Instructors

NTOA—The National Tactical Officers Association

NRA—The National Rifle Association



LEUPOLD TACTICAL ACADEMY – COMING SOON

Leupold is proud to introduce the Leupold Tactical Academy, an optics-based training program designed specifically to increase the knowledge and proficiency of military and law enforcement personnel with tactical optics. These unique courses, instructed by a combination of Leupold's Tactical Specialists and optics experts will deliver a unique new skill set to the tactical optics user. Visit the Leupold Tactical Web site for class start dates, class schedules, and additional information: www.leupold.com.

Leupold & Stevens, Inc., PO Box 688, Beaverton, OR 97075-0688
14400 NW Greenbrier Parkway, Beaverton, OR 97006-5790 USA

www.leupold.com

Printed in the U.S.A. This publication may not be reprinted or otherwise reproduced without the expressed written consent of Leupold & Stevens, Inc.
Copyright © 2005 Leupold & Stevens, Inc. All rights reserved.

THE LEUPOLD FULL LIFETIME GUARANTEE

Leupold and Stevens, Inc. is an American, family owned, fifth generation company that has been designing, machining, and assembling precision optical instruments for nearly 100 years. Leupold's success has been built on our commitment to your absolute satisfaction and our commitment to building the best optics for the shooting sports and for the law enforcement/military community. It's for these reasons that we offer the Leupold Full Lifetime Guarantee.

If any Leupold Golden Ring product is found to have defects in materials or workmanship, we will, at our option, repair or replace it. FREE. Even if you are not the original owner. No warranty card is required. No time limit applies.

Certain special purpose products are covered by specific warranties in regard to their own individual features. For more information, please consult the Leupold Web site at www.leupold.com.

LEUPOLD MARK 4 OPTICAL PRODUCTS WARRANTY

Warranties on Leupold Mark 4 optical products vary depending on use and other factors. For more information regarding the warranties on these products, contact Leupold at 503-526-1400.

LEUPOLD WIND RIVER LIMITED LIFETIME WARRANTY

Leupold Wind River optics are engineered and manufactured to standards set and monitored by the design engineers at Leupold's Oregon factory. The goal is to provide you with reliable performance at a reasonable price.

Should service ever become necessary, these fine optics are covered by the Leupold Wind River Limited Lifetime Warranty. All service work is performed by the same Leupold Product Service Specialists who work on our Leupold Golden Ring products here in Oregon.

Leupold & Stevens, Inc. reserves all other rights. AXSYS; CQ/T; DESIGN ONLY (GOLDEN RING); DUPLEX; GOLDEN RING; L AND DESIGN; LEUPOLD; LPS; MARK 4; MULTICOAT 4; PERFORMANCE STARTS ON THE INSIDE; VARI-X; VX; and WIND RIVER are registered trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. ADVANCED IMAGE OPTIMIZATION; Alumina; AMERICA'S OPTICS AUTHORITY; BLACK RING; CASCADES; FX; GREEN RING DESIGN; GREEN RING; KATMAI; L-COAT; LR/T; MESA; MR/T; OLYMPIC; PINNACLES; QUICK RELEASE; SEQUOIA; and X-TREME are trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. Note: We reserve the right to make design and/or material modifications without prior notice.

Leupold products are manufactured under one or more of the following patents: U.S.: 4,393,595; 4,395,096; 4,408,842; 4,643,542; 5,035,487; 5,231,535; 5,671,088; 5,866,048; 6,005,711; 6,359,418; D347,441; D420,807; D421,286; D427,658. D490,097. Foreign Patents: 374-359; CA88472; CA1,253,381; DE69216763.3; DE-M9304093.8; EP0540368; SE55201. The ARD (anti-reflection device) is manufactured by Tenebraex Corp. (U.S. Patent No. 4,929,055) under the name KillFlash, which is a trademark of Tenebraex Corp.

2005 TACTICAL OPTICS



LEUPOLD[®]
AMERICA'S OPTICS AUTHORITY™

Leupold® Mark 4® — Answering The Call

When the United States military needed a new riflescope that would not

only function, but excel in combat, the harshest environment on earth,

Leupold® answered the call with the ULTRA scopes specifically designed

to fit that purpose. With the ULTRA, we set the standard in tactical

optics, and we continue to do so today. The Leupold Mark 4® series,

which evolved from that first call by our armed forces, has become the

benchmark for all tactical riflescopes to follow.



LEUPOLD MARK 4 SCOPES

LR/T—6

MR/T—12

PR—14

CQ/T—16

Mounting Systems—24

Reticle Configurations—26

SPOTTING SCOPES

Mark 4/Golden Ring—19

Golden Ring Compact—20

Wind River—21

BINOCULARS

Wind River RB800—18

Wind River—22

ACCESSORIES —28

PRODUCT FEATURES—31

“Mission Specific” has become the driving force behind the creation of Leupold Mark 4 optics. What that means is that we don’t simply build products for military operators or law enforcement officers without fully understanding their mission requirements. We seek their input. They seek our advice. The results are products that meet specific user requirements and as many mission contingencies as possible. Leupold optics are the overwhelming choice of military and police professionals in the United States and around the world. This tells us we’re accomplishing our mission.

Today, Leupold Mark 4 riflescopes are used to watch over police SWAT teams as well as by the police who patrol the streets daily. They’re being used on frigid mountaintops in Afghanistan; in the searing desert heat of Iraq; and in the wet, steaming jungles of

the Philippines. Leupold’s philosophy helped create the riflescopes that have come to define tactical optics. For rugged dependability and absolute waterproof integrity in the most extreme conditions imaginable, for sheer optical excellence and flexibility, and finally, for fail-safe accuracy every shot, the Leupold Mark 4 line of riflescopes has no equal.

Everyone from special operations soldiers forward deployed across the globe in defense of freedom, to law enforcement officers serving and protecting their community on a tight budget deserves the most rugged, accurate, dependable optics anywhere. You’ll find optics designed for your specific mission’s needs in Leupold’s newly expanded Mark 4 line-up. At Leupold, we feel we’re helping keep our communities safe, as well as helping to defend the nation.

So whether you need the extreme long-range scope, the ultimate fast entry/close quarter combat optic, or something in between, Leupold is ready with Mark 4 optics that are specifically matched to both the mission and your unique conditions.

Optics for Every Mission Profile
Leupold Mark 4 optics are grouped by mission profile, to help you find the optics that are right for the job. For everything from clearing a building to area containment, turn to Leupold Mark 4 Close Quarter/Tactical (CQ/T®) optics. Our MR/T™ (Mid Range/Tactical) riflescopes are for that middle ground between short and long range. When serious precision at long distance is a must, so is a Leupold LR/T™ (Long Range/Tactical) riflescope. Each category overlaps with the next for total mission coverage...simply put, there’s a Leupold Mark 4 optic to cover any situation.

New Tactical Optics for 2005

New! Mark 4 1.5-5x20mm PR

The latest addition to the Precision Rifle line-up offers magnification optimized for close-range engagements...especially useful in police/tactical applications.

New! Mark 4 1.5-5x20mm MR/T™ M2

Now, in addition to our 3x – 9x MRT, you have the Mark 4 1.5-5x20mm MR/T M2 for greater versatility in mid-range scenarios.

New! Mark 4 3.5-10x40mm LR/T™ Front Focal

With the Front Focal feature of this new LR/T scope, you can estimate range at any magnification setting...the reticle magnifies with the image.

New! Mark 4 Aluminum Rings

Mark 4 Aluminum mounts are machined from a single piece of aircraft-grade aluminum, so they’re incredibly strong, yet lightweight.



New! Mark 4 CQ/T® ARMS Throw Lever Mount

Get a precise and repeatable zero every time with this new quick-detaching mount for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a black, anti-glare matte finish, it’s ready to handle any mission. Fits all MIL-STD-1913/Picatinny-style rails.



MARK 4
1.5-5X20MM PR

MARK 4
1.5-5X20MM MR/T M2
ILLUM. RETICLE

MARK 4
3.5-10X40MM LR/T M1
FRONT FOCAL
ALSO AVAILABLE IN M3 MODEL





MARK 4 OVERVIEW



LR/T
pg. 6



MR/T
pg. 12



PR
pg. 14



CQ/T
pg. 16



Spotting Scopes
pg. 18

This is the entire line-up of Leupold Mark 4 tactical optics: the riflescopes, binoculars, spotting scopes, and other tools the first responders use. Each is mission specific, designed to do a job and do it uniquely and incredibly well. Here we'll give you a brief synopsis of each group's strengths, and direct you to the pages in the catalog where you can learn more about each.

Leupold® Mark 4® LR/T® Scopes

Leupold Mark 4 Long Range/Tactical optics were designed to give you as much control as possible over extreme long-distance shooting.



NEW!
3-5-10X40MM LR/T M1
FRONT FOCAL

NEW!
3-5-10X40MM LR/T M3
FRONT FOCAL

3-5-10X40MM LR/T M1

3-5-10X40MM LR/T M3

3-5-10X40MM LR/T M1
ILLUM. RETICLE

3-5-10X40MM LR/T M3
ILLUM. RETICLE

4-5-14X50MM LR/T M1

4-5-14X50MM LR/T M1
ILLUM. RETICLE
ALSO AVAILABLE IN METRIC

6-5-20X50MM LR/T M1

6-5-20X50MM LR/T M1
ILLUM. RETICLE

8-5-25X50MM LR/T M1

8-5-25X50MM LR/T M1
ILLUM. RETICLE

10X40MM LR/T M1

10X40MM LR/T M3

16X40MM LR/T M1

Leupold® Mark 4® MR/T® Scopes

For everything from 50 to 700 meters, these are the scopes you can count on to help get the job done because we gave them everything you would.



NEW!
1-5-5X20MM MR/T M2
ILLUM. RETICLE

3-9X36MM MR/T M1

3-9X36MM MR/T M1
ILLUM. RETICLE

3-9X36MM MR/T M3

3-9X36MM MR/T M3
ILLUM. RETICLE

Leupold® Mark 4® PR Scopes

The Leupold Mark 4 Precision Rifle line-up was created so that even a force with a tight budget could outfit its officers with quality, dependable tactical optics.



NEW!
1-5-5X20MM PR

3-9X40MM PR

3-5-10X40MM PR

4-5-14X40MM PR
LONG RANGE

Leupold® Mark 4® CQ/T® Scope

Combining the strengths of a red dot sight and a variable power riflescope, the Leupold Mark 4 CQ/T was to handle the close-contact situations common to both law enforcement and the military.



1-3X14MM CQ/T


Leupold® Mark 4® Spotting Scopes

On a sniper team, two must see as one. Leupold Mark 4 and Golden Ring® spotting scopes have the optical performance, ruggedness, and absolute waterproof integrity needed to get the job done, in any conditions. New for 2005, this spotting scope is available with our Leupold Mil Dot "round dot" reticle or our new Tactical Milling Reticle for increased ranging and shooting precision.



MARK 4 12-40X60MM
TACTICAL

Tactical Reticle Configurations—Page 26





L O N G R A N G E / T A C T I C A L

MARK 4 LR/T MODELS RETICLE & PART NUMBER

3.5-10X40MM LR/T M1 FRONT FOCAL MIL DOT TMR 58850 60030

3.5-10X40MM LR/T M3 FRONT FOCAL MIL DOT TMR 58860 60035

3.5-10X40MM LR/T M1 DUPLX 52218
 • DUPLX 53666
 • MIL DOT 52128
 • MIL DOT 53668
 TMR 60020
 • TMR 60010


3.5-10X40MM LR/T M3 DUPLX 51182
 • DUPLX 53670
 MIL DOT 51850
 • MIL DOT 53672
 TMR 60025
 • TMR 60015

NEW FOR 2005
 • ILLUMINATED RETICLE
 MATTE BLACK FINISH ON ALL MODELS

Some say long range shooting is a matter of luck. We prefer not to leave something this important to chance. Leupold Long Range/Tactical optics give you as much control as possible over this extreme type of shooting. With the Leupold Mark 4 3.5-10x40mm LR/T riflescopes, we've given you the tools to do the job...the rest is up to you.

New! Front Focal model – with the reticle in the front focal plane of the scope, the reticle increases in magnification along with the image, so you can determine range at any magnification setting.

30mm maintubes – the wider diameter body offers increased windage and elevation adjustment.



Butler Creek® Flip-Open™ Lens Covers – standard issue with Mark 4 LR/T riflescopes.

Index Matched Lens System™ – special lens coatings matched to each lens surface transmit the maximum amount of usable light possible to your eye, for the brightest, clearest sight picture possible.

M1 Dials			M3 Dials		
ELEV	WIND	BDC	ELEV	WIND	BDC
1/4-MOA	1/4-MOA	NO	1-MOA	1/2-MOA	YES

Fully Illuminated Mil Dot reticles – available in select models for precise shot placement in low light.



3.5-10X40MM LR/T M1 FRONT FOCAL

3.5-10X40MM LR/T M3 FRONT FOCAL

3.5-10X40MM LR/T M1 ILLUM. RETICLE ALSO AVAILABLE IN NON-ILLUMINATED MODELS

3.5-10X40MM LR/T M3 ILLUM. RETICLE ALSO AVAILABLE IN NON-ILLUMINATED MODELS





LONG RANGE / TACTICAL

MARK 4 LR/T MODELS RETICLE & PART NUMBER

4.5-14X50MM LR/T M1	DUPLEX	54660
	• DUPLEX	56060
	MIL DOT	54560
	• MIL DOT	56070
	TMR	60005
• TMR	60000	

4.5-14X50MM LR/T M1 METRIC (.5CM)	• MIL DOT	57045
-----------------------------------	-----------	-------

6.5-20X50MM LR/T M1	MIL DOT	54680
	• MIL DOT	56080
	TMR	60080
	• TMR	60075

8.5-25X50MM LR/T M1	MIL DOT	54690
	• MIL DOT	56090
	TMR	60070
	• TMR	60065

• ILLUMINATED RETICLE
MATTE BLACK FINISH ON ALL MODELS



ILLUMINATED RETICLE

Illuminated Mil Dot

Illuminated Duplex



M1 Dials

M3 Dials

ELEV	WIND	BDC	ELEV	WIND	BDC
1/4-MOA	1/4-MOA	NO	1-MOA	1/2-MOA	YES

Fully Illuminated reticles – Illuminated Mil Dot, Duplex®, and TMR reticles available in select models for precise shot placement in low light.

Finger-adjustable dials – the knurled windage and elevation adjustment dials also feature audible, tactile clicks to make adjustments with extreme precision.

Bullet Drop Compensation (BDC) – M3 dials marked for bullet drop compensation.



4.5-14X50MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN METRIC AND NON-ILLUMINATED MODELS

6.5-20X50MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN NON-ILLUMINATED MODELS

8.5-25X50MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN NON-ILLUMINATED MODELS





LR/T™



L O N G R A N G E / T A C T I C A L

These Leupold LR/T models – the Mark 4 10x40mm LR/T M1 and Mark 4 16x40mm LR/T M1 are arguably among the toughest, highest performing riflescopes you'll find anywhere. It's no surprise that the Mark 4 10x40mm LR/T M3 was chosen as the primary day optic of the U.S. Army M-24 Sniper System. The reasons why are clear.

MARK 4 LR/T MODELS	RETICLE & PART NUMBER	
10x40MM LR/T M1	DUPLEX	45578
	MIL DOT	48431
	TMR	60085
10x40MM LR/T M3	DUPLEX	45582
	MIL DOT	47638
	TMR	60090
16x40MM LR/T M1	DUPLEX	45580
	TARGET DOT	45581
	MIL DOT	50541
	TMR	60095

- ILLUMINATED RETICLE
- MATTE BLACK FINISH ON ALL MODELS

Superior edge-to-edge sharpness – total clarity across visual field and outstanding brightness for optimal low-light capability.

Precision parallax adjustment – adjust for specific ranges from 50 yards to infinity using turret mounted focus knob, without taking your eyes off the target.

Click adjustments – audible, tactile “click” windage and elevation adjustments for extreme accuracy.

Zeroed adjustment knobs – once sighted-in, adjustment knobs can be zeroed.

30mm maintubes – the wider diameter body offers increased windage and elevation adjustment.

Solid construction – milled from one solid piece of 6061-T6 aircraft-grade aluminum, these scopes are rugged and absolutely waterproof in all conditions.



10x40MM LR/T M1

10x40MM LR/T M3

16x40MM LR/T M1

M I D R A N G E / T A C T I C A L



MARK 4 MR/T MODELS

1.5-5X20MM MR/T M2

• SPECIAL PURPOSE 56994

3-9X36MM MR/T M1

• DUPLEX 57080
• DUPLEX MIL DOT 57060
• MIL DOT 57070
• TMR 60055
• TMR 60045

3-9X36MM MR/T M3

• MIL DOT 57075
• MIL DOT TMR 60060
• TMR 60050

NEW FOR 2005

• ILLUMINATED RETICLE
MATTE BLACK FINISH ON ALL MODELS

You can't afford to leave an inch of ground uncovered. For everything from 50 to 700 meters, these are the scopes you can count on to help get the job done, because we gave them everything you would. The Leupold Mark 4 3-9x36mm MR/T was specifically designed to maximize the performance of AR-style firearms, then refined based on input from the field. And for 2005, we've added yet another mid-range option that's every bit as tough and capable as the original: the new Leupold Mark 4 1.5-5x20mm MR/T M2.

30mm maintube – the 3-9x36mm MR/T has increased windage and elevation adjustment.

Eye relief – optimized for M16/AR-15 type rifles, leaving room for accessories on the upper receiver, forward of the scope.

Click adjustments – finger-adjustable, knurled windage and elevation adjustments with audible, tactile "clicks" for precision.

M1 Dials			M2 Dials			M3 Dials		
ELEV	WIND	BDC	ELEV	WIND	BDC	ELEV	WIND	BDC
1/4-MOA	1/4-MOA	NO	1/2-MOA	1/2-MOA	YES	1-MOA	1/2-MOA	YES

BDC DIAL OPTIONS WITH 1.5-5X20MM MR/T M2

CALIBER	BULLET WEIGHT
5.56MM	62 GRAIN
5.56MM	77 GRAIN
7.62MM	168 GRAIN
7.62MM	175 GRAIN

Rugged and waterproof – each scope is guaranteed to be 100% waterproof/fogproof and is designed to withstand the rigors of the modern battlefield.

Butler Creek Flip-Open Lens Covers – come standard with all Mark 4 LR/T riflescopes.

Illuminated reticles – choose illuminated Mil Dot or Duplex reticles.

Bullet Drop Compensation (BDC) – M2 and M3 dials marked for bullet drop compensation.



1.5-5X20MM MR/T M2 ILLUM. RETICLE

3-9X36MM MR/T M1

3-9X36MM MR/T M1 ILLUM. RETICLE

3-9X36MM MR/T M3

3-9X36MM MR/T M3 ILLUM. RETICLE



P R E C I S I O N R I F L E

MARK 4 PR MODELS	RETICLE & PART NUMBER	
1.5-5X20MM PR	SPECIAL PUPOSE	59100
3-9X40MM PR	DUPLEX MIL DOT	56860 56870
3.5-10X40MM PR	DUPLEX MIL DOT	56125 56120
4.5-14X40MM PR LONG RANGE	DUPLEX FINE DUPLEX MIL DOT	56140 56145 56130

NEW FOR 2005
 • ILLUMINATED RETICLE
 MATTE BLACK FINISH ON ALL MODELS

The Leupold Mark 4 Precision Rifle line-up was created so that even a force with a tight budget could outfit its officers with quality, dependable tactical optics. PR scopes pass the same tests for ruggedness and waterproofing as our LR/T, MR/T, and CQ/T scopes. They're quite simply the best balance of price and performance you'll find anywhere, so you don't have to settle for anything less.

New! Special Purpose Reticle – available on the Mark 4 1.5-5x20mm PR.

Precision adjustment – 1/4-MOA “click” windage and elevation adjustments with 15-MOA of adjustment for each revolution.

Index Matched Lens System – available on the 3.5-10x40mm PR and 4.5-14x40mm PR Long Range, it transmits the maximum amount of usable light to your eye, for outstanding brightness, clarity, and contrast.




Multicoat 4® lens system – specially chosen lens coatings on the Mark 4 3-9x40mm PR ensure brightness and clarity.

Impeccable sight picture – outstanding clarity and brightness for excellent low-light performance.

Solid construction – legendary Leupold ruggedness and absolute waterproof integrity is built in for each revolution.


Multiple reticle options – Duplex, Fine Duplex, Mil Dot, or SPR reticles available.




Duplex



Fine Duplex



Mil Dot



SPR



1.5-5X20MM PR

3-9X40MM PR

3.5-10X40MM PR

4.5-14X40MM PR
LONG RANGE



CQ/T®



C L O S E Q U A R T E R / T A C T I C A L

The Leupold Mark 4 1-3x14mm CQ/T is a revolutionary optical sight for tactical firearms such as the AR-15 and M16. Developed in cooperation with both the U.S. military and law enforcement agencies, the Mark 4 CQ/T combines the strengths of a red dot sight and a variable power riflescope. Incredibly tough, 100 percent waterproof, and devastatingly accurate, only the Mark 4 CQ/T is ready and able to handle the variety of close-contact situations common to both law enforcement and the military.

True 1x setting – functions as your non-magnifying, illuminated sight for tactical scenarios or engaging targets at extremely close range.


2x or 3x settings – the additional power you need to accurately engage targets at medium ranges.

1/2-MOA “click” adjustments – for windage and elevation.

Leupold Circle Dot reticle – a bold aiming point for the operator, and also provides range estimation.



Ten reticle illumination settings – to match any light conditions without overwhelming your natural low-light vision; two low-intensity settings work with night-vision devices.



Attach accessories – using the integrated MIL-STD-1913 rail mount cross-slots.

Large field of view – for fast target acquisition and tracking of moving targets.

New! Mark 4 CQ/T ARMS Throw Lever Mount – get a precise and repeatable zero every time with this new quick-detaching mount for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a black, anti-glare matte finish, it's ready to handle any mission. Fits all MIL-STD-1913/Picatinny-style rails. See page 24.



AA battery – powers the Mark 4 CQ/T for up to 600+ hours at medium setting.

MARK 4 CQ/T MODELS	RETICLE & PART NUMBER
1-3X14MM CQ/T	• CIRCLE DOT 52155
• ILLUMINATED RETICLE MATTE BLACK FINISH	



1-3X14MM CQ/T

RB800 & SPOTTING SCOPES



LEUPOLD WIND RIVER

Leupold Wind River® RB800 Range Finding Binocular

Accurate determination of range can be a lifesaver in some situations. The RB800 takes the guesswork out of it, giving you the precise distance to targets up to 850 meters away. An invaluable resource for military, police sniper/spotter teams, or even the cop on the street, the RB800 binoculars are powerful, and lightweight enough for everyday duty.

8x32mm optical system gives you generous magnification; a bright, clear image; and an optimal field of view.

Tough, waterproof, with shock-absorbing armor for increased durability.

Scan mode lets you continuously update ranges of a moving target or as you scan different objects.

The built-in compass in the RB800C gives the direction to a target.



For the sniper team, two must see as one. Leupold spotting scopes' outstanding optics are designed to give you a crisp, bright sight picture, even in low light. Built with legendary Leupold ruggedness, they perform wherever the mission takes them, and they prove it every day, around the world. An April 7, 2003 *Time* magazine photo essay on the war in Iraq shows U.S. Special Forces using our 12-40x60mm spotting scope to locate enemy positions.

Leupold Mark 4 12-40x60mm Tactical Spotting Scope

The scope most ideally suited for use as part of a sniper team. The Mark 4 12-40x60mm Tactical spotting scope features either the Leupold Mil Dot "round dot" reticle or our new Tactical Milling Reticle. Both help with range estimation, allowing the spotter and shooter to work as a team.

Multicoat 4 lens coatings – for maximum light transmission, brightness, clarity, and contrast.

Folded light path technology – for greater magnification in a lightweight, compact design (12.4" long, 37 oz).

Estimate range – at all power settings.


New! Tactical Milling Reticle – expands on existing Mil Dot reticles, using various sized and spaced hash marks on the stadia for increased ranging precision, accuracy, and quick 1-meter range estimating reference points. All Mil Dot calculations are TMR compatible.

Mil Dot reticle – standard for all branches of the U.S. armed forces, the Mil Dot reticle was designed to assist in range estimation for superior accuracy in long range shooting.



LEUPOLD MARK 4 / LEUPOLD GOLDEN RING

Digital camera compatible – find your target, and our Digital Camera Adapter snaps on quickly so you can take your shot.



Includes soft-side case – it can remain on the scope during use, for extra protection.

Universal 1/4-20 thread tripod attachment.



New! Leupold Golden Ring 12-40x60mm HD Spotting Scope

This new spotting scope takes the performance of the standard model to a new level.

The new HD lens system – the fluoride-based objective lens system offers substantially enhanced resolution, color fidelity, and contrast, especially at 40x for sharper, better defined images.

New soft-side, form-fitting case – in desert tan, it comes with the scope to provide extra protection and can remain on the scope during use.

Index Matched Lens System – along with folded light path technology, it minimizes light dispersion and delivers maximum light transmission.

Digital camera compatible – with our adapter.

Leupold Golden Ring 12-40x60mm Spotting Scope

The reticle and black finish of our Tactical spotting scope is all that separates it from the Golden Ring 12-40x60mm spotting scope. Compact and lightweight, it offers outstanding power and resolution.

MOUNTING SYSTEMS

Why invest in a Leupold Mark 4 riflescope and then attach it to your rifle with a standard mount? Leupold's mounting systems are as rugged and reliable as the Leupold scopes they're intended to secure. No matter which mount you choose, you can count on it for rock-solid dependability and tack-driving repeatable accuracy.

New! Mark 4 CQ/T Throw Lever Mount

Get a precise and repeatable zero every time with this new quick-detaching mount



for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a black, anti-glare matte finish, it's ready to handle any mission. Fits all MIL-STD-1913/Picatinny-style rails.



Mark 4 AR-15/M16 Handle Mount

Securely attach your scope to any M16 variant with a carrying handle.

- Fit it into the sight channel of the carrying handle
- Delivers rock-solid stability for repeatable accuracy



Mark 4 CQ/T Flat Top Mounting Bracket

Secure your Mark 4 CQ/T scope to any Picatinny-style mounting rail using this specially designed mounting bracket.



New! Leupold Mark 4 Aluminum Rings

In the field, you count every ounce of weight, because you've got to carry it. Mark 4 Aluminum mounts are machined from a single piece of aircraft-grade aluminum, so they're incredibly strong, yet lightweight.



Mark 4 Tactical Mounts

System employs a slot and spline design and comes in 1-Piece and 2-Piece configurations.

- Mark 4 bases accept Mark 4 rings, cross-slot rings, and QRW / PRW rings
- Mark 4 Super High rings specifically designed for use with handle mounting configurations



QR Mount Promises Repeatable Accuracy

- Remove and reattach a scope using our QR mount and return to within half an inch of the original point-of-impact on the target



- Proven in extensive testing

QRW Brings Leupold Accuracy to the Cross-Slot Format

- Steel detachable accuracy mounts that are based on the familiar cross-slot design



- Use the QRW mounts to achieve detachable accuracy

PRW Rings Offer Permanent Cross-Slot Stability

- Steel rings that are based on the proven cross-slot design
- Uses the Leupold QRW bases or any other Picatinny-style mounting rails



TACTICAL BASE FIT & RING HEIGHT INFORMATION

NEW PRODUCTS ARE SHOWN IN RED

FIREARM Base Model	BASE PART NUMBER		Maximum Ring Spacing in Inches													
	Gloss	Matte	5.5	5.6	5.8	5.9	5.8	5.8	6.2	6.2	5.5	6.5	6.5	6.1	6.1	6.0
Recommended Rings (Lowest Height Possible)																
Colt AR15 & M16 (carry handle mount)																
Mark 4 AR15 / M16 Handle Mount	52136		L	L	L	L30	L30	L30	L30	L30	L30	L30	L30	L30	L30	L30
Colt AR15 Flat Top (all AR15 style rifles with a flat top Picatinny rail)																
Mark 4 1" Super High	50222			u	u	u	u	u	u	u	u	u	u	u	u	u
Mark 4 30mm Super High	52083															
Remington 700/721/725 (Long Action, Right Hand Only)																
STD 700 RH-LA (1-Piece)	50003	50004	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 Long Range RH-LA (1-Piece)	51732		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Remington 700/721/725 (Long Action, Left Hand Only)																
STD 700 LH-LA (1-Piece)	50007		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Remington 700/721/725 (All Long Action Models)																
STD 700 (2-Piece)	50015	50016	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 RVF (2-Piece)	50017	50018	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
DD 700 (2-Piece)	50041	50042	L	M	M	M30	L30	M30	M30	M30	H30	H30	H30	M30	M30	M30
DD 700 RVF (2-Piece)	50044		L	M	M	M30	L30	M30	M30	M30	H30	H30	H30	M30	M30	M30
QR 700 (2-Piece)	50049	50050	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 700 (2-Piece)	49840	49841	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Mark 4 700 (2-Piece)	50039		M	M	M	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30
Remington 700/721/725 (Short Action, Right Hand Only)																
STD 700 RH-SA (1-Piece)	50005	50006	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 Long Range RH-SA (1-Piece)	51734		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 700 RH-SA (1-Piece)	51247		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Mark 4 700 (1-Piece)	50040		M	M	M	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30
DD XP-100 (1-Piece)	53570		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Remington 700/721/725 (All Short Action Models)																
STD 700 (2-Piece)	50015	50016	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 RVF (2-Piece)	50017	50018	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
DD 700 (2-Piece)	50041	50042	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
DD 700 RVF (2-Piece)	50044		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 700 (2-Piece)	50049	50050	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 700 (2-Piece)	49840	49841	L	L	L	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30
Mark 4 700 (2-Piece)	50039		M	M	M	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30
Ruger M77 (Dovetail Receiver)																
RM Ruger M77 - 1" High	49951	49952	ALL	ALL	ALL											
RM Ruger M77 - 1" Super High	49954	49944														
RM Ruger M77 Ext. - 1" High	52301															
RM Ruger M77 Ext. - 1" Super High	52302															
RM Ruger M77 - 30mm Medium	51041				SA	SA	SA	SA	SA					SA	SA	SA
RM Ruger M77 - 30mm High	51042				LA	SA	LA	LA	LA	LA	ALL	ALL	ALL	LA	LA	LA
RM Ruger M77 - 30mm Super High	51043															
RM Ruger M77 Ext. - 30mm High	52304				LA											
RM Ruger M77 Ext. - 30mm Super High	52305															
Savage 110 through 116 (Right Hand, Long Action, Heavy Barrel)																
STD 110 RH (1-Piece)	49996		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 110 RH (1-Piece)	50066		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30

Abbreviations

LA — Long action
SA — Short action
RH — Right hand
LH — Left hand
LR — Long rear base
RVF — Reversible front base
RVR — Reversible rear base
RVF/R — Reversible front and rear base

Rings

SH — Super high 1"
H30 — Super high 30mm
H — High 1"
H30 — High 30mm
M — Medium 1"
M30 — Medium 30mm
L — Low 1"
SL — Super low 1"

HX — High 1" extension
MX — Medium 1" extension
LX — Low 1" extension
NA — Not available

u Indicates the correct ring to be used with this scope

TACTICAL BASE FIT & RING HEIGHT INFORMATION

NEW PRODUCTS ARE SHOWN IN RED


FIREARM Base Model	BASE PART NUMBER		Maximum Ring Spacing in Inches													
	Gloss	Matte	5.5	5.6	5.8	5.9	5.8	5.8	6.2	6.2	5.5	6.5	6.5	6.1	6.1	6.0
Recommended Rings (Lowest Height Possible)																
Savage 110 through 116 Round Receiver (Right Hand, Long Action, Heavy Barrel)																
STD 110 RH ROUND RCVR (1-Piece)	55701		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Savage 110 through 116 (Left Hand, Long Action, Heavy Barrel)																
STD 110 LH (1-Piece)	50219		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30
Savage 110 through 116 Round Receiver (Left Hand, Long Action, Heavy Barrel)																
STD 110 LH ROUND RCVR (1-Piece)	55711		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Savage 10 through 16 (Right Hand, Short Action, Heavy Barrel)																
STD 10 RH-SA (1-Piece)	52316	52317	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30
Savage 10 through 16 Round Receiver (Right Hand, Short Action, Heavy Barrel)																
STD 10 RH-SA ROUND RCVR (1-Piece)	55721	55724	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Savage 10 through 16 (Left Hand, Short Action, Heavy Barrel)																
STD 10 LH-SA (1-Piece)	52326		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30
Savage 10 through 16 Round Receiver (Left Hand, Short Action, Heavy Barrel)																
STD 10 LH-SA ROUND RCVR (1-Piece)	55731		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Winchester 70, 670, 770, & 70A (Long Action) (serial number higher than 66,360)																
STD 70A (1-Piece)	50000	50001	M	M	M	M30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M30
STD 70 Long Range RH-LA (1-Piece)	51736		M	M	M	M30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M30
STD 70 RVR (2-Piece)	50020	50021	L	M	M	M30	L30	M30	M30	M30	H30	H30	H30	M30	M30	M30
STD 70 RVF/R (2-Piece)	50022	50023	L	M	M	M30	L30	M30	M30	M30	H30	H30	H30	M30	M30	M30
DD 70 (2-Piece)	50045	50046	L	M	M	M30	L30	M30	M30	M30	H30	H30	H30	M30	M30	M30
DD 70 RVF (2-Piece)	54241		L	M	M	M30	L30	M30	M30	M30	H30	H30	H30	M30	M30	M30
QR 70 (2-Piece)	50053															

RETICLE CONFIGURATIONS

We're proud to offer a wide selection of reticles, in a variety of riflescopes, designed to help you achieve your goals in nearly any type of shooting, from plinking to competition, and hunting to tactical environments. Several reticles are available as illuminated reticle options. Some are exclusive to certain rifle scope lines. If you don't see the reticle you prefer listed as available in a particular scope, contact the Leupold Custom Shop for information on custom reticle installation.

Duplex®


Leupold invented the Duplex design more than 35 years ago. Heavy posts stand out against cover and in twilight conditions, pointing boldly to the intersection. Centering is a snap. The thin crosshairs obscure little.



Illuminated Duplex


Fine Duplex

Thinner posts and crosshairs allow for less target coverage, making precision shots on small targets easy.



Target Dot

This is a conventional shooter's dot, which seems to "float." The crosshairs are extremely thin.



Scope Type		TACTICAL RETICLE SUBTENSIONS																							
Scope Model		PR				CQ/T				MR/T				LR/T											
Power Setting		1.5	5	3	9	3.5	10	4.5	14*	1	3	1.5	5	3	9	3.5	10	4.5	14*	6.5	20	8.5	25	10	16
Fine Duplex	Heavy Section	inch	---	---	---	---	---	0.8	0.3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Thin Section	inch	---	---	---	---	---	2.2	0.7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Thin Opening	inch	---	---	---	---	---	16.1	5.4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Duplex	Heavy Section	inch	---	2.2	0.8	2.1	0.7	1.5	0.5	---	---	2.2	0.8	2.1	0.7	0.4	0.1	---	---	---	---	---	---	0.7	0.4
	Thin Section	inch	---	6.1	2.3	5.9	2.0	4.1	1.4	---	---	6.1	2.3	5.9	2.0	1.2	0.4	---	---	---	---	---	---	1.9	1.2
	Thin Opening	inch	---	0.7	0.3	0.7	0.2	0.5	0.2	---	---	0.7	0.3	0.7	0.2	0.1	0.0	---	---	---	---	---	---	0.2	0.1
Target Dot	Dot	inch	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.4
	Circle Inside	inch	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.0
	Circle Line Width	inch	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Illum. Circle Dot	Circle Inside	inch	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Circle Line Width	inch	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Dot	inch	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---


Note: Subtension values are in inches at 100 yards and either mm or cm at 100 meters.
* Available in illuminated reticle.

Mil Dot

Several Leupold riflescopes are available with the Mil Dot reticle, which was designed to help the U.S. Marine Corps estimate distances. It's now standard for all military branches.

Range Estimating with the Mil Dot Reticle:

With practice, the Mil Dot system is simple to use. Dots are spaced in one mil (milliradian) increments on the crosshair. Using the mil formula, the shooter can create a table based on the known size of the object targeted. Just look through the scope, bracket the object between dots, and refer to the table for an estimated distance to the target. Leupold scopes fitted with the Mil Dot reticle include more specific instructions on its use.




CQ/T Illuminated Circle Dot

The Circle Dot reticle is designed to offer fast target acquisition in any environment. It can also be used to estimate range.

Range Estimating with the Circle Dot Reticle:


Estimating range using the Circle Dot reticle is simple. Place the target inside the circle of the reticle. At 3x the diameter equates to 6 feet in height at 100 yards. At 200 yards, 6 feet is measured from the dot to the edge of the circle.




Circle Line: The width of the line creating the circle is large enough to be easily visible but thin enough so as not to obliterate an 18-inch object at 500 yards when set on 3x.

New! Tactical Milling Reticle (TMR)

The Tactical Milling Reticle expands on existing Mil Dot reticles by using various sized and spaced hash marks on the vertical and horizontal stadia for increased ranging precision, accuracy, and quick 1-meter range estimating reference points. All Mil Dot calculations are TMR compatible. To use the system, simply determine the range to the target using the mil system, then, use the corresponding aiming point that is matched to your cartridge to engage the target.




TMR Hold Over Values




New! Special Purpose Reticle (SPR)

With the Special Purpose Reticle, you can engage targets with greater precision at longer ranges than generally possible with other reticle styles, yet also use it for instinctive, close-range/low magnification engagements. It also features several methods of accurate range estimation, using the height or width of the target as a guide. To use the system, simply determine the range to the target using the mil system, then, use the corresponding aiming point that is matched to your cartridge to engage the target. For targets that are inside 300 yards, simply use the center aiming dot to engage.



SPR Hold Over Values



TOOLS AND ACCESSORIES



New! Mark 4 Scope Cover

You've made an investment in the best...now protect it! The same as our other popular scope covers, designed specifically to fit our Mark 4 CQ/T. Easy to put on and remove, the black neoprene sleeve offers 6mm of thick protection for your scope from dirt and moisture.

MODEL	SIZE	PART NO.
Mark 4 1.5-5x20mm PR	Mark 4 PR	57864
Mark 4 3-9x40mm PR	Mark 4 PR	57864
Mark 4 3.5-10x40mm PR	Mark 4 PR	57864
Mark 4 4.5-14x40mm PR Long Range	Mark 4 PR	57864
Mark 4 1.5-5x20mm MR/T M2	Mark 4 MR/T	57866
Mark 4 3-9x36mm MR/T M1 (& Illuminated Reticle)	Mark 4 MR/T	57866
Mark 4 3-9x36mm MR/T M3 (& Illuminated Reticle)	Mark 4 MR/T	57866
Mark 4 3.5-10x40mm LR/T M1 (& Illuminated Reticle)	Mark 4 LR/T	57868
Mark 4 3.5-10x40mm LR/T M1 Front Focal	Mark 4 LR/T	57868
Mark 4 3.5-10x40mm LR/T M3 (& Illuminated Reticle)	Mark 4 LR/T	57868
Mark 4 3.5-10x40mm LR/T M3 Front Focal	Mark 4 LR/T	57868
Mark 4 4.5-14x50mm LR/T M1 (& Metric & Illum. Reticle)	Mark 4 LR/T	57868
Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 LR/T X-L	57877
Mark 4 8.5-25x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 LR/T X-L	57877
Mark 4 10x40mm LR/T M1	Mark 4 LR/T	57868
Mark 4 10x40mm LR/T M3	Mark 4 LR/T	57868
Mark 4 16x40mm LR/T M1	Mark 4 LR/T	57868
Mark 4 CQ/T 1-3x14mm	Mark 4 CQ/T	54857

Anti-Reflection Device (ARD)

A quarter-inch deep and perforated with scores of tiny, light-transmitting honeycomb baffles, the ARD reduces lens glare. #52292



Leupold Mark 4 Ring Torque Wrench

With this special wrench you can not only tighten, but loosen the mounting screws on Mark 4 style rings. Delivers the proper amount of torque value (65-in lbs) when installing Mark 4 style rings for return to zero accuracy. #48701



Torx® Driver

Gives you a better handle on driving and securing Torx®-head mounting screws, which won't strip like old-fashioned hex-head screws. #50818



Ring Wrench

The ideal tool for installing rings without damaging your rifle or scope. Fits both 30mm and 1" rings. #48762



LensPen

Has a natural hair brush which is fully retractable for protection when not in use. The microfiber cleaning tip automatically replenishes itself with cleaning compound. #48807



Mounting Tool


Features one slotted screwdriver, two Torx drivers, and five hex-head drivers. #52296



Retractable Ballistic Chart

Keep critical, custom ballistics data where you can access it from any shooting position. Attaches to your scope's maintube (1" or 30mm) for instant access, and the durable metal tape with your ballistics data automatically retracts after use.

MODEL	PART NO.
Chart 1"	54804
Chart 30mm	54778




Leupold Wind River Binocular Tripod Adapter

With the binocular tripod adapter, you can enjoy the same steady view with your binoculars that's normally reserved for spotting scopes. Fit Mesa, Pinnacles, and Olympic 8x42mm models. #48826



New! Leupold Zero Point Magnetic Illum. Boresighter

With this revolutionary new boresighter, you can get your rifle on the paper faster than ever, recheck your zero, and even record the zero at different ranges or bullet weights, and readjust your scope without the need to fire. #59012



New! Leupold Digital Camera Adapter for Spotting Scopes

Capture images of wildlife or any outdoor event using this adapter, your digital camera, and the Leupold Golden Ring 12-40x60mm spotting scope. The adapter itself snaps onto any digital camera with a 58mm lens. With the plates included with the kit, you can convert the adapter to fit 28mm, 37mm, 43mm, and 52mm digital camera lenses. #58380



Full-Size Tripod

Our full-size tripod is sturdy, stable, and compact when folded. Extends to 65" and collapses to 30". Features three-section legs, and a three-way panning head with quick-release base that makes it easy to find and follow objects. #56441



Compact Tripod

When a full-size tripod is just "too much equipment" to take into the field, our compact tripod gets the job done. The 4-section legs extend to 31.5" and collapses to a mere 15". The adjustable ball head with quick-release base gives you incredible viewing versatility. #56446



Leupold is excited to introduce the Alumina accessories system: thread-on optical accessories that will help you use the light available to your advantage, protect your optics from dirt, dust, rough handling during transport, and even help them shed water when it's raining.

New! Alumina™ RainCote™ Kit

Specially coated, so that water instantly sheds off the lens surface, RainCote™ lens protectors are included for both objective lenses and eyepieces. The Alumina RainCote Kit also includes the Alumina™ RS Stacker, a compact, protective storage device for the Alumina RainCote Kit components.



MODEL	PART NO.
RainCote Kit 50mm - Matte Finish	59025
RainCote Kit 40mm - Matte Finish	59020
RainCote Kit 36mm - Matte Finish	59015
RainCote Kit 20mm - Matte Finish	59005

New! Alumina Protective Lens Covers

These machined aluminum, knurled disks thread into your objective lens and eyepiece to protect your optics during storage or rough transport.



MODEL	PART NO.
Threaded Lens Cover 50mm - Matte Finish	58950
Threaded Lens Cover 40mm - Matte Finish	58940
Threaded Lens Cover 36mm - Matte Finish	58935
Threaded Lens Cover 20mm - Matte Finish	58925

New! Alumina Rubber Eyepiece Guard

Shades the eyepiece, and protects you from recoil during extreme uphill shooting angles and extreme heavy recoiling firearms.



MODEL	PART NO.
Rubber Eyepiece Guard Standard EP - Matte Finish	58965

New! Alumina Flip-Back Lens Covers

These machined aluminum flip-back lens covers protect your lenses from the water, snow, dust, and dirt you encounter in the field, yet keep them ready for action at an instant's notice.



MODEL	PART NO.
Flip-Back Lens Cover 50mm - Matte Finish	59050
Flip-Back Lens Cover 40mm - Matte Finish	59045
Flip-Back Lens Cover 36mm - Matte Finish	59040
Flip-Back Lens Cover 20mm - Matte Finish	59030

New! Alumina Series Lens Shades

Thread these 2.5" and 4" Alumina lens shades together to create custom lengths.



MODEL	PART NO.
Alumina 50mm 2.5" - Matte Finish	52350
Alumina 50mm 4" - Matte Finish	52353
Alumina 40mm 2.5" - Matte Finish	56187
Alumina 40mm 4" - Matte Finish	56190

New! Fits 2004 and newer Mark 4 40mm and 50mm scopes

Pre-2004 Lens Shades

These 2.5" and 4" lens shades can be threaded together to create custom lengths. Models to fit 40mm objective scopes are available.

MODEL	PART NO.
40mm 2.5" - Matte Finish	52344
40mm 4" - Matte Finish	52347

Fits all pre-2004 40mm Adj. Obj. scopes

TACTICAL APPAREL

Tactical Wear

Show your knowledge and appreciation for outstanding optics when you wear Leupold Mark 4 Tactical Gear.

Caps

Each of these all-cotton caps is embroidered with the Leupold medallion on the front and the Mark 4 logo on the rear.



Khaki
75044 - S/M
75045 - L/XL

Loden Green
75046 - S/M
75047 - L/XL

T-Shirt

Our classic short-sleeved T-shirt, with custom, tactical team artwork on the back, and the Leupold logo on the chest.



Sand
75060 - S
75061 - M
75062 - L
75063 - XL
75064 - XXL
75065 - XXXL

Olive
75066 - S
75067 - M
75068 - L
75069 - XL
75070 - XXL
75071 - XXXL

Long-sleeved T-Shirt

Featuring custom artwork on the back, the Leupold logo on the chest and Leupold and Mark 4 on the sleeves, you leave no doubts about your choice of optics.



Sand
75048 - S
75049 - M
75050 - L
75051 - XL
75052 - XXL
75053 - XXXL

Olive
75054 - S
75055 - M
75056 - L
75057 - XL
75058 - XXL
75059 - XXXL



Polo

Make your mark with this distinctive polo, embroidered with the Leupold Mark 4 logo on the chest.

Black
75072 - S
75073 - M
75074 - L
75075 - XL
75076 - XXL
75077 - XXXL

PRODUCT ORDERING INFORMATION

LEUPOLD BINOCULARS AND SPOTTING SCOPES	FINISH & PART NO.	
GOLDEN RING SPOTTING SCOPES	Armor	Camo
12-40x60mm	47878	—
12-40x60mm HD	58345	—
12-40x60mm HD Kit	58350	—
10-20x40mm Compact	54480	—
15-30x50mm Compact	56380	—
15-30x50mm Compact Kit	58390	—
MARK 4 SPOTTING SCOPE	Armor	Camo
12-40x60mm Tactical w/ Mil Dot	53756	—
12-40x60mm Tactical w/ TMR Reticle	60040	—
WIND RIVER MESA SERIES BINO.	Armor	Camo
8x42mm	53694	56305
10x50mm	53696	56310
8x23mm Compact	53534	—
10x23mm Compact	53536	—
WIND RIVER CASCADES SERIES BINO.	Armor	Camo
8x42mm	53530	57500
10x42mm	53532	57505

LEUPOLD BINOCULARS AND SPOTTING SCOPES	FINISH & PART NO.	
WIND RIVER OLYMPIC SERIES BINOCULARS	Armor	Camo
8x25mm Compact	53538	—
10x25mm Compact	53540	—
8x42mm	54184	—
10x50mm	54205	56315
12x50mm	54524	—
WIND RIVER KATMAI SERIES BINOCULARS	Armor	Camo
6x32mm	56410	—
8x32mm	56420	—
10x32mm	56430	—
WIND RIVER PINNACLES SERIES BINO.	Armor	Camo
8x42mm	54504	—
10x42mm	54514	—
WIND RIVER RANGE FINDING BINOCULARS	Armor	Camo
RB800 8x32mm	54570	—
RB800C 8x32mm w/Compass	54580	—
WIND RIVER SEQUOIA SPOTTING SCOPES	Armor	Camo
15-45x60mm	53546	—
15-45x60mm Angled	54534	—
15-45x60mm Kit	55886	—
15-45x60mm Angled Kit	55888	—

LEUPOLD MARK 4 RIFESCOPIES	FINISH & PART NO.												
SCOPE MODELS	Finish	Duplex	Fine Duplex	Target Dot	Mil Dot	Illum. Duplex	Illum. Mil Dot	Illum. Circle Dot	Illum. Special Purpose	Special Purpose	TMR	Illum. TMR	
1.5-5x20mm PR	Matte	—	—	—	—	—	—	—	—	59100	—	—	
3-9x40mm PR	Matte	56860	—	—	56870	—	—	—	—	—	—	—	
3.5-10x40mm PR	Matte	56125	—	—	56120	—	—	—	—	—	—	—	
4.5-14x40mm PR Long Range	Matte	56140	56145	—	56130	—	—	—	—	—	—	—	
1-3x14mm CQ/T	Matte	—	—	—	—	—	—	52155	—	—	—	—	
1.5-5x20mm MR/T M2	Matte	—	—	—	—	—	—	—	56994	—	—	—	
3-9x36mm MR/T M1	Matte	57080	—	—	57070	57060	57050	—	—	—	60055	60045	
3-9x36mm MR/T M3	Matte	—	—	—	57075	—	57055	—	—	—	60066	60050	
3.5-10x40mm LR/T M1	Matte	52218	—	—	52128	53666	53668	—	—	—	60020	60010	
3.5-10x40mm LR/T M3	Matte	51182	—	—	51850	53670	53672	—	—	—	60025	60015	
3.5-10x40mm LR/T M1 Front Focal	Matte	—	—	—	58850	—	—	—	—	—	60030	—	
3.5-10x40mm LR/T M3 Front Focal	Matte	—	—	—	58860	—	—	—	—	—	60035	—	
4.5-14x50mm LR/T M1	Matte	54660	—	—	54560	56060	56070	—	—	—	60005	60000	
4.5-14x50mm LR/T M1 Metric	Matte	—	—	—	—	57045	—	—	—	—	—	—	
6.5-20x50mm LR/T M1	Matte	—	—	—	54680	—	56080	—	—	—	60080	60075	
8.5-25x50mm LR/T M1	Matte	—	—	—	54690	—	56090	—	—	—	60070	60065	
10x40mm LR/T M1	Matte	45578	—	—	48431	—	—	—	—	—	60085	—	
10x40mm LR/T M3	Matte	45582	—	—	47638	—	—	—	—	—	60090	—	
16x40mm LR/T M1	Matte	45580	—	45581	50541	—	—	—	—	—	60095	—	

NEW PRODUCTS ARE SHOWN IN RED

ACCESSORIES	FINISH & PART NO.
SCOPE ACCESSORIES	Matte
ARD (Anti-Reflection Device)	52292
LensPen	48807
Zero Point Magnetic Illuminated Boreighter	59012
Mounting Tool	52296
Ring Wrench	48762
Torx Driver	50818
Retractable Ballistic Chart 1-inch	54804
Retractable Ballistic Chart 30mm	54778
Torx Screw Kit	52395
CQ/T Battery Pack	52644
Mark 4 Ring Torque Wrench	48701
SCOPE COVERS	Matte
PR	57864
MR/T	57866
LR/T	57868
LR/T X-Large	57877
CQ/T	54857

ACCESSORIES	FINISH & PART NO.
BINOCULARS AND SPOTTING SCOPE	Matte
Wind River Binocular Tripod Adapter	48826
Full-Size Tripod	56441
Compact Tripod	56446
12-40x60mm Spotting Scope Soft Case	53715
12-40x60mm Spotting Scope Digital Camera Adapter	58380
X-treme Binocular Strap	55895

SEE PAGE 29 FOR NEW ALUMINA ACCESSORIES ORDERING INFORMATION

PRODUCT SPECIFICATIONS

	TACTICAL SCOPES FEATURES																									
	Actual Magnification										Field of View				Optimum Eye Relief				Objective Clear Aperture		Weight		Elevation Adjustment Range**		Windage Adjustment Range**	
	ft at 100 yd		m at 100 m		inch		mm		inch		mm		ounce		gram		MOA		MOA							
Leupold Mark 4 Long Range/Tactical (LR/T)	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High						
10x40mm LR/T M1	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0	—	11.1	—	3.7	—	3.4	—	86	—	1.6	40	21.0	595	90	60	
10x40mm LR/T M3*	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0	—	11.1	—	3.7	—	3.4	—	86	—	1.6	40	21.0	595	75	52	
16x40mm LR/T M1	13.1	6.0	3.1	1.4	2.7	4.3	2.0	1.7	30mm	15.6	—	6.8	—	2.3	—	4.0	—	101	—	1.6	40	22.5	638	140	45	
3.5-10x40mm LR/T M1	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	
3.5-10x40mm M1 LR/T Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	
3.5-10x40mm M1 LR/T Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65	
3.5-10x40mm LR/T M3 *	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	
3.5-10x40mm M3 LR/T Front Focal*	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	
3.5-10x40mm M3* LR/T Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65	
4.5-14x50mm LR/T M1	12.5	5.5	1.6	2.4	3.2	3.7	2.3	1.6	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100	
4.5-14x50mm M1 LR/T Ill. Ret.	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100	
4.5-14x50mm M1 LR/T Ill. Ret. (metric)	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100	
6.5-20x50mm LR/T M1	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.6	30mm	6.5	19.5	14.3	5.5	4.8	1.8	4.4	3.6	111	93	2.0	50	22.0	624	70	70	
6.5-20x50mm M1 LR/T Ill. Ret.	14.4	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	6.5	19.5	14.3	5.5	4.8	1.8	4.4	3.6	111	93	2.0	50	22.0	624	70	70	
8.5-25x50mm LR/T M1	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.6	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	75	70	
8.5-25x50mm M1 LR/T Ill. Ret.	14.4	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	75	70	
Leupold Mark 4 Mid Range/Tactical (MR/T)	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High	Low	High						
1.5-5x20mm MR/T M2	9.3	5.8	2.1	2.5	3.1	—	1.2	1.7	30mm	1.5	4.5	65.7	23.7	7.9	21.9	4.4	3.6	112	91	0.8	20	15.0	425	80	80	
3-9x36mm MR/T M1	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90	
3-9x36mm M1 MR/T Ill. Ret.	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90	
3-9x36mm MR/T M3 *	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90	
3-9x36mm M3 MR/T Ill. Ret.*	11.3	5.8	1.9	2.4	3.1	2.6	1.7																			