

PROUD LAW ENFORCEMENT SUPPORTER

In addition to providing military and law enforcement agencies with the superior optics they need to fulfill their missions, Leupold is proud to be a member of the following organizations:

ASLET—The American Society of Law Enforcement Trainers

IALEFI—The International Association of Law Enforcement Firearms Instructors

NTOA—The National Tactical Officers Association

NRA—The National Rifle Association



Leupold & Stevens, Inc., PO Box 688, Beaverton, OR 97075-0688
14400 NW Greenbrier Parkway, Beaverton, OR 97006-5790 USA

www.leupold.com

Printed in the U.S.A. This publication may not be reprinted or otherwise reproduced without the expressed written consent of Leupold & Stevens, Inc.
Copyright © 2006 Leupold & Stevens, Inc. All rights reserved.

THE LEUPOLD FULL LIFETIME GUARANTEE

Leupold and Stevens, Inc. is an American, family-owned, fifth-generation company that has been designing, machining, and assembling precision optical instruments for nearly 100 years. Leupold's success has been built on our commitment to your absolute satisfaction, and our commitment to building the best optics for the shooting sports and for the law enforcement/military community. It's for these reasons that we offer the Leupold Full Lifetime Guarantee.

If any Leupold Golden Ring product is found to have defects in materials or workmanship, we will, at our option, repair or replace it. FREE. Even if you are not the original owner. No warranty card is required. No time limit applies.

Certain special purpose products are covered by specific warranties in regard to their own individual features. For more information, please consult the Leupold Web site at www.leupold.com.

LEUPOLD MARK 4 OPTICAL PRODUCTS WARRANTY

Warranties on Leupold Mark 4 optical products vary depending on use and other factors. For more information regarding the warranties on these products, contact Leupold at 503-526-1400.

LEUPOLD GREEN RING LIMITED LIFETIME WARRANTY

Leupold Green Ring optics are engineered and manufactured to standards set and monitored by the design engineers at Leupold's Oregon factory. The goal is to provide you with reliable performance at a reasonable price.

Should service ever become necessary, these fine optics are covered by the Leupold Green Ring Limited Lifetime Warranty. All service work is performed by the same Leupold Product Service Specialists who work on our Leupold Golden Ring products here in Oregon.


LEUPOLD GREEN RING ELECTRONICS WARRANTY

Leupold Green Ring electronic optical products are warranted and protected from defects in materials and workmanship for TWO years (RX-III and RX-IV models) or ONE year (RX-I and RX-II models) from the date of purchase.

Leupold & Stevens, Inc. reserves all other rights. AMERICA'S OPTICS AUTHORITY; CQ/T; DESIGN ONLY (GOLDEN RING); DUPLEX; GOLDEN RING; L AND DESIGN; LEUPOLD; LPS; MARK 4; MULTICOAT 4; PERFORMANCE STARTS ON THE INSIDE; RAINCOTE; VARI-X; and VX are registered trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. ADVANCED IMAGE OPTIMIZATION; ALUMINA; BLACK RING; CASCADES; DARK EARTH; FX; GREEN RING DESIGN; GREEN RING; INDEXED MATCHED LENS SYSTEM; KATMAI; L-COAT; LR/T; MATCH 13 RETICLE SYSTEM; MESA; MR/T; OLYMPIC OR; PINNACLES; PRW; QRW, QUICK RELEASE; QUICK SET ROTARY MENU; RX; SEQUOIA; TBR; TRUE BALLISTIC RANGE; and YOSEMITE are trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. Note: We reserve the right to make design and/or material modifications without prior notice.

Leupold products are manufactured under one or more of the following patents: U.S.: 4,393,595; 4,395,096; 4,408,842; 4,643,542; 5,035,487; 5,231,535; 5,671,088; 5,866,048; 6,005,711; 6,359,418; D347,441; D420,807; D421,286; D427,658. D490,097; D512,449. Foreign Patents: 374-359; CA88472; CA1,253,381; DE69216763.3; DE-M9304093.8; EP0540368; SE55201. The ARD (anti-reflection device) is manufactured by Tenebraex Corp. (U.S. Patent No. 4,929,055) under the name KillFlash, which is a trademark of Tenebraex Corp.

2006 TACTICAL OPTICS



LEUPOLD
AMERICA'S OPTICS AUTHORITY®

Leupold® Mark 4® — Answering The Call

When the United States military needed a new riflescope that would not only function, but excel in combat, the harshest environment on earth, Leupold® answered the call with the ULTRA scopes specifically designed to fit that purpose. With the ULTRA, we set the standard in tactical optics, and we continue to do so today. The Leupold Mark 4® series, which evolved from that first call by our armed forces, has become the benchmark for all tactical riflescopes to follow.



LEUPOLD MARK 4 SCOPES

- LR/T—6
- MR/T—12
- PR—14
- CQ/T—16
- Mounting Systems—28
- Reticle Configurations—32
- BDC Dials —34

SPOTTING SCOPES

- Mark 4—18
- Golden Ring—20
- Green Ring—22

BINOCULARS

- Tactical—19
- Golden Ring—25
- Green Ring—26

RANGEFINDERS—24

ACCESSORIES—30

PRODUCT ORDERING—34

PRODUCT FEATURES—35

Mission Specific Optics

“Mission Specific” has become the driving force behind the creation of Leupold Mark 4 optics. What that means is that we won’t build products for military operators or law enforcement officers without fully understanding their mission requirements. We seek their input. They seek our advice. The results are products that meet specific user requirements and as many mission contingencies as possible. Leupold optics are the overwhelming choice of military and police professionals in the United States and around the world. This tells us we’re accomplishing our mission.

Today, Leupold Mark 4 riflescopes are used to watch over police SWAT teams as well as by the police who patrol the streets daily. They’re being used on frigid mountaintops in Afghanistan; in the searing desert heat of Iraq; and in the wet, steaming jungles of

the Philippines. Leupold’s philosophy helped create the riflescopes that have come to define tactical optics. For rugged dependability and absolute waterproof integrity in the most extreme conditions imaginable, for sheer optical excellence and flexibility, and finally, for fail-safe accuracy every shot, the Leupold Mark 4 line of riflescopes has no equal.

Everyone from special operations soldiers forward deployed across the globe in defense of freedom, to law enforcement officers serving and protecting their community on a tight budget deserves the most rugged, accurate, dependable optics anywhere. You’ll find optics designed for your specific mission’s needs in Leupold’s newly expanded Mark 4 line-up. At Leupold, we feel we’re helping keep our communities safe, as well as helping to defend the nation.

So whether you need the extreme long-range scope, the ultimate fast entry/close quarter combat optic, or something in between, Leupold is ready with Mark 4 optics that are specifically matched to both the mission and your unique conditions.

Optics for Every Mission Profile

Leupold Mark 4 optics are grouped by mission profile, to help you find the optics that are right for the job. For everything from clearing a building to area containment, turn to Leupold Mark 4 Close Quarter/Tactical (CQ/T®) optics. Our MR/T™ (Mid Range/Tactical) riflescopes are for that middle ground between short and long range. When serious precision at long distance is a must, so is a Leupold LR/T™ (Long Range/Tactical) riflescope. Each category overlaps with the next for total mission coverage...simply put, there’s a Leupold Mark 4 optic to cover any situation.

New Tactical Optics for 2006

New! Mark 4 2.5-8x36mm MR/T™ M1 and M2

The new 2.5-8x36mm MR/T™ is built for mid-range engagements, with eye relief optimized for bolt-action rifles, as well as rifles such as the M-14 functioning in the Designated Marksman role. Available with both illuminated and standard reticles.

New! Mark 4 3.5-10x40mm LR/T™ M2 with Dark Earth™ Finish

This powerful long-range riflescope is now available in our exclusive new Dark Earth™ finish.

New! 10x50mm Tactical Binocular

Now featuring a unique rotating Mil Dot or Leupold TMR reticle, so you can estimate range to an object on a slope without tilting the binocular.



MARK 4
2.5-8X36MM MR/T M1
ILLUM. RETICLE
ALSO AVAILABLE IN
NON-ILLUMINATED MODELS

MARK 4
2.5-8X36MM MR/T M2
ILLUM. RETICLE
ALSO AVAILABLE IN
NON-ILLUMINATED MODELS

MARK 4
3.5-10X40MM LR/T M2
ILLUM. RETICLE
WITH DARK EARTH FINISH

10X50MM
TACTICAL BINOCULARS



MARK 4® OVERVIEW



LR/T
pg. 6



MR/T
pg. 12



PR
pg. 14



CQ/T
pg. 16



Spotting Scopes
pg. 18

THIS IS THE ENTIRE LINE-UP OF LEUPOLD MARK 4 TACTICAL OPTICS: the riflescopes, spotting scopes, and other tools the first responders use. Each is mission specific, designed to do a job and do it uniquely and incredibly well. Here we'll give you a brief synopsis of each group's strengths, and direct you to the pages in the catalog where you can learn more about each.

Leupold® Mark 4® LR/T™ Scopes

Leupold Mark 4 Long Range/Tactical optics were designed to give you as much control as possible over extreme long-distance shooting.



3.5-10X40MM LR/T M1 FRONT FOCAL 3.5-10X40MM LR/T M3 FRONT FOCAL 3.5-10X40MM LR/T M1 ILLUM. RETICLE 3.5-10X40MM LR/T M3 ILLUM. RETICLE 3.5-10X40MM LR/T M1 ILLUM. RETICLE 3.5-10X40MM LR/T M3 ILLUM. RETICLE **NEW!** 3.5-10X40MM LR/T M2 ILLUM. RETICLE DARK EARTH™ FINISH 4.5-14X50MM LR/T M1

4.5-14X50MM LR/T M1 ILLUM. RETICLE ALSO AVAILABLE IN METRIC 6.5-20X50MM LR/T M1 ILLUM. RETICLE 6.5-20X50MM LR/T M1 ILLUM. RETICLE 8.5-25X50MM LR/T M1 ILLUM. RETICLE 8.5-25X50MM LR/T M1 ILLUM. RETICLE 10X40MM LR/T M1 10X40MM LR/T M3 16X40MM LR/T M1

Leupold® Mark 4® MR/T™ Scopes

For everything from 50 to 700 meters, these are the scopes you can count on to help get the job done because we gave them everything you would.



1.5-5X20MM MR/T M2 ILLUM. RETICLE **NEW!** 2.5-8X36MM MR/T M1 ILLUM. RETICLE **NEW!** 2.5-8X36MM MR/T M1 ILLUM. RETICLE **NEW!** 2.5-8X36MM MR/T M2 ILLUM. RETICLE **NEW!** 2.5-8X36MM MR/T M2 ILLUM. RETICLE 3-9X36MM MR/T M1 ILLUM. RETICLE 3-9X36MM MR/T M1 ILLUM. RETICLE 3-9X36MM MR/T M3 ILLUM. RETICLE 3-9X36MM MR/T M3 ILLUM. RETICLE

Leupold® Mark 4® PR Scopes

The Leupold Mark 4 Precision Rifle line-up was created so that even a force with a tight budget could outfit its officers with quality, dependable tactical optics.



1.5-5X20MM PR 3-9X40MM PR 3.5-10X40MM PR 4.5-14X40MM PR LONG RANGE

Leupold® Mark 4® CQ/T™ Scope

Combining the strengths of a red dot sight and a variable power riflescope, the Leupold Mark 4 CQ/T was designed to handle the close-contact situations common to both law enforcement and the military.



1-3X14MM CQ/T


Leupold® Mark 4® Spotting Scopes

On a sniper team, two must see as one. Leupold Mark 4 and Golden Ring® spotting scopes have the optical performance, ruggedness, and absolute waterproof integrity needed to get the job done, in any conditions. This spotting scope is available with our Leupold Mil Dot "round dot" reticle or our Tactical Milling Reticle for increased ranging precision.



MARK 4
12-40X60MM
TACTICAL

Tactical Reticle Configurations—Page 26



LR/T™ 40MM VARIABLE POWER



LONG RANGE / TACTICAL

MARK 4 LR/T MODELS RETICLE & PART NUMBER

3.5-10X40MM LR/T M1 FRONT FOCAL MIL DOT 58850 TMR 60030

3.5-10X40MM LR/T M3 FRONT FOCAL MIL DOT 58860 TMR 60035

3.5-10X40MM LR/T M1
 • DUPLEX 52218
 • DUPLEX 53666
 • MIL DOT 52128
 • MIL DOT 53668
 • TMR 60020
 • TMR 60010

3.5-10X40MM LR/T M2 • TMR 62150
WITH DARK EARTH FINISH

3.5-10X40MM LR/T M3
 • DUPLEX 51182
 • DUPLEX 53670
 • MIL DOT 51850
 • MIL DOT 53672
 • TMR 60025
 • TMR 60015

NEW FOR 2006

• ILLUMINATED RETICLE
 MATTE BLACK FINISH ON ALL MODELS EXCEPT 3.5-10X40MM LR/T M2 WHICH IS DARK EARTH™ FINISH

Some say long range shooting is a matter of luck. We prefer not to leave something this important to chance. Leupold Long Range/Tactical optics give you as much control as possible over this extreme type of shooting. With the Leupold Mark 4 3.5-10x40mm LR/T riflescopes, we've given you the tools to do the job...the rest is up to you.

Front Focal model – with the reticle in the front focal plane of the scope, the reticle increases in magnification along with the image, so you can determine range at any magnification setting.

30mm maintubes – the wider diameter body offers increased windage and elevation adjustment.



	ELEV	WIND	BDC
M1 Dials	1/4-MOA	1/4-MOA	NO
M2 Tall	1/2-MOA	1/2-MOA	YES
M3 Dials	1-MOA	1/2-MOA	YES

See BDC dial options on page 34

Butler Creek® Flip-Open™ lens covers – standard issue with Mark 4 LR/T riflescopes.

Fully Illuminated Mil Dot reticles – available in select models for precise shot placement in low light. All Leupold illuminated reticles are night-vision compatible.

Index Matched Lens System™ – special lens coatings matched to each lens surface transmit the maximum amount of usable light possible to your eye, for the brightest, clearest sight picture possible.



3.5-10X40MM LR/T M1 FRONT FOCAL

3.5-10X40MM LR/T M3 FRONT FOCAL

3.5-10X40MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN NON-ILLUMINATED MODELS

3.5-10X40MM LR/T M2 ILLUM. RETICLE
DARK EARTH FINISH

3.5-10X40MM LR/T M3 ILLUM. RETICLE
ALSO AVAILABLE IN NON-ILLUMINATED MODELS



LR/T™ 50MM VARIABLE POWER



LONG RANGE / TACTICAL

MARK 4 LR/T MODELS


MODEL	RETICLE & PART NUMBER
4.5-14X50MM LR/T M1	• DUPLEX 54660
	• MIL DOT 56060
	• MIL DOT 54560
	• MIL DOT 56070
	• TMR 60005
• TMR 60000	

4.5-14X50MM LR/T M1 METRIC (.5CM)

6.5-20X50MM LR/T M1	• MIL DOT 54680
	• MIL DOT 56080
	• TMR 60080
	• TMR 60075

8.5-25X50MM LR/T M1	• MIL DOT 54690
	• MIL DOT 56090
	• TMR 60070
	• TMR 60065

- ILLUMINATED RETICLE
- MATTE BLACK FINISH ON ALL MODELS



M1 Dials	
ELEV	1/4-MOA
WIND	1/4-MOA
BDC	NO

Fully illuminated reticles – Illuminated Mil Dot, Duplex®, and TMR reticles available in select models for precise shot placement in low light.

Finger-adjustable dials – the knurled windage and elevation adjustment dials also feature audible, tactile clicks to make adjustments with extreme precision.



4.5-14X50MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN METRIC AND NON-ILLUMINATED MODELS

6.5-20X50MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN NON-ILLUMINATED MODELS

8.5-25X50MM LR/T M1 ILLUM. RETICLE
ALSO AVAILABLE IN NON-ILLUMINATED MODELS



LR/T™ 40MM FIXED POWER



L O N G R A N G E / T A C T I C A L

MARK 4 LR/T MODELS	RETICLE & PART NUMBER	
10x40MM LR/T M1	DUPLEX MIL DOT TMR	45578 48431 60085
10x40MM LR/T M3	DUPLEX MIL DOT TMR	45582 47638 60090
16x40MM LR/T M1	DUPLEX TARGET DOT MIL DOT TMR	45580 45581 50541 60095

MATTE BLACK FINISH ON ALL MODELS

These Leupold LR/T models – the Mark 4 10x40mm LR/T M1 and Mark 4 16x40mm LR/T M1 – are arguably the toughest, highest performing riflescopes you'll find anywhere. It's no surprise that the Mark 4 10x40mm LR/T M3 was chosen as the primary day optic of the U.S. Army M-24 Sniper System. The reasons why are clear.

Superior edge-to-edge sharpness – total clarity across visual field and outstanding brightness for optimal low-light capability.

Click adjustments – audible, tactile “click” windage and elevation adjustments for extreme accuracy.

Precision parallax adjustment – adjust for specific ranges from 50 yards to infinity using turret mounted focus knob, without taking your eyes off the target.

Zeroed adjustment knobs – once sighted-in, adjustment knobs can be zeroed.

30mm maintubes – the wider diameter body offers increased windage and elevation adjustment.

Solid construction – milled from one solid piece of 6061-T6 aircraft-grade aluminum, these scopes are rugged and absolutely waterproof in all conditions.



10x40MM LR/T M1

10x40MM LR/T M3

16x40MM LR/T M1





M I D R A N G E / T A C T I C A L

MARK 4 MR/T MODELS RETICLE & PART NUMBER

1.5-5X20MM MR/T M2 • SPR 56994

2.5-8X36MM MR/T M1
 • MIL DOT 60205
 • MIL DOT 60190
 • TMR 60210
 • TMR 60220

2.5-8X36MM MR/T M2
 • MIL DOT 60160
 • MIL DOT 60150
 • TMR 60180
 • TMR 60170

3-9X36MM MR/T M1
 • DUPLEX 57080
 • DUPLEX 57060
 • MIL DOT 57070
 • MIL DOT 57050
 • TMR 60055
 • TMR 60045

3-9X36MM MR/T M3
 • MIL DOT 57075
 • MIL DOT 57055
 • TMR 60060
 • TMR 60050


NEW FOR 2006

- ILLUMINATED RETICLE
- MATTE BLACK FINISH ON ALL MODELS

You can't afford to leave an inch of ground uncovered. For everything from 50 to 700 meters, these are the scopes you can count on to help get the job done, because we gave them everything you would. The original Leupold Mark 4 3-9x36mm MR/T was specifically designed with a compact eye relief to maximize the performance of 5.56mm AR-style firearms. Now, with the new Leupold Mark 4 2.5-8x36mm MR/T and its nearly 5 inches of eye relief, you can give that same performance to a bolt-action rifle, AR-10, FAL, G3, SCAR-H, or M-14 serving in the Designated Marksman role.

30mm maintube – the 3-9x36mm MR/T and 2.5-8x36mm MR/T have 90-MOA of both elevation and windage adjustments, giving you the ability to engage targets without holdovers at 1,000 yards.

Butler Creek Flip-Open lens covers – come standard with all Mark 4 MR/T riflescopes.



	ELEV	WIND	BDC
M1 Dials	1/4-MOA	1/4-MOA	NO
M2 Dials	1/2-MOA	1/2-MOA	YES
M2 Tall	1/2-MOA	1/2-MOA	YES
M3 Dials	1-MOA	1/2-MOA	YES

See BDC dial options on page 34

Eye relief – whether you're shooting a M16/AR-15 type rifle, another type assault rifle, or even a bolt-action, there's a MR/T with the generous, non-critical eye relief you need in an engagement.

Rugged and waterproof – each scope is guaranteed to be 100 percent waterproof/fog proof and is designed to withstand the rigors of the modern battlefield.

Click adjustments – finger-adjustable, knurled windage and elevation adjustments with audible, tactile "clicks" for precision.

Illuminated reticles – choose illuminated TMR, Mil Dot, SPR, or Duplex reticles. All Leupold illuminated reticles are night-vision compatible.

Bullet Drop Compensation (BDC) – M2 and M3 dials marked for bullet drop compensation.



1.5-5X20MM MR/T M2 ILLUM. RETICLE

2.5-8X36MM MR/T M1 ILLUM. RETICLE
 ALSO AVAILABLE IN NON-ILLUMINATED MODELS


2.5-8X36MM MR/T M2 ILLUM. RETICLE
 ALSO AVAILABLE IN NON-ILLUMINATED MODELS

3-9X36MM MR/T M1 ILLUM. RETICLE
 ALSO AVAILABLE IN NON-ILLUMINATED MODELS

3-9X36MM MR/T M3 ILLUM. RETICLE
 ALSO AVAILABLE IN NON-ILLUMINATED MODELS



PR



P R E C I S I O N R I F L E

MARK 4 PR MODELS	RETICLE & PART NUMBER	
1.5-5X20MM PR	SPR	59100
3-9X40MM PR	DUPLEX MIL DOT	56860 56870
3.5-10X40MM PR	DUPLEX MIL DOT	56125 56120
4.5-14X40MM PR LONG RANGE	DUPLEX FINE DUPLEX MIL DOT	56140 56145 56130

MATTE BLACK FINISH ON ALL MODELS

The Leupold Mark 4 Precision Rifle line-up was created so that even a force with a tight budget could outfit its officers with quality, dependable tactical optics. PR scopes pass the same tests for ruggedness and waterproofing as our LR/T, MR/T, and CQ/T scopes. They're quite simply the best balance of price and performance you'll find anywhere, so you don't have to settle for anything less.

Precision adjustment – 1/4-MOA “click” windage and elevation adjustments with 15-MOA of adjustment for each revolution.

Custom BDC target turrets – available from the Leupold Custom Shop for the 3-9x40mm PR, 3.5-10x40mm PR, and 4.5-14x40mm PR Long Range scopes. See BDC dial options on page 34.

Index Matched Lens System – available on the 3.5-10x40mm PR and 4.5-14x40mm PR Long Range, it transmits the maximum amount of usable light to your eye, for outstanding brightness, clarity, and contrast.




Multicoat 4® lens system – specially chosen lens coatings on the Mark 4 3-9x40mm PR ensure brightness and clarity.

Impeccable sight picture – outstanding clarity and brightness for excellent low-light performance.

Solid construction – legendary Leupold ruggedness and absolute waterproof integrity is built in.

Special Purpose Reticle – available on the Mark 4 1.5-5x20mm PR.

Multiple reticle options – Duplex, Fine Duplex, Mil Dot, or SPR reticles available.



1.5-5X20MM PR

3-9X40MM PR

3.5-10X40MM PR

4.5-14X40MM PR
LONG RANGE



CQ/T®



C L O S E Q U A R T E R / T A C T I C A L

The Leupold Mark 4 1-3x14mm CQ/T is a revolutionary optical sight for tactical firearms such as the AR-15 and M16. Developed in cooperation with both the U.S. military and law enforcement agencies, the Mark 4 CQ/T combines the strengths of a red dot sight and a variable power riflescope. Incredibly tough, 100 percent waterproof, and devastatingly accurate, only the Mark 4 CQ/T is ready and able to handle the variety of close-contact situations common to both law enforcement and the military.

True 1x setting – functions as your non-magnifying, illuminated sight for tactical scenarios or engaging targets at extremely close range.

2x or 3x settings – the additional power you need to accurately engage targets at medium ranges.

1/2-MOA “click” adjustments – for windage and elevation.

Butler Creek Flip-Open lens cover – comes standard with the Mark 4 CQ/T riflescope.

Leupold Circle Dot reticle – a bold aiming point for the operator, and also provides range estimation.



Ten reticle illumination settings – to match any light conditions without overwhelming your natural low-light vision; two low-intensity settings work with night-vision devices.



Mark 4 CQ/T ARMS™ Throw Lever Mount – get a precise and repeatable zero every time with this quick-detaching mount for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a black, anti-glare matte finish, it's ready to handle any mission. Fits all MIL-STD-1913/Picatinny-style rails. See page 28.


Attach accessories – using the integrated MIL-STD-1913 rail mount cross-slots.

Large field of view – for fast target acquisition and tracking of moving targets.



AA battery – powers the Mark 4 CQ/T for up to 600+ hours at medium setting.

MARK 4 CQ/T MODELS	RETICLE & PART NUMBER
1-3X14MM CQ/T	● CIRCLE DOT 52155
● ILLUMINATED RETICLE	
MATTE BLACK FINISH	



LEUPLD MARK 4 1-3X14MM CQ/T

SPOTTING SCOPES & BINOCULARS



LEUPOLD MARK 4 SPOTTING SCOPES / LEUPOLD TACTICAL BINOCULARS

For the sniper team, two must see as one. Leupold spotting scopes' outstanding optics are designed to give you a crisp, bright sight picture, even in low light. Built with legendary Leupold ruggedness, they perform wherever the mission takes them, and they prove it every day, around the world. An April 7, 2003 *Time* magazine photo essay on the war in Iraq shows U.S. Special Forces using our 12-40x60mm spotting scope to locate enemy positions.

Tactical Milling Reticle – expands on existing Mil Dot reticles, using various sized and spaced hash marks on the stadia for increased ranging precision, accuracy, and quick 1-meter range estimating reference points. All Mil Dot calculations are TMR compatible.



Mil Dot reticle – standard for all branches of the U.S. armed forces, the Mil Dot reticle was designed to assist in range estimation for superior accuracy in long range shooting.



Leupold Mark 4 12-40x60mm Tactical Spotting Scope

The scope most ideally suited for use as part of a sniper team. The Mark 4 12-40x60mm Tactical spotting scope features either the Leupold Mil Dot "round dot" reticle or our Tactical Milling Reticle. Both help with range estimation, allowing the spotter and shooter to work as a team.

Multicoat 4 lens coatings – for maximum light transmission, brightness, clarity, and contrast.



Folded light path technology – for greater magnification in a lightweight, compact design (12.4" long, 37 oz).

MODELS	FINISH & RETICLE	PART NUMBER
MARK 4 12-40X60MM TACTICAL SPOTTING SCOPE	■ MIL DOT	53756
	■ TMR	60040
<hr/>		
10X50MM TACTICAL BINOCULAR	■ NO RETICLE	59120
	■ MIL DOT	59125
	■ TMR	59130
<hr/>		
NEW FOR 2006		
	■ MATTE BLACK FINISH	■ COYOTE BROWN

Digital camera compatible – find your target, and our Digital Camera Adapter snaps on quickly so you can take your shot. See page 30.



Universal 1/4-20 thread tripod attachment.

Estimate range – at all power settings.

Includes soft-side case – it can remain on the scope during use, for extra protection.



New! Leupold 10x50mm Tactical Binocular

The Leupold 10x50mm Tactical binocular is a high performance, phase coated binocular with shock-absorbing coyote brown armor and an unexpected twist: a Mil Dot or Leupold TMR (Tactical Milling Reticle) you can rotate. The advantages are two-fold. Different users with different eye-spacing will be able to view the reticle horizontally, and it's also incredibly useful in ranging an object that is not perfectly horizontal or vertical, allowing you to determine the range without tilting the entire binocular. Also available without a reticle.

Fully multi-coated lenses and aluminum-enhanced prisms – high photopic transmission for a bright image.

Phase coated BAK4/BK7 prisms – virtually eliminate residual diffraction for additional brightness and remarkable clarity.

Long eye relief and twist-up eyecups – easy to use with or without glasses.

Ergonomic body – well-balanced, it's easy to grip, even with wet hands. Rugged and armored, waterproof and nitrogen-filled, they are protected against all field conditions.

Covered by the Leupold Limited Lifetime Warranty.





SPOTTING SCOPES



LEUPOLD GOLDEN RING

Leupold Golden Ring® 12-40x60mm HD Spotting Scopes

This spotting scope takes the performance of the standard model to a new level.

The HD lens system – the fluoride-based objective lens system offers substantially enhanced resolution, color fidelity, and contrast, especially at 40x for sharper, better defined images.

Soft-side, form-fitting case – in brown, it comes with the scope to provide extra protection and can remain on the scope during use.



GOLDEN RING SPOTTING SCOPE MODELS	FINISH & PART NUMBER
10-20x40MM COMPACT	■ 61080
15-30x50MM COMPACT	■ 61090
15-30x50MM COMPACT KIT	■ 61100
12-40x60MM	■ 61050
12-40x60MM HD	■ 61060
12-40x60MM HD KIT	■ 61070

NEW FOR 2006

■ BROWN

Digital camera compatible – with our adapter. See page 30.

Index Matched Lens System – along with folded light path technology, it minimizes light dispersion and delivers maximum light transmission.



Leupold Golden Ring® 12-40x60mm Spotting Scope

The reticle and black finish of our Tactical spotting scope is all that separates it from the Golden Ring 12-40x60mm spotting scope. Compact and lightweight, it offers outstanding power and resolution.

Leupold Golden Ring® 10-20x40mm Compact Spotting Scope

High power in a package so small and so lightweight that you can wear it around your neck, or stow it in a cargo pocket or pack. Ideal when saving space is paramount.

7.5" long and weighs just 15.8 oz.

100 percent rugged and waterproof.

Can be used handheld or with a tripod.

Leupold Golden Ring® 15-30x50mm Compact Spotting Scope

Our newest Golden Ring spotting scope is powerful, with a maximum magnification of 30x, yet it's a mere 11" long and weighs in at a trim 21.5 ounces. The combination gives you the power needed for long distances in a package small enough to carry on your belt.

Standard multicoated exterior lenses – for enhanced light management.

Sharp, bright image – across the visual field, even in low light.

100 percent rugged and waterproof.

Perfect for compact tripod mounting.

Leupold Golden Ring® 12-40x60mm HD Spotting Scope Kit

The 12-40x60mm HD Spotting Scope Kit includes the spotting scope, Leupold compact tripod, window mount with quick-release mounting platform and pan/tilt multi-directional head, the Leupold digital camera adapter, and a hard-side carrying case with molded padding.

Leupold Golden Ring® 15-30x50mm Compact Spotting Scope Kit

With this kit, you get the Leupold Golden Ring 15-30x50mm Compact spotting scope, a custom padded belt case, padded strap, mounting adapter, lens covers, a sturdy tabletop tripod, and durable, hard-shell case with custom-molded padding to keep everything in place.



LEUPOLD GOLDEN RING 12-40x60MM HD (ALSO AVAILABLE IN STANDARD GOLDEN RING MODEL)

LEUPOLD GOLDEN RING 10-20x40MM COMPACT

LEUPOLD GOLDEN RING 15-30x50MM COMPACT



LEUPOLD GOLDEN RING 12-40x60MM HD KIT

LEUPOLD GOLDEN RING 15-30x50MM COMPACT KIT

SPOTTING SCOPES



LEUPOLD GREEN RING



SEQUOIA SPOTTING SCOPE MODELS	FINISH	PART NUMBER
15-45x60MM	■	53546
15-45x60MM KIT	■	55886
15-45x60MM ANGLED	■	54534
15-45x60MM ANGLED KIT	■	55888
20-60x80MM	■	61130
20-60x80MM KIT	■	61135
20-60x80MM ANGLED	■	61155
20-60x80MM ANGLED KIT	■	61160

NEW FOR 2006
 ■ BLACK ARMOR ON ALL MODELS

New! Leupold Sequoia™ 20-60x80mm Spotting Scopes

Huge magnification range for incredible flexibility and capability, with wide field of view for spotting movement and targets.

Mammoth 80mm objective lens – along with fully multi-coated lenses, it ensures high photopic transmission in all conditions, for excellent resolution, contrast, and brightness.

Focus dial – placed atop the scope for easy adjustment while viewing.

Covered by the Limited Lifetime Warranty.

Rugged, armored, and waterproof.

Twist-up eyecups and long eye relief – makes extended viewing comfortable, even with glasses.

Leupold Sequoia™ 15-45x60mm Spotting Scopes

Incredibly powerful with a sharp, bright sight picture across the entire range of magnification.

Two models available – one with a straight eyepiece and a second with a 45° angled eyepiece for ease of use in a variety of positions.

Built for the field – rugged and absolutely waterproof and fog proof in all conditions.

Shock-absorbing armor – offers extra protection and a solid grip.

Long eye relief and twist-up eyecups – makes extended viewing comfortable, even with glasses.

Leupold Sequoia™ Spotting Scope Kits

All four Sequoia™ models are available in kits that include everything you need to head straight into the field:

Sequoia spotting scope – 15-45x60mm, 15-45x60mm Angled, 20-60x80mm, or 20-60x80mm Angled.

Heavy-duty neoprene protective cover.

Lightweight, compact tripod – multi-directional, tilting head, and adjustable legs with non-slip rubber feet.

Protective case – black matte diamond plate body and reinforced edges.



SEQUOIA
15-45x60MM

SEQUOIA
15-45x60MM
ANGLED

SEQUOIA
20-60x80MM
(ANGLED MODEL
NOT SHOWN)

SEQUOIA 20-60x80MM KIT
(KITS AVAILABLE IN ALL
FOUR SEQUOIA MODELS)

RANGEFINDERS

LEUPOLD GREEN RING

New! Leupold RX™ Series Rangefinders

Leupold's new RX™ Series of digital laser rangefinders sets an entirely new standard for rangefinder function and performance. These are no glorified tape measures. All four models in the new RX Series are packed with features and functions that make every other rangefinder obsolete.

Match 13™ Reticle System™ – are included in each RX rangefinder, including the new Bracket Circle Duplex®, Bracket Square Duplex®, and others.

The Quick Set Rotary Menu™ – gives you fast, one-handed access to all RX functions.

Incredibly accurate ranging – to within +/- 1 yard accuracy at all ranges, out to 1,500 yards.


True Ballistic Range™ – gives you seven ballistic groups to choose from based on your rifle's caliber and bullet weight. Your RX then calculates the ballistic range to the target, shown as a holdover aim point, an MOA adjustment, or the Equivalent Horizontal Distance. With experience, it makes long range shooting incredibly accurate.

Other features include – Celsius/Fahrenheit temperature readings, a precision magnetic inductor compass, declination setting, line of sight distance, Long Range Mode, Rain Mode, and more.

Rugged and waterproof – it's built to withstand the kind of abuse that's common in the field.

Compact and lightweight – the ergonomic body is easy to grip in any conditions.

6x to 8x magnification – gives you plenty of power, as well as a wide field of view.



RX SERIES – QUICK SET ROTARY MENU™

- | | |
|---------------------------------|---------------------------------------|
| 1 - LONG RANGE MODE | 8 - DIGITAL COMPASS MODE (RX-IV ONLY) |
| 2 - RAIN MODE | 9 - DECLINATION ANGLE OUTPUT |
| 3 - 1ST TARGET MODE | 10 - TRUE BALLISTIC RANGE™ OUTPUT |
| 4 - LAST TARGET MODE | 11 - BOW BALLISTIC GROUP |
| 5 - DISTANCE OUTPUT (M, FT, YD) | 12 - BALLISTIC GROUPS A, B, AND C |
| 6 - LINE OF SIGHT OUTPUT | 13 - MATCH 13™ RETICLE SYSTEM™ |
| 7 - TEMPERATURE (°C OR °F) | |

Leupold RB800C Range Finding Binocular

Accurate determination of range can be a lifesaver in some situations. The RB800C takes the guesswork out of it, giving you the precise distance to targets up to 850 meters away. An invaluable resource for military, police sniper/spotter teams, or even the cop on the street, the RB800C binoculars are powerful and lightweight enough for everyday duty.

8x32mm optical system gives you generous magnification; a bright, clear image; and an optimal field of view.

Tough, waterproof, with shock-absorbing armor for increased durability.

Scan mode lets you continuously update ranges of a moving target or as you scan different objects.

The built-in compass gives the direction to a target.



RB800C – DISPLAY

- 1 - DIGITAL COMPASS
- 2 - DISTANCE OUTPUT (M, YD)



RB800C

FEATURES	RANGEFINDER MODELS				
	RX-I	RX-II	RX-III	RX-IV	RB800C
FINISH & PART NUMBER	61450	61455 61460	61465	61470 61475	54580
MAGNIFICATION	6x	6x	8x	8x	8x
MAX RANGE REFLECTIVE TARGET (YD)	750	750	1200	1500	900
MAX RANGE LIVE TARGET (YD)	500	500	700	800	550
INCLINOMETER	No	Yes	Yes	Yes	No
TBR™ (TRUE BALLISTIC RANGE™)	No	Yes	Yes	Yes	No
MATCH 13™ RETICLE SYSTEM™	Yes	Yes	Yes	Yes	No
COMPASS W/ DECLINATION SETTING	No	No	No	Yes	Yes
THERMOMETER °C & °F	Yes	Yes	Yes	Yes	No
YDS/FT/METERS MODE	Yds/M/Ft	Yds/M/Ft	Yds/M/Ft	Yds/M/Ft	Yds/M
SCAN MODE	Yes	Yes	Yes	Yes	Yes
ILLUMINATED DISPLAY	No	No	Yes	Yes	Yes
BATTERY LIFE (ACTUATIONS)	2,000	2,000	2,000	2,000	1,000
WEIGHT	6.8 oz	6.8 oz	12 oz	12 oz	23 oz
DIMENSION (INCHES)	4x3x1.5	4x3x1.5	4.6x3.5x2	4.6x3.5x2	5.4x6.0x2.8
WATER-RESISTANT/WATERPROOF	Water-Resistant	Water-Resistant	Waterproof	Waterproof	Waterproof

NEW FOR 2006



BINOCULARS

LEUPOLD GOLDEN RING

Leupold Golden Ring® Binoculars

Leupold Golden Ring binoculars are the end result of nearly 100 years of experience. We put everything we know about optics into them.

Phase coated, super-high reflection prisms reduce refraction and deliver more useable light to your eye.

The Index Matched Lens System™ uses lens coatings specifically matched to each lens surface and glass type. The coatings are layered to minimize reflections and maximize the amount of usable light that reaches your eye. The result is a standard of brightness, clarity, and color fidelity like you've never seen before.



LEUPOLD GOLDEN RING BINOCULAR MODELS	FINISH & PART NUMBER
8x32MM	61400
10x32MM	61405
8x42MM	58630
10x42MM	58370

NEW FOR 2006
BROWN

Ergonomic design makes them easy to grip; they actually feel more comfortable the longer you hold them.

Wider perspective with a field of view of up to 420 feet at 1,000 yards, for quick acquisition of targets, even in a cluttered urban environment.


Twist-up, retractable eyecups make them easy to use with eyeglasses.

Interpupillary Distance Lock (IPD) lets you set the eyepieces to match the distance between your eyes, then lock them in place, for easy, one-handed use, time after time.

Accessories included – all Golden Ring binoculars come with a neck strap, case, and custom one-piece eyepiece and objective covers.




GOLDEN RING SERIES



8x32MM 10x32MM 8x42MM 10x42MM

BINOCULARS



LEUPOLD GREEN RING

LEUPOLD GREEN RING BINOCULAR MODELS FINISH & PART NUMBER

PINNACLES SERIES	FINISH & PART NUMBER
8x42MM	■ 54504
10x42MM	■ 54514

OLYMPIC SERIES	FINISH & PART NUMBER
8x42MM	■ 54184
10x50MM	■ 54205 ■ 56315
12x50MM	■ 54524

OLYMPIC COMPACT SERIES	FINISH & PART NUMBER
8x25MM	■ 53538
10x25MM	■ 53540

KATMAI SERIES	FINISH & PART NUMBER
6x32MM	■ 56410 ■ 61210
8x32MM	■ 56420 ■ 61215
10x32MM	■ 56430 ■ 61220

CASCADES SERIES	FINISH & PART NUMBER
8x42MM INTERNAL FOCUS PORRO PRISM	■ 60992
10x42MM INTERNAL FOCUS PORRO PRISM	■ 60643
8x42MM	■ 53530 ■ 57500
10x42MM	■ 53532 ■ 57505

MESA SERIES	FINISH & PART NUMBER
8x42MM	■ 53694 ■ 56305
10x50MM	■ 53696 ■ 56310

MESA COMPACT SERIES	FINISH & PART NUMBER
8x23MM	■ 53534
10x23MM	■ 53536

YOSEMITE SERIES	FINISH & PART NUMBER
6x30MM	■ 61165 ■ 61170 ■ 61175

NEW FOR 2006
 ■ ADVANTAGE TIMBER® HD™ CAMO
 ■ BLACK ■ NATURAL ■ RED

Leupold Green Ring™ Binoculars

Leupold Green Ring™ optics are hard-working, rugged binoculars that perform well no matter the mission. Built solid with a rubber armor coating, they're 100 percent waterproof, with crisp, bright sight pictures, even in low light.

Leupold Pinnacles™ Series

Excellent resolution – thanks to fully multi-coated lenses, and phase and L-coated™, silver enhanced roof prisms.

Interchangeable eyecups – quickly and easily switch between vented, retractable contoured eyecups and padded, twist-up eyecups.

Leupold Olympic™ Series

Camo available – Advantage Timber® HD™ camo finish is available on the 10x50mm model.

Outstanding clarity – with center focus, phase coated, roof prisms.

Comfortable extended viewing – with twist-up eyecups and generous eye relief.

Leupold Olympic™ Compact Series

Get the same outstanding performance and many of the same features as the full-size Olympics™, in an even lighter-weight package.

Leupold Katmai™ Series

The Katmai™ Series features a 32mm objective lens that gives you full-size optical performance in a compact, lightweight binocular.

Two finishes available – black or natural on the 6x32mm, 8x32mm, and 10x32mm models.

Compact size – full-size optical performance in a small package.

Phase and L-coated™ prisms and fully multi-coated lenses – unique coatings offer optimal light management and a bright, clear image.

The new natural armor color blends well with most camo patterns, and works in settings from urban to desert terrain.

Leupold Cascades™ Series

Camo available – Advantage Timber® HD™ camo finish is available on the 8x42mm and 10x42mm models.

Keep your focus – integrated center focus/lockable diopter control.

Excellent sight picture – the center focus design with coated roof prisms, for an exceptional image.

Slim, ergonomic in-line design – a natural fit in all hand sizes.

Easy extended viewing – with twist-up eyecups and ample eye relief.

New! Leupold Cascades™ Internal Focus Porro Prism Series

All the optical advantages of a Porro prism binocular, with a new internal-focusing mechanism normally found in roof prism binoculars.

Internal focusing – makes the Cascades™ smaller and more comfortable to use. With no moving exterior parts, this adds to their ruggedness and waterproof performance, as well.

Fully multi-coated optics – for clarity, color fidelity, contrast, and a bright sight picture in all conditions.

Outstanding 3D image representation – for which Porro prism binoculars are prized.

Leupold Mesa™ Series

Camo available – Advantage Timber® HD™ camo finish is available on the 8x42mm and 10x50mm models.

Classic design – center focus Porro prism binoculars with lockable focus dial.

Twist-up eyecups – comfortable to use even with glasses.

Leupold Mesa™ Compact Series

Ultra compact – inverted Porro prism design is slim and easy to grip.

Aspheric lenses – flat field of view.

Roll-down eyecups and ample eye relief – versatile even for users with glasses.

New! Leupold Yosemite™ Series

The Yosemite™ is designed to be small, lightweight, and comfortable enough for people with any size of hands to use.

Smaller interpupillary distance settings – accommodate a wide range of users.

6x magnification – gives an ideal combination of power and field of view. Eye relief is generous and forgiving, even with glasses.

Multi-coated optics – offer maximum brightness, clarity, and contrast.

Rugged and absolutely waterproof – they're ready for all conditions.

Three finishes available – black, natural, or red.



MOUNTING SYSTEMS

Why invest in a Leupold Mark 4 riflescope and then attach it to your rifle with a substandard mount? Leupold's mounting systems are as rugged and reliable as the Leupold scopes they're intended to secure. No matter which mount you choose, you can count on it for rock-solid dependability and tack-driving repeatable accuracy.

Mark 4 CQ/T ARMS™ Throw Lever Mount

Get a precise and repeatable zero every time with this quick-detaching mount for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a black, anti-glare matte finish, it's ready to handle any mission. Fits all MIL-STD-1913/Picatinny-style rails.



Mark 4 AR-15/M16 Handle Mount

Securely attach your scope to any M16 variant with a carrying handle.

- Fit it into the sight channel of the carrying handle
- Delivers rock-solid stability for repeatable accuracy



Mark 4 CQ/T Flat Top Mounting Bracket

Secure your Mark 4 CQ/T scope to any Picatinny-style mounting rail using this specially designed mounting bracket.



Leupold Mark 4 Aluminum Rings

In the field, you count every ounce of weight, because you've got to carry it. Mark 4 Aluminum mounts are machined from a single piece of aircraft-grade aluminum, so they're incredibly strong, yet lightweight.



Mark 4 Tactical Mounts

System employs a slot and spline design, and comes in 1-Piece and 2-Piece configurations.

- Mark 4 bases accept Mark 4 rings, cross-slot rings, and QRW™ / PRW™ rings
- Bases have a 1/4-degree slope for long range shooting applications
- Mark 4 Super High rings specifically designed for use with handle mounting configurations
- Mark 4 bases are available for nearly every long-range tactical weapon in use, including:
 - Remington 700, 721, and 725 long and short action models
 - Winchester Model 70, 670, 770, and 70A
 - The Savage 110 through 116
 - The Savage 10 through 16
 - The Ruger M77



QR™ Mount (Quick Release™)

- Remove and reattach a scope using our QR™ mount and return to within half an inch of the original point-of-impact on the target
- Proven in extensive testing



QRW™ (Quick Release Cross-Slot Format)

- Steel detachable accuracy mounts that are based on the familiar cross-slot design
- Use the QRW mounts to achieve detachable accuracy



PRW™ Rings (Permanent Cross-Slot Format)

- Steel rings that are based on the proven cross-slot design
- Uses the Leupold QRW bases or any other Picatinny-style mounting rails



TACTICAL BASE FIT & RING HEIGHT INFORMATION

SCOPE MODEL	Maximum Ring Spacing in Inches											
	5.5	5.6	5.8	5.9	5.8	5.8	5.8	6.2	5.5	6.5	6.1	6.0
Mark 4 1.5-5x20mm PR												
Mark 4 3-9x40mm PR												
Mark 4 3.5-10x40mm PR												
Mark 4 4.5-14x40mm PR Long Range												
Mark 4 1.5-5x20mm MR/T M2 Illuminated Reticle												
Mark 4 2.5-8x36mm MR/T M1 & M2 (& Illuminated Reticle)												
Mark 4 3-9x36mm MR/T M1 & M3 (& Illuminated Reticle)												
Mark 4 3.5-10x40mm LR/T M1, M2, & M3 (& Illum. Reticle & Front Focal)												
Mark 4 4.5-14x50mm LR/T M1 (& Illuminated Reticle)												
Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle)												
Mark 4 8.5-25x50mm LR/T M1 (& Illuminated Reticle)												
Mark 4 10x40mm LR/T M1 & M3												
Mark 4 16x40mm LR/T M1												

NEW PRODUCTS ARE SHOWN IN RED

FIREARM Base Model	BASE PART NO.	Gloss	Matte	Recommended Rings										
				5.5	5.6	5.8	5.9	5.8	5.8	6.2	5.5	6.5	6.1	6.0
Colt AR15 & M16 (carry handle mount)														
Mark 4 AR15 / M16 Handle Mount	52136	L	L	L	L	L30								
Colt AR15 Flat Top (all AR15 style rifles with a flat top Picatinny rail)														
Mark 4 1" Super High	50222	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mark 4 30mm Super High	52083	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remington 700/721/725 (Long Action, Right Hand Only)														
STD 700 RH-LA (1-Piece)	50003	50004	L	L	L	L30	L30	L30	L30	H30	H30	H30	M30	M30
STD 700 Long Range RH-LA (1-Piece)	51732	L	L	L	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Remington 700/721/725 (Long Action, Left Hand Only)														
STD 700 LH-LA (1-Piece)	50007	—	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
Remington 700/721/725 (All Long Action Models)														
STD 700 (2-Piece)	50015	50016	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 RVF (2-Piece)	50017	50018	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
DD 700 (2-Piece)	50041	50042	L	M	M	M30	M30	M30	M30	H30	H30	M30	M30	M30
DD 700 RVF (2-Piece)	50044	L	M	M	M30	M30	M30	M30	H30	H30	H30	M30	M30	M30
QR 700 (2-Piece)	50049	50050	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 700 (2-Piece)	49840	49841	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
Mark 4 700 (2-Piece)	50039	M	M	M	M30									
Remington 700/721/725 (Short Action, Right Hand Only)														
STD 700 RH-SA (1-Piece)	50005	50006	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 Long Range RH-SA (1-Piece)	51734	L	L	L	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 700 RH-SA (1-Piece)	51247	L	L	L	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Mark 4 700 (1-Piece)	50040	M	M	M	M30									
DD XP-100 (1-Piece)	53570	L	L	L	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
Remington 700/721/725 (All Short Action Models)														
STD 700 (2-Piece)	50015	50016	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
STD 700 RVF (2-Piece)	50017	50018	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
DD 700 (2-Piece)	50041	50042	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
DD 700 RVF (2-Piece)	50044	L	L	L	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30
QR 700 (2-Piece)	50049	50050	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
QRW / PRW 700 (2-Piece)	49840	49841	L	L	L	L30	L30	L30	H30	H30	H30	M30	M30	M30
Mark 4 700 (2-Piece)	50039	M	M	M	M30									
Savage 110 through 116 (Right Hand, Long Action, Heavy Barrel)														
STD 110 RH (1-Piece)	49996	—	L	L	L	L30	L30	L30	L30	H30	H30	M30	M30	M30
QR 110 RH (1-Piece)	50066	—	L	L	L	L30	L30	L30	L30	H30	H30	M30	M30	M30
QR 110 (2-Piece)	52314	—	L	L	L	L30	L30	L30	L30	H30	H30	M30	M30	M30
QRW / PRW 110 (2-Piece)	49833	—	L	L	L	L30	L30	L30	L30	M30	M30	M30	L30	L30
Savage 110 through 116 Round Receiver (Right Hand, Long Action, Heavy Barrel)														
STD 110 RH Round Receiver (1-Piece)	55701	—	L	L	L	L30	L30	L30	L30	H30	H30	M30	M30	M30
STD 10/110 Round Receiver (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	H30	H30	M30	M30	M30
QR 10/110 Round Receiver (2-Piece)	55761	—	L	L	L	L30	L30	L30	L30	H30	H30	M30	M30	M30
Winchester 70, 670, 770, & 70A (Long Action) (serial number higher than 66,360)														
STD 70A (1-Piece)	50000	50001	M	M	M	M30	M30	M30	M30	H30	H30	M30	M30	M30
STD 70 Long Range RH-LA (1-Piece)	51736	M	M	M	M30	M30	M30	M30	M30	H30	H30	M30	M30	M30
STD 70 RVR (2-Piece)	50020	50021	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
STD 70 RVF/R (2-Piece)	50022	50023	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
DD 70 (2-Piece)	50045	50046	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
DD 70 RVF (2-Piece)	54241	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	M30	M30
QR 70 (2-Piece)	50053	50054	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
QRW / PRW 70 (2-Piece)	49838	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	M30	M30
Mark 4 70 (2-Piece)	51731	M	M	M	M30									
Winchester 70, 670, 770, & 70A (Short Action) (serial number higher than 66,360)														
STD 70 Long Range RH-SA (1-Piece)	51738	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30	M30
STD 70 RVR (2-Piece)	50020	50021	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
STD 70 RVF/R (2-Piece)	50022	50023	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
DD 70 (2-Piece)	50045	50046	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
DD 70 RVF (2-Piece)	54241	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	M30	M30
QR 70 (2-Piece)	50053	50054	L	M	M	M30	L30	M30	M30	M30	H30	H30	M30	M30
QRW / PRW 70 (2-Piece)	49838	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	M30	M30
Mark 4 70 (2-Piece)	51731	M	M	M	M30									

Abbreviations

LA — Long action	LR — Long rear base
SA — Short action	RVF — Reversible front base
RH — Right hand	RVR — Reversible rear base
LH — Left hand	RVF/R — Reversible front and rear base

Rings

SH — Super high 1"	SL — Super low 1"
SH30 — Super high 30mm	H — High 1"
H — High 1"	HX — High 30mm
H30 — High 30mm	M — Medium 1"
M — Medium 1"	M30 — Medium 30mm

Mount System Types

RM — Ringmount	SL — Super low 1"	◆ Indicates the correct ring to be used with this scope
PRW — Perma-Ring: Cross-slot format	HX — High 1" extension	
DD — Dual Dovetail	MX — Medium 1" extension	
QR — Detachable Accuracy: Quick Release Mount System	LX — Low 1" extension	
QRW — Detachable Accuracy: Cross-slot format	NA — Not available	
STD — Dovetail front and windage adjustable rear ring		

Mount System Types

RM — Ringmount	SL — Super low 1"	◆ Indicates the correct ring to be used with this scope
PRW — Perma-Ring: Cross-slot format	HX — High 1" extension	
DD — Dual Dovetail	MX — Medium 1" extension	
QR — Detachable Accuracy: Quick Release Mount System	LX — Low 1" extension	
QRW — Detachable Accuracy: Cross-slot format	NA — Not available	
STD — Dovetail front and windage adjustable rear ring		

TACTICAL APPAREL

Tactical Wear

Show your knowledge and appreciation for outstanding optics when you wear Leupold Mark 4 Tactical Gear.

Caps

Each of these all-cotton caps is embroidered with the Leupold medallion on the front and the Mark 4 logo on the rear.



Khaki # 75044 - S/M # 75045 - L/XL
Loden Green # 75046 - S/M # 75047 - L/XL

T-Shirt

Our classic short-sleeved T-shirt, with custom, tactical team artwork on the back, and the Leupold logo on the chest.



Sand # 75060 - S # 75061 - M # 75062 - L # 75063 - XL # 75064 - XXL # 75065 - XXXL
Olive # 75066 - S # 75067 - M # 75068 - L # 75069 - XL # 75070 - XXL # 75071 - XXXL

Long-Sleeved T-Shirt

Featuring custom

TOOLS AND ACCESSORIES

Retractable Ballistic Chart

Keep critical, custom ballistics data where you can access it from any shooting position. Attaches to your scope's maintube (1" or 30mm) for instant access, and the durable metal tape with your ballistics data automatically retracts after use.

MODEL	PART NO.
Chart 1"	54804
Chart 30mm	54778



Mark 4 Scope Cover

You've made an investment in the best...now protect it! The same as our other popular scope covers, designed specifically to fit our Mark 4 riflescopes. Easy to put on and remove, the black neoprene sleeve offers 6mm of thick protection for your scope from dirt and moisture.



MODEL	SIZE	PART NO.
Mark 4 1.5-5x20mm PR	Mark 4 - S	54857
Mark 4 3-9x40mm PR	Mark 4 - L	57868
Mark 4 3.5-10x40mm PR	Mark 4 - L	57868
Mark 4 4.5-14x40mm PR Long Range	Mark 4 - L	57868
Mark 4 1.5-5x20mm MR/T M2 Illuminated Reticle	Mark 4 - S	54857
Mark 4 2.5-8x36mm MR/T M1	Mark 4 - M	57866
Mark 4 2.5-8x36mm MR/T M2	Mark 4 - M	57866
Mark 4 3-9x36mm MR/T M1 (& Illuminated Reticle)	Mark 4 - M	57866
Mark 4 3-9x36mm MR/T M3 (& Illuminated Reticle)	Mark 4 - M	57866
Mark 4 3.5-10x40mm LR/T M1 (& Illuminated Reticle)	Mark 4 - X-L	57877
Mark 4 3.5-10x40mm LR/T M1 Front Focal	Mark 4 - X-L	57877
Mark 4 3.5-10x40mm LR/T M2	Mark 4 - X-L	57877
Mark 4 3.5-10x40mm LR/T M3 (& Illuminated Reticle)	Mark 4 - X-L	57877
Mark 4 3.5-10x40mm LR/T M3 Front Focal	Mark 4 - X-L	57877
Mark 4 4.5-14x50mm LR/T M1 (& Metric, & Illuminated Reticle)	Mark 4 - L	57868
Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 - XX-L	57864
Mark 4 8.5-25x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 - XX-L	57864
Mark 4 10x40mm LR/T M1	Mark 4 - X-L	57877
Mark 4 10x40mm LR/T M3	Mark 4 - X-L	57877
Mark 4 16x40mm LR/T M1	Mark 4 - X-L	57877
Mark 4 1-3x14mm CQ/T	Mark 4 - S	54857

Leupold Zero Point Magnetic Illum. Boresighter

With this revolutionary boresighter, you can get your rifle on the paper faster than ever, recheck your zero, and even record the zero at different ranges or bullet weights, and readjust your scope without the need to fire. #59012



LensPen

Has a natural hair brush which is fully retractable for protection when not in use. The microfiber cleaning tip automatically replenishes itself with cleaning compound. #48807




Torx® Driver

Gives you a better handle on driving and securing Torx®-head mounting screws, which won't strip like old-fashioned hex-head screws. #50818



Leupold Mark 4 Ring Torque Wrench

With this special wrench you can not only tighten, but loosen the mounting screws on Mark 4 style rings. Delivers the proper amount of torque value (65-in lbs) when installing Mark 4 style rings for return to zero accuracy. #48701



Mounting Tool

Features one slotted screwdriver, two Torx drivers, and five hex-head drivers. #52296



Leupold Digital Camera Adapter for Spotting Scopes

Capture images at long range using this adapter, your digital camera, and the Leupold Golden Ring 12-40x60mm spotting scope. The adapter itself snaps onto any digital camera with a 58mm lens. With the plates included with the kit, you can convert the adapter to fit 28mm, 37mm, 43mm, and 52mm digital camera lenses. #58380




Leupold Green Ring Binocular Tripod Adapter

With the binocular tripod adapter, you can enjoy the same steady view with your binoculars that's normally reserved for spotting scopes. Fit Mesa™, Pinnacles™, and Olympic 8x42mm models. #48826



Compact Tripod

When a full-size tripod is just "too much equipment" to take into the field, our compact tripod gets the job done. The 4-section legs extend to 31.5" and collapses to a mere 15". The adjustable ball head with quick-release base gives you incredible viewing versatility. #56446



Leupold Alumina™ Accessories System

Leupold is excited to introduce the Alumina™ accessories system: thread-on optical accessories that will help you use the light available to your advantage, protect your optics from dirt, dust, rough handling during transport, and even help them shed water when it's raining.

Alumina Flip-Back Lens Covers

These machined-aluminum flip-back lens covers protect your lenses from the water, snow, dust, and dirt you encounter in the field, yet keep them ready for action at an instant's notice.



MODEL	PART NO.
Flip-Back Lens Cover 50mm - Matte Finish	59050
Flip-Back Lens Cover 40mm - Matte Finish	59045
Flip-Back Lens Cover 36mm - Matte Finish	59040
Flip-Back Lens Cover 20mm - Matte Finish	59030

Alumina RainCote® Kit

Specially coated, so that water instantly sheds off the lens surface, RainCote® lens protectors are included for both objective lenses and eyepieces. The Alumina RainCote Kit also includes the Alumina RS Stacker, a compact, protective storage device for the Alumina RainCote Kit components.



MODEL	PART NO.
RainCote Kit 50mm - Matte Finish	59025
RainCote Kit 40mm - Matte Finish	59020
RainCote Kit 36mm - Matte Finish	59015
RainCote Kit 20mm - Matte Finish	59005

Alumina Protective Lens Covers

These machined-aluminum, knurled disks thread into your objective lens and eyepiece to protect your optics during storage or rough transport.



MODEL	PART NO.
Threaded Lens Cover 50mm - Matte Finish	58950
Threaded Lens Cover 40mm - Matte Finish	58940
Threaded Lens Cover 36mm - Matte Finish	58935
Threaded Lens Cover 20mm - Matte Finish	58925

Alumina Rubber Eyepiece Guard

Shades the eyepiece, and protects you from recoil during extreme uphill shooting angles and extremely heavy recoiling firearms.

MODEL	PART NO.
Rubber Eyepiece Guard Standard EP - Matte Finish	58965

Alumina Series Lens Shades

Thread these 2.5" and 4" Alumina lens shades together to create custom lengths.



MODEL	PART NO.
Alumina 50mm 2.5" - Matte Finish	52350
Alumina 50mm 4" - Matte Finish	52353
Alumina 40mm 2.5" - Matte Finish	56187
Alumina 40mm 4" - Matte Finish	56190

Fits 2004 and newer Mark 4 40mm and 50mm scopes

Pre-2004 Lens Shades


These 2.5" and 4" lens shades can be threaded together to create custom lengths. Models to fit 40mm objective scopes are available.

MODEL	PART NO.
40mm 2.5" - Matte Finish	52344
40mm 4" - Matte Finish	52347

Fits all pre-2004 40mm Adj. Obj. scopes

Anti-Reflection Device (ARD)

A quarter-inch deep and perforated with scores of tiny, light-transmitting honeycomb baffles, the ARD reduces lens glare. #52292



BULLET DROP COMPENSATION OPTIONS

Many Leupold Mark 4 riflescopes feature Bullet Drop Compensation Dials. If yours doesn't, let the Leupold Custom Shop put 50+ years of scopemithing experience to work, adding custom Bullet Drop Compensation (BDC) dials to your Leupold rifle scope. Fill out our ballistics worksheet (available at www.leupold.com) with your ballistics data, and we will, in turn, create a precision laser engraved dial that allows you to adjust for bullet impact at extremely long range.

The positive "click" adjustment dials are made of aircraft-grade aluminum, with the appropriate ranges clearly and accurately laser engraved on the dial. Simply determine range to the target then adjust to the corresponding mark on the elevation dial to achieve startling long range precision. In addition to the precision laser-engraving, Leupold adjustment dials are double O-ring sealed against the moisture, dust, and sand you'll encounter in the field. They also give you superior repeatable adjustment, virtually free of accuracy-degrading backlash or overtravel.

This is a simple, yet extremely valuable modification to your rifle scope that will prove its worth immediately in the field.

AVAILABLE DIALS FOR M1, M2, AND M3 ADJUSTMENTS	
M2 LOW PROFILE MARK 4 VARIABLES (1.5-5x20mm MR/T only)	
Blank 1/2-MOA Elevation Dial (No BDC Info)	
1/2-MOA Windage Dial	
5.56mm / .223 Rem	
7.62mm / .308 Win	
M2 TALL MARK 4 VARIABLES	
Blank 1/2-MOA Elevation Dial (No BDC Info)	
1/2 MOA Windage Dial	
5.56mm / .223 Rem	
7.62mm / .308 Win	
M3 MARK 4 FIXED POWER	
Blank 1-MOA Elevation Dial (No BDC Info)	
1/2-MOA Windage Dial	
5.56mm / .223 Rem	
7.62mm / .308 Win	
300 Win Mag	
338 Lapua	
M3 MARK 4 VARIABLES	
Blank 1-MOA Elevation Dial (No BDC Info)	
1/2-MOA Windage Dial	
5.56mm / .223 Rem	
7.62mm / .308 Win	
300 Win Mag	
338 Lapua	
50 Cal	
COMING SOON	
Additional .50 Cal	
6.8mm	
.408 Cheytac	
See the Leupold Web site at www.leupold.com for more information.	

Contacting Leupold Technical Service
 Leupold & Stevens, Inc. • P.O. Box 688 • Beaverton, OR 97075-0688
 Phone: (503) 526-1400 – 8:00 a.m.- 4:30 p.m. PST M-F
 Fax: (503) 352-7621 24 hours a day, seven days a week
 E-mail: productspecialist@leupold.com

To locate dealers near you, call the Leupold Authorized Dealer Network at 1 (800) 929-4949 or visit our Web site at www.leupold.com.

To find great places to shoot in your area, visit www.wheretoshoot.org.

To send a product to Leupold Product Service:

By Parcel Service:
 Leupold & Stevens, Inc.
 Attn: Product Service Dept.
 14400 NW Greenbrier Parkway
 Beaverton, OR 97006-5790 USA

By Mail:
 Leupold & Stevens, Inc.
 Attn: Product Service Dept.
 P.O. Box 688
 Beaverton, OR 97075-0688 USA

Customers in Canada may send their products to Leupold Canada for service:
 Leupold Canada • Jim Korth Agencies, Ltd
 103 Stockton Point • Box 490 • Okotoks, AB T1S 1A7, Canada
 Tel: (403) 938-3255 • FAX: (403) 938-2722 • E-mail: terry@korthagencies.com

PRODUCT ORDERING

LEUPOLD MARK 4 RIFlescopes		PART NO.										
MARK 4	Finish	Duplex	Fine Duplex	Target Dot	Mil Dot	Illum. Duplex	Illum. Mil Dot	Illum. Circle Dot	SPR	Illum. SPR	TMR	Illum. TMR
1.5-5x20mm PR	Matte	---	---	---	---	---	---	---	59100	---	---	---
3-9x40mm PR	Matte	56860	---	---	56870	---	---	---	---	---	---	---
3.5-10x40mm PR	Matte	56125	---	---	56120	---	---	---	---	---	---	---
4.5-14x40mm PR Long Range	Matte	56140	56145	---	56130	---	---	---	---	---	---	---
1-3x14mm CQT	Matte	---	---	---	---	---	---	52155	---	---	---	---
1.5-5x20mm MR/T M2	Matte	---	---	---	---	---	---	---	---	56994	---	---
2.5-8x36mm MR/T M1	Matte	---	---	---	60205	---	60190	---	---	---	60210	60220
2.5-8x36mm MR/T M2	Matte	---	---	---	60160	---	60150	---	---	---	60180	60170
3-9x36mm MR/T M1	Matte	57080	---	---	57070	57060	57050	---	---	---	60055	60045
3-9x36mm MR/T M3	Matte	---	---	---	57075	---	57055	---	---	---	60060	60050
3.5-10x40mm LRT M1	Matte	52218	---	---	52128	53666	53668	---	---	---	60020	60010
3.5-10x40mm LRT M2	Dark Earth	---	---	---	---	---	---	---	---	---	---	62150
3.5-10x40mm LRT M3	Matte	51182	---	---	51850	53670	53672	---	---	---	60025	60015
3.5-10x40mm LRT M1 Front Focal	Matte	---	---	---	58850	---	---	---	---	---	60030	---
3.5-10x40mm LRT M3 Front Focal	Matte	---	---	---	58860	---	---	---	---	---	60035	---
4.5-14x50mm LRT M1	Matte	54660	---	---	54560	56060	56070	---	---	---	60005	60000
4.5-14x50mm LRT M1 Metric	Matte	---	---	---	---	---	57045	---	---	---	---	---
6.5-20x50mm LRT M1	Matte	---	---	---	54680	---	56080	---	---	---	60080	60075
8.5-25x50mm LRT M1	Matte	---	---	---	54690	---	56090	---	---	---	60070	60065
10x40mm LRT M1	Matte	45578	---	---	48431	---	---	---	---	---	60085	---
10x40mm LRT M3	Matte	45582	---	---	47638	---	---	---	---	---	60090	---
16x40mm LRT M1	Matte	45580	---	45581	50541	---	---	---	---	---	60095	---

LEUPOLD BINOCULARS AND SPOTTING SCOPES	FINISH & PART NO.
GOLDEN RING BINOCULARS	
8x32mm	Brown 61400
10x32mm	Brown 61405
8x42mm	Brown 58360
10x42mm	Brown 58370
GOLDEN RING SPOTTING SCOPES	
Blank 1-MOA Elevation Dial (No BDC Info)	
1/2-MOA Windage Dial	Brown 61050
12-40x60mm HD	Brown 61060
12-40x60mm HD Kit	Brown 61070
10-20x40mm Compact	Brown 61080
15-30x50mm Compact	Brown 61090
15-30x50mm Compact Kit	Brown 61100
MARK 4 SPOTTING SCOPES	
Blank 1-MOA Elevation Dial w/ Mil Dot	
12-40x60mm Tactical w/ TMR	Black 53756
12-40x60mm Tactical w/ TMR	Black 60040

GREEN RING YOSEMITE BINOCULARS	Black	Red	Natural
6x30mm	61165	61170	61175
GREEN RING MESA BINOCULARS			
8x23 Compact	Black 53534	Camo 53536	---
10x23 Compact	Black 53540	Camo 53542	---
8x42mm	Black 53694	Camo 56305	---
10x50mm	Black 53696	Camo 56310	---
GREEN RING CASCADES BINOCULARS			
8x42mm	Black 53530	Camo 57500	---
8x42mm Internal Focus Porro Prism	Black 60992	Camo 60994	---
10x42mm	Black 53532	Camo 57505	---
10x42mm Internal Focus Porro Prism	Black 60643	Camo 60645	---

GREEN RING OLYMPIC BINOCULARS	Black	Camo
8x25mm Compact	Black 53538	Camo 53540
10x25mm Compact	Black 53540	Camo 53542
8x42mm	Black 54184	Camo 54186
10x50mm	Black 54205	Camo 56315
12x50mm	Black 54524	Camo 54526
GREEN RING KATMAI BINOCULARS		
6x32mm	Black 61210	Natural 61212
8x32mm	Black 56420	Natural 61215
10x32mm	Black 56430	Natural 61220

GREEN RING PINNACLES BINOCULARS	Black
8x42mm	Black 54504
10x42mm	Black 54514
GREEN RING RB800C RANGE FINDING BINOCULARS	
RB800C 8x32 Range Finding Binocular w/Compass	Black 54580

GREEN RING SEQUOIA SPOTTING SCOPES	Black
15-45x60mm	Black 53546
15-45x60mm Angled	Black 54534
15-45x60mm Kit	Black 55886
15-45x60mm Angled Kit	Black 55888
20-60x80mm	Black 61130
20-60x80mm Kit	Black 61135
20-60x80mm Angled	Black 61155
20-60x80mm Angled Kit	Black 61160

LEUPOLD BINOCULARS	FINISH & PART NO.
TACTICAL BINOCULARS	
10x50mm Tactical	RETICLE: Mil Dot 59125
10x50mm Tactical	RETICLE: TMR 59130
10x50mm Tactical	RETICLE: --- 59120

ACCESSORIES	PART NO.
SCOPE COVERS	
Mark 4 - S	54857
Mark 4 - M	57866
Mark 4 - L	57868
Mark 4 - X-L	57877
Mark 4 - XX-L	57864

ACCESSORIES	PART NO.
BINOCULARS AND SPOTTING SCOPES	
Green Ring Binocular Tripod Adapter	48826
Window Mount	58400
Compact Tripod	56446
Shoulder Pod	48643
12-40x60mm Spotting Scope Soft Case	53715
12-40x60mm Spotting Scope Digital Camera Adapter	58380
Quick Release Binocular Harness	55895

ACCESSORIES	PART NO.
SCOPE ACCESSORIES	
ARD (Anti-Reflection Device)	52292
LensPen	48807
Zero Point Illuminated Magnetic Boreighter	59012
Mounting Tool	52296
Ring Wrench	48762
Torx Driver	50818
Retractable Ballistic Chart 1-inch	54804
Retractable Ballistic Chart 30mm	54778
Threaded 50-Ft Focus Adapter (Pre-2004)	31685
Torx® Screw Kit	52395
CQT Battery Pack	52644
Mark 4 Ring Torque Wrench	48701

LEUPOLD RANGEFINDERS	FINISH	RETICLE	PART NO.
RX-I Rangefinder	Black	Match 13" Reticle System™	61450
RX-II Rangefinder	Black/Grey	Match 13" Reticle System™	61455
RX-III Rangefinder	Mossy Oak Obsession	Match 13" Reticle System™	61460
RX-IV Rangefinder	Black	Match 13" Reticle System™	61465
RX-V Rangefinder	Black/Grey	Match 13" Reticle System™	61470
RX-VI Rangefinder	Mossy Oak Brush	Match 13" Reticle System™	61475

MARK 4 SCOPE SPECIFICATIONS

Leupold Mark 4	Dimensions (inches unless otherwise stated)										SPECIFICATIONS														
	Actual Magnification		Linear Field of View				Optimum Eye Relief				Objective Clear Aperture		Weight		Elevation Adjustment Range*		Windage Adjustment Range**								
	Low	High	ft at 100 yd	m at 100 m	inch	mm	Low	High	Low	High	inch	mm	ounce	gram	MOA	MOA	MOA	MOA							
Leupold Mark 4 Long Range/Tactical (LRT)																									
10x40mm LRT M1	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0	---	11.1	---	3.7	---	3.4	---	86	---	1.6	40	21.0	595	90	60
10x40mm LRT M3*	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0	---	11.1	---	3.7	---	3.4	---	86	---	1.6	40	21.0	595	75	52
16x40mm LRT M1	13.1	6.0	3.1	1.4	2.7	4.3	2.0	1.7	30mm	15.6	---	6.8	---	2.3	---	4.0	---	101	---	1.6	40	22.5	638	140	45
13.5-6.2x40mm LRT M1	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LRT M1 Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65
3.5-10x40mm LRT M1 Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LRT M2	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LRT M3*	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LRT M3* Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65
3.5-10x40mm LRT M3* Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
4.5-14x50mm LRT M1	12.5	5.5	1.6	2.4	3.2	3.7	2.3	1.6	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100
4.5-14x50mm LRT M1 Ill. Ret.	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100
4.5-14x50mm LRT M1 Ill. Ret. (metric)	12.8	5.5	1.6	2.																					