

**SUREFIRE**



**THE WORLD'S FINEST  
ILLUMINATION TOOLS®**

# SUREFIRE PEOPLE SEE THINGS DIFFERENTLY

Probably because they're used to seeing objects illuminated by a perfectly focused beam of pure SureFire light. One without rings or dark spots to detract from its brilliance or effectiveness. A beam that's second to none.

No wonder so many law enforcement and military professionals, including SWAT teams and elite special operations units, are SureFire people. On the battlefield and in the streets, they count on their lights in some pretty harrowing situations and extreme conditions. And SureFire delivers. Because a SureFire is more than a mere flashlight. It's an illumination tool engineered for maximum performance and built to withstand the harshest environments. A hard tool for hard men and women who operate under hard circumstances.

But SureFire lights aren't just for the men and women in the service or police officers. Every SureFire owner enjoys the same legendary quality and performance that make SureFire illumination tools the number-one choice of so many law enforcement and military personnel around the globe. And if SureFire can meet the needs and expectations of these demanding pros, count on them to meet yours. And then some.

SureFire people don't just use the world's finest illumination tools—they make them too. Every SureFire is designed and manufactured by employees who refuse to produce anything but the absolute best. No shortcuts, no playing it safe, no expenses spared. It's this philosophy that sets SureFire apart and the reason we've been lighting up the night with the highest-quality, most innovative illumination tools for over 20 years.

There's a SureFire person on the outside—and inside—of every SureFire in use. Is there one inside you? Read on to find just the right illumination tool or tools to satisfy your inner-SureFire self.

*SureFire®*

*The world's finest illumination tools.®*

# CONTENTS

|    |                                 |
|----|---------------------------------|
| 2  | THE SUREFIRE DIFFERENCE         |
| 12 | LED FLASHLIGHTS                 |
| 36 | HYBRID FLASHLIGHTS              |
| 40 | XENON INCANDESCENT FLASHLIGHTS  |
| 68 | ADVANCED RECHARGEABLES          |
| 76 | HID FLASHLIGHTS                 |
| 80 | ACCESSORIES                     |
| 84 | SPECIFICATIONS CHART            |
| 88 | WARRANTY & ORDERING INFORMATION |

## WILLIE HUNT

SENIOR R&D ELECTRICAL ENGINEER

ELECTRICAL ENGINEERS AT OTHER FLASHLIGHT COMPANIES MAY BE CONTENT TO DESIGN FROM THE COMFORT OF THEIR WARM, DRY CUBICLES. BUT SUREFIRE ENGINEER WILLIE HUNT, AN EXPERT CLIMBER AND CAVER, PUTS HIS DESIGNS THROUGH THE WRINGER WITH EXTREME FIELD TESTING. WILLIE'S JOB IS TO TURN ENGINEERING CONCEPTS INTO REALITIES BY DESIGNING THE ELECTRONICS THAT BRING SUREFIRE ILLUMINATION TOOLS TO LIFE.




# THE SUREFIRE DIFFERENCE

What happens when there's a convergence of cutting-edge technology, advanced designs, superior materials, and brilliant, innovative minds that understand how to best put all these things to use? The world's finest illumination tools are born. From tailcap to bezel, every SureFire light is engineered, manufactured, and assembled for maximum performance, efficiency, and reliability. Compact, lightweight, and ergonomic, you'll feel the difference just by holding one. Turn it on and be convinced that no finer illumination tool exists anywhere.

P2

WHY CLIMB DURING THE DAY WHEN IT'S SO MUCH LESS CROWDED AT NIGHT? THESE SUREFIRE EMPLOYEES TACKLE SMITH ROCK'S 350-FOOT "MONKEY FACE" IN CENTRAL OREGON.





## 1 HIGHEST-QUALITY LIGHT SOURCES

Without the light source, a.k.a. the emitter, there is no beam, so cutting corners here undermines the whole purpose of a flashlight. That's why SureFire uses only the highest-quality emitters—be they high-pressure xenon incandescent lamps, light emitting diodes (LEDs), or high intensity discharge (HID) lamps—in each and every illumination tool we produce.

### *Incandescent Lamps—Proven, High-Output Performance*

The small but powerful incandescent lamps used by SureFire aren't your typical off-the-shelf bulbs. They're state-of-the-art devices with advanced features.

*Custom tungsten filaments* are featured in every SureFire incandescent lamp for maximum light output and to withstand the vibration and g-force of extreme conditions. Each filament is designed around a specific power supply, light output, and runtime for optimal performance.

*High-pressure xenon gas* is added to enable an increase in operating temperature, which increases light output for a given power consumption rate. It also inhibits tungsten "boil-off," which can form a light-blocking layer of tungsten atoms on the inside wall of the lamp. While other bulbs use argon or krypton—both much less expensive gases—SureFire insists on using xenon-filled lamps for peak performance.

*Halogens*, in our own proprietary mixture, can be found in some SureFire incandescent lamps. Boiled-off tungsten atoms combine with halogen atoms to form a vapor, which migrates back to the filament, where high temperatures break it down into its original elements. This process continues indefinitely, the bottom line being that it keeps the lamp's inside walls relatively free of tungsten deposits that can block light and reduce output.

### *LEDs—Durability, Variability, Efficiency & Longevity*

Most LEDs can't yet match the light output of the brightest incandescent lamps, although this is changing fast (see Improved LED Performance, p.15). But when it comes to durability, efficiency, the ability to vary outputs, and longevity, LEDs are in a league of their own.



LED quality can vary tremendously—even between virtually identical LEDs produced at the same facility, on the same line, on the same day. Unfortunately, not all flashlight manufacturers are as committed as SureFire to using only the highest-quality LEDs. So, when it comes to purchasing an LED flashlight from them, it can be a real caveat-emptor proposition, Latin for you could wind up with a sub-par LED light source. Rest assured that SureFire illumination tools contain only light emitting diodes that are SureFire worthy.

**Durable**, solid-state light emitting diodes are virtually unbreakable. There's no filament to burn out or break, no glass to shatter. Just a solid emitter mounted on a base and covered with a clear polymer for protection and focusing purposes.

**Efficiency** is an LED strong suit. They produce more light per watt than incandescent lamps. And unlike an incandescent bulb, an LED stays efficient as the battery runs down. It will continue emitting light, at lower and lower levels, long after an incandescent lamp would cease to emit light.

**Variable output** levels can be achieved from an LED by regulating the amount of current pumped through it. This means that, unlike an incandescent lamp, designed to run optimally at one output level, a single LED can provide multiple light output levels simply by varying the current. To change the white light output level of an incandescent flashlight, the lamp must be replaced with one that emits more or fewer lumens.

**Longevity** is where LEDs rule; they're designed to last up to thousands of hours. On the other hand, incandescent lamps can supply a lot of intense light output but don't last as long as LEDs.

**HID Lamps—Maximum Output, Maximum Efficiency**  
Our high intensity discharge lamps use a clear quartz capsule filled with high-pressure xenon gas and metal halide compounds. Electrodes at both ends of the



IDENTICAL NON-SUREFIRE MINIATURE LAMPS. LEFT LAMP IS UNUSED, RIGHT LAMP SHOWS TUNGSTEN DEPOSITS AFTER SEVERAL HOURS OF USE.




## PAUL KIM SUREFIRE VP OF ENGINEERING

IF IMITATION IS THE SINCEREST FORM OF FLATTERY, THEN PAUL CLEARLY HAS THE RESPECT OF THE FLASHLIGHT COMMUNITY. HIS MUCH-COPIED DESIGNS HAVE BEEN CREDITED WITH BRINGING AN AESTHETIC TO THE FLASHLIGHT THAT THE NEW YORK TIMES CALLS "MODERN MILITANT." P.K. IS CONSTANTLY DEVELOPING NEW WAYS TO MAXIMIZE FUNCTIONALITY AND AESTHETICS. CREATING, AS HE PUTS IT, "AN EMOTIONAL CONNECTION BETWEEN THE END-USER AND HIS OR HER FLASHLIGHT." NO WONDER PEOPLE ARE SO ATTACHED TO THEIR SUREFIRES. IT'S JUST THE WAY PAUL ENGINEERED IT.

capsule superheat and ionize the gas, which in turn vaporizes the halide compounds to create a plasma arc that is extremely efficient at emitting light. Up to thousands of lumens of light. Since there's no filament to break or burn out, they're extremely resistant to mechanical shock and vibration. And HID lamps, such as the one used in the SureFire Beast®, have operating lives that far exceed those of tungsten-filament incandescent lamps.

The downside of HID lamps is that they require large amounts of energy to start up. But once they're up and running, they're more efficient than either incandescent lamps or LEDs. The good news is that SureFire engineers are continually moving the dial when it comes to devising ways to lower HID power requirements, which means SureFire HID lights are getting smaller and lighter.






## 2 PRECISION REFLECTORS & LENSES

**SureFire reflectors** are made from machined aerospace-grade aluminum for superior strength and heat-transfer capabilities, not cheaper stamped metal or molded plastic. Their proprietary designs and geometric exactness help produce optimal beam characteristics that lesser reflectors just can't achieve (see Outshining & Outperforming).


**Micro-texture ripples**, which reflect light at many slightly different angles, cover the surface of every SureFire reflector. This coating, similar in texture to the peel of an orange, smoothes out beam irregularities and produces a bright central area surrounded by a gradually diminishing corona. The resulting beam clearly illuminates objects in its center while providing more than enough light to accommodate peripheral vision.



CLOSE-UP PHOTO SHOWS BEAM-SMOOTHING MICRO-TEXTURE ON A SUREFIRE REFLECTOR.

**Total Internal Reflection (TIR)** lenses are placed over LEDs in certain SureFire illumination tools. Made from a precision-molded cyclo-olefin polymer, the lens gathers virtually all of an LED's light, which it reflects and refracts forward in an exceptionally tight beam that simply can't be achieved with a reflector.

NO, THIS IS NOT A FLYING SAUCER—IT'S A SUREFIRE TIR LENS. ITS SHAPE CREATES A TIGHTLY FOCUSED BEAM AND ENSURES MAXIMUM LIGHT TRANSMISSION.





### 3 OPTICALLY COATED PYREX® WINDOWS

If you've ever cooked with tempered Pyrex glassware, you know that it's strong, scratch resistant, and can take extreme temperatures (and temperature changes) without cracking. SureFire flashlight windows—the transparent coverings that protect reflectors and emitters from the elements—use this same tough glass. Pyrex windows have a thin anti-reflective coating to make sure as much light as possible makes its way out the window and on to the object being illuminated.

ALKALINE-BATTERY FLASHLIGHT, LEFT, SHOWS BEAM WITH DARK SPOTS AND RINGS. SUREFIRE'S E2E, RIGHT, PRODUCES A SMOOTH, PRE-FOCUSED BEAM. BOTH LIGHTS ARE USING NEW LAMPS AND FRESH BATTERIES.



Dark spots, hot spots, and rings may cut it with most flashlight manufacturers, but SureFire believes flaws like these demonstrate a serious lack of character in a beam. A beam's characteristics determine a flashlight's suitability for a given task. Inferior beams can produce views that are confusing or even misleading. SureFire beams are engineered for optimal light distribution—without glaring defects that can interfere with an illumination tool's ability to perform the task at hand.



FLASHLIGHT BODY CNC-MACHINED FROM HIGH-STRENGTH AEROSPACE-GRADE ALUMINUM ALLOY.

### 4 AEROSPACE-GRADE ALUMINUM BODIES

SureFire flashlight bodies are machined from a high-strength aerospace-grade aluminum alloy, allowing them to be made light without sacrificing toughness or durability. An aluminum SureFire flashlight body is extremely resistant to damage from impact, crushing, or bending.

**Nitrolon®** is a proprietary high-strength, non-conductive polymer used in some of SureFire's flashlights. It's made from a mixture of nylon and fine glass fibers, which add rigidity, strength, abrasion resistance, and increased stability at higher operating temperatures.

### 5 MIL-SPEC HARD-ANODIZED FINISH

How do you make an already tough aluminum body even tougher? Try a hard-anodized finish that gives diamonds a run for their money when it comes to hardness. Using a chemical bath and electricity, a layer of aluminum oxide is "grown" on the aluminum bodies of SureFire illumination tools. Anodized finishes come in varying degrees of hardness, but to ensure that SureFire illumination tools are as tough as possible, we use military-specified finish Mil-A-8625, Type III, Class 2. That's military speak for tougher than nails.



## 6 O-RING SEALS

SureFire seals its illumination tools with O-rings to keep the weather where it belongs—on the outside of your flashlight.

## 7 ELECTRONIC POWER REGULATION

Every SureFire LED illumination tool (and the xenon-lamped A2 Aviator®) has an internal electronic power regulator that oversees the operation of the emitter. This sophisticated circuitry assesses battery output, monitors system performance, and controls the power supplied to the light source. What this means to you is more consistent light output for the usable life of the batteries. And you can brag to your friends that your flashlight has a computer inside of it.



## 8 TACTICALLY ADVANTAGEOUS SWITCHING

Holding a flashlight with your thumb over the switch provides precision control—a tactical advantage for law enforcement and military professionals. So SureFire positions its switches on the tailcap instead of the flashlight body. While a switch you press for momentary-on and twist for constant-on makes sense for tactical applications, some people prefer a click-on/off switch. Several SureFire flashlight models can accommodate both types, so you can rig your light to switch on the way you want.

## 9 LOCKOUT TAILCAP

Your flashlight doesn't do you much good if it's wasting its batteries illuminating the inside of your drawer or suitcase, so SureFire tailcaps have a patented lockout feature to keep your light from accidentally activating during storage or transport. Just rotate the tailcap counterclockwise to disable the activation switch. When you're ready for action, rotate it clockwise to re-engage the switch.



## 10 LITHIUM BATTERIES WITH 10-YEAR SHELF LIFE

Non-rechargeable SureFire flashlights use 123A-type lithium batteries, which have several advantages over alkaline batteries (see below). As a commitment to our customers and products, SureFire sells its own brand of highest-quality lithium batteries at a low price. And because they last for 10 years or more on the shelf, there's no worry about overbuying.

### BATTLE OF THE BATTERIES

In one corner: SureFire 123A lithium batteries. In the other: off-the-shelf alkalines.

#### Shelf Life

At room temperature, SureFire batteries can be stored for 10 years and still supply about 90% of their power. Alkalines have a significantly shorter shelf life.

**ADVANTAGE: SUREFIRE**

#### Temperature Tolerance

SureFire lithium batteries function over a wide temperature range (-76° to 176° F / -60° to 80° C), although power is reduced at either extreme. Alkaline batteries function poorly below freezing and at higher temperatures.

**ADVANTAGE: SUREFIRE**

#### Power Density

It takes approximately 2.5 similarly sized alkaline batteries to match the power output of one SureFire lithium battery.

**ADVANTAGE: SUREFIRE**

#### Weight

For a given size, lithium batteries weigh about half as much as alkaline batteries.

**ADVANTAGE: SUREFIRE**

#### Voltage

Lithium batteries have a terminal voltage of three volts; alkaline batteries: 1.5 volts.

**ADVANTAGE: SUREFIRE**

#### Voltage Maintenance

A lithium battery maintains fairly constant voltage for up to 95% of its life, depending on the discharge rate. At moderate to high discharge rates, the voltage of alkaline batteries drops rapidly, making them unsuitable for use in high-power flashlights.

**ADVANTAGE: SUREFIRE**

**WINNER: SUREFIRE LITHIUM BATTERIES**



**GUSTAV BONSE**  
CHIEF OPERATING OFFICER

GUSTAV AND HIS TEAM HAVE HELPED TURN SUREFIRE'S MANUFACTURING CENTER INTO ONE OF THE MOST TECHNOLOGICALLY ADVANCED FACILITIES IN THE COUNTRY. UTILIZING STATE-OF-THE-ART CNC (COMPUTER NUMERICALLY CONTROLLED) MACHINES, EACH YEAR HE AND HIS CREW TURN OVER A MILLION POUNDS OF RAW ALUMINUM INTO QUALITY FLASHLIGHT COMPONENTS. SOME SAY GUSTAV IS SO GOOD WITH ALUMINUM HE CAN CHEW ON A PIECE OF BAR STOCK AND SPIT OUT A FLASHLIGHT. QUALITY CONTROL HAS YET TO COME ACROSS ANY COMPONENTS WITH TEETH MARKS CONFIRMING THIS RUMOR.



D cell

AA cell

123A lithium

SMALL BUT POWERFUL, SUREFIRE LITHIUMS OUTPERFORM AND OUTLAST LARGER D-CELL AND AA-CELL BATTERIES.



DR. PETER HAUK  
PRINCIPAL SCIENTIST

***Making Meaningful Performance Measurements***

Dr. Peter Hauk is not just a principal scientist, he's a principled scientist—with 40+ years of experience. When he tests SureFire illumination tools for outputs and runtimes, his results are not misrepresented or exaggerated like those of many flashlight manufacturers. But Dr. Hauk tries not to get too hung up on numbers. "It's important I figure out experiments that produce insight into a product, problem, or both," he explains. "Not just numbers for numbers' sake."

***Candlepower vs. Lumens***

Some manufacturers dramatize the outputs of their lights by using candlepower units, which are often grossly inflated. A "candlepower" measurement typically refers to the single brightest spot of a beam, which tells nothing about the quality of the beam or

how much usable light is being emitted. A lumen measurement, on the other hand, is a photometric quantity determined by measuring the total radiant power (watts) across the light's spectrum and then correcting the data for the relative response of the human eye—a complicated-sounding but much more useful measurement.


"Take a bag of sugar and dump it on your kitchen table," says Dr. Hauk when explaining the difference between lumens and candlepower. "The highest point in the sugar pile, that one solitary grain of sugar at the top, is equivalent to candlepower. The total amount of sugar on the table is equivalent to lumens. Now, you tell me which seems to be a more useful measurement when talking about light."





SureFire Customer Wilkey W.  
– Midnight Shoveler

One night, while shoveling snow during a blizzard, I dropped my L4 LumaMax into the snow. Unbeknownst to me, my neighbor, who'd come over with his snowblower to help clear my driveway, sucked up my L4 and shot it into a snow bank. A month later I saw my L4 sticking out of a pile of melting snow. Its body had been badly mangled by the blower's blades, and I thought it was a goner. But when I pressed its switch, it lit up bright as the day I bought it! This light's runtime, brightness, and ergonomics are unmatched by any other flashlight.








# LED FLASHLIGHTS

There's a lot of buzz about light emitting diodes (LEDs). And for good reason. LEDs allow runtimes that were previously unattainable on a single set of batteries. And when it comes to longevity, they're in a class by themselves—the thousands-of-hours class. That's because they're solid state: no filament to burn out or break, no gas or liquid components, no glass to shatter. Just a semiconductor "chip" that converts electrical energy into light, which it disperses through a tough, clear polymer covering.

LED output levels are approaching, even surpassing in some cases (see Improved LED Performance), those of incandescents. But for raw lighting power, SureFire's three-, four-, and six-battery incandescent flashlights are still the best way to go. However, an incandescent lamp becomes practically useless if the power level drops below the amount of energy required to make its filament glow white hot. An LED, on the other hand,

continues to function at power levels below its maximum output level. Which means an LED will continue to run—albeit at lower and lower output levels. So you get more useful light for a longer period of time with an LED flashlight than with an incandescent.

Not all LEDs are created equal. They can vary greatly in quality, even supposedly identical LEDs made at the same facility. SureFire uses only the finest, highest-quality LEDs in its illumination tools. They're electronically controlled for maximum efficiency, focused by a reflector or Total Internal Reflection (TIR) lens for a perfect beam, and housed in a rugged, weatherproof, knurled aerospace-grade aluminum body that keeps the elements out and your flashlight in hand. Because it'd be a shame to let an illumination tool as fine as a SureFire LED flashlight slip between your fingers.



WITH PLENTY OF LIGHT TO PICK OUT HANDHOLDS, COURTESY OF TWO SUREFIRES 60 FEET BELOW, WILLIE HUNT MAKES SHORT WORK OF THIS VERTICAL FACE.



# NEW FOR 2007

## IMPROVED LED PERFORMANCE

SureFire, always the leader in integrating innovative, cutting-edge technology into its products, has taken another groundbreaking step for 2007. This year, several popular SureFire LED flashlight models—the E1L, E2L, L1, and L5—come outfitted with higher-performance light emitting diodes.

For a given power input, these new super-efficient LEDs are capable of generating significantly more light. This improved efficiency also means that, at a given light output, they will run much longer. What this means to

SureFire customers is a solid-state light source that shines brighter using less power. Combine this amazing LED's performance with SureFire's electronic regulation and precision optics, and the results are staggering: LED illumination tools with outputs comparable to incandescents and extended runtimes that surpass those of the previously best-performing LED flashlights.

As always, you can count on SureFire to continue to use only the highest-quality, best-performing LEDs featuring this improved technology.



SureFire Customer Basil L.  
—Iraqi Contractor

As a government contractor in Northern Iraq, I've put my U2 Ultra through hell and back. I've lost it and left it in the 40° F winter mud until it found its way back to me. I've left it in the sun on the dashboard of my truck, where the inside temperature was gauged at 138°F. It's been dropped from scaffolding one and a half stories up, and even left in my pants on laundry day to endure a brutal wash cycle. Yet, every time, it's lit right up, piercing the pitch-black desert night. It's even warded off deadly sand vipers and a few other scary desert creatures. If anyone thinks there's a better flashlight out there, think again!

THE REASSURING BEAM OF A SUREFIRE  
MAKES THIS NIGHTTIME TYROLEAN TRAVERSE  
A LITTLE LESS HARROWING.

## ICONS AND COLORS OVERVIEW



Maximum light output of primary beam, measured in lumens



Maximum runtime for useful light levels



Total Internal Reflection lens used on LEDs to create a tight, focused beam



O-ring sealed, weatherproof




Multiple output levels

### LED COLORS



### BODY COLORS





NEW

# TITAN™

VARIABLE-OUTPUT LED FLASHLIGHT



LED COLOR    BODY COLOR



First SureFire introduced the world's original dual-output flashlight with two-step switching. Then came the U2, the first LED flashlight with six preset output levels. Now the next logical milestone: the world's first—and unquestionably finest—continuous variable-output LED illumination tool.

With a twist of its titanium bezel, the limited-edition Titan goes from zero to 30 lumens of light (one and a half times that of a much larger two-D-cell flashlight) and all points in between. A built-in potentiometer seamlessly increases or decreases the Titan's light output the way a stereo's volume knob raises or lowers sound levels. So you decide exactly how much light to use. Total control with over 1,000 possibilities within its operating range.

No matter which output level you select, the Titan's smooth, wide-angle beam—courtesy of its micro-texture coated reflector—is perfect for close- to mid-range illumination. And its diminutive size, light weight, and quick-release interface, which attaches to a key ring or lanyard, make the Titan the ultimate everyday-carry illumination tool.

But the Titan is about more than just functionality. It's about quality, workmanship, and styling that create a whole new class of illumination tool—a luxury class consisting of one. Is it overkill to give the Titan a sleek, corrosion-resistant titanium body with an elegant satin finish; Acme threading for extra holding power; and a super-strong, scratch-resistant sapphire window?

Perhaps. But we wouldn't have it any other way. Because we know you wouldn't either.



P18

**TITAN SPECS**

|                             |                 |
|-----------------------------|-----------------|
| <b>Max Output</b>           | 30 lumens       |
| <b>Total Runtime</b>        | 50 hours        |
| <b>Weight</b> (w/battery)   | 1.9 ounces      |
| <b>Length</b>               | 3.15 inches     |
| <b>Bezel Diam.</b>          | 0.75 inches     |
| <b>Batteries</b> (included) | One CR2 lithium |

**FEATURES**

- Virtually indestructible LED
- Microprocessor controlled for optimal output and runtime performance
- Potentiometer control for selecting any level from 1-30 lumens
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Tough, corrosion-proof titanium body with elegant natural satin finish
- Coated, impact-resistant sapphire window for maximum strength and light transmission
- O-ring sealed, weatherproof
- Spring-loaded, quick-connect/disconnect round-rail interface
- Acme-threaded tailcap for increased holding power
- Switching: rotate bezel to turn on; continue rotating to increase output
- Included lanyard and split ring



THE TITAN HAS AN INTEGRAL TAILCAP CONNECTOR THREADED AT  $\frac{1}{4}$ -20 UNC, PERMITTING ATTACHMENT TO MOST STANDARD TRIPODS FOR IMPROVISED LIGHTING.



# KROMA®

THE WORLD'S MOST TECHNOLOGICALLY  
ADVANCED FLASHLIGHT



**INCLUDED LED COLORS**



**BODY COLOR**



Who needs a flashlight that produces three separate colors of high-quality LED light, each with dual-output levels? The better question is, who wants a high-tech illumination tool that does the work of six separate flashlights, fits in your pocket, endures abuse from Mother Nature and insensitive owners, and weighs in at barely over five ounces?

You can put your hand down.

The state-of-the-art Kroma was developed as part of a collaborative project for DARPA (Defense Advanced Research Projects Agency—the same agency that originated the internet) to supply U.S. forces with high-performance flashlights for use in the field. The Kroma's main LED throws out enough TIR lens-focused white light to temporarily disable the night-adapted vision of a foe. Its red and blue secondary LEDs are perfect for preserving night-adapted vision during tasks requiring minimal light, like reading maps, tracking, or navigating trails—without disturbing wildlife if you use red (many wild animals can't see light in the red portion of the spectrum). But no matter what the task, if you decide it's time for a different color or a higher or lower output level, just twist the no-look selector ring or press down on the tailcap to instantly change your perspective.

So, who needs a Kroma? Only those who want one of the finest, most versatile pieces of handheld technology in the world.

Go ahead and put your hand back up.





CENTRAL BEAM ON HIGH



CENTRAL BEAM ON LOW



BLUE



RED

**KROMA SPECS****Max Output**

## White LED

- high 50 lumens
- low 1.4 lumens

## Colored LEDs

- red high 6.3 lumens
- red low 0.52 lumens
- blue high 3.4 lumens
- blue low 0.48 lumens

**Runtime**

## White LED

- high 1.5 hrs
- low 20 hrs

## Colored LEDs


- red high 8 hrs
- red low 80 hrs
- blue high 8 hrs
- blue low 80 hrs

**Weight** (w/batteries) 5.1 ounces**Length** 5.7 inches**Bezel Diam.** 1.47 inches**Batteries** (included) Two 123A lithiums**FEATURES**

- Virtually indestructible dual-output primary LED
- Red & blue dual-output secondary LEDs
- No-look output/color selector ring
- TIR lens produces tightly focused beam
- Coated Pyrex® window for maximum light transmission
- Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black
- O-ring sealed, weatherproof
- Heavy-duty pocket clip
- Tailcap switch: press for momentary-on low beams, press further for momentary-on high white beam; twist for constant-on low or high beams
- Patented switch lockout prevents accidental activation



# KROMA CONSTRUCTION



1. Virtually indestructible, dual-output primary LED
2. Red & blue, dual-output secondary LEDs
3. Microprocessor control for optimum performance
4. No-look output/color selector ring
5. TIR lens produces tightly focused beam
6. Coated Pyrex window for maximum light output
7. Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black
8. O-ring sealed, weatherproof
9. Heavy-duty pocket clip
10. Tailcap switch: press for momentary-on low beams, press further for momentary-on high, white beam; twist for constant-on low or high beams
11. Patented switch lockout prevents accidental activation





SureFire Customer Yu-Jen C.  
—Changer of Flats in Nothing Flat

I got a flat tire on a country road while driving home at night during a snowstorm in Ontario, Canada. I pulled over, clipped my E1L (which I carry everywhere) to the brim of my cap, and stepped out into the cold to change my tire. My SureFire lit up the tire through the darkness and falling snow, leaving both my hands free to change the tire, which took less than a half hour. That E1L really saved me. Thanks for producing such dependable flashlights, SureFire.



# U2 ULTRA™

SELECTABLE-OUTPUT LED FLASHLIGHT



LED COLOR BODY COLOR



With six output levels, there's no denying the U2 suffers from multiple personalities. But its schizophrenic pain is your gain, because you can choose from a low two lumens of light (perfect for preserving night-adapted vision) to a blinding, tightly focused beam of 100 lumens (five times the light of a typical two-D-cell flashlight) and four preset levels in between. Because sometimes you need a little light, sometimes you need a lot, but most of the time your needs fall somewhere in the middle.

When it comes to your runtime needs, the U2 meets those, too. We're talking 40-plus hours on a single set of batteries at its lowest setting. And you don't sacrifice any toughness for all this sophisticated Power Select™ technology. Like the Kroma®, the U2 emerged from a DARPA project to create an advanced flashlight to meet the military's future needs. The U2 Ultra is made of hard-anodized aerospace-grade aluminum, is O-ring sealed, and its unbreakable LED and micro-textured reflector are protected by a tough Pyrex® window.

Beauty, brains, and brawn, all engineered into a six-inch package.



**U2 ULTRA SPECS**

|                             |                   |
|-----------------------------|-------------------|
| <b>Max Output</b>           |                   |
| - high                      | 100 lumens        |
| - low                       | 2 lumens          |
| <b>Runtime</b>              | 40 hours          |
| <b>Weight</b> (w/batteries) | 5.7 ounces        |
| <b>Length</b>               | 6.0 inches        |
| <b>Bezel Diam.</b>          | 1.47 inches       |
| <b>Batteries</b> (included) | Two 123A lithiums |

**FEATURES**

- Virtually indestructible, high-output LED
- Microprocessor-controlled for six output levels
- No-look output-selector ring
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black
- O-ring sealed, weatherproof
- Heavy-duty pocket clip
- Tailcap switch: press for momentary-on, press further to click constant-on
- Patented switch lockout prevents accidental activation

NEW  
LED

# E1L & E2L OUTDOORSMAN

EXTENDED-RUNTIME LED FLASHLIGHTS

They're named Outdoorsman for good reason—the outdoors is where these LED workhorses are most at home. Whether in your hand as they illuminate the trail, standing by in your pack, or clipped to the brim of your hat for hands-free illumination, the rugged E1L and E2L can be relied upon to light up the great outdoors in all kinds of weather. Their small size and amazing runtime make them perfect for camping, fishing, hiking—pretty much any outdoor activity you can think of.

Of course, if you want to take them along on a trip involving more hotels than tents, well, that's fine, too. Weighing in at less than three and four ounces and measuring 4.0 and 5.25 inches respectively, the E1L and E2L are perfect for both travel and everyday carry. Because even in the big city you never know when you'll find yourself in a dark parking lot, changing a flat on an unlit street, or straining to read the special on a menu in a trendy restaurant that's way too cool to bother with functional lighting.

P26



LED COLOR    BODY COLOR

### E1L OUTDOORSMAN SPECS

|                      |                  |                            |
|----------------------|------------------|----------------------------|
| Max Output           | 30 lumens        | ..... IMPROVED PERFORMANCE |
| Total Runtime        | 17 hours         | ..... IMPROVED PERFORMANCE |
| Weight (w/battery)   | 2.6 ounces       |                            |
| Length               | 4.0 inches       |                            |
| Bezel Diam.          | 1.0 inches       |                            |
| Batteries (included) | One 123A lithium |                            |





LED COLOR  BODY COLOR

### E2L OUTDOORSMAN SPECS

|                      |                   |       |                         |
|----------------------|-------------------|-------|-------------------------|
| Max Output           | 45 lumens         | ..... | IMPROVED<br>PERFORMANCE |
| Total Runtime        | 18 hours          | ..... |                         |
| Weight (w/batteries) | 3.5 ounces        |       |                         |
| Length               | 5.25 inches       |       |                         |
| Bezel Diam.          | 1.0 inches        |       |                         |
| Batteries (included) | Two 123A lithiums |       |                         |



# L1 & L2 LUMAMAX<sup>®</sup>

DUAL-OUTPUT LED FLASHLIGHTS

P28

Sometimes less light is more than enough and more light is less than optimal. Other times, more light is more advantageous. That's why we designed the dual-output L1 and L2, so you can have more or less light, but always more or less the right amount of light.

Need a little? Press lightly on the switch and get subdued lighting for closer work or navigation. Need more? Press harder for maximum power: an impressive 65 lumens (over three times that of a typical two-D-cell flashlight) for the L1 and an awesome 100 lumens (five times the output of that same two-D-cell light) for the L2. And you can lock either output level on by rotating the tailcap—twist a little for low output or all the way for high output.

Utilizing lower output levels not only helps preserve your night-adapted vision, it helps preserve batteries. The L1's extremely efficient LED can run for 16 hours on a single battery at its low-output setting and up to 1.5 hours at its high setting. The L2 is no slouch in the runtime department either. At its low-output setting, it runs for up to 18 hours; one hour at maximum output.

Both the L1 and L2 are compact, rugged, weatherproof, and built to last, but the L1 isn't simply the baby brother of the L2. While the L2 features a sharp central beam and wide-angle surrounding beam produced by a fixed-focus reflector, the L1 sports a tightly focused beam from its TIR lens. And if white light isn't what you're looking for, the L1's LED also comes in night-vision-friendly red, for a less noticeable light signature.



L1 LUMAMAX AT  
LOW SETTING




L1 LUMAMAX AT  
HIGH SETTING

NEW  
LED

OPTIONAL LED COLORS



BODY COLOR

**L1 LUMAMAX SPECS****Max Output**

- high 65 lumens
  - low 10 lumens
- ..... IMPROVED  
..... PERFORMANCE

**Runtime**

- high 1.5 hours
- low 16 hours

**Weight** (w/battery) 2.9 ounces**Length** 4.95 inches**Bezel Diam.** 1.0 inches**Batteries** (included) One 123A lithium**FEATURES**

- ▶ New higher-output, longer-running LED, which generates two levels of light output
- White or red LED models available
- TIR lens produces tightly focused beam
- Coated Pyrex® window for maximum light transmission
- Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in olive drab
- O-ring sealed, weatherproof
- Pocket clip
- Tailcap switch: press for momentary-on low beam, press further for momentary-on high beam, twist for constant-on
- Patented switch lockout prevents accidental activation



LED COLOR



BODY COLOR

**L2 LUMAMAX SPECS****Max Output**

- high 100 lumens
- low 15 lumens

**Runtime**

- high 1 hour
- low 18 hours

**Weight** (w/batteries) 4.2 ounces**Length** 6.2 inches**Bezel Diam.** 1.0 inches**Batteries** (included) Two 123A lithiums**FEATURES**

- Virtually indestructible two-output LED
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in olive drab
- O-ring sealed, weatherproof
- Pocket clip
- Tailcap switch: press for momentary-on, twist for constant-on
- Patented switch lockout prevents accidental activation





SureFire Customer Shawn H.  
-Protective Husband

One night my wife and I were walking to our car, when the light in the parking lot suddenly went out and a strange man stepped out of the darkness. He pulled a knife and demanded that we give him our personal items and the key to the car. I happened to be carrying my newly purchased L4 in my pocket, so when the man got close enough, I flashed my light in his eyes. While he was temporarily disoriented by its brilliant, white light, I kicked the knife from his hand and wrestled him to the ground. My wife yelled for help, and two good Samaritans helped me subdue and detain the man until the police arrived. Turned out he was a suspect the police had been trying to find for three weeks. My wife and I can't thank you enough for making the great flashlight that saved our lives, SureFire!

DR. JOHN MATTHEWS  
FOUNDER/PRESIDENT/ENGINEER

THERE'S A REASON THE MOST CUTTING-EDGE ILLUMINATION TOOLS ORIGINATE AT SUREFIRE. BECAUSE JOHN MATTHEWS, THE MAN IN CHARGE, IS CONSTANTLY ASKING HIMSELF AND HIS STAFF, "WHAT IF...?"

WHILE OTHER FLASHLIGHT MANUFACTURERS ASK THEMSELVES HOW THEY CAN CUT CORNERS TO KEEP COSTS DOWN, JOHN AND HIS STAFF NEVER COMPROMISE TO SAVE A BUCK.

"WE DARE TO BUILD THINGS JUST BECAUSE WE CAN," SAYS JOHN. "EVERYONE AT SUREFIRE IS OBSESSED WITH BUILDING THE ABSOLUTE BEST BECAUSE, AT THE END OF THE DAY, WE KNOW LIVES MAY DEPEND ON IT. THAT KEEPS US AT THE LEADING EDGE."

JOHN'S VISION IS FOR SUREFIRE TO DO FOR EACH NEW MODEL WHAT IT DID WITH THE GP® ORIGINAL OVER 20 YEARS AGO—CREATE A WHOLE NEW GENRE OF ILLUMINATION TOOLS. AND HE'S DOING MORE THAN JUST ENVISIONING IT. HE PUTS PENCIL TO PAPER EVERY DAY, TRYING TO ANSWER THE SAME TWO-WORD QUESTION HE'S BEEN ASKING HIMSELF FOR 40 YEARS NOW: "WHAT IF...?"





# L4 LUMAMAX®

HIGH-OUTPUT LED FLASHLIGHT



LED COLOR



BODY COLOR



You know the saying it's not the size of the dog in the fight, it's the size of the fight in the dog? Well, substitute "light" for "dog" and you're talking about the L4, SureFire's brightest pocket-sized LED flashlight.

The best-in-breed L4 dominates all other flashlights in its class. This small but powerful illumination tool unleashes 100 lumens of perfectly focused light—more than enough to temporarily overwhelm an attacker's night-adapted vision. And the L4 can take a hit. With no filament or glass to break, its LED is virtually indestructible, and its insides are protected by a weatherproof, hard-anodized aluminum body.

While the L4's beam is undeniably bright, it's also incredibly smooth and effective. A bright central beam surrounded by a gradually diminishing corona makes it perfect for illuminating what lies ahead, while enhancing peripheral vision.

Compact, powerful, tough, and it can run for hours. Count on the L4 LumaMax to fight the good fight no matter what it's up against.



**L4 LUMAMAX SPECS**

|                             |                   |
|-----------------------------|-------------------|
| <b>Max Output</b>           | 100 lumens        |
| <b>Runtime</b>              | 2.5 hours         |
| <b>Weight</b> (w/batteries) | 3.4 ounces        |
| <b>Length</b>               | 5.1 inches        |
| <b>Bezel Diam.</b>          | 1.0 inches        |
| <b>Batteries</b> (included) | Two 123A lithiums |

**FEATURES**

- Virtually indestructible high-output LED
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in olive drab
- O-ring sealed, weatherproof
- Pocket clip
- Tailcap switch: press for momentary-on, press further to click constant-on
- Patented switch lockout prevents accidental activation

*No, this mountain biker is not being struck by lightning. The smooth, wide-angle beams of two L4s turn a treacherous piece of singletrack into an easy midnight ride.*

NEW  
LED

# L5 LUMAMAX<sup>®</sup>

LED COMBATLIGHT



LED COLOR



BODY COLOR



An elongated reflector designed to throw a far-reaching LED beam into the dead of night. A patented CombatGrip™ featuring a sleeker, stepped-down body for a secure hold in slippery conditions or while shooting a firearm. A tactically advantageous tailcap switch for precision control. The SureFire L5 LumaMax is equipped for combat conditions, but it performs heroically no matter what the job.

The L5's new higher-output, longer-running LED cranks out an impressive 120 lumens of brilliant, focused light—six times that of a typical two-D-cell flashlight—and runs for over four hours on a single set of batteries. Its virtually unbreakable LED is protected by a tough Pyrex® window and regulated by electronic circuitry that's O-ring sealed inside the L5's hard-anodized aluminum body. This rugged, combat-ready flashlight is durable enough to endure all kinds of abuse: water, dust, extreme temperatures, impact—whatever comes your way.

Carry the high-performance L5 LED CombatLight into your next battle. Even if you're only waging war on a dark hiking trail as the ultimate weekend warrior.

**L5 LUMAMAX SPECS**

|                      |                   |       |             |
|----------------------|-------------------|-------|-------------|
| Max Output           | 120 lumens        | ..... | IMPROVED    |
| Runtime              | 4.5 hours         | ..... | PERFORMANCE |
| Weight (w/batteries) | 7.2 ounces        |       |             |
| Length               | 6.1 inches        |       |             |
| Bezel Diam.          | 1.47 inches       |       |             |
| Batteries (included) | Two 123A lithiums |       |             |

**FEATURES**

- ▶ **New higher-output, longer-running LED**
  - Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
  - Coated Pyrex® window for maximum light transmission
  - Aerospace-grade aluminum body, Mil-Spec Type III hard anodized in olive drab
  - O-ring sealed, weatherproof
  - Pocket clip
  - Tailcap switch: press for momentary-on, press further to click constant-on
  - Patented switch lockout prevents accidental activation



# HYBRID FLASHLIGHTS

LEDs are virtually indestructible, have longer runtimes than incandescents, and can last for thousands of hours. Incandescent lamps are generally capable of higher light outputs and are great for reaching out into the darkness with a tightly focused beam. So what would happen if a long-running LED flashlight mated with a powerful incandescent flashlight?

Nothing—flashlights are inanimate objects incapable of mating.

But SureFire engineers prevailed where nature fell short when they created the A2 Aviator, the world's first hybrid LED/incandescent illumination tool. And judging by the fact that the hybrid Aviator is the everyday-carry choice of John Matthews, SureFire's founder and president, a man who can carry any SureFire model he wants, we'd say engineering did a pretty good job on the merger.



CENTRAL XENON  
INCANDESCENT LAMP

LEDs AVAILABLE IN WHITE, BLUE, RED,  
GREEN, AND YELLOW-GREEN



# A2 AVIATOR®


HYBRID LED/INCANDESCENT FLASHLIGHT



OPTIONAL LED COLORS



BODY COLOR



Combine lemonade and iced tea and you've got an Arnold Palmer. Peanut butter with jelly and you've created one of the world's most successful sandwiches. Incorporate three low-output LEDs into the perfectly shaped reflector of a small but powerful incandescent flashlight and you've got the SureFire Aviator—another best-of-both-worlds design destined to become a classic.

The A2 was designed with aviators in mind. Pilots need a flashlight with a low-output beam that won't compromise their night-adapted vision in the cockpit. But they also need a strong primary beam that's powerful enough to illuminate an aircraft for inspection purposes. The Aviator's long-running, wide-angle LEDs are bright enough for close-quarter activities like map-reading or loading bags, and its tightly focused incandescent beam is bright enough to light up the tail of a jumbo jet. All in a less than six-inch, weatherproof body machined from—appropriately enough for something named the Aviator—aerospace-grade aluminum.

## A2 AVIATOR SPECS

### Max Output

- high (Incand.) 50 lumens
- low (LED) 3 lumens

### Runtime

- high (Incand.) 1 hour
- low (LED) 20 hours

**Weight** (w/batteries) 4.1 ounces

**Length** 5.5 inches


**Bezel Diam.** 1.13 inches

**Batteries** (included) Two 123A lithiums





# THE WORLD'S FIRST HYBRID FLASHLIGHT



1. Multiple light sources:  
central xenon lamp and three low-output, wide-angle LEDs
2. Precision fixed-focus reflector system produces bright central beam with gradually diminishing surround beam
3. Coated Pyrex window for maximum light output
4. Microprocessor control for optimum performance
5. Aerospace-grade aluminum body, Mil-Spec Type III hardanodized in olive drab
6. O-ring sealed, weatherproof
7. Tailcap switch: press for low-output, wide-angle LED beam, press further for high-output incandescent beam - twist for constant-on at either level
8. Patented switch lockout prevents accidental activation



## LED AND HYBRID FLASHLIGHT ACCESSORIES

|                          | E1L  | E2L         | L1   | L2          | L4          | L5   | U2   | KROMA | TITAN   |
|--------------------------|------|-------------|------|-------------|-------------|------|------|-------|---------|
| <b>Lithium Batteries</b> | ONE  | TWO         | ONE  | TWO         | TWO         | TWO  | TWO  | TWO   | ONE CR2 |
| <b>Spares Carrier</b>    | SC3  | SC3         | SC3  | SC3         | SC3         | SC3  | SC3  | SC3   | x       |
| <b>Holster</b>           |      |             |      |             |             |      |      |       |         |
| Nylon, quick release     | V82  | V20,V21,V25 | V82  | V10,V11,V15 | V20,V21,V25 | x    | V91  | V91   | x       |
| Polymer                  | x    | x           | x    | x           | x           | V72  | x    | x     | x       |
| <b>Filters</b>           |      |             |      |             |             |      |      |       |         |
| Infrared filter          | x    | x           | x    | x           | x           | x    | x    | x     | x       |
| Diffusion filter         | F04  | F04         | F04  | x           | x           | FM64 | FM64 | FM64  | x       |
| Red filter               | F05  | F05         | F05  | F05         | F05         | FM65 | FM65 | x     | x       |
| Blue filter              | F06  | F06         | F06  | F06         | F06         | FM66 | FM66 | x     | x       |
| Opaque cover             | FM57 | FM57        | FM57 | FM57        | FM57        | FM67 | FM67 | FM67  | x       |
| Traffic wand             | x    | x           | x    | x           | x           | F68  | F68  | F68   | x       |

### A2

|                                       |             |
|---------------------------------------|-------------|
| <b>Lithium Batteries</b>              | TWO         |
| <b>Spares Carrier</b>                 | SC3         |
| <b>Lamp Assemblies</b><br>High-output | MA02        |
| <b>Holster</b>                        |             |
| Nylon, quick release                  | V20,V21,V25 |
| Leather, plain                        | V26         |
| Leather, basketweave                  | V27         |
| Leather, Clarino                      | V28         |

***Did you know...***  
*SureFire currently  
 holds over 40 patents.*

# XENON INCANDESCENT FLASHLIGHTS

Although they may be old-school technology, incandescent lamps are capable of generating high-output beams that, when teamed with the right reflector and bezel, can reach far into the night. And of all the incandescent flashlights on the market, SureFire xenon incandescent lamps are by far the best.

An incandescent lamp works by running current through a tungsten filament until it heats up enough to emit light. Off-the-shelf, run-of-the-mill filaments won't do for SureFire; we use custom-designed, custom-wound filaments in our lamps. Then, to maximize the lamp's output and operating life, while minimizing tungsten boil-off—a process that can form a light-blocking layer of tungsten on the inside wall of the lamp—our lamps are filled with expensive high-pressure xenon gas and, in some models, a halogen additive.

SureFire's high-performance xenon lamps are precision placed within perfectly shaped aluminum reflectors coated with a light-smoothing micro-texture. The result is a beam with no obvious hot spots, dark rings, or imperfections. A protective window made of tempered Pyrex® glass coated with a layer of anti-reflective material to minimize light loss covers the reflector/lamp assembly. Wrap it all up in a tough, aerospace-grade aluminum or polymer body. Seal the body with O-rings. Power it with compact lithium batteries with a 10-year shelf life. Now you've got a world-class illumination tool that performs at the highest level in virtually any conditions.







# SPECIAL OPERATIONS FLASHLIGHTS

Definitely not your father's two-D-cell flashlight that he kept in the broom closet in case the lights went out. SureFire Special Ops illumination tools are the same hardcore lights carried by elite military groups, SWAT teams, and other law enforcement and military units around the globe. Designed to generate an intense beam that penetrates the night, these flashlights are perfect for temporarily blinding, disorienting, and controlling potential foes, an invaluable function in law enforcement and military applications.

This same tightly focused beam is ideal for outdoor enthusiasts who need to illuminate distant waypoints or dangerous drop-offs, light up caves and crevices, find trails that have disappeared in the dark, or to spot and ward off nocturnal critters that are higher up on

the food chain. Just about any activity that involves you, wide-open spaces, and dark, moonless nights.

Special Operations flashlights are not only built to last, they're built with the expectation that punishment will be the norm, not the exception. They feature internal shock isolation to protect the lamp assembly from impacts like drops or strikes, and they're O-ring sealed for weather resistance. And, of course, they're machined from aerospace-grade aluminum and hard anodized with an ultra tough Mil-Spec Type III finish.

So don't worry about coddling these bad boys. If they're tough enough to take what our guys in uniform can dish out, they should handle your "special operations" just fine.



Tailcap switch: press for momentary-on, twist for constant-on

Tactical lanyard included

O-ring sealed for weatherproofing

Patented switch lockout prevents accidental activation

Rugged, aerospace-grade aluminum body hard anodized with Mil-Spec Type III finish

Tubehead reflector creates tighter beam for extended-range illumination

Shock-isolation system provides extra recoil/impact protection for lamp assembly

Two interchangeable xenon lamp assemblies (included) for selecting output/runtime

Coated Pyrex® window for maximum light transmission

Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam

# SPECIAL OPERATIONS FLASHLIGHTS

M6® GUARDIAN® SHOWN

# M6® GUARDIAN®



## BODY COLOR



SureFire's most powerful lithium-battery incandescent flashlight. About the same size as a typical two-D-cell flashlight, the M6 Guardian can put out over 25 times the light. With either its 250- or 500-lumen lamp (both included), 2.5-inch Turbohead reflector, and six-battery power pack, the M6 produces a searing beam perfect for searching, signalling, or overwhelming a foe's night-adapted vision in a combat situation.

## M6 GUARDIAN SPECS

|                      |                   |
|----------------------|-------------------|
| Max Output           | 250/500* lumens   |
| Runtime              | 60/20* minutes    |
| Weight (w/batteries) | 15.9 ounces       |
| Length               | 7.9 inches        |
| Bezel Diam.          | 2.5 inches        |
| Batteries (included) | Six 123A lithiums |

*\*Using included ultra high-output lamp assembly*



## THE QUICK-CHANGE BATTERY MAGAZINE

The M6 Guardian uses the SureFire MB20 quick-change battery magazine, which holds six 123A lithium batteries. For fast battery replacement in the field, we recommend carrying an extra MB20 preloaded with SureFire lithium batteries.



# M4 DEVASTATOR®



## BODY COLOR



Anyone caught in the blinding beam of the M4's ultra high-output lamp will know exactly why this flashlight is called the Devastator. Powered by four 123A lithium batteries, the M4 runs up to an hour using its 225-lumen lamp and 20 minutes with its 350-lumen lamp, both included. Available with or without crenellated Strike Bezel™.

## M4 DEVASTATOR SPECS



|                      |                    |
|----------------------|--------------------|
| Max Output           | 225/350* lumens    |
| Runtime              | 60/20* minutes     |
| Weight (w/batteries) | 11.6 ounces        |
| Length               | 9.15 inches        |
| Bezel Diam.          | 2.5 inches         |
| Batteries (included) | Four 123A lithiums |

*\*Using included ultra high-output lamp assembly*



### SHOCK ISOLATION AND PROTECTION

The lamp assemblies in all Special Operations flashlights are shock isolated for additional protection. Shock isolation uses dampers and springs, much like an automobile's suspension system, to help prevent external forces from damaging lamp parts, particularly the tungsten filament. For added protection, a machined-in barrier prevents the flashlight's batteries from slamming into the lamp assembly if dropped or hit by another object.



1. Xenon/halogen lamp assembly with tungsten filament
2. Coated Pyrex window for optimal light transmission
3. Patented lockout tailcap
4. Momentary-on tailcap switch
5. Recoil-dampening sleeve
6. Integral shock-isolation spring
7. Machined-in battery barrier
8. Precision parabolic reflector with micro-textured surface

The powerful M3 and M3T feature SureFire's CombatGrip™—stepped-down bodies with rubber grip-rings for a secure grasp in any conditions or when holding a flashlight and firearm at the same time. The two M3s are pretty much identical except for their heads. The M3 has a 1.62-inch bezel and reflector,

and the M3T features a 2.5-inch Turbohead reflector that extends the range of the beam. This extra reach comes at the expense of a bit more weight and size—the M3T is 2.8 ounces heavier and 0.6 inches longer than the M3.



**M3 COMBATLIGHT SPECS**

- Max Output** 125/225\* lumens
- Runtime** 60/20\* minutes
- Weight (w/batteries)** 7.0 ounces
- Length** 7.3 inches
- Bezel Diam.** 1.62 inches
- Batteries (included)** Three 123A lithiums

*\*Using included ultra high-output lamp assembly*

# M3 COMBATLIGHT®



BODY COLOR



# M3T COMBATLIGHT®



BODY COLOR



**M3T COMBATLIGHT SPECS**

- Max Output** 125/225\* lumens
- Runtime** 60/20\* minutes
- Weight (w/batteries)** 9.8 ounces
- Length** 7.9 inches
- Bezel Diam.** 2.5 inches
- Batteries (included)** Three 123A lithiums

*\*Using included ultra high-output lamp assembly*





### TO STRIKE OR NOT TO STRIKE

SureFire Special Ops lights M6, M4, and M3T are available with or without a crenellated Strike Bezel.™ A Strike Bezel provides a last line of self-defense. So which one should you select? If you're purchasing your light for tactical or self-defense applications, go with a Strike Bezel. If your plans are primarily for outdoor use, disaster preparedness, or general use, a standard bezel will serve you just fine.

## M2 CENTURION®



BODY COLOR



The smallest member of the Special Operations family yet powerful enough to temporarily blind an attacker or cut a swath of brilliant light through the night. The M2 features SureFire's patented CombatGrip™, weighs just over six ounces, is under six inches long, and generates an impressive 120 lumens of light with its included ultra high-output lamp. And because it's pocket sized, it's the only Special Ops light with a pocket clip.

### M2 CENTURION SPECS

|                      |                   |
|----------------------|-------------------|
| Max Output           | 65/120* lumens    |
| Runtime              | 60/20* minutes    |
| Weight (w/batteries) | 6.1 ounces        |
| Length               | 5.6 inches        |
| Bezel Diam.          | 1.47 inches       |
| Batteries (included) | Two 123A lithiums |

\*Using included ultra high-output lamp assembly






SureFire Customer Cory N.  
-Emergency Medical Technician

I am an EMT in New York, and one night I was dispatched on a psych evaluation for a patient who'd been off his meds for several days and was becoming violent. One of the cops on scene had tried to subdue the patient but failed when the 6-foot, 240-pound man grabbed a knife. Luckily, I had my SureFire M6 with me, so with the cop in front of me, I shined 500 lumens into the patient's eyes. He immediately covered them, giving the police a chance to take him down. My M6 not only saved a person from potentially being shot and killed, it justified my expenditure on such an awesome light.

A SUREFIRE M6 GUARDIAN AND TWO HELMET-MOUNTED X200 WEAPONLIGHTS SHED ENOUGH LIGHT ON THIS 100-MILLION-YEAR-OLD WORK OF UNDERGROUND ART TO PROPERLY APPRECIATE IT.



**SPECIAL OPERATIONS  
FLASHLIGHT ACCESSORIES**

|                          | M2   | M3    | M3T   | M4   | M6   |
|--------------------------|------|-------|-------|------|------|
| <b>Lithium Batteries</b> | TWO  | THREE | THREE | FOUR | SIX  |
| <b>Spares Carrier</b>    | SC1  | SC2   | SC2   | SC2  | SC2  |
| <b>Lamp Assemblies</b>   |      |       |       |      |      |
| High-output              | P60  | MN10  | MN15  | MN60 | MN20 |
| Ultra high-output        | P61  | MN11  | MN16  | MN61 | MN21 |
| <b>Holster</b>           |      |       |       |      |      |
| Polymer                  | V72  | V71   | V71   | V71  | x    |
| <b>Filters</b>           |      |       |       |      |      |
| Infrared filter          | FM63 | FM13  | FM23  | FM23 | FM23 |
| Diffusion filter         | FM64 | FM14  | FM24  | FM24 | FM24 |
| Red filter               | FM65 | FM15  | FM25  | FM25 | FM25 |
| Blue filter              | FM66 | FM16  | FM26  | FM26 | FM26 |
| Opaque cover             | FM67 | FM17  | FM27  | FM27 | FM27 |
| Traffic wand             | F68  | F38   | x     | x    | x    |



# EXECUTIVE SERIES FLASHLIGHTS

As their name suggests, Executive Series illumination tools are powerful and efficient with impeccable styling. And while the Executives may be understated when it comes to size, they're big when it comes to performance.

The E1E Executive Elite® is a bit over three inches long, weighs a tad over two ounces fully loaded, runs for an incredible 90 minutes on a single lithium battery, and kicks out nearly as much light as a much bulkier two-D-cell flashlight. Its size and weight make it perfect for everyday carry in your pocket, purse, or briefcase (it is an Executive after all) or for taking along when you travel. Clip it to the brim or bill of a hat for quick, hands-free illumination.

The E2E Executive Elite® is a bigger, brighter, two-battery version of the E1E. It throws out a 60-lumen beam of tactical-level light (enough to temporarily blind and disorient an assailant) and runs for an hour and a quarter, making it a great choice for an everyday-carry, self-defense flashlight.

For a small, self-defense flashlight with added bite, look no further than the E2D Defender®—essentially an E2E with teeth. The Defender boasts the same output and runtime as the E2E but comes equipped with a crenellated Strike Bezel™ and scalloped tailcap for enhanced self-defense capabilities. Just in case a blinding, 60-lumen eye bath isn't enough to make a bad guy think twice.





# E2D DEFENDER®

HIGH-OUTPUT SELF-DEFENSE FLASHLIGHT



## BODY COLOR



## E2D DEFENDER SPECS

|                      |                   |
|----------------------|-------------------|
| Max Output           | 60 lumens         |
| Runtime              | 1.25 hours        |
| Weight (w/batteries) | 3.2 ounces        |
| Length               | 4.9 inches        |
| Bezel Diam.          | 1.0 inches        |
| Batteries (included) | Two 123A lithiums |

## FEATURES

- High-pressure xenon lamp
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Extra-thick, coated Pyrex® window for maximum light transmission
- Rugged aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black
- Crenellated bezel and scalloped tail
- O-ring sealed, weatherproof
- Pocket clip
- Tailcap switch: press for momentary-on, press further to click constant-on
- Switch lockout prevents accidental activation

ALASKA MAY BE THE "LAND OF THE MIDNIGHT SUN" IN THE SUMMER, BUT DURING WINTER IT'S DARK MOST OF THE TIME. A DEDICATED RUNNER USES HER SUREFIRE TO KEEP DARKNESS FROM HINDERING HER TRAINING.

# E1E & E2E EXECUTIVE ELITE®

HIGH-OUTPUT XENON FLASHLIGHTS



BODY COLORS



## FEATURES

- High-pressure xenon lamp
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Rugged aerospace-grade aluminum body, Mil-Spec Type III anodizing in olive drab (*satin gray is Type II*)
- O-ring sealed, weatherproof
- Pocket clip
- Tailcap switch: press for momentary-on, press further to click constant-on
- Switch lockout prevents accidental activation

## E2E EXECUTIVE ELITE SPECS

|                             |                   |
|-----------------------------|-------------------|
| <b>Max Output</b>           | 60 lumens         |
| <b>Runtime</b>              | 1.25 hours        |
| <b>Weight</b> (w/batteries) | 3.1 ounces        |
| <b>Length</b>               | 4.8 inches        |
| <b>Bezel Diam.</b>          | 1.0 inches        |
| <b>Batteries</b> (included) | Two 123A lithiums |



BODY COLOR



## E1E EXECUTIVE ELITE SPECS

|                             |                  |
|-----------------------------|------------------|
| <b>Max Output</b>           | 15 lumens        |
| <b>Runtime</b>              | 1.5 hours        |
| <b>Weight</b> (w/battery)   | 2.2 ounces       |
| <b>Length</b>               | 3.4 inches       |
| <b>Bezel Diam.</b>          | 1.0 inches       |
| <b>Batteries</b> (included) | One 123A lithium |

"IS THERE ANYBODY OUT THERE?" IF THERE IS, THE BRIGHT, PERFECTLY FOCUSED BEAM OF THIS SUREFIRE ILLUMINATION TOOL WILL FIND THEM.



# COMPACT HIGH-INTENSITY FLASHLIGHTS

P54

When it was introduced in 1986, the SureFire 6P® revolutionized flashlight technology—high-energy lithium batteries, compact size, and several times more light output than the D-cell dinosaurs it supplanted. Today, the 6P and its Nitrolon® brother, the G2®, remain SureFire best-sellers. But we like to think a good thing can always get better, which is why we've introduced two new models to the family: the G3™ Nitrolon® and the 6P® Defender®.


Like its older brother, the all-new 6P Defender lights up the night with 65 lumens of pure, white light, while adding two twists to the 6P Original: a click-on/off tailcap and a crenellated Strike Bezel™ for added self-defense capabilities.

The 9P® builds on the 6P's formula for success by adding an extra battery for 40 more lumens of light. And if you need even more, you can increase the 9P's output to a searing 200 lumens with its optional ultra high-output lamp.

SureFire's undisputed value leader is the G2® Nitrolon®, a lighter-weight version of the 6P, made from Nitrolon, our own abrasion-resistant, corrosion-proof, incredibly strong polymer. At an extremely competitive price, the G2 is perfect for sticking in a

glove compartment, first-aid or emergency-preparedness kit, a nightstand drawer, your pocket, or all of the above. A lower price tag doesn't mean a sacrifice in quality either—like all SureFire illumination tools, the G2 is O-ring sealed and features our patented switch-lockout feature to prevent accidental activation.

Also new for 2007, the G3 is a higher-output version of the G2 with a few minor differences, including an extra battery and a window made of tempered Pyrex® instead of Lexan®. The G3's xenon lamp/reflector assembly produces 105 lumens of brilliant white light—over five times brighter than a typical two-D-cell flashlight—and its optional ultra high-output lamp assembly puts out 200 lumens of light. Like the G2, the G3's lightweight, rugged body is made from Nitrolon and molded with a grid pattern for a slip-proof grip in virtually any weather.



IT'S A LONG WAY DOWN, BUT NOT TOO FAR FOR AN  
EXTENDED-REACH BEAM SHAPED BY A SUREFIRE  
TURBOHEAD REFLECTOR.

NEW

# 6P<sup>®</sup> DEFENDER<sup>®</sup>



BODY COLOR



## 6P DEFENDER SPECS

|                      |                   |
|----------------------|-------------------|
| Max Output           | 65/120* lumens    |
| Runtime              | 60/20* minutes    |
| Weight (w/batteries) | 5.3 ounces        |
| Length               | 5.5 inches        |
| Bezel Diam.          | 1.25 inches       |
| Batteries (included) | Two 123A lithiums |

\*With optional ultra high-output P61 lamp assembly (not included).



## THE P-SERIES FEATURES

- Two interchangeable high-pressure xenon lamp/reflector assemblies to choose from for selecting output/runtime (*ultra high-output lamp assembly not included*)
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Crenellated Strike Bezel™ (*6P Defender only*)
- Coated Pyrex® window for maximum light transmission
- Rugged aerospace-grade aluminum body, Type II anodized in black or satin gray (*6P Defender & 9P black only*)
- O-ring sealed, weatherproof
- Tailcap switch: press for momentary-on, twist for constant-on (*6P Original & 9P*); press for momentary-on, press further to click constant-on (*6P Defender*)
- Patented switch lockout prevents accidental activation



# 6P<sup>®</sup> ORIGINAL



BODY COLOR



## 6P ORIGINAL SPECS

|                             |                   |
|-----------------------------|-------------------|
| <b>Max Output</b>           | 65/120* lumens    |
| <b>Runtime</b>              | 60/20* minutes    |
| <b>Weight</b> (w/batteries) | 5.3 ounces        |
| <b>Length</b>               | 5.2 inches        |
| <b>Bezel Diam.</b>          | 1.25 inches       |
| <b>Batteries</b> (included) | Two 123A lithiums |

\*With optional ultra high-output P61 lamp assembly (not included).

# 9P<sup>®</sup> ORIGINAL



BODY COLOR



## 9P ORIGINAL SPECS

|                             |                     |
|-----------------------------|---------------------|
| <b>Max Output</b>           | 105/200* lumens     |
| <b>Runtime</b>              | 60/20* minutes      |
| <b>Weight</b> (w/batteries) | 6.5 ounces          |
| <b>Length</b>               | 6.5 inches          |
| <b>Bezel Diam.</b>          | 1.25 inches         |
| <b>Batteries</b> (included) | Three 123A lithiums |

\*With optional ultra high-output P91 lamp assembly (not included).

## 9P ORIGINAL FEATURES

- Two interchangeable high-pressure xenon lamp/reflector assemblies to choose from for selecting output/runtime (*ultra high-output lamp assembly not included*)
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex<sup>®</sup> window for maximum light transmission
- Rugged aerospace-grade aluminum body, Type II anodized in black
- O-ring sealed, weatherproof
- Tailcap switch: press for momentary-on, twist for constant-on
- Patented switch lockout prevents accidental activation

NEW

# G3™ NITROLON®



BODY COLOR



## THE G-SERIES FEATURES

- Two interchangeable high-pressure xenon lamp/reflector assemblies to choose from for selecting output/runtime (*ultra high-output lamp assembly not included*)
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission (*Lexan window on G2*)
- Rugged, lightweight, corrosion-proof Nitrolon polymer body with slip-proof grid pattern
- O-ring sealed, weatherproof
- Tailcap switch: press for momentary-on, twist for constant-on
- Patented switch lockout prevents accidental activation

## G3 NITROLON

|                             |                     |
|-----------------------------|---------------------|
| <b>Max Output</b>           | 105/200* lumens     |
| <b>Runtime</b>              | 60/20* minutes      |
| <b>Weight</b> (w/battery)   | 5.5 ounces          |
| <b>Length</b>               | 6.5 inches          |
| <b>Bezel Diam.</b>          | 1.25 inches         |
| <b>Batteries</b> (included) | Three 123A lithiums |

*\*With optional ultra high-output P91 lamp assembly (not included).*





## G2<sup>®</sup> NITROLON<sup>®</sup>



### BODY COLORS



### G2 NITROLON SPECS


|                      |                   |
|----------------------|-------------------|
| Max Output           | 65/120* lumens    |
| Runtime              | 60/20* minutes    |
| Weight (w/batteries) | 4.1 ounces        |
| Length               | 5.1 inches        |
| Bezel Diam.          | 1.25 inches       |
| Batteries (included) | Two 123A lithiums |

*\*With optional ultra high-output P61 lamp assembly (not included).*





**SUREFIRE**  
THE WORLD'S FINEST  
ILLUMINATION TOOLS®





# XENON COMBATLIGHT® SERIES

P62



A grip that allows a user to hold a flashlight while holding or firing a handgun is an important feature in military and law enforcement applications. SureFire's CombatGrip™, a stepped-down body with a rubber grip-ring, lets the user hold the flashlight with one hand, like a syringe, while maintaining two-handed control over a firearm. It's also perfect for hanging on to in just about any conditions, even while wearing gloves.

The Z2 CombatLight® is so well suited to being paired with a handgun that it's standard issue for the FBI, Air Marshals, and many police departments worldwide. Also available in a lighter-weight Nitrolon® polymer version—the SureFire G2Z—these two CombatLights produce enough focused light to temporarily overwhelm an aggressor's night-adapted vision.

The C2 and C3 Centurion® add a pocket clip and a finishing choice of either Type II black or Mil-Spec Type III hard anodizing in olive drab. Like the Z2 and G2Z, the C2 projects a 65-lumen, tactical-level beam for 60 minutes on a single set of batteries, or a 120-lumen beam for 20 minutes with its optional ultra high-output lamp assembly. With a third battery for more power, the slightly longer C3 Centurion generates 105 lumens of light, 200 lumens with its optional ultra high-output lamp.

Although a properly held SureFire CombatLight will never slip from your hand, each comes with an included lanyard. Because things can happen out there that even SureFire engineers can't factor in.



# Z2 COMBATLIGHT®



BODY COLOR



## Z2 COMBATLIGHT SPECS

|                      |                   |
|----------------------|-------------------|
| Max Output           | 65/120* lumens    |
| Runtime              | 60/20* minutes    |
| Weight (w/batteries) | 4.8 ounces        |
| Length               | 5.2 inches        |
| Bezel Diam.          | 1.25 inches       |
| Batteries (included) | Two 123A lithiums |

\*With optional ultra high-output P61 lamp assembly (not included).



# G2Z COMBATLIGHT®



BODY COLORS



## G2Z COMBATLIGHT SPECS

|                      |                   |
|----------------------|-------------------|
| Max Output           | 65/120* lumens    |
| Runtime              | 60/20* minutes    |
| Weight (w/batteries) | 4.1 ounces        |
| Length               | 5.2 inches        |
| Bezel Diam.          | 1.25 inches       |
| Batteries (included) | Two 123A lithiums |

\*With optional ultra high-output P61 lamp assembly (not included).

## THE Z-SERIES FEATURES

- Two interchangeable high-pressure xenon lamp/reflector assemblies to choose from for selecting output/runtime (*ultra high-output lamp assembly not included*)
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Rugged, aerospace-grade aluminum body, Type II anodized in black (*lightweight, corrosion-proof Nitrolon for G2Z*)
- O-ring sealed, weatherproof
- Tailcap switch: press for momentary-on, twist for constant-on
- Patented switch lockout prevents accidental activation
- Lanyard included



# C2 CENTURION®



**BODY COLORS**  


## THE C-SERIES FEATURES

- Two interchangeable high-pressure xenon lamp/reflector assemblies to choose from for selecting output/runtime (*ultra high-output lamp assembly not included*)
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Rugged, aerospace-grade aluminum body, available with Type II anodizing in black or Mil-Spec Type III hard anodizing in olive drab
- O-ring sealed, weatherproof
- Pocket clip
- Tailcap switch: press for momentary-on, twist for constant-on
- Patented switch lockout prevents accidental activation
- Lanyard included

## C2 CENTURION SPECS

|                             |                   |
|-----------------------------|-------------------|
| <b>Max Output</b>           | 65/120* lumens    |
| <b>Runtime</b>              | 60/20* minutes    |
| <b>Weight</b> (w/batteries) | 5.3 ounces        |
| <b>Length</b>               | 5.2 inches        |
| <b>Bezel Diam.</b>          | 1.25 inches       |
| <b>Batteries</b> (included) | Two 123A lithiums |

*\*With optional ultra high-output P61 lamp assembly (not included).*



**GEORGE SYRENGELAS**  
*RETURNS & REPAIRS SUPERVISOR*

IRONICALLY, THE NUMBER-ONE "REPAIR" GEORGE AND HIS CREW PERFORM ISN'T A REPAIR AT ALL. IT'S REPLACING DEPLETED BATTERIES IN FLASHLIGHTS CUSTOMERS HAVE SENT BACK, MISTAKENLY BELIEVING THE PROBLEM TO BE SOMETHING MORE SUBSTANTIAL.

"PEOPLE SOMETIMES HAVE A TENDENCY TO ASSUME THE WORST," SAYS GEORGE. "ESPECIALLY IF THEY'VE NEVER OWNED A SUREFIRE BEFORE. BUT OUR LIGHTS ARE BUILT TO BE SO RELIABLE AND DURABLE THAT THERE'S VERY RARELY A PROBLEM WITH ONE."

SO WHAT'S THE MOST INCREDIBLE EXAMPLE OF SUREFIRE DURABILITY GEORGE HAS SEEN IN HIS OVER FIVE YEARS HEADING THE REPAIRS DEPARTMENT?

"I ONCE RECEIVED AN LY THAT HAD BEEN DROPPED OFF A 250-FOOT CLIFF AND SMASHED INTO THE ROCKS BELOW. THE LENS WAS BROKEN AND THE BODY WAS A BIT DINGED UP, BUT IT FIRED RIGHT UP AND SHINED AS BRIGHTLY AS A NEW ONE RIGHT OUT OF THE BOX. NOW THAT'S WHAT I CALL BUILT TO LAST."

P65

**C3 CENTURION®**



BODY COLORS




**C3 CENTURION SPECS**

|                             |                     |
|-----------------------------|---------------------|
| <b>Max Output</b>           | 105/200* lumens     |
| <b>Runtime</b>              | 60/20* minutes      |
| <b>Weight (w/battery)</b>   | 6.7 ounces          |
| <b>Length</b>               | 6.5 inches          |
| <b>Bezel Diam.</b>          | 1.25 inches         |
| <b>Batteries (included)</b> | Three 123A lithiums |

*\*With optional ultra high-output P91 lamp assembly (not included).*







SureFire Customer Kristopher A.  
-Pilot

While flying at night from Little Rock, Arkansas, to Norman, Oklahoma, all the lights in my aircraft, including my landing lights, went out about an hour from Norman. I used my SureFire C2, with a red filter so as not to degrade my night-adapted vision, to read my airspeed indicator, directional gyro, tachometer, and altitude indicator. The air traffic controller informed me that, while they had me on radar, they were unable to establish visual contact. So as I lined up for my approach, I removed the red filter and began flashing my C2 at the tower until they saw me. I was able to use the C2 as my landing light, which was a great help on a moonless night! Now I never leave for a flight without making sure I have my SureFire with me.

# XENON INCANDESCENT FLASHLIGHT ACCESSORIES

|                          | E1E  | E2E  | E2D         | G2          | G3          | 6P          | 6PD         | 9P          |
|--------------------------|------|------|-------------|-------------|-------------|-------------|-------------|-------------|
| <b>Lithium Batteries</b> | ONE  | TWO  | TWO         | TWO         | THREE       | TWO         | TWO         | THREE       |
| <b>Spares Carrier</b>    | SC3  | SC3  | SC3         | SC1         | SC1         | SC1         | SC1         | SC1         |
| <b>Lamp Assemblies</b>   |      |      |             |             |             |             |             |             |
| High-output              | MN01 | MN02 | x           | P60         | P90         | P60         | P60         | P90         |
| Ultra high-output        | x    | MN03 | MN03        | P61         | P91         | P61         | P61         | P91         |
| <b>Holster</b>           |      |      |             |             |             |             |             |             |
| Nylon, quick release     | x    | V82  | V20,V21,V25 | V20,V21,V25 | V10,V11,V15 | V20,V21,V25 | V20,V21,V25 | V10,V11,V15 |
| Polymer                  | x    | x    | x           | V70         | V70         | V70         | V70         | V70         |
| <b>Filters</b>           |      |      |             |             |             |             |             |             |
| Infrared filter          | F03  | F03  | F03         | FM33        | FM33        | FM33        | FM33        | FM33        |
| Diffusion filter         | F04  | F04  | F04         | FM34        | FM34        | FM34        | FM34        | FM34        |
| Red filter               | F05  | F05  | F05         | FM35        | FM35        | FM35        | FM35        | FM35        |
| Blue filter              | F06  | F06  | F06         | FM36        | FM36        | FM36        | FM36        | FM36        |
| Opaque cover             | FM57 | FM57 | FM57        | FM37        | FM37        | FM37        | FM37        | FM37        |
| Traffic wand             | x    | x    | x           | F28         | F28         | F28         | F28         | F28         |

|                          | G2Z  | Z2   | C2   | C3    |
|--------------------------|------|------|------|-------|
| <b>Lithium Batteries</b> | TWO  | TWO  | TWO  | THREE |
| <b>Spares Carrier</b>    | SC1  | SC1  | SC1  | SC1   |
| <b>Lamp Assemblies</b>   |      |      |      |       |
| High-output              | P60  | P60  | P60  | P90   |
| Ultra high-output        | P61  | P61  | P61  | P91   |
| <b>Holster</b>           |      |      |      |       |
| Nylon, quick release     | x    | x    | x    | x     |
| Polymer                  | V70  | V70  | V70  | V70   |
| <b>Filters</b>           |      |      |      |       |
| Infrared filter          | FM33 | FM33 | FM33 | FM33  |
| Diffusion filter         | FM34 | FM34 | FM34 | FM34  |
| Red filter               | FM35 | FM35 | FM35 | FM35  |
| Blue filter              | FM36 | FM36 | FM36 | FM36  |
| Opaque cover             | FM37 | FM37 | FM37 | FM37  |
| Traffic wand             | F28  | F28  | F28  | F28   |



# ADVANCED RECHARGEABLE FLASHLIGHTS

P68







Use it, drain it, recharge it...use it, drain it, recharge it... You get the idea. Rechargeable flashlights are convenient, effective, economical, and a great option—if you use your flashlight a lot. But if you're planning on using your flashlight only sporadically or sticking it in a glove compartment, trunk, or disaster-preparedness kit, a rechargeable is NOT the right choice. Unlike disposable lithium batteries, rechargeable batteries self-discharge over time, so if you stow a rechargeable flashlight, the battery may not have any juice left by the time you actually need it.

If "Action" will be your flashlight's middle name (SureFire should be its first), an Advanced Rechargeable is for you. Every SureFire rechargeable kit (excluding the 10X Dominator®) includes two Ni-Cad batteries. So while you're using one battery, the other can be charging away in its included Rapid SmartCharger cradle, which automatically monitors the charging process, ensuring a perfectly charged battery in less than two hours. Kits also include a 110-volt AC power supply transformer and a DC accessory plug to charge your light's battery via the cigarette-lighter socket of a car or boat. So you can keep the whole use-drain-recharge cycle going even if you're on the move.

# DUAL-OUTPUT INCANDESCENT RECHARGEABLES

These rechargeables were originally designed for patrol officers, who need an intense, far-reaching beam for searching and defensive purposes and a lower-output beam with an extended runtime for everyday duties. But they're not just for law enforcement. They're perfect for anyone looking for a versatile, dual-output rechargeable flashlight, especially one with spotlight capability (the 10X), that will easily hang from a belt or fit into a coat pocket.

The 10X Dominator lives up to its name by overpowering anyone or anything in its path with 500 lumens of eye-searing incandescent light. For jobs that don't require so much light, its patented dual-lamp/reflector system allows you to activate its lower-output 60-lumen lamp simply by letting up on its two-stage tailcap pushbutton—and it'll run at this level for up to three hours on a single charge.

## 10X DOMINATOR FEATURES

- Ni-Cad battery built into removable body assembly
- Two high-pressure xenon lamps in separate reflectors for dual-output levels: 500 lumens & 60 lumens (110 lumens with optional ultra high-output lamp)
- Two precision micro-textured reflectors that each produce a bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Rugged, lightweight, corrosion-proof Nitrolon polymer body with machined aluminum dual-reflector system, Mil-Spec Type III hard-anodized
- O-ring sealed, weatherproof
- Two-stage tailcap switch: press lightly for low-output light level, harder for high-output light level
- Rotate head for constant-on operation at both output levels
- Lockout switch: prevents accidental activation, enabled by rotating head counterclockwise
- Rapid SmartCharger accepts battery body assembly with or without head in place, allowing for charging of optional spare battery body while flashlight is in use
- Flashlight locks in place into SmartCharger by rotating 90 degrees, preventing light from coming loose during extreme movement or car accident
- Charger accessories include 110-volt AC power supply transformer and DC accessory plug for charging in 12-volt socket of car or boat



## 10X DOMINATOR®



BODY COLOR





THE DOMINATOR'S TWO-PIECE DUAL-LAMP REFLECTOR IS PRECISION MACHINED FROM SOLID ALUMINUM BAR STOCK.

### 10X DOMINATOR SPECS

#### Max Output

|        |                |
|--------|----------------|
| - high | 500 lumens     |
| - low  | 60/110* lumens |

#### Runtime

|        |                      |
|--------|----------------------|
| - high | 20 minutes           |
| - low  | 3 hours / 1.5* hours |

**Weight** (w/battery) 20 ounces

**Length** 9.3 inches

**Bezel Diam.** 2.5 inches

**Battery** (included) One B20 Ni-Cad

\*With optional ultra high-output MN32 lamp assembly (not included).

## 9AN COMMANDER®

If 500 lumens is overkill for your needs, the 9AN Commander utilizes two lamps within a single reflector to give you a choice between 140 lumens of blinding incandescent light and 20 lumens of extremely functional light, making it versatile enough for most any mission.



#### BODY COLORS



### 9AN COMMANDER FEATURES

- Two high-pressure xenon lamps in one reflector for dual-output levels: 140 and 20 lumens
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Rugged aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black or olive drab
- O-ring sealed, weatherproof
- Tailcap switch: press for momentary-on, twist for constant-on
- Patented switch lockout prevents accidental activation during transport or storage

### 9AN COMMANDER SPECS

#### Max Output

|        |            |
|--------|------------|
| - high | 140 lumens |
| - low  | 20 lumens  |

#### Runtime

|        |            |
|--------|------------|
| - high | 40 minutes |
| - low  | 2 hours    |

**Weight** (w/battery) 12.8 ounces

**Length** 8.0 inches

**Bezel Diam.** 1.62 inches

**Battery** One B90 Ni-Cad

TWO LAMPS IN A SINGLE REFLECTOR—THE DUAL-OUTPUT 9AN COMMANDER





# INCANDESCENT RECHARGEABLES

## 8AX COMMANDER®



### BODY COLORS



### 8AX COMMANDER SPECS

|                    |                |
|--------------------|----------------|
| Max Output         | 110 lumens     |
| Runtime            | 50 minutes     |
| Weight (w/battery) | 9.7 ounces     |
| Length             | 7.3 inches     |
| Bezel Diam.        | 1.47 inches    |
| Battery            | One B90 Ni-Cad |



Smaller and lighter than the dual-output rechargeables, the 8AX and 8NX Commander are portable and powerful enough for the demands of most any task. They put out an impressive 110 lumens of brilliant, white light for 50 minutes on a single charge. And they're built to endure the rigors of any job, with features like O-ring seals, durable bodies constructed of hard-anodized aluminum (8AX) or corrosion-proof Nitrolon® polymer (8NX), and tempered Pyrex® windows to protect their lamp assemblies.

### FEATURES

- High-pressure xenon lamp
- Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam
- Coated Pyrex® window for maximum light transmission
- Rugged aerospace-grade aluminum body, Mil-Spec Type III anodizing in black or olive drab (8NX available in Nitrolon only)
- O-ring sealed, weatherproof
- Tailcap switch: press for momentary-on, twist for constant-on

## 8NX COMMANDER®



### BODY COLOR



### 8NX COMMANDER SPECS

|                    |                |
|--------------------|----------------|
| Max Output         | 110 lumens     |
| Runtime            | 50 minutes     |
| Weight (w/battery) | 8.0 ounces     |
| Length             | 7.3 inches     |
| Bezel Diam.        | 1.47 inches    |
| Battery            | One B90 Ni-Cad |

# LED RECHARGEABLES

## L7 LUMAMAX®



LED COLOR

BODY COLORS



### L7 LUMAMAX SPECS

|                    |                |
|--------------------|----------------|
| Max Output         | 100 lumens     |
| Runtime            | 2.5 hours      |
| Weight (w/battery) | 11.3 ounces    |
| Length             | 8.0 inches     |
| Bezel Diam.        | 1.47 inches    |
| Battery            | One B90 Ni-Cad |

No filament to burn out or break from mechanical shock, extended runtime, lower operating costs from using a rechargeable battery—there are lots of advantages to a rechargeable LED flashlight. The SureFire L7 LumaMax uses a virtually indestructible LED to produce 100 lumens of intense light for up to two and a half hours on a single charge, making it a great choice for nightly use or standing by for general home use.

Switching: press for momentary-on, twist head for constant-on

Precision micro-textured reflector produces bright central beam with gradually diminishing surround beam


Rugged aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black or olive drab

O-ring sealed, weatherproof

Virtually indestructible LED light source has no filament to burn out or break and lasts for thousands of hours

Coated Pyrex® window for maximum light transmission





SureFire Customer Todd S.  
-Patrol Officer

On duty one night, I observed a parked vehicle with two subjects in an area known for drug use. As I exited my vehicle, I used my Surefire L7 rechargeable to light up the car, revealing two people inside with illegal drugs. The light was so bright that the guy in the passenger seat jumped up and smacked his head against the car's roof. He later told me he thought he'd died and the light was the blinding white light from "the end of the tunnel." My L7 is the only light I'd use at night. It's almost too good to be true.



## ADVANCED RECHARGEABLE FLASHLIGHT ACCESSORIES

|                               | L7          | 8NX         | 8AX         | 9AN         |
|-------------------------------|-------------|-------------|-------------|-------------|
| <b>Ni-Cad Batteries</b>       | ONE B90     | ONE B90     | ONE B90     | ONE B90     |
| <b>Lamp Assemblies</b>        |             |             |             |             |
| High-output                   | LED         | X80         | X80         | N90         |
| Ultra high-output             | x           | x           | x           | x           |
| <b>Holster</b>                |             |             |             |             |
| Nylon, quick release          | V40,V41,V45 | V30,V31,V35 | V30,V31,V35 | V40,V41,V45 |
| Polymer                       | V72         | V72         | V72         | x           |
| <b>Filters</b>                |             |             |             |             |
| Infrared filter               | x           | FM63        | FM63        | FM13        |
| Diffusion filter              | FM64        | FM64        | FM64        | FM14        |
| Red filter                    | FM65        | FM65        | FM65        | FM15        |
| Blue filter                   | FM66        | FM66        | FM66        | FM16        |
| Opaque cover                  | FM67        | FM67        | FM67        | FM17        |
| Traffic wand                  | F68         | F68         | F68         | F68         |
| <b>Rapid SmartCharger Kit</b> | CN411       | CN411       | CN411       | CN411       |

|                               | 10X          |
|-------------------------------|--------------|
| <b>Ni-Cad Batteries</b>       | B20 (handle) |
| <b>Lamp Assemblies</b>        |              |
| High-output (low beam)        | MN30         |
| Ultra high-output (low beam)  | MN32         |
| Ultra high-output (high beam) | MN31         |
| <b>Holster</b>                |              |
| Nylon, quick release          | V84          |
| Polymer                       | x            |
| <b>Filters</b>                |              |
| Infrared filter               | F59          |
| Diffusion filter              | x            |
| Red filter                    | x            |
| Blue filter                   | x            |
| Opaque cover                  | x            |
| Traffic wand                  | x            |
| <b>Rapid SmartCharger Kit</b> | C911         |



### ALENA GOMEZ TECHNICAL SUPPORT LEAD

YOU MAY NOT GET ALENA IN PERSON IF YOU CALL SUREFIRE FOR TECHNICAL SUPPORT, BUT CHANCES ARE YOU'LL STILL BENEFIT FROM HER WEALTH OF KNOWLEDGE AND EXPERIENCE. THAT'S BECAUSE ALENA IS RESPONSIBLE FOR TRAINING SUREFIRE TECH-SUPPORT REPS ON THE INS AND OUTS OF EVERY ILLUMINATION TOOL IN SUREFIRE'S EXTENSIVE PRODUCT LINE. AND IF FOR SOME INEXPLICABLE REASON SHE DOESN'T KNOW THE ANSWER TO SOMETHING, SHE'S BEEN AROUND LONG ENOUGH TO KNOW HOW TO GET IT. EVEN IF IT MEANS MARCHING OVER TO ENGINEERING, TAKING COPIOUS NOTES, AND THEN DECIPHERING THAT INFORMATION SO A PERSON WHO DOESN'T WEAR A LAB COAT AND A PLASTIC POCKET PROTECTOR CAN UNDERSTAND IT.

# HIGH INTENSITY DISCHARGE (HID) FLASHLIGHTS

P76





A clear quartz capsule with electrodes at both ends, filled with high-pressure xenon gas, creates a sustained, super-heated plasma arc that emits light. A lot of light. In fact, it doesn't get much brighter than HID lights when it comes to illumination tools. We're talking thousands of lumens of intense HID-generated light cutting through the darkness and illuminating objects hundreds of yards away. All in a portable, handheld package that weighs under six pounds.

So who needs this much light? Besides having obvious military applications, SureFire HID illumination tools are great assets in law enforcement, border patrol, and search-and-rescue operations. They're also great for civilian activities requiring enough light to illuminate large, enclosed spaces, like caving. Or to cut through the darkness in vast, open spaces, as in yachting, sailing, or other maritime activities.

Most people don't need this much light, and this kind of portable power doesn't come cheap, so HID illumination tools really aren't the best choice for the average consumer. The 500 lumens of light produced by an M6® or 10X Dominator® is probably more than enough for most people. But if you really have your heart set on going big, SureFire HID lights are available to the general public.





# THE BEAST® RECHARGEABLE

HID FLASHLIGHT



INCLUDED LED COLORS

BODY COLOR



Be afraid, very afraid. But only if you find yourself on the receiving end of this monster's 2,300-lumen, night-piercing beam. There's nothing monstrous about the Beast Rechargeable's size, though. It weighs in at only 5.5 pounds and measures only 19 inches long with its long-running, rechargeable lithium-ion battery handle in place; 15 inches with its lithium-battery handle. That's right, it comes with two handles, giving you the option of powering up with 20 disposable lithium batteries, should you find yourself somewhere where charging a depleted rechargeable battery isn't an option.

The Beast rechargeable has a softer side, too. Twelve long-running LEDs (six white and six ultraviolet—useful in verifying the authenticity of passports, driver's licenses, and other documents that border

patrol and other law enforcement professionals may examine) surround its main HID lamp and provide enough light for navigation and close-quarter tasks. These LEDs, as well as the main HID lamp, are activated with a twist of the Beast's rotary power ring, located behind its head.

Protected by a rugged, weatherproof, anodized-aluminum body, the Beast Rechargeable is totally at home in the wild. And because its durable HID lamp has no filament to break and sits behind a tempered Pyrex® window, it's nearly impossible to kill. The Beast and all of its accoutrements—two handles, charger, and connectors—fit neatly into an included weather-proof case/charging station for additional protection during travel or periods of hibernation.



### THE BEAST RECHARGEABLE SPECS

#### Max Output

|              |              |
|--------------|--------------|
| - high (HID) | 2,300 lumens |
| - low (LED)  | 12 lumens    |

#### Runtime

##### HID

|          |            |
|----------|------------|
| - high*  | 2 hours    |
| - high** | 80 minutes |

##### LED

|         |          |
|---------|----------|
| - low*  | 32 hours |
| - low** | 20 hours |

#### Weight

|                          |            |
|--------------------------|------------|
| -rechargeable config.    | 5.5 pounds |
| -lithium-battery config. | 4.5 pounds |

#### Length

|                          |             |
|--------------------------|-------------|
| -rechargeable config.    | 19.0 inches |
| -lithium-battery config. | 15.5 inches |

#### Bezel Diam.

4.0 inches

#### Batteries (included)

20 SF 123A lithium batteries  
Lithium-ion rechargeable battery handle

\* w/rechargeable handle    \*\*w/lithium-battery handle

### FEATURES

- Impact- and vibration-proof ultra high-output HID lamp
- Low-output secondary LEDs in white and ultraviolet
- Four-inch-diameter micro-textured reflector for tight, smooth beam and extended-range illumination
- Coated Pyrex® window for maximum light transmission
- Rugged aerospace-grade aluminum body, Mil-Spec Type III hard anodized in black
- O-ring sealed, weatherproof
- Rotary switch: clockwise for HID, counterclockwise for LEDs



LONG-RUNNING, RECHARGEABLE  
LITHIUM-ION BATTERY HANDLE

# FLASHLIGHT ACCESSORIES

Accessories can help keep your flashlight at peak performance, protect it, or expand its capabilities to make it more suitable for certain applications. Please see the specifications chart at the back of this catalog to determine the correct accessories for your particular flashlight model(s).

P80





**SPARES CARRIERS**

Made of a transparent, impact-resistant polymer, this O-ring-sealed, watertight container holds a spare lamp assembly and multiple 123A lithium batteries. Great for traveling, throwing into your pack before hitting the trail, or having on standby at home.

**LAMP ASSEMBLIES**

Without their specially engineered xenon lamps and reflectors, SureFire incandescent flashlights can't produce their flawless beams. You can purchase replacement lamps or upgrade to ultra high-output lamps that nearly double the light output.

**LED CONVERSION HEADS**

Ever wish your favorite SureFire incandescent flashlight came with a virtually unbreakable, long-running LED emitter? Many SureFire incandescent models can be outfitted with optional LED conversion heads, so you can have the best of both worlds with one flashlight.

**TRAFFIC WANDS**

The same type of glowing orange wands professional traffic cops use. Just slip a durable polymer cone over the end of your SureFire and you're ready to direct traffic.

**LANYARDS**

Don't buy the world's finest illumination tool only to accidentally drop it in deep water or off a precipice. Our nylon cord lanyards with dual cord-locks are adjustable for wrist or neck carry, and a breakaway connector prevents injury. Connection hardware included.



## HOLSTERS

A good holster keeps your flashlight at the ready, while helping to protect it from the elements, other items in your pocket, or loss. SureFire holsters are available in premium top-grain leather; heavy-duty Cordura nylon with extra-long retention flaps featuring Velcro for added security; or tough, rigid polymer holsters that provide impact protection, quick-draw capabilities, and fumble-free re-holstering.



## CHARGING SYSTEMS

A rechargeable flashlight without a “live” battery is useless, so Rapid SmartChargers automatically and optimally charge SureFire rechargeable batteries to full capacity in two hours or less. Available as a kit that includes charging cradle, 110-volt power supply transformer, and DC adapter for 12-volt accessory plug in a boat or automobile.



## FILTERS

Colored filters convert your flashlight's beam to red or blue—both good for preserving night-adapted vision and minimizing your light signature—or infrared for use with night-vision equipment. Flip-up feature allows rapid alternation between white and filtered light. *NOTE: Infrared filters are not suitable for use with LED flashlights, as LEDs (except special infrared LEDs) produce negligible infrared radiation.*



## DIFFUSERS

A tightly focused beam is great for penetrating darkness, but sometimes a wider-angle beam is more desirable. Change your beam's characteristics by adding a diffuser. Flip-up feature allows rapid alternation between focused and diffused light.

## COVERS

Covering your flashlight's window is a good way to protect it from scratches, impact, dirt, dust, and other potential damage or potentially damaging elements. Flip-up feature permits rapid opening and closing.



## TAILCAP CLICK SWITCHES

Some SureFire models come with a tailcap that twists on to lock, yet some people prefer a click-on/off style. Many models can be converted to a “clicky” in seconds—simply unscrew the twist-on tailcap, remove, and screw on a click-on/off tailcap.













## BATTERIES

Unless you have an Advanced Rechargeable, 123A lithium batteries are the lifeblood of your illumination tool. Lithium batteries have many advantages over alkaline batteries, and SureFire lithiums are so competitively priced that it doesn't make sense not to stock up. Plus, they have a 10-year shelf life.






# ILLUMINATION TOOLS SPECIFICATIONS CHART

| LEDs                          |   |   |   |   |   |   |  |   |   |   |
|-------------------------------|---|---|---|---|---|---|--|---|---|---|
|                               |  |  |  |  |  |  |  |  |  |  |
|                               | TITAN   | E1L   | E2L   | L1  | L2  | L4  | L5   | U2  | KROMA   | A2  |
| <b>Length/Weight</b>          | 3.15 in/1.9 oz  | 4 in/2.6 oz   | 5.25 in/3.5 oz  | 4.95 in/2.9 oz  | 6.2 in/4.2 oz   | 5.1 in/3.4 oz   | 6.1 in/7.2 oz  | 6.0 in/5.7 oz   | 5.7 in/5.1 oz   | 5.5 in/4.1 oz   |
| <b>Bezel Diameter</b>         | 0.75"   | 1.0"  | 1.0"  | 1.0"  | 1.0"  | 1.0"  | 1.47"  | 1.47"   | 1.47"   | 1.13"   |
| <b>Lithium Batteries</b>      | one   | one   | two   | one   | two   | two   | two  | two   | two   | two   |
| <b>Spares Carrier</b>         | x   | SC3   | SC3   | SC3   | SC3   | SC3   | SC3  | SC3   | SC3   | SC3   |
| <b>Lumens/Runtime</b>         | 30/50 hr  | 30/17 hrs   | 45/18 hrs   | 10/16 hrs<br>65/1.5 hrs   | 15/18 hrs<br>100/1 hr   | 100/2.5 hrs   | 120/4.5 hrs  | 2 to 100/<br>40+ hrs  | 50/2 hrs<br>3/24 hrs  | 50/1 hr<br>3/20 hrs   |
| <b>Holster</b>                |   |   |   |   |   |   |  |   |   |   |
| Nylon                         | x   | V82   | V20, V21, V25   | V82   | V10, V11, V15   | V20, V21, V25   | x  | V91   | V91   | V20, V21, V25   |
| Polymer                       | x   | x   | x   | x   | x   | x   | V72  | x   | x   | x   |
| Leather, plain                | x   | x   | x   | x   | x   | x   | x  | x   | x   | V26   |
| Leather, basketweave          | x   | x   | x   | x   | x   | x   | x  | x   | x   | V27   |
| Leather, Clarino              | x   | x   | x   | x   | x   | x   | x  | x   | x   | V28   |
| <b>Filters</b>                |   |   |   |   |   |   |  |   |   |   |
| Infrared filter               | x   | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| Diffusion filter              | x   | F04   | F04   | F04   | x   | x   | x  | x   | x   | x   |
| Red filter                    | x   | F05   | F05   | F05   | F05   | F05   | FM65   | FM65  | x   | x   |
| Blue filter                   | x   | F06   | F06   | F06   | F06   | F06   | FM66   | FM66  | x   | x   |
| Opaque cover                  | x   | FM57  | FM57  | FM57  | FM57  | FM57  | FM67   | FM67  | x   | x   |
| Traffic wand                  | x   | x   | x   | x   | x   | x   | F68  | F68   | x   | x   |
| <b>Lanyard Systems</b>        |   |   |   |   |   |   |  |   |   |   |
| Lanyard, tailcap              | included  | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| Lanyard, ring, bezel          | x   | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| Lanyard                       | included  | Z50   | Z50   | Z60 (included)  | Z60 (included)  | Z50   | Z45 (included)   | x   | x   | Z60 (included)  |
| <b>Conversion Kits</b>        |   |   |   |   |   |   |  |   |   |   |
| Premium LED                   | x   | x   | x   | x   | x   | KL1   | KL3  | x   | x   | x   |
| Premium LED                   | x   | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| TurboHead                     | x   | x   | x   | x   | x   | x   | KT1  | x   | x   | x   |
| <b>Additional Accessories</b> |   |   |   |   |   |   |  |   |   |   |
| Rechargeable kit              | x   | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| Turbo lamp assembly           | x   | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| Rechargeable battery          | x   | x   | x   | x   | x   | x   | x  | x   | x   | x   |
| Click-on tailcap              | x   | Z57 (included)  | Z57 (included)  | x   | x   | Z57 (included)  | Z58 (included)   | Z59 (included)  | x   | x   |

| SPECIAL OPERATIONS               |                   |                   |                    |                    |                    |                    | RECHARGEABLES    |                   |                   |                 |
|----------------------------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------------|------------------|-------------------|-------------------|-----------------|
|                                  | M1                | M2                | M3                 | M3T                | M4                 | M6                 | L7               | 8NX               | 8AX               | 9AN             |
| <b>Length/Weight</b>             | 4.1 in/3.1 oz     | 5.6 in/5.8 oz     | 7.3 in/7.0 oz      | 7.9 in/9.8 oz      | 9.15 in/11.6 oz    | 7.9 in/15.9 oz     | 8.0 in/11.3 oz   | 7.3 in/8.0 oz     | 7.3 in/9.7 oz     | 8.0 in/12.8 oz  |
| <b>Bezel Diameter</b>            | 1.0"              | 1.47"             | 1.62"              | 2.5"               | 2.5"               | 2.5"               | 1.47"            | 1.47"             | 1.47"             | 1.62"           |
| <b>Lithium Batteries</b>         | one (lithium)     | two (lithium)     | three (lithium)    | three (lithium)    | four (lithium)     | six (lithium)      | one (Ni-Cad)     | one (Ni-Cad)      | one (Ni-Cad)      | one (Ni-Cad)    |
| <b>Spares Carrier</b>            | SC3               | SC1               | SC2                | SC2                | SC2                | SC2                | x                | x                 | x                 | x               |
| <b>Lamp Assemblies</b>           |                   |                   |                    |                    |                    |                    |                  |                   |                   |                 |
| High-output Lumens/ Runtime      | x<br>880nM/15 hrs | P60<br>65/60 min  | MN10<br>125/60 min | MN15<br>125/60 min | MN60<br>225/60 min | MN20<br>250/60 min | x<br>100/2.5 hrs | X80<br>110/50 min | X80<br>110/50 min | N90<br>20/2 hrs |
| Ultra high-output Lumens/Runtime | x                 | P61<br>120/20 min | MN11<br>225/20 min | MN16<br>225/20 min | MN61<br>350/20 min | MN21<br>500/20 min | x                | x                 | x                 | x               |
| <b>Holster</b>                   |                   |                   |                    |                    |                    |                    |                  |                   |                   |                 |
| Nylon, quick release             | V64, V82          | x                 | x                  | x                  | x                  | x                  | V40, V41, V45    | V30, V31, V35     | V30, V31, V35     | V30, V31, V35   |
| Polymer                          | x                 | V72               | V71                | V71                | V71                | x                  | x                | V72               | V72               | V72             |
| Leather, plain                   | x                 | x                 | x                  | x                  | x                  | x                  | x                | V36               | V36               | V46             |
| Leather, basketweave             | x                 | x                 | x                  | x                  | x                  | x                  | x                | V37               | V37               | V47             |
| Leather, Clarino                 | x                 | x                 | x                  | x                  | x                  | x                  | x                | V38               | V38               | V48             |
| <b>Filters</b>                   |                   |                   |                    |                    |                    |                    |                  |                   |                   |                 |
| Infrared filter                  | x                 | FM63              | FM13               | FM23               | FM23               | FM23               | x                | FM63              | FM63              | FM13            |
| Diffusion filter                 | x                 | FM64              | FM14               | FM24               | FM24               | FM24               | FM64             | FM64              | FM64              | FM14            |
| Red filter                       | x                 | FM65              | FM15               | FM25               | FM25               | FM25               | FM65             | FM65              | FM65              | FM15            |
| Blue filter                      | x                 | FM66              | FM16               | FM26               | FM26               | FM26               | FM66             | FM66              | FM66              | FM16            |
| Opaque cover                     | FM57              | FM67              | FM17               | FM27               | FM27               | FM27               | FM67             | FM67              | FM67              | FM17            |
| Traffic wand                     | x                 | F68               | F38                | x                  | x                  | x                  | F68              | F68               | F68               | F38             |
| <b>Lanyard Systems</b>           |                   |                   |                    |                    |                    |                    |                  |                   |                   |                 |
| Lanyard, tailcap                 | included          | Z26 (included)    | included           | included           | included           | included           | x                | x                 | x                 | Z12             |
| Lanyard, ring, bezel             | x                 | x                 | x                  | x                  | x                  | x                  | x                | Z25               | Z25               | x               |
| Lanyard                          | Z45 (included)    | Z45 (included)    | Z45 (included)     | Z45 (included)     | Z45 (included)     | Z51 (included)     | x                | x                 | x                 | Z45             |
| <b>Conversion Kits</b>           |                   |                   |                    |                    |                    |                    |                  |                   |                   |                 |
| Premium LED                      | x                 | KL3               | x                  | x                  | x                  | x                  | x                | x                 | x                 | x               |
| Premium LED                      | x                 | KL5               | KL6                | KL6                | x                  | x                  | x                | KL7               | KL7               | x               |
| TurboHead                        | x                 | KT1               | KT4                | x                  | x                  | x                  | KT5              | KT5               | KT5               | KT3             |
| <b>Additional Accessories</b>    |                   |                   |                    |                    |                    |                    |                  |                   |                   |                 |
| Rechargeable kit                 | x                 | x                 | x                  | x                  | x                  | x                  | CN411            | CN411             | CN411             | CN411           |
| Turbo lamp assembly              | x                 | N1                | MN15, MN16         | x                  | x                  | x                  | N5               | N5                | N5                | N3              |
| Rechargeable battery             | x                 | x                 | x                  | x                  | x                  | x                  | B90              | B90               | B90               | B90             |
| Click-on tailcap                 | Z58 (included)    | Z58               | Z58                | Z58                | Z58                | x                  | x                | x                 | x                 | x               |




10X

|  |                     |
|--|---------------------|
| <b>Length/Weight</b>                           | 9.5 in/20.0 oz      |
| <b>Battery (handle)</b>                        | B20 (Ni-Cad)        |
| <b>Bezel Diameter</b>                          | 2.5"                |
| <b>Lamp Assemblies</b>                         |                     |
| High-output (low beam) Lumens / Runtime        | MN30<br>60/3 hrs    |
| Ultra high-output (low beam) Lumens / Runtime  | MN32<br>110/1.5 hrs |
| Ultra high-output (high beam) Lumens / Runtime | MN31<br>500/20 min  |
| <b>Holster</b>                                 |                     |
| Nylon, quick release                           | V84                 |
| <b>Filters</b>                                 |                     |
| Infrared filter                                | F59                 |
| <b>Rapid SmartCharger Kit</b>                  | C911                |

# ILLUMINATION TOOLS SPECIFICATIONS CHART


## COMPACT XENON



|                                  | E1E                | E2E                 | E2D                 | G2                | G3                | 6P                | 6PD               | 9P                | G2Z               | Z2                | C2                | C3                |
|----------------------------------|--------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| <b>Length/Weight</b>             | 3.4in/2.2 oz       | 4.8in/3.1 oz        | 4.9in/3.2 oz        | 5.1in/4.1 oz      | 6.5in/5.5 oz      | 5.2in/5.3 oz      | 5.5in/5.3 oz      | 6.5in/6.5 oz      | 5.2in/4.1 oz      | 5.2in/4.8 oz      | 5.2in/5.3 oz      | 6.5in/6.7 oz      |
| <b>Bezel Diameter</b>            | 1.0"               | 1.0"                | 1.0"                | 1.25"             | 1.25"             | 1.25"             | 1.25"             | 1.25"             | 1.25"             | 1.25"             | 1.25"             | 1.25"             |
| <b>Lithium Batteries</b>         | one                | two                 | two                 | two               | three             | two               | two               | three             | two               | two               | two               | three             |
| <b>Spares Carrier</b>            | SC3                | SC3                 | SC3                 | SC1               | SC1               | SC1               | SC1               | SC1               | SC1               | SC1               | SC1               | SC1               |
| <b>Lamp Assemblies</b>           |                    |                     |                     |                   |                   |                   |                   |                   |                   |                   |                   |                   |
| High-output Lumens/Runtime       | MN01<br>15/1.5 hrs | MN03<br>60/1.25 hrs | MN03<br>60/1.25 hrs | P60<br>65/60 min  | P90<br>105/60 min | P60<br>65/60 min  | P60<br>65/60 min  | P90<br>105/60 min | P60<br>65/60 min  | P60<br>65/60 min  | P60<br>65/60 min  | P90<br>105/60 min |
| Ultra high-output Lumens/Runtime | x                  | x                   | x                   | P61<br>120/20 min | P91<br>200/20 min | P61<br>120/20 min | P61<br>120/20 min | P91<br>200/20 min | P61<br>120/20 min | P61<br>120/20 min | P61<br>120/20 min | P91<br>200/20 min |
| <b>Holster</b>                   |                    |                     |                     |                   |                   |                   |                   |                   |                   |                   |                   |                   |
| Nylon, quick release             | x                  | V82                 | V20, V21, V25       | V20, V21, V25     | V10, V11, V15     | V20, V21, V25     | V20, V21, V25     | V10, V11, V15     | x                 | x                 | x                 | x                 |
| Polymer                          | x                  | x                   | x                   | V70               | V70               | V70               | V70               | V70               | V70               | V70               | V70               | V70               |
| Leather, plain                   | x                  | x                   | x                   | V26               | V16               | V26               | V26               | V16               | x                 | x                 | x                 | x                 |
| Leather, basketweave             | x                  | x                   | x                   | V27               | V17               | V27               | V27               | V17               | x                 | x                 | x                 | x                 |
| Leather, Clarino                 | x                  | x                   | x                   | V28               | V18               | V28               | V28               | V18               | x                 | x                 | x                 | x                 |
| <b>Filters</b>                   |                    |                     |                     |                   |                   |                   |                   |                   |                   |                   |                   |                   |
| Infrared filter                  | F03                | F03                 | F03                 | FM33              | FM33              | FM33              | FM33              | FM33              | FM33              | FM33              | FM33              | FM33              |
| Diffusion filter                 | F04                | F04                 | F04                 | FM34              | FM34              | FM34              | FM34              | FM34              | FM34              | FM34              | FM34              | FM34              |
| Red filter                       | F05                | F05                 | F05                 | FM35              | FM35              | FM35              | FM35              | FM35              | FM35              | FM35              | FM35              | FM35              |
| Blue filter                      | F06                | F06                 | F06                 | FM36              | FM36              | FM36              | FM36              | FM36              | FM36              | FM36              | FM36              | FM36              |
| Opaque cover                     | FM57               | FM57                | FM57                | FM37              | FM37              | FM37              | FM37              | FM37              | FM37              | FM37              | FM37              | FM37              |
| Traffic wand                     | x                  | x                   | x                   | F28               | F28               | F28               | F28               | F28               | F28               | F28               | F28               | F28               |
| <b>Lanyard Systems</b>           |                    |                     |                     |                   |                   |                   |                   |                   |                   |                   |                   |                   |
| Lanyard, tailcap                 | x                  | x                   | x                   | Z26               | Z26               | Z26               | Z26               | Z26               | included          | included          | Z26 (included)    | Z26 (included)    |
| Lanyard, ring, bezel             | x                  | x                   | x                   | Z12               | Z12               | Z12               | Z12               | Z12               | Z12               | Z12               | Z12               | Z12               |
| Lanyard                          | Z50                | Z50                 | Z50                 | Z33               | Z33               | Z33               | Z33               | Z33               | Z33 (included)    | Z33 (included)    | Z33               | Z33               |
| <b>Conversion Kits</b>           |                    |                     |                     |                   |                   |                   |                   |                   |                   |                   |                   |                   |
| Premium LED                      | KL1                | KL1                 | KL1                 | KL3               | KL3               | KL3               | KL3               | KL3               | KL3               | KL3               | KL3               | KL3               |
| Premium LED                      | x                  | KL4                 | KL4                 | KL5               | KL5               | KL5               | KL5               | KL5               | KL5               | KL5               | KL5               | KL5               |
| TurboHead                        | x                  | x                   | x                   | KT1               | KT2               | KT1               | KT1               | KT2               | KT1               | KT1               | KT1               | KT2               |
| <b>Additional Accessories</b>    |                    |                     |                     |                   |                   |                   |                   |                   |                   |                   |                   |                   |
| Rechargeable kit                 | x                  | x                   | x                   | KR1               | x                 | KR2-BK            | KR2-BK            | x                 | x                 | x                 | x                 | x                 |
| Turbo lamp assembly              | x                  | x                   | x                   | N1                | N2                | N1                | N1                | N2                | N1                | N1                | N1                | N2                |
| Rechargeable battery             | x                  | x                   | x                   | B65               | x                 | B65               | B65               | x                 | x                 | x                 | x                 | x                 |
| Click-on tailcap                 | Z57 (included)     | Z57 (included)      | Z61                 | Z58 / Z59         | Z59               | Z59               | Z59 (included)    | Z59               | x                 | Z59               | Z58 / Z59         | Z58 / Z59         |



HID



B1R

|                             |                 |
|-----------------------------|-----------------|
| <b>Length/Weight</b>        |                 |
| Lithium config.             | 15.5 in/4.5 lbs |
| Rechargeable config.        | 19.0 in/5.5 lbs |
| <b>Bezel Diameter</b>       | 4.0"            |
| <b>Batteries</b> (included) |                 |
| Lithium                     | 20              |
| Lithium-ion (rechargeable)  | one             |
| <b>Lamp Assembly/ LED</b>   |                 |
| Ultra high-output (HID)     | 35W HID D1S     |
| Lumens/Runtime              | 2300/2 hrs      |
| LEDs                        | 5MM WH/UV LEDs  |
| Lumens/Runtime              | 12/32 hrs       |



**LISA OCHOA**  
RECEPTIONIST

LISA IS SUREFIRE'S TRAFFIC COP. SHE DIRECTS INCOMING CALLS TO THE RIGHT PERSON TO PLACE YOUR ORDER, TRACK YOUR ORDER, PROVIDE TECHNICAL SUPPORT—WHATEVER IT IS YOU NEED. EVEN IF IT MEANS GETTING UP AND PHYSICALLY HUNTING THAT PERSON DOWN. SO IF YOU DON'T KNOW WHO TO CONTACT AT SUREFIRE, RELAX. AFTER OVER TWO YEARS OF FIELDING CUSTOMER CALLS, LISA DOES...AND THEIR EXTENSION...AND WHERE THEY SIT. MOST LIKELY THEIR SCHEDULE, TOO.

## THE SUREFIRE NO-HASSLE GUARANTEE

Lamps will burn out and batteries will be used up. Everything else is covered by our no-hassle guarantee: If it breaks, we fix it.

Visit [www.surefire.com/guarantee](http://www.surefire.com/guarantee) for complete SureFire warranty details.

P88

SureFire, LLC reserves the right to correct any errors or inaccuracies contained herein, and to revoke stated offers at any time without notice. Prices, availability, specifications, and promotional offers are subject to change or cancellation at any time without notice. Weights, measures, and shipping information are approximate, and product images may appear without perfect accuracy. SureFire, LLC disclaims all warranties, whether express or implied, with respect to the accuracy or completeness of any information contained herein, to the fullest extent possible under applicable laws. Under no circumstances shall SureFire, LLC be liable for any direct, indirect, incidental, special or consequential damages that result from any information contained herein.

TO ORDER OR TO LOCATE A DEALER  
LOG ON OR CALL TOLL FREE:  
[WWW.SUREFIRE.COM](http://WWW.SUREFIRE.COM)  
800.828.8809 (U.S.A.)  
00-800-7843-7843 (UK AND GERMANY)

© 2007 SureFire, LLC. All rights reserved.



SureFire Customer Luke T.  
—Explorer of Ruins

"I was vacationing in Cancun, visiting the ancient Mexican ruins of Chichen Itza. I stepped into a dark room of a building called "the Nunnery," joining a mother with two teenage daughters who were begging her to let them go down a pitch-black passageway. The oldest daughter already had her hand out, poised to grab a barely visible ledge in the passageway. I pulled out my SureFire L2, fired it up, and pointed it down the passageway. There on the ledge, where the oldest girl had her hand ready to grab, was the biggest, blackest scorpion I'd ever seen. As it disappeared into a crack, the girls squealed about how cool it was, while their mom, clearly thankful that I (and my L2) had happened along, looked like she was going to pass out. Just one more reason why my L2 gets carried regularly."

SUREFIRE

18300 MT. BALDY CIRCLE, FOUNTAIN VALLEY, CA 92708 U.S.A.

PHONE: 714.545.9444 TOLL FREE: 800.828.8809 FAX: 714.545.9537 SUREFIRE.COM





714.545.9444

800.828.8809

SUREFIRE.COM

71-03-080