



HOME PAGE HIGHLIGHTS

Informative. Educational. Entertaining. Magtech's "Home Page" is the launching pad to in-depth product knowledge, quick navigation, and up-to-date news and information. If you cannot find what you're looking for on the pull-down navigation bar, use the site search by key word in the upper right corner. There is also a complete site map for your reference located in the "ABOUT" pull-down menu, which will allow quick links to any section.



VIRTUAL TOUR

Enjoy a mini-tour of our huge manufacturing complex and learn more about the advantages of Magtech's vertically integrated manufacturing process, which results in total quality control. Go to "ABOUT-Virtual Tour" and click on one of the buttons in the side bar to start the tour.



DEALER LOCATOR

Magtech High Performance Ammunition is available at America's leading sporting goods retailers, so ask for Magtech ammunition by name. If you are having trouble locating the nearest retail outlet go to "HOW TO BUY-Consumer-Search by Zip Code" and follow the instructions. The results of your search will be matched with a location map for your convenience.



United States Inquiries:

Magtech Ammunition Co., Inc.
248 Apollo Drive, Suite 180
Lino Lakes, MN 55014
Toll-Free: 1-800-466-7191
Tel: 1-763-235-4000
Fax: 1-763-235-4004
www.magtechammunition.com

International Inquiries:

Companhia Brasileira de Cartuchos
Av. Humberto de Campos 3220
09426 900 Ribeirao Pires SP
Tel: +55 11 2139-8219
Fax: +55 11 2139-8323
Email: export@cbc.com.br
www.cbc.com.br

European Inquiries:

CBC/Magtech European Office
Waldweg 50
22393 Hamburg
Tel/Fax: +49 40 8708-5757
Email: export@cbc.com.br
www.magtechammunition.com

THE WORLD'S FINEST AMMUNITION PRODUCTS



25 AUTO		32 AUTO			32 S&W		32 S&W LONG			380 AUTO					
25A Page 10	32A Page 10	32B Page 10	32C Page 10	32SWA Page 11	32WLA Page 11	32WLB Page 11	32WLC Page 11	380A-MP380A Page 10	CR380A Page 15	380B Page 10	380D Page 10	FD380A Page 5	GG380A Page 7		



9MM LUGER															9X21MM		
9A-MP9A Page 10	CR9A Page 15	9B Page 10	CR9B Page 15	9C Page 10	9D Page 10	9E Page 10	9F Page 10	9G Page 10	9H Page 10	9K Page 10	9S Page 10	FD9A Page 5	GG9A Page 7	GG9B Page 7	9X21A Page 10	9X21B Page 10	



38 SUPER AUTO		38 S&W		38 SPECIAL								
38S Page 10	38SWA Page 11	38A-MP38A Page 11,10	38B Page 11	38C Page 11	38D Page 11	38E Page 11	38F Page 11	38G Page 11	38H Page 11	38J Page 11	38L Page 13	38N Page 11



38 SPECIAL									357 MAGNUM								
38P Page 11	CR38A Page 15	38Q Page 11	38T Page 11	38U Page 13	FD38A Page 5	GG38A Page 7	357A-MP357A Page 11,10	357B Page 11	357C Page 11	357D Page 11	357E Page 11	357L Page 13	357Q Page 11	FD357A Page 5	GG357A Page 7		



40 S&W									44 SPECIAL		
40A Page 10	40B-MP40B Page 10	CR40A Page 15	40C Page 10	40D Page 10	40G Page 10	40PS Page 10	FD40A Page 5	GG40A Page 7	GG40B Page 7	44B Page 13	44E Page 13



44 REM MAGNUM			45 GAP		45 AUTO					45 LONG COLT		
44A Page 11	44C Page 11	44D Page 11	45GA Page 10	45A-MP45A Page 10	CR45A Page 15	45B Page 10	45C Page 10	FD45A Page 5	GG45A Page 7	GG45B Page 7	45D Page 13	45F Page 13



454 CASULL				500 S&W					44-40 WINCHESTER		
454A Page 11	454B Page 11	454C Page 11	454D Page 11	500A Page 11	500B Page 11	500C Page 11	500D Page 11	500L Page 11	4440A Page 11	4440B Page 13	4440C Page 13




30 CARBINE		50 BMG
30A Page 11	30B Page 11	50BMG Page 11



Solid Copper Hollow Point (SCHP)	Guardian Gold Jacketed Hollow Point (GG-JHP)	Jacketed Hollow Point (JHP)	Semi-Jacketed Hollow Point (SJHP)	Full Metal Jacket (FMJ)	Full Metal Jacket Flat (FMJ-Flat)	Full Metal Jacket Semi Wad Cutter (FMJ-SWC)	Jacketed Soft Point (JSP Flat)	Semi-Jacketed Soft Point Flat (SJSP-Flat)	Lead Round Nose (LRN)	Lead Flat Nose (LFN)	Lead Wad Cutter (LWC)	Lead Semi Wad Cutter (LSWC)
----------------------------------	--	-----------------------------	-----------------------------------	-------------------------	-----------------------------------	---	--------------------------------	---	-----------------------	----------------------	-----------------------	-----------------------------



MAGTECH FIRST DEFENSE®



Sometimes you don't get a second chance. Law enforcement personnel know that all too well. That's why we developed Magtech First Defense. What makes Magtech First Defense different from other hollow-point rounds? The answer is simple...weight retention.

Magtech First Defense rounds are designed with a 100% solid copper bullet, unlike traditional hollow points that contain a lead core covered by a copper jacket. Copper jackets could tear away when fired, causing a loss of weight and a corresponding loss of power. However, Magtech First Defense solid copper bullets have no jacket to split or tear away, ensuring every round you fire meets its target with maximum impact and effectiveness. Trust the bullet that delivers deep penetration and devastating expansion...the kind that stops a threat in its tracks.

LAY DOWN THE LAW WITH AWESOME STOPPING POWER!

MAGTECH FIRST DEFENSE® CARTRIDGES																						
Symbol	Caliber	Bullet		Velocity						Energy				Mid-Range Trajectory				Test Barrel Length				
		Style	Weight	Muzzle		50 m	50 yd	100 m	100 yd	Muzzle		50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd	cm	inch	
				g	gr	m/s	fps	m/s	fps	m/s	fps	J	ft. lbs	J	ft. lbs	J	ft. lbs	cm	inch			
FD9A	9mm Luger	SCHP	6.0	92.6	405	1,330	353	1,173	318	1,062	492	364	375	283	304	232	1.2	0.4	9.1	3.0	10.2	4
FD38A	.38 SPL+P	SCHP	6.16	95	330	1,083	291	965	265	884	335	247	261	197	216	165	3.22	1.05	14.42	4.66	10.2-V	4V
FD380A	.380 Auto	SCHP	4.99	77	335	1,099	284	943	253	845	280	207	201	152	160	122	3.28	1.07	15.15	4.87	9.5	3 3/4
FD357A	.357 MAG	SCHP	6.16	95	430	1,411	348	1,161	302	1,011	569	420	373	285	281	216	2.02	0.67	10.09	3.22	10.2-V	4V
FD40A	.40 S&W	SCHP	8.42	130	363	1,190	336	1,107	315	1,043	555	409	474	354	417	314	1.8	0.6	10.0	3.3	10.2	4
FD45A	.45 Auto+P	SCHP	10.69	165	335	1,100	312	1,030	294	975	600	443	521	389	463	349	2.5	0.8	11.0	3.6	12.7	5

"I'm an avid shooter and a great fan of your ammunition...I use it exclusively for target practice and for my home defense rounds. I've never once had a problem with a single round of it and I've shot probably close to 10,000 rounds of it over the past year."

— J.B., Department of Homeland Security



GUARDIAN GOLD®



Thanks to its tremendous stopping power, deep penetration, awesome expansion and dead-on accuracy, Guardian Gold® is fast-becoming a favorite among those seeking reliable, affordable personal protection. Simply put, Guardian Gold gives you the advantage against those who may seek to do harm to you or your family.

Every round of Guardian Gold undergoes an extensive quality control process before it ever leaves the factory. After passing initial inspection, each case is primed with reliable ignition primers, loaded with the finest clean-burning propellants, and assembled with the specified bullet. Only after passing each and every stage is the loaded round approved for final packaging.

Affordable Personal Protection That Packs A Powerful Punch

GUARDIAN GOLD® CARTRIDGES

Symbol	Caliber	Bullet		Velocity						Energy				Mid-Range Trajectory				Test Barrel Length			
				Muzzle		50 m	50 yd	100 m	100 yd	Muzzle		50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd	cm	inch
		Style	Weight	m/s	fps	m/s	fps	m/s	fps	J	ft. lbs	J	ft. lbs	J	ft. lbs	cm	inch	cm	inch	cm	inch
GG357A	.357 MAG	JHP	8.10 125	420 1,378	353 1,170	307 1,020	1,020 714	527 381	382 289	1.5 0.5	0.5 7.5	2.5 2.5	10.2-V 4-V								
GG380A	.380 Auto+P	JHP	5.5 85	300 1,082	303 999	282 936	300 221	252 188	219 166	3.1 1.0	1.0 13.3	4.3 9.5	3%								
GG38A	.38 SPL+P	JHP	8.10 125	310 1,017	295 971	282 931	389 287	352 262	322 241	3.4 1.1	1.1 14.3	4.6 10.2	4								
GG9A	9mm Luger+P	JHP	7.45 115	380 1,246	344 1,137	318 1,056	538 397	441 330	377 285	2.4 0.8	0.8 10.5	3.4 10.2	4								
GG9B	9mm Luger	JHP	8.03 124	334 1,096	304 1,017	286 958	448 331	371 285	328 253	3.1 1.0	1.0 12.5	4.1 10.2	4								
GG40A	.40 S&W	JHP	10.04 155	367 1,205	338 1,118	317 1,052	677 500	571 430	523 381	2.5 0.8	0.8 10.9	3.5 10.2	4								
GG40B	.40 S&W	JHP	11.66 180	302 990	282 938	268 891	532 392	463 352	419 318	3.7 1.2	1.2 13.4	4.5 10.2	4								
GG45A	.45 Auto+P	JHP	12.0 185	350 1,148	323 1,066	303 1,005	735 540	626 467	551 415	2.7 0.9	0.9 11.8	3.8 12.7	5								
GG45B	.45 Auto+P	JHP	14.90 230	307 1,007	290 965	279 927	702 518	626 467	580 440	4.0 1.3	1.3 12.5	4.0 12.7	5								

"Just fired my first two boxes of Magtech Guardian Gold .45+P 230 gr. #GG45B. Accuracy was outstanding from Colt officers model. Fed well. Functioned well. Good Job! Thanks."

— Lt. Jimmy Hopkins, Llano Co. S.O.



SPORT SHOOTING



Reliability. Performance. Value. They're the three commandments when it comes to Sport Shooting. When you pull the trigger, you want results... every time. That's why Magtech pistol and revolver ammunition is ideal for all of your recreational shooting needs. Each cartridge is assembled using only the highest quality components and rigorous quality control is exercised in every stage of the manufacturing process. The result? Affordable, value-packed ammunition that delivers the top-notch performance you demand...round after round.

Originally designed to be the ultimate high performance law enforcement and self-defense handgun bullet, the 100% solid copper hollow-point projectile also meets the critical requirement of stopping power for handgun hunting applications. The 100% solid copper bullet features a six-petal hollow-point specifically designed to deliver tight groups, superior expansion, and increased penetration over jacketed lead-core bullets.

Best of all, the one piece design of the solid copper bullet delivers virtually 100% weight retention, even through some of the toughest bone and tissue structure of your favorite thin skinned, big game animal.



Symbol	Caliber	Bullet		Velocity				Energy				Mid-Range Trajectory				Test Barrel Length						
		Style		Weight		Muzzle		50 m	50 yd	100 m	100 yd	Muzzle		50 m	50 yd	100 m	100 yd					
				g	gr	m/s	fps	m/s	fps	m/s	fps	J	ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm
PISTOL CARTRIDGES																						
25A	.25 Auto	FMJ	3.24	50	232	760	214	707	199	659	87	64	74	56	64	48	6.1	2.0	26.2	8.7	5.1	2
32A	.32 Auto	FMJ	4.60	71	276	905	259	855	245	810	175	129	154	115	138	103	4.3	1.4	18.5	5.8	10.2	4
32B	.32 Auto	JHP	4.60	71	276	905	259	855	245	810	175	129	154	115	138	103	4.3	1.4	18.5	5.8	10.2	4
32C	.32 Auto	LRN	4.60	71	276	905	259	855	245	810	175	129	154	115	138	103	4.3	1.4	18.5	5.8	10.2	4
38S	.38 Super Auto+P	FMJ	8.42	130	370	1,215	332	1,099	306	1,017	576	426	464	348	394	298	2.5	0.8	11.0	3.6	12.7	5
380A	.380 Auto	FMJ	6.15	95	290	951	261	861	236	781	259	190	209	156	171	128	4.3	1.4	18.0	5.9	9.5	3 3/4
380B	.380 Auto	JHP	6.15	95	290	951	261	861	236	781	259	190	209	156	171	128	4.3	1.4	18.0	5.9	9.5	3 3/4
380D	.380 Auto	LRN	6.15	95	290	951	261	861	236	781	259	190	209	156	171	128	4.3	1.4	18.0	5.9	9.5	3 3/4
9A	9mm Luger	FMJ	7.45	115	346	1,135	310	1,027	290	961	446	330	358	270	313	235	2.7	0.9	12.2	4.0	10.2	4
9B	9mm Luger	FMJ	8.03	124	338	1,109	308	1,030	290	971	459	339	381	292	338	259	3.1	1.0	12.5	4.1	10.2	4
9C	9mm Luger	JHP	7.45	115	352	1,155	316	1,047	293	971	462	340	372	280	320	240	2.7	0.9	12.2	3.9	10.2	4
9D	9mm Luger	JSP Flat	6.15	95	410	1,345	356	1,185	317	1,055	517	380	390	295	309	235	2.4	0.8	12.4	3.4	10.2	4
9E	9mm Luger	LRN	8.03	124	338	1,109	308	1,030	290	971	459	339	381	292	338	259	3.1	1.0	12.5	4.1	10.2	4
9F	9mm Luger	JSP Flat w/o Grooves	6.15	95	410	1,345	356	1,185	317	1,085	517	380	390	295	309	235	2.4	0.8	10.4	3.4	10.2	4
9G	9mm Luger	FMJ Flat Sub	9.52	147	302	990	286	945	274	907	434	320	389	292	357	268	3.7	1.2	14.6	4.8	10.2	4
9H	9mm Luger+P+	JHP	7.45	115	405	1,328	358	1,187	325	1,084	611	451	478	360	395	300	1.07	0.3	9.4	3.09	10.2	4
9K	9mm Luger	JHP Sub	9.52	147	302	990	286	945	274	907	434	320	389	292	357	268	3.7	1.2	14.6	4.8	10.2	4
9S	9mm Luger	JSP	8.03	124	338	1,109	308	1,030	290	971	459	339	381	292	338	259	3.1	1.0	12.5	4.1	10.2	4
921A	9x21mm	FMJ	8.03	124	350	1,150	318	1,066	300	1,003	491	364	406	313	361	277	2.8	0.9	11.7	3.8	10.2	4
921B	9x21mm	LRN	8.03	124	350	1,150	318	1,066	300	1,003	491	364	406	313	361	277	2.8	0.9	11.7	3.8	10.2	4
40A	.40 S&W	JHP	11.66	180	302	990	282	933	268	886	532	390	464	348	419	314	3.7	1.2	14.6	5.0	10.2	4
40B	.40 S&W	FMJ Flat	11.66	180	302	990	282	933	268	886	532	390	464	348	419	314	3.7	1.2	14.6	5.0	10.2	4
40C	.40 S&W	LSWC	10.37	160	355	1,165	325	1,076	297	984	653	484	548	411	457	343	2.7	0.9	11.9	3.9	10.2	4
40D	.40 S&W	JHP	10.05	155	367	1,205	330	1,018	307	1,096	677	500	547	410	474	357	2.4	0.8	11.0	3.6	10.2	4
40G	.40 S&W	FMJ Flat	10.69	165	320	1,050	283	941	259	863	547	404	428	325	359	273	3.3	1.2	12.0	4.0	10.2	4
40PS	.40 S&W	FMJ Flat	11.66	180	320	1,050	300	984	286	938	598	441	525	387	477	352	3.9	1.3	15.6	5.3	10.2	4
45GA	.45 G.A.P.	FMJ	14.90	230	255	837	242	800	232	767	484	356	436	326	401	300	4.9	1.6	20.7	6.8	12.7	5
45A	.45 Auto	FMJ	14.90	230	255	837	242	800	232	767	484	356	436	326	401	300	4.9	1.6	20.7	6.8	12.7	5
45B	.45 Auto	FMJ-SWC	14.90	230	238	780	218	720	199	660	422	310	354	265	295	222	5.5	1.8	23.8	7.8	12.7	5
45C	.45 Auto	LSWC	12.96	200	290	950	277	910	265	874	545	401	496	368	455	339	2.4	0.8	11.0	4.8	12.7	5
SHOOTIN' SIZE™																						
MP9A	9mm Luger	FMJ	7.45	115	346	1,135	310	1,027	290	961	446	330	358	270	313	235	2.7	0.9	12.2	4.0	10.2	4
MP357A	.357 MAG	SJSP Flat w/ nickel	10.24	158	376	1,235	333	1,104	305	1,015	724	535	568	428	476	361	2.4	0.8	10.7	3.5	10.2-V	4-V
MP38A	.38 SPL	LRN	10.24	158	376	1,235	333	1,104	305	1,015	724	535	568	428	476	361	2.4	0.8	10.7	3.5	10.2-V	4-V
MP380A	.380 Auto	FMJ	6.15	95	290	951	261	861	236	781	259	190	209	156	171	128	4.3	1.4	18.0	5.9	9.5	3 3/4
MP40B	.40 S&W	FMJ Flat	11.66	180	302	990	282	933	268	886	532	390	464	348	419	314	3.7	1.2	14.6	5.0	10.2	4
MP45A	.45 Auto	FMJ	14.90	230	255	837	242	800	232	767	484	356	436	326	401	300	4.9	1.6	20.7	6.8	12.7	5

Symbol	Caliber	Bullet		Velocity				Energy				Mid-Range Trajectory				Test Barrel Length						
		Style		Weight		Muzzle		50 m	50 yd	100 m	100 yd	Muzzle		50 m	50 yd	100 m	100 yd					
				g	gr	m/s	fps	m/s	fps	m/s	fps	J	ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm
REVOLVER CARTRIDGES																						
32SWA	.32 S&W	LRN	5.50	85	207	680	195	645	187	610	118	87	105	78	96	70	7.6	2.5	36.8	10.5	7.6	3
32SWLA	.32 S&W Long	LRN	6.35	98	215	705	202	670	192	635	147	108	130	98	117	88	7.0	2.3	32.0	10.5	10.2-V	4-V
32SWLB	.32 S&W Long	LWC	6.35	98	208	682	174	579	145	491	137	102	96	73	67	52	7.0	2.3	38.5	12.6	10.2-V	4-V
32SWLC	.32 S&W Long	SJHP	6.35	98	237	778	225	742	214	709	178	132	161	120	146	109	5.6	2.0	25.0	8.0	10.2-V	4-V
38SWA	.38 S&W	LRN	9.45	146	209	686	199	655	190	267	207	152	188	139	170	127	6.9	2.3	29.3	9.6	10.2-V	4-V
38A	.38 SPL	LRN	10.24	158	230	755	218	728	209	693	271	200	243	183	224	168	6.2	2.0	24.9	8.3	10.2-V	4-V
38B	.38 SPL	LWC	9.59	148	216	710	190	634	170	566	224	166	173	132	139	105	7.4	2.4	33.7	10.8	10.2-V	4-V
38C	.38 SPL	SJSP Flat	10.24	158	230	744	218	723	209	692	271	200	243	183	224	168	6.2	2.0	24.0	8.2	10.2-V	4-V
38D	.38 SPL+P	SJSP Flat	8.10	125	286	938	270	891	257	851	331	245	295	220	267	200	4.0	1.3	16.5	5.1	10.2-V	4-V
38E	.38 SPL	SJHP	10.24	158	246	807	237	779	228	753	310	230	287	213	266	199	4.0	1.3	20.4	6.7	10.2-V	4-V
38F	.38 SPL+P	SJHP	8.10	125	286	938	270	891	257	851	331	245	295	220	267	200	4.0	1.3	16.5	5.4	10.2-V	4-V
38G	.38 SPL-Short	LRN	8.10	125	209	686	199	649	189	628	177	130	160	120	145	109	6.2	2.0	29.6	9.7	10.2-V	4-V
38H	.38 SPL+P	SJHP	10.24	158	270	890	258	853	247	879	373	278	340	255	311	231	4.3	1.4	20.2	6.5	10.2-V	4-V
38J	.38 SPL	LSWC	10.24	158	230	755	217	721	207	689	271	200	243	182	224	167	6.1	2.0	25.6	8.4	10.2-V	4-V
38N	.38 SPL+P	SJSP Flat	10.24	158	270	890	235	774	226	746	376	278	283	210	261	196	4.3	1.4	20.2	6.5	10.2-V	4-V
38P	.38 SPL	FMJ Flat	10.24	158	230	755	218	723	209	692	271	200	243	183	224	168	6.2	2.0	24.0	8.2	10.2-V	4-V
38Q	.38 SPL	FMJ Flat	8.10	125	286	938	270	891	257	851	331	245	295	220	267	200	4.0	1.3	16.5	5.4	10.2-V	4-V
38T	.38 SPL	FMJ	8.42	130	244	800	235	773	226	746	251	185	232	172	215	161	4.73	1.5	21.05	6.0	10.2-V	4-V
357A	.357 MAG	SJSP Flat w/ nickel	10.24	158	376	1,235	333	1,104	305	1,015	724	535	568	428	476	361	2.4	0.8	10.7	3.5	10.2-V	4-V
357B	.357 MAG	SJHP	10.24	158	376	1,235	333	1,104	305	1,015	724	535	568	428	476	361	2.4	0.8	10.7	3.5	10.2-V	4-V
357C	.357 MAG	LSWC	10.24	158	376	1,235	333	1,104	305	1,015	724	535	568	428	476	361	2.4	0.8	10.7	3.5	10.2-V	4-V
357D	.357 MAG	FMJ Flat	10.24	158	376	1,235	340	1,125	314	1,045	724	535	592	444	507	383	2.4	0.8	8.7	2.7	10.2-V	4-V
357E	.357 MAG	SJSP Flat w/ nickel																				



COWBOY ACTION



Part of the allure of Cowboy Action Shooting is the chance to step into the past...to experience life the way it used to be when two six-guns and a pair of quick hands were a cowboy's best friends. Magtech "Old West" Cowboy Action Loads were developed specifically for people like you... Cowboy Action Shooting enthusiasts who know how the West was won and never miss a chance to prove it.


"Old West" loads are more than just authentic, they PERFORM! These flat-nose bullets deliver reliable knockdown power that puts steel targets down on the first shot. Superior components and construction assure trouble-free performance in both single action revolvers and lever action rifles. The best part? Magtech "Old West" loads are affordably priced, giving you the ability to shoot up the town without shooting your budget.

There's a new Sheriff in town.



COWBOY ACTION CARTRIDGES																						
Symbol	Caliber	Bullet		Velocity				Energy				Mid-Range Trajectory				Test Barrel Length						
		Style	Weight	Muzzle	50 m	50 yd	100 m	100 yd	Muzzle	50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd	cm	inch			
			g	gr	m/s	fps	m/s	fps	m/s	fps	J	ft. lbs	J	ft. lbs	J	ft. lbs	J	ft. lbs	cm	inch	cm	inch
	38L	.38 SPL	10.24	158	244	800	236	776	228	753	305	225	285	211	267	199	5.3	1.8	22.0	7.2	10.2-V	4-V
★	38U	.38 SPL	8.10	125	280	919	267	879	255	843	317	234	289	214	264	197	3.4	1.1	14.1	4.6	10.2-V	4-V
	357L	.357 MAG	10.24	158	330	1,085	312	1,031	297	985	558	413	499	373	453	341	2.5	0.8	11.5	3.8	10.2-V	4-V
	44B	.44 SPL	15.55	240	232	761	223	731	214	702	418	310	387	286	356	264	6.2	2.0	25.7	8.4	10.2	4
★	44E	.44 SPL	12.96	200	220	722	210	693	201	665	314	232	287	213	262	196	5.4	1.7	22.7	7.4	10.2	4
	45D	.45 Colt	16.20	250	232	761	224	735	216	708	436	323	406	301	378	280	6.1	2.0	25.5	8.3	10.2	4
★	45F	.45 Colt	12.96	200	215	705	206	679	198	653	299	220	279	205	254	190	5.7	1.9	23.6	7.7	10.2	4
	4440B	.44-40 WIN	14.58	225	221	725	214	703	206	681	356	261	333	247	311	232	6.5	2.1	26.9	8.8	10.2	4
★	4440C	.44-40 WIN	12.96	200	220	722	212	697	203	672	314	232	290	216	268	201	5.4	1.8	22.4	7.3	10.2	4

"Thank you very much for the information and your quick response. I always expect a quick and informative response such as yours but am all too often disappointed. It is companies like Magtech and nice folks like you that restore and affirm my optimism!"

— Dennis M. Loyal customer



CLEANRANGE®



Magtech CleanRange® loads are specially designed to eliminate airborne lead and the need for lead retrieval at indoor ranges. That means an overall cleaner shooting environment and lower maintenance costs for trap owners, as well as cleaner guns and brass casings for shooters. CleanRange ammunition was developed using a state-of-the-art combination of high-tech, lead-free primers and specially designed Fully Encapsulated Bullets. This unique mix of components eliminates lead and heavy metal exposure at the firing point. No more lead in the air!

Many range owners and dedicated shooters have already made the switch to Magtech CleanRange... isn't it about time you considered doing the same? You'll get cleaner guns and a cleaner shooting environment... all without cleaning out your wallet!

When you want to keep it clean at the range!


CLEANRANGE® CARTRIDGES																						
Symbol	Caliber	Bullet			Velocity						Energy				Mid-Range Trajectory				Test Barrel Length			
		Style	Weight		Muzzle		50 m	50 yd	100 m	100 yd	Muzzle		50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd	cm	inch
			g	gr	m/s	fps	m/s	fps	m/s	fps	J	ft. lbs	J	ft. lbs	J	ft. lbs	cm	inch	cm	inch	cm	inch
CR38A	.38 SPL	FEB Flat	10.24	158	230	755	218	723	209	692	271	200	243	183	224	168	6.2	2.0	24.0	8.2	10.2-V	4-V
CR380A	.380 Auto	FEB	6.15	95	290	951	261	861	236	781	259	190	209	157	171	128	4.3	1.4	18.0	5.9	9.5	3¾
CR9A	9mm Luger	FEB	7.45	115	346	1,135	310	1,041	288	973	446	330	358	277	309	242	2.8	0.9	12.2	4.0	10.2	4
CR9B	9mm Luger	FEB	8.03	124	338	1,109	308	1,030	290	971	459	338	381	292	338	260	3.1	1.0	12.5	4.1	10.2	4
CR40A	.40 S&W	FEB Flat	11.66	180	302	990	282	938	268	891	532	392	463	352	419	318	3.7	1.2	13.4	4.5	10.2	4
CR45A	.45 Auto	FEB	14.90	230	255	837	242	800	232	767	484	356	436	326	401	300	4.9	1.6	20.7	6.8	12.7	5

"Just a quick note to say I'm really impressed with your .45 Auto target ammo. I've put about 300 rounds of through my new Kimber Pro CDP11...and one word...flawless! Keep up the great work!"

— Jeff Swanson
An avid shooter



RELOADING COMPONENTS



PRIMERS

Symbol	Description	RDS/BOX	BOX/CASE	RDS/CASE
PR-SP	Small Pistol Primer	100	50	5,000
PR-LP	Large Pistol Primer	100	50	5,000
PR-SPM	Small Magnum Pistol Primer	100	50	5,000
PR-SR	Small Rifle Primer	100	50	5,000
PR-LR	Large Rifle Primer	100	50	5,000
PR-SPCR	Small Pistol Primer - CleanRange®	100	50	5,000

UNPRIMED SHOTSHELL BRASS

Symbol	Description	Primer Used	RDS/BOX	BOX/CASE	RDS/CASE
SBR12	12 GA Brass Shotshell	LP	25	10	250
SBR16	16 GA Brass Shotshell	LP	25	10	250
SBR20	20 GA Brass Shotshell	LP	25	10	250
SBR24	24 GA Brass Shotshell	LP	25	10	250
SBR28	28 GA Brass Shotshell	LP	25	10	250
SBR32	32 GA Brass Shotshell	LP	25	10	250
SBR36	36 (.410") GA Brass Shotshell	LP	25	10	250
SBR9.1	9.1 GA Brass Shotshell	LP	36	10	360

UNPRIMED BRASS

Symbol	Description	RDS/BAG	BAGS/CASE	RDS/CASE
BR25	.25 Auto Unprimed Cases	100	10	1,000
BR32A	.32 Auto Unprimed Cases	100	10	1,000
BR32SW	.32 S&W Unprimed Cases	100	10	1,000
BR32SWL	.32 S&W Long Unprimed Cases	100	10	1,000
BR357	.357 Mag Unprimed Cases	100	10	1,000
BR38A	.38 SPL Unprimed Cases	100	10	1,000
BR38S	.38 Super Auto Unprimed Cases	100	10	1,000
BR380	.380 Auto Unprimed Cases	100	10	1,000
BR40SW	.40 S&W Unprimed Cases	100	10	1,000
BR44M	.44 Mag Unprimed Cases	100	10	1,000
BR4440B	.44-40 Win Unprimed Cases	100	10	1,000
BR45A	.45 Auto Unprimed Cases	100	10	1,000
BR45C	.45 Colt Unprimed Cases	100	10	1,000
BR9	9mm Luger Unprimed Cases	100	10	1,000
BR454	.454 CASULL Unprimed Cases	100	10	1,000
BR500	.500 S&W Unprimed Cases	100	10	1,000
BR30	30 Carbine Unprimed Cases	100	10	1,000
★ BR50	.50 (12.7 x 99mm) Unprimed Cases	25	10	250

★ = New Product

BULLETS

Symbol	Description	RDS/BAG	BAGS/CASE	RDS/CASE
BU25A	.25 Auto 50 FMJ	100	10	1,000
BU32A	.32 Auto 71 FMJ	100	10	1,000
BU32SWLA	.32 S&W Long 98 LRN	100	10	1,000
BU32SWLB	.32 S&W Long 98 LWC	100	10	1,000
BU380A	.380 Auto 95 FMJ	100	10	1,000
BU380B	.380 Auto 95 JHP	100	10	1,000
BU380C	.380 Auto 85 JHP Gold	100	10	1,000
BU380SC	.380 Auto 77 SCHP	100	10	1,000
BU9A	9mm Luger 115 FMJ	100	10	1,000
★ BU9B	9mm Luger 124 FMJ	100	10	1,000
★ BU9C	9mm Luger 115 JHP	100	10	1,000
★ BU9E	9mm Luger 124 LRN	100	10	1,000
★ BU9F	9mm Luger 95 JSP Flat	100	10	1,000
★ BU9G	9mm Luger 147 FMJ Flat	100	10	1,000
★ BU9K	9mm Luger 147 JHP	100	10	1,000
★ BU9M	9mm Luger 115 JHP Gold	100	10	1,000
★ BU9SC	9mm Luger 92.6 SCHP	100	10	1,000
★ BU38S	.38 Super Auto 130 FMJ	100	10	1,000
★ BU38A	.38 SPL 158 LRN	100	10	1,000
★ BU38B	.38 SPL 148 LWC	100	10	1,000
★ BU38C	.38 SPL 158 SJSP	100	10	1,000
★ BU38D	.38 SPL 125 SJSP	100	10	1,000
★ BU38L	.38 SPL 158 LFN Cowboy	100	10	1,000
★ BU38M	.38 SPL 125 JHP Gold	100	10	1,000
★ BU38SC	.38 SPL 95 SCHP	100	10	1,000
★ BU357A	.357 Mag 158 SJSP	100	10	1,000
★ BU357B	.357 Mag 158 SJHP	100	10	1,000

BULLETS

Symbol	Description	RDS/BAG	BAGS/CASE	RDS/CASE
BU357C	.357 Mag 158 LSWC	100	10	1,000
BU357SC	.357 Mag 95 SCHP	100	10	1,000
BU40A	.40 S&W 180 JHP	100	10	1,000
BU40B	.40 S&W 180 FMJ-Flat	100	10	1,000
BU40C	.40 S&W 160 LSWC	100	10	1,000
BU40E	.40 S&W 155 JHP Gold	100	10	1,000
BU40SC	.40 S&W 130 SCHP	100	10	1,000
★ BU44B	.44 SPL 240 LFN Cowboy	100	10	1,000
★ BU44A	.44 Rem Mag 240 SJSP	100	10	1,000
★ BU44C	.44 Rem Mag 240 FMJ Flat	100	10	1,000
★ BU44SC	.44 Rem Mag 200 SCHP	100	10	1,000
★ BU45A	.45 Auto 230 FMJ	100	10	1,000
★ BU45B	.45 Auto 230 FMC-SWC	100	10	1,000
★ BU45C	.45 Auto 200 LSWC	100	10	1,000
★ BU45D	.45 Colt 250 LFN	100	10	1,000
★ BU454A	.454 Casull 260 SJSP Flat	100	10	1,000
★ BU454B	.454 Casull 260 FMJ Flat	100	10	1,000
★ BU45E	.45 Auto 185 JHP Gold	100	10	1,000
★ BU45SC	.45 Auto 165 SCHP	100	10	1,000
★ BU454SC	.454 Casull 225 SCHP	100	10	1,000
★ BU500B	.500 S&W 325 SJSP	100	10	1,000
★ BU500D	.500 S&W 325 FMJ	100	10	1,000
★ BU500SC	.500 S&W 275 SCHP	100	10	1,000
★ BU4440A	.44-40 WIN 200 LFN	100	10	1,000
★ BU4440B	.44-40 WIN 225 LFN Cowboy	100	10	1,000
★ BU30A	.30 Carbine 110 FMJ	100	10	1,000

★ = New Product



JERRY & KAY MICULEK



MARK & TASHA HANISH

TEAM MAGTECH

THE CHOICE OF CHAMPIONS

1 M. Hanish 2006 STI American Handgunner World Shoot-Off Champion	1 K. Miculek 2006 Steel Challenge Ladies World Speed Shooting Champion	1 K. Miculek 2006 USPSA Ladies Open Division Champion	1 K. Miculek 9-Time USPSA Ladies Open Division Champion	1 K. Miculek 11-Time USPSA Ladies 3-Gun Open Division Champion
1 J. Miculek Current IPSC World Revolver Champion	1 J. Miculek 5-Time USPSA 3-Gun Nationals Champion	1 J. Miculek 15-Time International Revolver Champion	1 J. Miculek 2006 USPSA National Revolver Champion	1 J. Miculek 2006 Steel Challenge Revolver Champion



JERRY MICULEK'S WORLD SPEED SHOOTING RECORDS

- Eight shots in 1 second
- Six shot-reload-six shots in 2.99 seconds
- Six shots, two on each of three targets, in 1 second
- Sixty shots out of ten revolvers in 17.2 seconds

