



2008 AMMUNITION CATALOG



WELCOME TO SPEER®

Setting the Standard. At Speer®, we know that above all, performance matters. Whether it's for personal protection, hunting or high-volume practice, shooters need a load that delivers. Trusting a load to perform every time shouldn't be an issue. The trust that Speer has earned in the Law Enforcement community and beyond is thanks in large part to products like the Gold Dot® bullet. This tried and true bullet gives its best performance no matter what the task at hand. But it doesn't stop there. Through superior product performance, and timely new product development, Speer continues to be the #1 choice.

This year we're proud to introduce a brand new caliber to our industry-leading Gold Dot line. The .327 Federal Magnum gives shooters a distinct advantage in performance. Ruger® has partnered with us on this project, and will initially offer their SP101 in .327 Federal Magnum. Guns chambered in this versatile new caliber will feature a 6 round cylinder capacity and will be able to shoot four different calibers: .327 Federal Magnum, .32 H&R, .32 S&W Long and 32 S&W Short. It is ideal for light-weight revolvers and is a true "make-sense" caliber. In addition to the .327 Federal Magnum, we continue to bring shooters an exciting lineup of personal protection, target, hunting and quality practice options. Whatever category fits you, we've got the best choice for your needs.



In 1996, CCI/SPEER became the first U.S. ammunition manufacturer to achieve ISO 9001 certification for quality. All engineering, manufacturing, marketing, quality assurance and service functions continue to routinely undergo ISO audits to maintain this high level of quality accreditation. This distinction means all CCI/SPEER manufacturing processes and procedures continue to meet ISO standards of QUALITY.

2008 NEW PRODUCTS: 327 FEDERAL MAGNUM

Speer® is proud to carry the brand new .327 Federal Magnum. With almost twice the muzzle energy of a .38 Special, and velocities comparable to the .357 Mag, this caliber promises to be a great personal protection/conceal carry option.

327 FEDERAL MAGNUM ADVANTAGE								
Caliber	Bullet Wt. (grs)	Pressure	3 1/16" Revolver (28 oz)			4" Revolver (30 oz)		
			Velocity	Energy	Free Recoil	Velocity	Energy	Free Recoil
32 H&R Mag	85	20,500	990	185	1.46	1015	195	1.50
327 Federal Magnum	115	45,000	1335	455	5.78	1400	500	5.91
38 Special +P	129	20,000	925	245	3.00	970	270	3.01
357 Mag	125	35,000	1300	470	7.22	1375	525	7.52



Gold Dot® Personal Protection Ammunition

page 2-3

Gold Dot® Short Barrel Personal Protection Ammunition

page 4-5

Lawman® & Lawman® Clean-Fire® Training Ammunition

page 6-7

Gold Dot® Handgun Hunting Ammunition

page 8

Ballistic/Information Tables

page 9

Ammunition Display Board

page 9



GOLD-DOT® PERSONAL PROTECTION

Performance You Can Trust. Trust isn't something that's granted, it's something that's earned. Gold Dot® high performance handgun ammunition has earned the trust of thousands of law enforcement officers across America and around the world. You too can count on Gold Dot's superb performance, accuracy and reliability with our Personal Protection line. Whether you need the best for concealed carry, home protection, or target shooting, Gold Dot delivers—round after round.

This year, we've made an exciting addition to our most trusted line. The new .327 Federal Magnum brings improved performance and makes perfect sense for Speer's Gold Dot bullet. The new cartridge provides comparable ballistics to the .357 Magnum in a much friendlier platform. Available in a 115-gr Gold Dot bullet, this caliber and bullet combination will be a popular option for both personal protection and law enforcement.


Gold Dot was the first high-performance handgun ammunition to be loaded with true, bonded-core bullets. Using our exclusive Uni-Cor® process, we bond the

jacket to the core one molecule at a time. This virtually eliminates core-jacket separation, the leading cause of handgun bullet failures and often inherent in the design of conventional bullets.

Caliber	Part #	Bullet Wt. (grs)	Muzzle Velocity (ft/sec)
SPEER® GOLD DOT® PERSONAL PROTECTION			
25 Auto	23602	35	900
32 Auto	23604	60	960
NEW! 327 Federal Magnum	23914	115	1380
380 Auto	23606	90	990
9mm Luger	23614	115	1200
	23618	124	1150
	23619	147	985
9mm Luger +P	23617	124	1220
357 SIG	23918	125	1375
38 Special +P	23720	125	945
357 Magnum	23920	125	1450
40 S&W	23960	158	1235
	23961	155	1200
	23970	165	1150
	23962	180	1025
44 Special	23980	200	875
45 G.A.P.	23977	185	1090
	23978	200	950
45 Auto	23964	185	1050
	23966	230	890
45 Auto +P	23969	200	1080
45 Colt	23984	250	900

UNI-COR® BONDED GOLD-DOT® CONSTRUCTION

We take hours to make a Gold Dot® bullet for the split-second you need it. Our exclusive manufacturing processes give us the flexibility to match bullet design to cartridge performance. Below is a brief overview of a few of the many operations that make every Gold Dot bullet—*Best in Class*.



1 The Speer Gold Dot bullet begins with an alloyed lead core.



2 Uni-Cor technology bonds an incredibly uniform jacket to the core—one molecule at a time.



3 First stage of patented* two-stage hollow point process creates memory lines that expansion can follow.



4 Second forming stage finishes the cavity to match bullet weight and velocity, producing a smooth leading edge for reliable feeding, and a uniform heel for superb accuracy.



Bullet and case are assembled using top-quality nickel-plated brass cases, clean-burning, low-flash propellants, and famous and reliable CCI® primers.

Building the Best. Our bonding happens at the beginning of the bullet making process, exactly where it should. We form the hollow point cavity in two stages. The first establishes how far the bullet can expand; the second controls the rate of expansion. This patented* two-step cavity formation gives Speer engineers incredible control in the design process.

Each bullet caliber and weight is tuned for optimum expansion and penetration. The bullet is finished to provide a smooth profile for reliable feeding in

semi-auto handguns. Gold Dot is assembled in quality brass cases and nickel-plated for smooth feeding and protection from corrosion. For sure-fire ignition under real-world conditions, we use famous CCI® primers. Then we load select, low-flash propellants matched to the performance needs of each cartridge. We put a lot of thought into each Gold Dot cartridge so you don't have to. Accept nothing less than peak performance from your ammunition.

*Reg. US Pat. Off. No. 5,079,814 and applicable foreign patents



GOLD-DOT® SHORT BARREL PERSONAL PROTECTION

Superior, Specialized Ammunition. Not long ago, packing a snub-nosed revolver or compact semi-auto limited ammunition choice and performance. Short barrels once meant less velocity and less reliable expansion. Speer's successful launch of Gold Dot® Short Barrel ammunition solved a lot of these problems, and is still seen as the best option for compact firearms. It was designed from the ground up to work in 2-inch barrels, and has been phenomenally successful in both the law enforcement and consumer markets. We redesigned select Gold Dot bullets to make the cavity larger for reliable expansion at the reduced velocities common to short-barreled handguns.

Our Short Barrel loads provide less "kick" to keep you on target when wielding sharp snapping .357 and .44 Magnum revolvers. And if a semi-auto is your gun of choice, our


offerings are ideal for expansion in barrels as short as three inches. In addition to finely-honed performance in compact firearms, Gold Dot Short Barrel delivers all the other great Gold Dot attributes. You get accuracy, bonded-core bullets, and the attention to detail that has made Gold Dot the ammunition of choice for law enforcement professionals and gun owners everywhere.

Caliber	Part #	Bullet Wt. (grs)	Muzzle Velocity (ft/sec)
SPEER® GOLD DOT® SHORT BARREL PERSONAL PROTECTION			
9mm Luger +P	23611	124	1150
38 Special +P	23921	135	860
357 Magnum	23917	135	990
40 S&W	23974	180	950
44 Magnum	23971	200	1075
45 Auto	23975	230	820


TESTED. PROVEN. TRUSTED. GOLD DOT®.

Performance You Can Count On. Every Time. Why? Because we make sure that your Gold Dot® ammunition will excel in the stringent handgun ammunition tests developed by the Federal Bureau of Investigation for service-class* handgun cartridges. These tests evaluate total penetration, expansion, and retained weight in bare gelatin, and gelatin shielded by common barriers, to find out if the cartridge produces the tactical penetration required. Look at the table below for an example of Gold Dot results. The load is the 38 Special +P Short Barrel Gold Dot fired from a 2-inch revolver, a real challenge for other bullet types. Those numbers tell you this is an outstanding performer, as are all our Gold Dot products.

38 SPECIAL +P 135 GRAIN
GOLD DOT SHORT
BARREL HOLLOW POINT
EXCELS THROUGH FBI
PROTOCOL TESTS.



Outstanding Gold Dot performance! Here, Gold Dot shows optimum penetration and expansion through bare gelatin.



Test Event	Bare Gelatin*	Heavy Clothing*	IWBA Heavy Clothing	Plywood*	Steel*	Wallboard*	Auto Glass*
Velocity in fps	865	870	871	844	866	885	838
Penetration	11"	11"	13"	12"	12"	10"	11"
Expansion	.576" Dia.	.577" Dia.	.554" Dia.	.357" Dia.	.455" Dia.	.549" Dia.	.556" Dia.
Retained Weight	100%	100%	100%	99%	98%	100%	97%

*FBI Test Events—The 38 Spl +P 135 Grain GDHP is just one of our top performers. For more information on Gold Dot's other exceptional loads, please visit our website.



LAWMAN® & LAWMAN® CLEAN-FIRE® TRAINING

40 Years of Quality and Performance for Training. Speer® brought sport shooters and law enforcement the excellence of Lawman® 40 years ago. Back in 1968, the line included all our centerfire handgun ammunition, and quickly earned a reputation as a reliable, high-performance product.

Today, the evolution of the Speer ammunition lines has let us differentiate the ammunition by use. Lawman encompasses all our brass-case, general purpose ammo. Bullets are either Speer TMJ® or conventional full metal jacket depending on the product. When you're target shooting, training or out for an afternoon of plinking, you don't need a hollow-point. These are the times Lawman is right at home.

Lawman is attractively priced, and the cases are reloadable. We load clean-burning propellants and reliable CCI primers to complete the package. Many Lawman loads duplicate the velocities and bullet weights we load in

Gold Dot® so your practice is realistic. Lawman is made in calibers from 25 Auto through 45 Auto. Shooters have trusted Lawman for over a third of a century. Today, it's earning the trust of new generations of shooters.

Caliber	Part #	Bullet Wt. (grs)	Muzzle Velocity (ft/sec)
SPEER® LAWMAN® TRAINING			
25 Auto	53607	50	760
32 Auto	53632	71	900
380 Auto	53608	95	950
9mm Luger	53615	115	1200
	53616	124	1090
	53920	147	985
38 Special +P	53750	158	900
357 SIG	53919	125	1350
40 S&W	53957	155	1200
	53955	165	1150
	53958	180	1000
45 G. A. P.	53979	185	1060
	53980	200	990
	53654	185	1000
45 Auto	53655	200	975
	53967	230	845

THE VISIBLE DIFFERENCE



Lawman® Clean-Fire® spent cases look almost unfired when compared to traditionally primed ammunition. The heavy metals have been removed, producing a clean burn.



Lawman® Clean-Fire®—The Indoor Training Solution. If air quality in indoor ranges concerns you, Speer® has the ammunition to set your mind at ease. Lawman® Clean-Fire® is loaded like regular Lawman except for the primer and bullet. The ignition power comes from our patented* Clean-Fire primer that contains no lead, barium, or antimony.

The bullets we load in Lawman Clean-Fire are Speer's TMJ. The lead core is completely and seamlessly encased in jacket material so powder gases can't burn lead off the bullet base. This design is superior to other makers' "base cap" bullets where the caps can loosen, which results in leaked lead and destroyed accuracy.

Lawman Clean-Fire leaves the range air and your firearm cleaner. Fired cases don't show the usual soot

coating you see in most regular ammunition. Velocities and bullet weights are the same as most Gold Dot products for realistic practice.

When you need clear air, reach for Lawman Clean-Fire, your training solution.

*—U.S. Pat. Off. Reg. No. 4,963,201

Caliber	Part #	Bullet Wt. (grs)	Muzzle Velocity (ft/sec)
SPEER® LAWMAN® CLEAN-FIRE® TRAINING			
9mm Luger	53824	124	1090
	53826	147	985
38 Special +P	53833	158	900
357 SIG	54232	125	1350
40 S&W	53880	180	1000
45 Auto	53885	230	845



GOLD-DOT® HANDGUN HUNTING

Different Application, Same Great Performance. When you make the best handgun duty and personal protection ammunition, it's natural to apply that technical excellence to building ammunition for hunting big game with a handgun. We started with the foundation of the bonded-core handgun bullet that made regular Speer® Gold Dot® so successful and enhanced it for success on medium to large game.

Gold Dot hunting bullets are bonded with our Uni-Cor® process, but get heavier jackets for tough game. We choose weights that are optimum for larger animals so there is sufficient penetration. Then, we make sure the bullet style is appropriate to the task. We make both hollow point and soft point bullet styles for hunting. Hollow points are generally used for lighter game as soft points produce the deep penetration needed for the big ones.

Our soft points start as hollow points; in final forming we close the cavity to make a soft point. The "memory" of the hollow point is embedded in the lead core, so the

bullet penetrates deeper before expansion begins along predefined lines in the jacket and core. These bullets retain over 90 percent of their initial weight after expansion. They're accurate, too, for those longer shots. You have the confidence that your ammunition will do the job if you do your part.

Like regular Gold Dot, our hunting ammunition is loaded in nickel-plated brass cases and equipped with famous CCI® Magnum primers.

Caliber	Part #	Bullet Wt. (grs)	Muzzle Velocity (ft/sec)
SPEER® GOLD DOT® HANDGUN HUNTING			
357 Magnum	23959	170	1180
41 Magnum	23996	210	1280
44 Magnum	23972	210	1450
	23973	240	1400
	23968	270	1250
454 Casull	23990	300	1625
480 Ruger	23988	275	1450
	23985	325	1350
	23995	300	1550
50 Action Express	23995	300	1550
	3977	325	1400

Caliber	Part #	Bullet Wt. (grs)	Bullet Type	Test Barrel Length (in)	Velocity, ft/sec			Energy, ft-lbs			Trajectory (25 yd sight-in), inches*			
					Muzzle	50 yds	100 yds	Muzzle	50 yds	100 yds	25 yds	50 yds	75 yds	100 yds
SPEER® GOLD DOT® PERSONAL PROTECTION														
25 Auto	23602	35	GDHP	2	900	830	770	63	54	46	0.0	-2.0	-7.2	-15.7
32 Auto	23604	60	GDHP	4	960	894	840	123	107	94	0.0	-1.6	-6.0	-13.2
NEW! 327 Federal Magnum	23914	115	GDHP	4-V	1380	1240	1130	486	393	326	0.0	-0.4	-2.1	-5.5
380 Auto	23606	90	GDHP	3.75	990	907	842	196	164	142	0.0	-1.5	-5.7	-12.7
9mm Luger	23614	115	GDHP	4	1200	1065	976	368	289	243	0.0	-0.8	-3.5	-8.3
	23618	124	GDHP	4	1150	1039	963	364	297	255	0.0	-0.9	-3.9	-9.0
9mm Luger +P	23619	147	GDHP	4	985	932	887	317	284	257	0.0	-1.5	-5.5	-12.0
	23617	124	GDHP	4	1220	1085	996	410	324	273	0.0	-0.8	-3.3	-8.0
357 SIG	23918	125	GDHP	4	1375	1203	1079	525	402	323	0.0	-0.4	-2.3	-5.9
38 Special +P	23720	125	GDHP	4V	945	891	845	248	220	198	0.0	-1.7	-6.1	-13.4
357 Magnum	23920	125	GDHP	4V	1450	1261	1118	584	441	347	0.0	-0.3	-2.0	-5.2
	23960	158	GDHP	4V	1235	1119	1036	535	440	377	0.0	-0.7	-3.1	-7.4
40 S&W	23961	155	GDHP	4	1200	1063	974	496	389	326	0.0	-0.8	-3.6	-8.4
	23970	165	GDHP	4	1150	1042	967	484	398	342	0.0	-0.9	-3.9	-8.9
44 Special	23962	180	GDHP	4	1025	956	902	420	365	325	0.0	-1.3	-5.0	-11.2
	23980	200	GDHP	6	875	832	794	340	308	280	0.0	-2.1	-7.3	-15.8
45 G. A. P.	23977	185	GDHP	4	1090	982	906	488	396	337	0.0	-1.1	-4.5	-10.4
	23978	200	GDHP	4	950	895	848	401	355	319	0.0	-1.7	-6.0	-13.3
45 Auto	23964	185	GDHP	5	1050	955	886	453	375	322	0.0	-1.3	-4.9	-11.1
	23966	230	GDHP	5	890	845	805	404	365	331	0.0	-2.0	-7.1	-15.3
45 Auto +P	23969	200	GDHP	5	1080	994	930	518	439	384	0.0	-1.1	-4.5	-10.2
45 Colt	23984	250	GDHP	5.5	900	860	823	450	410	376	0.0	-1.9	-6.8	-14.7
SPEER® GOLD DOT® SHORT BARREL PERSONAL PROTECTION														
9mm Luger +P	23611	124	GDHP-SB	3.5	1150	1039	963	364	297	255	0.0	-0.9	-3.9	-9.0
38 Special +P	23921	135	GDHP-SB	2V	860	818	780	222	200	182	0.0	-2.2	-7.6	-16.4
357 Magnum	23917	135	GDHP-SB	2V	990	928	877	294	258	231	0.0	-1.5	-5.5	-12.1
40 S&W	23974	180	GDHP-SB	3.5	950	898	854	361	322	291	0.0	-1.7	-6.0	-13.2
44 Magnum	23971	200	GDHP-SB	4V	1075	994	933	513	439	387	0.0	-1.1	-4.5	-10.2
45 Auto	23975	230	GDHP-SB	4	820	783	749	343	313	287	0.0	-2.5	-8.5	-18.3
SPEER® LAWMAN® TRAINING														
25 Auto	53607	50	TMJ RN	2	760	717	677	64	57	51	0.0	-3.1	-10.4	-22.1
32 Auto	53632	71	TMJ RN	4	900	838	785	128	111	97	0.0	-2.0	-7.1	-15.4
380 Auto	53608	95	TMJ RN	3.75	950	892	843	190	168	150	0.0	-1.7	-6.0	-13.4
9mm Luger	53615	115	TMJ RN	4	1200	1098	1024	368	308	268	0.0	-0.8	-3.3	-7.8
	53616	124	TMJ RN	4	1090	1019	965	327	286	256	0.0	-1.1	-4.2	-9.6
9mm Luger +P	53620	147	TMJ FN	4	985	932	888	317	284	257	0.0	-1.5	-5.5	-12.0
	53750	158	TMJ FN	4V	900	861	826	284	260	240	0.0	-1.9	-6.8	-14.7
357 SIG	53919	125	TMJ FN	4	1350	1190	1074	506	393	320	0.0	-0.5	-2.5	-6.2
40 S&W	53957	155	TMJ FN	4	1200	1065	976	496	390	328	0.0	-0.8	-3.5	-8.3
	53955	165	TMJ FN	4	1150	1040	964	484	396	340	0.0	-0.9	-3.9	-9.0
45 G. A. P.	53958	180	TMJ FN	4	1000	937	885	400	351	313	0.0	-1.4	-5.3	-11.8
	53979	185	TMJ FN	4	1060	950	872	462	370	312	0.0	-1.3	-5.0	-11.2
45 Auto	53980	200	TMJ FN	4	990	908	843	435	366	316	0.0	-1.5	-5.7	-12.7
	53654	185	TMJ FN	5	1000	909	839	411	339	289	0.0	-1.5	-5.6	-12.6
45 Auto	53655	200	TMJ FN	5	975	897	834	422	357	309	0.0	-1.6	-5.9	-13.1
	53967	230	TMJ RN	5	845	807	773	365	333	305	0.0	-2.3	-7.9	-16.9
SPEER® LAWMAN® CLEAN-FIRE® TRAINING														
9mm Luger	53824	124	TMJ RN	4	1090	1019	965	327	286	256	0.0	-1.1	-4.2	-9.6
	53826	147	TMJ FN	4	985	932	888	317	284	257	0.0	-1.5	-5.5	-12.0
38 Special +P	53833	158	TMJ FN	4V	900	861	826	284	260	240	0.0	-1.9	-6.8	-14.7
357 SIG	54232	125	TMJ FN	4	1350	1190	1074	506	393	320	0.0	-0.5	-2.5	-6.2
40 S&W	53880	180	TMJ FN	4	1000	937	885	400	351	313	0.0	-1.4	-5.3	-11.8
45 Auto	53885	230	TMJ RN	5	845	807	773	365	333	305	0.0	-2.3	-7.9	-16.9
SPEER® GOLD DOT® HANDGUN HUNTING														
357 Magnum	23959	170	GDSP	4V	1180	1087	1019	526	446	392	0.0	-0.8	-3.4	-8.0
41 Magnum	23996	210	GDHP	4V	1280	1162	1073	764	629	537	0.0	-0.6	-2.7	-6.7
44 Magnum	23972	210	GDHP	6.5	1450	1277	1140	980	760	606	0.0	-0.6	-2.9	-7.0
	23973	240	GDHP	6.5	1400	1253	1137	1044	837	689	0.0	-0.3	-1.9	-5.0
454 Casull	23968	270	GDSP	6.5	1250	1144	1064	937	785	678	0.0	-0.3	-2.1	-5.3
	23990	300	GDHP	7.5	1625	1489	1365	1759	1476	1242	0.0	0.0	-1.0	-3.0
480 Ruger	23988	275	GDHP	7.5	1450	1284	1152	1284	1007	810	0.0	-0.4	-2.3	-5.7
	23985	325	GDSP	7.5	1350	1223	1122	1315	1078	908	0.0	-0.3	-1.9	-4.9
50 Action Express	23995	300	GDHP	6	1550	1361	1205	1600	1233	967	0.0	-0.1	-1.5	-4.1
	3977	325	UCHP	6	1400	1249	1130	1414	1125	922	0.0	-0.3	-2.1	-5.4

*Trajectory: bullet path relative to line-of-sight when sighted for 50 yards (sight height 0.9 inches). Test barrels are used to determine ballistic figures. Individual firearms may vary. These figures are approximate and are shown for reference. V = Vented test barrel simulating revolver performance.

If using a scoped handgun use ballistic software package RCBS Load to compute bullet drop.

Abbreviation Key	
FMJ	Full Metal Jacket
FN	Flat Nose
GD	Gold Dot®
HP	Hollow Point
L	Lead
J	Jacketed
SB™	Short Barrel
SP	Soft Point
TMJ®	Encapsulated Full Metal Jacket
RN	Round Nose
UC	Uni-Cor®

CCI & SPEER Handgun/Rimfire Display Board

Now in one place—The CCI® and Speer® ammunition line presented in a handsome display board. It includes both rimfire and centerfire products mounted on a durable board and framed in dark wood. This is something no shooter should be without.

8055 CCI & Speer Handgun/Rimfire Display Board





AMMUNITION SYSTEMS GROUP

ATK Ammunition Systems Group is a unique collection of brands that gives shooting and outdoor enthusiasts everything they need in one place. From ammunition, optics and reloading equipment to gun

cleaning chemicals and accessories, ATK Ammunition Systems Group offers advanced, high-performance products. Look for these leading brands under the ATK Ammunition Systems Group umbrella:



Technically Superior by Design
www.alliantpowder.com
1-800-276-9337



www.estatecartridge.com
1-800-831-0850



www.intensityoptics.com
1-800-635-7656



www.outers-guncara.com
1-800-635-7656



www.shootersridge.com
1-800-635-7656



www.federalpremium.com
1-800-831-0850



www.blazer-ammo.com
1-866-286-7436



www.cci-ammunition.com
1-866-286-7436



www.speer-bullets.com
1-866-286-7436



www.ram-line.com
1-800-635-7656



www.speer-ammo.com
1-866-286-7436



www.weaver-mounts.com
1-800-635-7656



www.championtarget.com
1-800-635-7656
1-800-441-4971 (Clays)



www.gunslick.com
1-800-635-7656



www.nitrexoptics.com
1-800-635-7656



www.rcbs.com
1-800-533-5000



www.fusionammo.com
1-800-831-0850

We proudly support: Ducks Unlimited, The National Rifle Association, The National Wild Turkey Federation, Pheasants Forever, The Rocky Mountain Elk Foundation, Safari Club International, Ruffed Grouse Society, Becoming an Outdoors-Woman, Women in The Outdoors, 4-H Shooting Sports Program, The Boy Scouts of America, International Hunter Education Association and Civilian Marksmanship Program



WWW.SPEER-AMMO.COM

CCI, Clean-Fire, Lawman, SPEER, Gold Dot, Uni-Cor, TNT, and TMJ are trademarks of ATK Ammunition Systems Group. Specifications subject to change without notice.

Tech. Services: 1-866-286-7436 | General Information: 1-800-627-3640

Printed in the U.S.A. © 2008 Speer