

American Security



2011 Gun Safe Catalog



**American Security Corporate Headquarters
Fontana CA, USA**



Since 1948 American Security Products has protected the assets of our clients throughout the world by providing a broad array of safes and consulting services with the highest degree of quality, integrity and responsiveness. Customers have trusted AMSEC safes for generations. The design of each AMSEC safe draws on over 60 years of experience on protecting the physical assets of our customers. There aren't many criminals with over 60 years of experience, so we think that gives us the advantage.

Before the American Security name is attached, each safe must undergo a rigid 28-point inspection. In addition, every AMSEC safe undergoes the industry's most comprehensive testing program. AMSEC uses independent agencies such as Underwriter's Laboratories to put our designs to the test. We maintain the tightest tolerances and highest standards of fit and finish in the industry.

Our commitment doesn't end there. We have built our company on the commitment to offer the best service in the industry which will insure that AMSEC remains the industry leader.

Our corporate center is staffed with highly trained Customer Service Representatives and our Service Department is supported by 7,500 factory-trained technicians throughout the world. Technicians are available 24 hours a day, 365 days a year to answer questions and help solve problems with any safe shipped anywhere in the world. We have been providing safes and security solutions to the banking industry since 1948. This type of high security technology is built right into our gun safes.

We produce over 60,000 safes each year and we take protecting our customers' assets very seriously. That's how we got to be the largest security safe manufacturer in the world, and that's why you can't buy a better gun safe than an American Security safe.

Simply put, our reputation is built on product design, innovative technology and the best support in the industry.

It has worked for us for over 60 years and it ensures our complete customer satisfaction. The choice is easy:

American Security

The Industry Leader for Over 60 Years

We Stand Behind Our Craftsmanship with a "No Cost" Lifetime Warranty

American Security Products Co. is highly acclaimed for offering the industry's best fire protection. We manufacture the industry's broadest gamut of fire-rated products ranging from Underwriters Laboratories (U.L.) Listed 1 and 2 hour fire safes to our Mercury Class I, Class II, Class III, and Class IV fire protected gun safes.



Actual American Security Safe after a fire.

Fire Protection Level Chart

Each AMSEC safe is designed to maintain an interior temperature of less than 350°F. Paper products will char at approximately 450°F.

Series	Fire Label	Outside Temp	Time Period	Inside Temp Less Than
RF6528	Mercury Level IV	1850°F	120 min.	350°F
HS Series	Mercury Level IV	1850°F	120 min.	350°F
BF® Series	Mercury Level III	1275°F	90 min.	350°F
SF Series	Mercury Level II	1200°F	60 min.	350°F
TF Series	Mercury Level I	1200°F	30 min.	350°F



AMSEC gun safes that proudly display the UL Residential Security Container (RSC) Burglary Classification demonstrated the ability to withstand rigorous prying, drilling, punching, hammering, chiseling and tampering attacks performed by today's most experienced UL expert technicians.



Most of our Gun Safes meet or exceed the standards for California approved Firearms Safety devices and the requirements of California Penal Code Section 12088, Gun Safe Standards. Look for our DOJ Approved Label.



All of our HS, BF, SF and TF Series safes come with a Palusol Intumescent Door Seal. When the intumescent seal is exposed to high temperature (above 250°F), it expands to as much as 8 times its original thickness. This provides a strong positive seal between the door and body, preventing heat influx.

Gun Safe Lifetime Warranty

IF YOU ARE THE ORIGINAL OWNER OF AN AMSEC GUN SAFE THAT SUFFERS DAMAGE DUE TO THEFT OR FIRE, PROVIDE US WITH A PROPERLY FILED POLICE REPORT, WITHIN 30 DAYS. WITH ABSOLUTELY NO COST TO YOU, WHICH MEANS: FREE PARTS, FREE LABOR AND FREE FREIGHT; WE WILL EITHER REPAIR OR REPLACE (OUR OPTION) WITH A CURRENT PRODUCTION MODEL OF COMPARABLE VALUE. FOR ADDITIONAL ASSISTANCE, PLEASE CONTACT YOUR LOCAL DEALER. WE WILL BE STANDING BY READY TO TAKE IMMEDIATE ACTION TO GET YOUR VALUABLES QUICKLY SECURED BACK IN A QUALITY BUILT AMSEC SAFE.

NO COST - BREAK-IN WARRANTY

IF YOUR AMSEC GUN SAFE IS FORCIBLY ENTERED, WE WILL REPLACE OR REPAIR IT, FREE OF CHARGE.

NO COST - ATTEMPTED BREAK-IN WARRANTY

IF YOUR AMSEC GUN SAFE HAS BEEN SUBJECT TO A DRILL, PUNCH OR PRY ATTACK AND HAS PERFORMED SUCCESSFULLY BY KEEPING THE INTRUDERS OUT, IT WILL BE REPAIRED OR REPLACED FREE OF CHARGE.

NO COST - FIRE WARRANTY

IF YOUR AMSEC GUN SAFE HAS BEEN SUBJECT TO A HOME FIRE, IT WILL BE REPAIRED OR REPLACED FREE OF CHARGE.

AMERICAN SECURITY'S WARRANTY COMMITMENT TO YOU: WE WILL FIX THE SAFE IN YOUR HOME IF AT ALL POSSIBLE. WE WILL PAY FOR THE SAFE TECHNICIAN TO OPEN THE SAFE. WE WILL PAY FOR THE SAFE TECHNICIAN TO REPAIR THE SAFE AND IF A REPAIR IS NOT POSSIBLE WITHIN THE HOME, WE WILL PAY FOR THE FREIGHT BACK TO THE FACTORY. EFFECTIVE ON GUN SAFE PURCHASES STARTING 01/01/2006

Contents


BF® Series	
<i>Burglary/Fire</i>	4
SF Series	
<i>Sixty Minute Fire</i>	6
TF Series	
<i>Thirty Minute Fire</i>	8
Defense Vault	10
AM Series	11
CSC Executive	11
HS Series	
<i>High Security</i>	12
Vault Door	13
Security Products	14
Handgun Safes	15
Stor-it Options	16
Electronic Locks & Other Options	17
Features At A Glance	18



E-Z Slant-Out Interior

BF6636

Shown above in Charcoal Metallic with Black Nickel Hardware, NEW standard pull-handle, and Optional ESL10XL Electronic Lock



Poured DryLight Fill

BF7250 is 3/8" Plate

BF® Series - Burglary / Fire

The Most Unique Gun Safe In the Industry

The BF Series Features:

1/2" steel plate door combined with 1" **DryLight** insulation. (BF7250 is 3/8" steel plate for stability due to size of door.)

2" total wall thickness on all sides featuring our poured DryLight insulation and two layers of steel for exceptional fire and security protection.

U.L. Residential Security Container (RSC) Burglary Classification.

11 massive 1 1/2" chrome-plated bolts. Bolt detent system holds bolts in open position.

Mercury Class III fire protection of 1275°F for 90 minutes. Designed to maintain an interior temperature of less than 350°F.

Commercial grade, adjustable ball bearing hinges.

2 Stage Dual fire seals with silicone seal on door jamb and expandable Palusol™ seal on door.

U.L. Listed Group II Lock with massive hard plate and two relocking devices.

Spy-proof, key-locking dial with decorative five-spoke handle and a convenient pull handle in brass, chrome or black nickel.

Unique mirrored back wall for added interior visibility.

Bold zinc die-cast polished logos in brass, chrome or black nickel.

Premium Door Organizer (PDO) maximizes storage space and offers quick access to commonly used items. All PDO's include:

- Various see-through pouches and zippered pockets to store valuables.
- Two rows of holders for storage of choke tubes, small flashlights and ammo.
- Two full-width pistol storage systems to accommodate multiple handguns. Comes with four holsters. Additional holsters can be purchased separately.
- A long gun storage system that accommodates two guns. Includes the AMSEC exclusive "no hassle" quick release band.
- Models PDO7250 and PDO7240 offer a zippered pocket large enough to store letter size folders.

4 pre-cut anchor holes and 1 pre-cut electrical access hole.

E-Z Slant-Out Interior for easy access to your long guns. Interior features rich pin-dot fabric and adjustable interior shelving.

BF® Standard All-in-One Interiors

Come with 2 coverplates and 4 side shelves to allow storage on all sides of the safe. Models BF7250 and BF7240 come with 3 coverplates and 6 side shelves.


High-Gloss Color Options



Textured Color Options



Two-Tone Color Options



Hardware Color Options



NEW! All BF® Series Safes now come standard with AMSEC's Premium Door Organizer and convenient pull-handle.

BF® Series - Burglary / Fire



BF7250
Shown in Textured Black with Chrome Hardware NEW standard Pull-Handle and Optional ESLXL10 Electronic Lock



BF7240
Shown in Burgundy Metallic with optional Cabinets and Light Kit



BF6636
Shown in Hunter Green with Brass Hardware



BF6030
Shown in Two-Tone Granite/Charcoal with Chrome hardware



BF6032
Shown in Pearl White with Chrome Hardware
PDO for BF6030 and BF6032

All BF® Series Safes Feature DryLight Insulation

American Security Product's **DryLight** (trademark pending) is an advanced poured concrete insulation material that eliminates the use of gypsum board and provides a dry and seamless barrier to protect valuables against intense fires and burglary attacks.



Model	Outside Dimension - H x W x D	Wt. Lbs.	Interior Capacity
BF7250	71¼ x 50 x 28	1,682	12-22-24-33-45 +2 on PDO
BF7240	71¼ x 40 x 26	1,490	12-14-24-26-38 +2 on PDO or optional 58 Gun
BF6636	65¼ x 36 x 26	1,246	12-19-31 +2 on PDO
BF6030	59¼ x 30 x 26	976	11-14-25 +2 on PDO
BF6032	59¼ x 30 x 21	862	7-11-18 +2 on PDO



SF Series - Sixty Minute Fire

Quality Packed, Affordably Priced

The SF Series Features:

¼" Steel Plate door with 3 layers of fire insulating material.

Mercury Class II fire protection of 1200°F for 60 minutes. Designed to maintain an interior temperature of less than 350°F.

2 Stage Dual fire seals with silicone seal on door jamb and expandable Palusol™ seal on door.

Body constructed of 12-gauge solid steel plate with a fire insulating material.

U.L. Listed Group II Lock with massive hard plate and two relocking devices.

Optional electronic lock available.

3-point handle in brass, chrome or black nickel and bold zinc die-cast polished logos in brass, chrome or black nickel.

4-way boltwork with 14 massive 1½" chrome-plated bolts.

Adjustable ball bearing hinges.

All-velour interior including back-cover and firewalls.

Premium Door Organizer (PDO) maximizes storage space and offers quick access to commonly used items. All PDO's include:

- Various see-through pouches and zippered pockets to store valuables.
- Two rows of holders for storage of choke tubes, small flashlights and ammo.
- Two full-width pistol storage systems to accommodate multiple handguns. Comes with four holsters. Additional holsters can be purchased separately.
- A long gun storage system that accommodates two guns. Includes the AMSEC exclusive "no hassle" quick release band.

Four (4) pre-cut anchor holes with mounting hardware included and one (1) pre-cut electrical access hole.

Available in several gloss and textured finishes.



Rich Velour Interior

SF6030
Shown above in
Onyx with Chrome Hardware

NEW!
LOCKING BOLTS
14 1½"

WALLS
12 ga.

¼" PLATE DOOR
4¼"

High-Gloss Color Options



Textured Color Options



Two-Tone Color Options



Hardware Color Options



SF Standard All-in-One Interiors

Come with 2 coverplates and 4 side shelves to allow storage on all sides of the safe.

NEW! SF Series Safes* now come standard with AMSEC's Premium Door Organizer

SF Series - Sixty Minute Fire



SF6036
Shown in Chocolate Brown with Black Nickel Hardware and Optional ESL10XL Electronic Lock



SF6030
Shown in Macadamia Metallic with Optional Stor-it Cabinets and Light Kit



SF6032
Shown in Sandstone with Brass Hardware



SF5924
Shown in Granite with Chrome Hardware and Optional Biometric Lock
*SF5924 does not include a StorIt-PDO

Premium Door Organizer for SF6030 and SF6032



Model	Outside Dimension - H x W x D	Wt. Lbs.	Interior Capacity
SF6036	59" x 30" x 26"	718	17-17-34 +2 on PDO
SF6030	71¼ x 40 x 26	646	14-14-28 +2 on PDO
SF6032	59" x 30" x 21"	576	9-9-18 +2 on PDO
SF5924	59" x 24" x 18"	462	8-8-16



Rich Velour Interior

TF6030

TF Series - Thirty Minute Fire

An Unbeatable Value

TF7240, TF6036, TF6030, TF6032 and TF5924 Feature:

$\frac{3}{16}$ " Steel Plate door with 2 layers of fire insulating material.

Mercury Class I fire protection of 1200°F for 30 minutes. Designed to maintain an interior temperature of less than 350°F.

2 Stage Dual fire seals with silicone seal on door jamb and expandable Palusol™ seal on door.

Body constructed of 12-gauge (7240 - 11ga / 5924 - 14ga) solid steel plate with a fire insulating material.

Group II, key-changeable lock with chrome spy-proof dial, internal relocker and drill resistant hardplate.

Optional electronic lock available.

3-point chrome tri-spoke handle and bold zinc die-cast polished chrome logo.

4-way boltwork with 14 massive $1\frac{1}{4}$ " chrome-plated bolts.

Adjustable ball bearing hinges.

Textured Black exterior and Mocha fabric interior including back-cover and firewalls.

Premium Door Organizer (PDO) maximizes storage space and offers quick access to commonly used items. All PDO's include:

- Various see-through pouches and zippered pockets to store valuables.
- Two rows of holders for storage of choke tubes, small flashlights and ammo.
- Two full-width pistol storage systems to accommodate multiple handguns. Comes with four holsters. Additional holsters can be purchased separately.

- A long gun storage system that accommodates two guns. Includes the AMSEC exclusive "no hassle" quick release band.
- Models PDO7240 offers a zippered pocket large enough to store letter size folders.

Four (4) pre-cut anchor holes with mounting hardware included and one (1) pre-cut electrical access hole.

The TF5517 Features:

$\frac{3}{16}$ " Steel Plate door with 2 layers of fire insulating material.

Mercury Class I fire protection of 1200°F for 30 minutes. Designed to maintain an interior temperature of less than 350°F.

Palusol™ door seal - expands up to 8 times its original thickness when exposed to high temperatures.

Body constructed of 14-gauge solid steel plate with a fire insulating material.

3-wheel combination lock with spy-proof dial and drill resistant hardplate.

Chrome "L" handle and bold zinc die-cast polished chrome logo.

3-way boltwork with 5 active 1" chrome-plated bolts and 3 deadbolts.

Textured Black exterior and Mocha fabric interior including back-cover and firewalls.

Durable hinges.

Four (4) pre-cut anchor holes with mounting hardware included and one (1) pre-cut electrical access hole.

Warranty: 1 Year Parts and Labor Only.

TF7240, TF6036, TF6030, TF6032, TF5924

NEW! LOCKING BOLTS 14 $1\frac{1}{4}$ "	WALLS 12 ga.	$\frac{3}{16}$" PLATE DOOR $3\frac{5}{8}$"
	(TF5924 - 14ga) (TF7240 - 11ga)	

TF5517

LOCKING BOLTS 8 1"	WALLS 14 ga.	$\frac{3}{16}$" PLATE DOOR $3\frac{1}{4}$"
-------------------------------------	-------------------------------	---

NEW! TF Series Safes now come standard with AMSEC's Premium Door Organizer*

TF Series - Thirty Minute Fire



TF7240
Shown with optional
ESL10XL Electronic Lock



TF6036
shown with Optional clip-on light kit



TF6032
Shown with optional
ESL10XL Electronic Lock



TF5924
*Not available with a PDO



TF5517
*Not available with a PDO

All Interiors Come with 1 coverplate to allow shelf storage on either side of the safe



(TF5517 - 1 Year
Parts & Labor Only)



Model	Outside Dimension - H x W x D	Wt. Lbs.	Interior Capacity
TF7240	72" x 40" x 26"	926	15-15-15-30-45 +2 on PDO
TF6036	59" x 36" x 26"	618	19-19-38 +2 on PDO
TF6030	59" x 30" x 26"	528	15-15-30 +2 on PDO
TF6032	59" x 30" x 21"	472	11-11-22 +2 on PDO
TF5924	59" x 24" x 18"	388	8-8-16
TF5517	55¼" x 17¾" x 16"	286	11-Gun



NEW!
Defense Vault

The AMSEC Defense Vault puts home security where you need it!

There's no better place to store your home-defense weapon within arm's reach than under your bed in the secure and easily accessible AMSEC Defense Vault!

The High Security electronic lock is easy to use, and in a matter of seconds, the door is open and the weapon is in hand!

The Defense Vault utilizes wasted space and is a great storage solution when space is limited! Larger traditional safes are typically placed in larger rooms, basements or the garage. With the Defense Vault, you will have peace of mind in knowing that you are protected within seconds of a home intrusion.

Whether you currently have a safe or not, the Defense Vault should seriously be considered for any gun owner.

Features AMSEC's new ESL5 electronic lock with an illuminated keypad. Bright, backlit keys let you enter your PIN code, even in the dark.

The AMSEC Defense Vault is constructed of 14 ga. steel with a unique 5-point slide locking bar and features a foam-padded slide-out gun tray and 4 pre-cut anchor holes with mounting hardware.



Model	Outside Dimension - H x W x D	Wt. Lbs.
DV652	6" x 52" x 14"	74
Tray Size	3 3/8" x 43 1/4" x 13"	

ESL5
Electronic Lock



AM Series Home Safes



Optional Clip-On Light Kit Available

AM Series Features:

- All-velour interior including back-cover and firewalls.
- Deep blue textured finish with bold, elegant American Security logo.
- Spy-proof dial and chrome "L" handle.
- Adjustable ball bearing hinges.
- High-strength unitized 12 ga. solid steel body.
- Massive 1 1/8" recessed door constructed of a 1/4" solid steel plate and a fire insulating material.
- 3-wheel combination lock protected by a drill-resistant hard plate. (U.L. Listed Group II Combination or Electronic lock available).
- 3-way boltwork with 5 active 1 1/4" diameter chrome-plated steel locking bolts (2020 Model has 4 active locking bolts).
- 4 pre-cut anchor holes with mounting hardware included.
- Fire protection of 1200°F for a period of 30 minutes. Designed to maintain an interior temperature of less than 350°F.
- Warranty: 1 Year Parts and Labor

Model	Exterior	Door	Body	Bolts	Shelves	Weight
AM2020	20h x 20w x 20d	1 1/8"	12 ga.	6	1	158 lbs.
AM3020	30h x 20w x 20d	1 1/8"	12 ga.	8	2	215 lbs.
AM4020	40h x 20w x 20d	1 1/8"	12 ga.	8	3	270 lbs.


CSC4520 Executive



Shown with Optional Clip-On Light Kit and Optional S&G Electronic Lock

CSC4520 Executive Features:

- 4-5/8" thick door constructed with a 2" defense barrier of outer and inner steel plates creating a burglary resistant structure enclosing a unique proprietary, fire resistant composite material.
- 2-7/8" thick body enclosing a unique, high-density fire and burglary resistant composite material.
- Mercury Class IV fire protection of 1850°F for 2 hours, designed to maintain an interior temperature of less than 350°F.
- Heat expandable Palusol door seal guards contents against severe fires.
- Seven 1 1/2" diameter solid steel locking bolts.
- U.L. Listed Group II combination lock with chrome-plated spy-proof dial and a tempered glass relock device. Optional electronic locks available.
- Heavy duty steel hinges.
- Attractively accented with a full width fascia, matching three point handle and logo.
- Durable and attractive charcoal gray textured finish.
- All-velour interior with 3 adjustable shelves, 1 fixed counter top and a 6 gun rack.
- Pre-punched electrical access hole equipped with a Gun Saver dehumidifier.
- Door mounted Stor-it Pack with multiple pouches for quick access to items
- One internal counter-sunk anchor hole and mounting hardware are provided to securely anchor safe.
- Removable casters provide easy delivery and installation.



Exterior Dimension	Interior Dimension	Weight
50.5h x 25.5w x 28.9d	45h x 20w x 21.2d	768

HS Series - High Security



RF6528

Shown in Onyx with Brass Hardware, Optional Pull Handle and Optional Electronic Lock



HS7943 Interior HS6743 Interior

HS7943 & HS6743

Shown in Macadamia Metallic with Brass Hardware and Optional S&G Electronic Lock

The RF6528 Features:

The only U.L. Listed TL-30 burglary and fire resistant gun safe on the market.

2¾" thick door constructed of outer and inner steel plates enclosing a unique burglary-resistant high security material and an ARMOR steel plate barrier protecting the entire door.

The HS6743 and HS7943 Features:

U.L. Listed TL-15 burglary and fire resistant high security gun safe.

2¾" thick door constructed with 1" thick solid steel plate and an inner steel plate enclosing a unique burglary-resistant, high security material.

3½" thick body constructed with 1" thick solid steel plate inner wall and an outer steel plate enclosing a unique burglary-resistant, high security material.

All HS Series Safes Feature:

Mercury Class IV fire protection of 1850°F for 2 hours. Designed to maintain an interior temperature of less than 350°F.

U.L. listed Group 2M lock with spy-proof key-locking dial, drill shattering hard plate and two additional spring-loaded relocking devices.

Plush tan pin-dot fabric interior.

5-point handle in brass or chrome and bold zinc die-cast polished brass or chrome logos. (RF6528 can also be ordered with NEW Black Nickel hardware).

10 massive 1½" solid steel chrome plated locking bolts.




Hardware Color Options



Textured Color Options



High-Gloss Color Options



RF6528

HS7943 & HS6943

HS Standard All-in-One Interiors

Come with 2 coverplates and 4 side shelves to allow storage on all sides of the safe.

Model	Outside Dim - H x W x D	Wt. Lbs.	Interior Capacity
RF6528	72" x 35" x 29½"	3,455	12-18-30
HS7943	79" x 43" x 29½"	6,840	12-23-35
HS6743	67" x 43" x 29½"	4,824	12-23-35



Turn your entire room into a security center

Instead of buying three different safes over a lifetime, AMSEC vault doors turn your room into a security center. It is designed for easy installation that retrofits a standard 80" x 30" opening. Make your vault room double as a storm shelter with our in-swing vault door. Offering the same features as our standard vault door, the in-swing vault door will insure opening from the inside even if debris has blocked the door.

Standard Features of VD8030SF & VD8030BF:

- U.L. Listed Group II Lock with massive hard plate and two reloading devices.
- Spy-proof key-locking dial with matching five-spoke handle, pull handle and bold zinc die-cast logo. Available in polished brass, chrome or black nickel finish.
- 10 massive 1½" chrome-plated locking bolts. (Note: no deadbolts required on In-Swing door)
- Select from four textured finishes.
- Commercial grade, Vault Door hinges.
- 2 Stage Dual fire seals with silicone seal on door jamb and expandable Palusol™ seal on door.
- New - Adjustable door frame slides together to fit a wall thickness of 4-3/4" to 9-3/4".
- Safety Lock Release: allows you to safely exit the vault room from inside. It also allows you to close and lock the door from the inside when equipped with an electronic lock, turning your vault into a safe room.

Special Features of the VD8030SF:

- 2" thick door offers a defense barrier constructed of a 1/8" inner and 1/4" outer steel plates filled with a fire insulation material that provides a barrier against extreme heat.

Special Features of the VD8030BF:

- 2" thick door offers a defense barrier constructed of a 1/2" steel plate door combined with 1-3/8" DryLight insulation that provides a barrier against extreme heat.


VD8030SF
Chocolate Brown with
Black Nickel Hardware



New Safety Lock Release Design

Vault Door

VD8030BF



Poured
DryLight Fill

Color Options



Sandstone



Granite



Black



Chocolate
Brown

Hardware Options



Brass



Chrome



Black Nickel

NEW! VD8030SF



Minimum opening:

Door opening:

In-Swing Door opening:

Weight

	Minimum opening:	Door opening:	In-Swing Door opening:	Weight
SF8030	79½" H x 29½" W	77½" H x 26½" W	77½" H x 20-5/16" W	395 lbs.
BF8030	79½" H x 29½" W	77½" H x 26¼" W	77½" H x 19-7/8" W	695 lbs.



Fire Safes

with NEW DL5000 Electronic Lock



EST712



EST149



FS914



FS149



EST1814

Safe features:

U.L. Listed, 350°F, 1-Hr fire protection.

Units with NEW DL5000 Electronic lock (EST) feature:

- Emergency key lock • Low battery indicator
- Power override battery box
- Spy-proof feature to hide combo
- Motion detector with alarm

Models EST914 and EST149 come with drawer shelf, anchor holes and anchor hardware.

Mechanical combination units (FS) come with standard mechanical combination lock plus key lock.

Safe Specifications

Model	Inside Dimensions (HxWxD)	Outside Dimensions (HxWxD)	Weight
EST712	7 ¼ x 11 ¾ x 8 ¾	11 13/16 x 16 ½ x 14 1/8	70
EST914	8 ½ x 14 x 10 ½	13 ½ x 19 1/8 x 15 ¾	96
EST149	14 x 8 ½ x 10 ½	19 1/8 x 13 ½ x 15 ¾	96
EST1814	18 ¼ x 13 1/8 x 12 3/8	23 5/8 x 18 7/8 x 18 7/8	187
FS914	8 ½ x 14 x 10 ½	13 ½ x 19 1/8 x 15 ¾	96
FS149	14 x 8 ½ x 10 ½	19 1/8 x 13 ½ x 15 ¾	96
FS2215	17 ¾ x 11 5/8 x 13 ½	27 5/16 x 19 ¾ x 19 ¼	318



Electronic Safes

with NEW DL5000 Electronic Lock



EST813



EST1014



EST916



EST2014

Safe features:

Small burglary resistant safes with state-of-the-art DL5000 digital electronic locking system.

The DL5000 Electronic Lock features:

- Emergency key lock • Low battery indicator
- Power override battery box
- Spy-proof feature to hide combo
- Motion detector with alarm

Can be bolted to the wall, floor or put inside a safe.

Dual live bolts made of heavy-gauge steel.

Carpeted base.

Safe Specifications

Model	Inside Dimensions (HxWxD)	Outside Dimensions (HxWxD)	Weight
EST813	7 13/16 x 12 1/16 x 5	8 x 12 ¼ x 7 ¾	16
EST916	8 x 15 ¾ x 10 5/8	9 x 16 x 13 1/8	30
EST1014	9 ½ x 13 ½ x 7	9 ¾ x 13 ¾ x 9 ¾	27
EST2014	19 ½ x 13 ½ x 9 ½	19 ¾ x 13 ¾ x 12 ¼	47

NEW! **ESF1214** Fingerprint Safe

Safe features:

- State-of-the-art fingerprint electronic lock.
- Motorized bolt work system with 2 chrome-plated solid-steel locking bolts.
- Spring-assisted door auto opens when unlocked.
- New laser-cut arched door design with heavy-duty 7/16" solid steel door and casing.
- 1/8" thick solid steel body
- Attractive high-gloss black finish
- 1 adjustable shelf
- Includes: 1 emergency key-lock with 2 keys and anchor kit
- Warranty: 1 year parts and labor.



Model	Exterior (HxWxD)	Cu. In. Capacity	Weight
ESF1214	11¼ x 14½ x 12 ¹⁵ / ₁₆	1,692	54 lbs.



Exterior Dimension	Weight
4.5h x 12w x 14d	15

NEW! **IRC412** Drawer Safe

Safe features:

- Heavy duty steel construction offers excellent burglary protection.
- Convenient motorized locking system, incorporating the latest technology.
- Easy to read, large LED display lets you know the status of the safe.
- Reliable ADA approved keypad.

- 4 to 6 digit combination, standard hotel room configuration (customer sets new combination every time safe is used, quickly and easily), or electronic credit card.
- Lock-out penalty if the combination is entered wrong, the safe will lock up for 5 minutes, frustrating the would-be burglar.
- Emergency key-lock override system with 2 keys.
- Fits in a drawer and only requires 5" clearance
- Spacious interior fits most lap top computers.



Optional Quick Release Anchor Plate Assembly

PB2 w/5BE Lock

Safe features:

- Deep blue textured finish with chrome hardware
- Heavy-duty chrome handle
- Strong, pry-resistant chrome locking bolt
- Interior cushioned with foam lining to protect against scratches
- Easy to change combination with programmable override code
- 9 VDC battery provides over 5,000 openings with low-battery indicator

- External auxiliary battery connection
- Tamper-proof penalty lockout protects against manipulation attempts
- Pre-punched holes enable the case to be installed directly to most surfaces.
- Optional: Quick Release Anchor Plate Assembly allows easy transfers with lock tabs and thumb screws, no tools necessary to transfer case.

Exterior Dimension	Weight
8h x 12w x 4d	8

Stor-it-Cabinets

These elegant, well-appointed 2-drawer and 4-drawer interior chests are the most sophisticated way to store and display your jewelry collection and letter files. These stunning chests are finely crafted in solid-wood maple drawer fronts and maple veneer and finished in a rich honey maple stain. NEW recessed door pulls give these cabinets a more streamlined appearance and makes for an easier fit into a variety of AMSEC safes. All drawers are elegantly lined in a silky, dark red felt and include a variety of Stor-It Jewelry Organizer Inserts.



Two Drawer Cabinet

Top drawer includes a Three Compartment Ring Organizer and a Seven Compartment Jewelry Organizer. Bottom drawer can be used for bulky items or converts to a file drawer.

Four Drawer Cabinet

Top drawer includes

a Three Compartment Ring Organizer and a Seven Compartment Jewelry Organizer. Drawer Two Includes a Three Compartment Necklace Organizer. Drawer Three Includes a Four Compartment Watch Organizer. Drawer Four is left open for easy access of large, bulky items, or stack additional Stor-It Jewelry Organizer Inserts.



Storage Cabinet Specifications

Model	Outside Dimensions (HxWxD)	Weight
2-Drawer	16 ⁵ / ₈ x 16 x 14 ³ / ₈	28
4-Drawer	16 ⁵ / ₈ x 16 x 14 ³ / ₈	29

The AMSEC StorIt-Cabinets are available as an option on the following Gun Safe models:

RF6528, HS7943, HS6743, BF7250*, BF7240, BF6636, BF6030, SF6036, SF6030

Cabinets do not fit any 6032 or 5924 models or the TF5517.

* no kit needed for installation on BF7250 - Cabinets slide right in

Additional Stor-it Jewelry Organizers can be purchased separately and stacked together to accommodate all your storage needs. Each insert can be removed for easy viewing, selecting and protection of your jewelry.




Seven Compartment Jewelry Organizer

With (3) long spaces to hold necklaces of any size tangle-free and four (4) small spaces to place pendants and ear rings.



Four Compartment Watch Organizer

With four soft pillows that hold your most precious watches and bracelets.



Necklace Hanger (available on safes without a PDO)

Attaches to back cover of safe door and includes 13 pegs to hang necklaces tangle-free.

NOTE: Always check inside clearance before closing door.



Three Compartment Ring Organizer

Features a Ring-holder and two (2) large open spaces for bracelets, ear rings.



Three Compartment Necklace Organizer

With three (3) extra long spaces to hold necklaces of any size tangle-free.

Electronic Lock Options

For quick and easy entry, an electronic lock is the choice to make. Locks are powered by batteries located in the dial and you can change your combination anytime.

AMSEC®

AMSEC's ESL10XL Models

Available in Brass, Chrome and Black Nickel finish



AMSEC's Biometric Lock

Available in Brass and Chrome



S&G Model 6120

Round Keypad, Brass or Chrome finish



S&G Model 6120EZ

"EZ" Keypad, Brass or Chrome finish



LAGARD

LG Basic

Brass or Chrome finish

Other Options



GunSaver Dehumidifier

Will constantly guard your guns against the threat of rust, pitting and moisture damage. Electrical access required.



Clip-On Battery Operated Light Kit

This compact light fits any safe, yet gives off a super-bright light, letting you see the contents of your safe easily. Battery Operated.

Jewelry Tray
Tray conveniently fits into every safe.
Burgundy felt lined.
Dimensions: 10 ³/₈" x 9 ³/₈" x 2"




Desiccant
Prevents rust and moisture damage.
Recommended for safes without electrical access.



LED Light Kit

AMSEC introduces the new HIWL120 LED AC power light kit with built-in motion sensor. The HIWL120 has two 39" light strips with 120 high-intensity white LED's and a motion sensor that automatically turns itself on when motion is detected and turns itself off 30 seconds after you leave the area.

The new AMSEC HIWL120 LED AC power light kit can be installed on any AMSEC safe.



Pistol Rack

This four-gun rack is ideal for organizing pistols inside your safe.




"AR" Gun Racks

"AR" gun racks are fully adjustable and custom fit in the side shelf area of each "BF" series gun safe. Each rack is designed with enough clearance to accommodate extra large front sights or optics. All racks feature rich pin-dot fabric.

"Premium" Upgrade Package for BF®, SF and HS Safes

When you choose to upgrade your American Security HS, BF® or SF Series with a "Premium Package", we'll add on some of our most popular options, including the GunSaver Dehumidifier, a Jewelry Tray, a Fluorescent light kit, and a power strip




Features at a Glance


Model	Exterior Dimensions H x W x D	Gun Capacity	PDO Included	Weight	Bolts	Bolt Diameter	
BF SERIES							
BF7250	71¼" x 50" x 28"	12-23-24-35-47 +2	Yes	1,682	11	1½"	
BF7240	71¼" x 40" x 26"	12-14-24-26-38 +2	Yes	1,490	11	1½"	
BF6636	65¼" x 36" x 26"	12-19-31 +2	Yes	1,246	11	1½"	
BF6030	59¼" x 30" x 26"	11-14-25 +2	Yes	976	11	1½"	
BF6032	59¼" x 30" x 21"	7-11-18 +2	Yes	862	11	1½"	
SF SERIES							
SF6036	59" x 36" x 26"	17-17-34 +2	Yes	718	14	1½"	
SF6030	59" x 30" x 26"	14-14-28 +2	Yes	646	14	1½"	
SF6032	59" x 30" x 21"	9-9-18 +2	Yes	576	14	1½"	
SF5924	59" x 24" x 18"	8-8-16	No	462	14	1½"	
TF SERIES							
TF7240	72" x 40" x 26"	15-15-15-30-45 +2	Yes	926	14	1¼"	
TF6036	59" x 36" x 26"	19-19-38 +2	Yes	618	14	1¼"	
TF6030	59" x 30" x 26"	15-15-30 +2	Yes	528	14	1¼"	
TF6032	59" x 30" x 21"	11-11-22 +2	Yes	472	14	1¼"	
TF5924	59" x 24" x 18"	8-8-16	No	388	14	1¼"	
TF5517	55¼" x 17¾" x 16"	11	No	286	14	1"	
HS SERIES							
RF6528	72" x 35" x 29½"	12-18-30	No	3,455	10	1½"	
HS7943	79" x 43" x 29½"	12-23-35	No	6,840	10	1½"	
HS6743	67" x 43" x 29½"	12-23-35	No	4,824	10	1½"	
DEFENSE VAULT							
DV652	6" x 52" x 14"	Tray Size: 3¾" x 43¼" x 13"	No	74	5-Point Slide Locking Bar		
EXECUTIVE SERIES							
CSC4520	45" x 20" x 21.2"	6	No	768	7	1½"	

NOTE: Dimensions listed are exterior dimensions. Add 2" to overall depth for lock and handle on all safes.


RF6528 Body / Door



HS Series Body / Door




BF Series Body / Door




Features at a Glance

	Warranty	U.L. Listing	Thickness		Fire Rating	Dial	Handle	Standard Interior
			Door Overall/Steel Plate	Body				
	Lifetime	RSC	4 ⁵ / ₁₆ " / 3 ³ / ₈ "	2"	90 min / 1275° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	RSC	4 ³ / ₄ " / 1 ¹ / ₂ "	2"	90 min / 1275° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	RSC	4 ³ / ₄ " / 1 ¹ / ₂ "	2"	90 min / 1275° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	RSC	4 ³ / ₄ " / 1 ¹ / ₂ "	2"	90 min / 1275° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	RSC	4 ³ / ₄ " / 1 ¹ / ₂ "	2"	90 min / 1275° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	RSC	4 ¹ / ₄ " / 1 ¹ / ₄ "	12 ga.	60 min / 1200° F	Spy-Proof, Key-Lock	3-spoke	Tan Velour
	Lifetime	RSC	4 ¹ / ₄ " / 1 ¹ / ₄ "	12 ga.	60 min / 1200° F	Spy-Proof, Key-Lock	3-spoke	Tan Velour
	Lifetime	RSC	4 ¹ / ₄ " / 1 ¹ / ₄ "	12 ga.	60 min / 1200° F	Spy-Proof, Key-Lock	3-spoke	Tan Velour
	Lifetime	RSC	4 ¹ / ₄ " / 1 ¹ / ₄ "	12 ga.	60 min / 1200° F	Spy-Proof, Key-Lock	3-spoke	Tan Velour
	Lifetime	B-Rate	3 ⁵ / ₈ " / 3 ³ / ₁₆ "	11 ga.	30 min / 1200° F	Spy-Proof	3-spoke	Mocha Fabric
	Lifetime	B-Rate	3 ⁵ / ₈ " / 3 ³ / ₁₆ "	12 ga.	30 min / 1200° F	Spy-Proof	3-spoke	Mocha Fabric
	Lifetime	B-Rate	3 ⁵ / ₈ " / 3 ³ / ₁₆ "	12 ga.	30 min / 1200° F	Spy-Proof	3-spoke	Mocha Fabric
	Lifetime	B-Rate	3 ⁵ / ₈ " / 3 ³ / ₁₆ "	12 ga.	30 min / 1200° F	Spy-Proof	3-spoke	Mocha Fabric
	Lifetime	B-Rate	3 ⁵ / ₈ " / 3 ³ / ₁₆ "	14 ga.	30 min / 1200° F	Spy-Proof	3-spoke	Mocha Fabric
	1 Year Parts & Labor	B-Rate	3 ¹ / ₄ " / 3 ³ / ₁₆ "	14 ga.	30 min / 1200° F	Spy-Proof	"L" Handle	Mocha Fabric
	Lifetime	TL30	5 ³ / ₄ "	3 ¹ / ₂ "	2 Hr / 1850° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	TL15	5 ³ / ₄ " / 1"	3 ¹ / ₂ "	2 Hr / 1850° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	Lifetime	TL15	5 ³ / ₄ " / 1"	3 ¹ / ₂ "	2 Hr / 1850° F	Spy-Proof, Key-Lock	5-spoke	Tan Pin-Dot
	1 Year Parts & Labor	B-Rate	1" / 14 ga.	14 ga.	N/A	ESL5 Electronic Lock	N/A	Foam Padding
	1 Year Parts & Labor	B-Rate	4 ⁵ / ₈ "	2 ¹ / ₈ "	2hr / 1700° F	Spy-Proof, Key-Lock	3-spoke	Tan Pin-Dot


SF Series Body / Door



TF Series Body / Door



CSC Series Body / Door





American Security Products
11925 Pacific Avenue, Fontana, CA 92337
951-685-9680
www.amsecusa.com

AMSEC reserves the right to update products as necessary. AMSEC is not responsible for typographical errors.
Part #4305172 Revised 01/11