



TOUGH SHOTS, ROUGH PLACES.

Trappers
Peak

W H I T E

N A T I O N A L



2011 PRODUCT CATALOG



SCOPES

SUPER SLAM	4-5
SUPER SLAM EURO-STYLE	6-7
GRAND SLAM	8-9
TACTICAL	10-11
CLASSIC V-SERIES	12-13
CLASSIC K-SERIES	14-15
CLASSIC RIMFIRE	16-17
T-SERIES	18-19
CLASSIC HANDGUN	20-21
40/44 SERIES	22-23
RED/GREEN DOT SIGHT	24-25
CLASSIC SPOTTING	26-27

BINOCULARS

SUPER SLAM	28-29
GRAND SLAM	30-31
CLASSIC	32-33

BUCK COMMANDER

OPTICS	34-35
POUCHES	36-37

WEAVER DIFFERENCE

MICRO-TRAC SYSTEM	38
-------------------	----

ACCESSORIES

ACCESSORIES/OPTIC GEAR	39
------------------------	----

GUNSMITH TOOLS

TOOL & KITS	40-41
-------------	-------

RINGS/MOUNTS/BASES

GRAND SLAM	42-43
QUAD LOCK	44
FOUR HOLE	45
SIX HOLE	45
MUZZLELOADER/.22 TIP OFF	46
MUZZLELOADER	47
DETACHABLE TOP MOUNT	48-49
SHOTGUN/PISTOL	50-51
SCOUT	52

TACTICAL

RINGS/MOUNTS/BASES	53-55
--------------------	-------

SIMMONS

RINGS	56-57
-------	-------

CHARTS

CHARTS/MOUNTING CHARTS	58-67
------------------------	-------


REDFIELD

RINGS & BASES CHARTS	68
MOUNT CHARTS	69-71

FOR WARRANTY DETAILS, VISIT WWW.WEAVEROPTICS.COM



SUPERSLAM RIFLESCOPES



SUPER SLAM RIFLESCOPES THE CLEAR CHOICE

FOR HUNTERS WHO FACE THE TOUGHEST, MOST DANGEROUS GAME ON THE PLANET, THE WEAVER DANGEROUS GAME SCOPE STANDS READY TO ANSWER THE CALL. WITH A RUGGED 30MM TUBE AND WIDE FOV THAT ALLOWS FAST FOLLOW-UP SHOTS, THIS 1-5X24MM SCOPE IS THE PERFECT CHOICE FOR ANY SAFARI-GRADE RIFLE.

WELCOME TO THE LATEST EVOLUTION OF OPTICS—THE SUPER SLAM® SERIES FROM WEAVER®. ENGINEERED TO MEET THE STRICT STANDARDS OF THE LEGENDARY WEAVER NAME, THE SUPER SLAM SCOPES ARE LOADED WITH ALL THE LATEST TECHNOLOGICAL ADVANCES OF MODERN HIGH-END OPTICS. IF YOU KNOW AND TRUST THE WEAVER NAME, YOU'LL BE IMPRESSED WITH THIS LINE OF PREMIER RIFLESCOPES DESIGNED FOR THE SERIOUS BIG GAME HUNTER AND SHOOTER.

FEATURES & BENEFITS

- 1-inch tubes (except on 1-5x24mm Dangerous Game)
- Fully multi-coated lenses with extra hard coating on exterior lenses
- Powerful 5 times magnification
- Waterproof / shockproof / fogproof
- Side focus parallax adjustment (except for 2-10 & 1-5x24 models)
- Reset-to-zero, pull-up turrets
- Argon purged tubes to eliminate internal fogging

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849352	1-5 x 24	Dangerous Game	Matte	Heavy Dual-X	11.4-4.9	100-19.9/33.3-6.6	4.25/108	10.31/262	1/4 / 7.3	62.84/1.75	14.8/420
800310	2-10 x 42		Matte	Dual-X	10.53-3.82	49.1-9.9/16.4-3.3	4.09/104	13.19/335	1/4 / 7.3	52.36/1.45	19.0/540
800311	2-10 x 42		Silver	Dual-X	10.53-3.82	49.1-9.9/16.4-3.3	4.09/104	13.19/335	1/4 / 7.3	52.36/1.45	19.0/540
800315	2-10 x 42		Matte	BDC	10.53-3.82	49.1-9.9/16.4-3.3	4.13/105	13.19/335	1/4 / 7.3	52.36/1.45	19.0/540
800320	2-10 x 50		Matte	Dual-X	10.5-4.4	48.1-9.7/16-3.2	4.13/105	14.09/358	1/4 / 7.3	52.36/1.45	21.9/620
800325	2-10 x 50		Matte	BDC	10.5-4.4	48.1-9.7/16-3.2	4.13/105	14.09/358	1/4 / 7.3	52.36/1.45	21.9/620
800330	3-15 x 42	Side Focus	Matte	Dual-X	10.5-2.34	33.1-6.6/11.-2.2	3.98/101	13.39/340	1/4 / 7.3	41.89/1.16	20.8/580
800335	3-15 x 42	Side Focus	Matte	BDC	10.5-2.34	33.1-6.6/11.-2.2	3.98/101	13.43/341	1/4 / 7.3	41.89/1.16	20.8/580
800340	3-15 x 50	Side Focus	Matte	Dual-X	10.52-3.32	33.9-6.8/11.3-2.3	3.98/101	13.19/335	1/4 / 7.3	41.89/1.16	23.5/665
800341	3-15 x 50	Side Focus	Silver	Dual-X	10.52-3.32	33.9-6.8/11.3-2.3	3.98/101	13.19/335	1/4 / 7.3	41.89/1.16	23.5/665
800345	3-15 x 50	Side Focus	Matte	BDC	10.52-3.32	33.9-6.8/11.3-2.3	3.98/101	13.19/335	1/4 / 7.3	41.89/1.16	23.5/665
800348	3-15 x 50	Side Focus	Matte	ill. Duplex	10.52-3.32	33.9-6.8/11.3-2.3	3.98/101	13.19/335	1/4 / 7.3	41.89/1.16	24.1/685
800350	4-20 x 50	Side Focus	Matte	Dual-X	10.5-2.44	24.5-4.9/8.2-1.6	3.98/101	13.31/338	1/8 / 3.6	35.61/99	24.0/690
800352	4-20 x 50	Side Focus	Matte	Fine-X w/Dot	10.5-2.44	24.5-4.9/8.2-1.6	3.98/101	13.31/338	1/8 / 3.6	35.61/99	24.0/690
800355	4-20 x 50	Side Focus	Matte	BDC	10.5-2.44	24.5-4.9/8.2-1.6	3.98/101	13.31/338	1/8 / 3.6	35.61/99	24.0/690



TOUGH SHOTS. ROUGH PLACES.



A portion of the proceeds of every Super Slam scope sold goes to benefit the Rocky Mountain Elk Foundation.



SUPERSLAM EURO-STYLE RIFLESCOPES



DUAL-X



ILL. GERMAN #4



ILL. CROSSHAIR GERMAN #4



3-9 x 56
800378



1.5-6 x 24
800375

SUPER SLAM EURO-STYLE RIFLESCOPES THE CLEAR CHOICE

IF YOU LOVE 30MM TUBE SCOPES OR SIMPLY WANT TO TOP YOUR RIFLE WITH A LITTLE EUROPEAN FLAVOR, OUR SUPER SLAM EURO-STYLE MODELS FIT THE BILL. IT'S POWERFUL WEAVER TECHNOLOGY PACKED INTO A 30MM TUBE.

GET THE POWER AND TECHNOLOGY OF THE SUPER SLAM® SERIES IN A 30MM TUBE DESIGN. CONTAINING ALL THE SAME CUTTING-EDGE TECHNOLOGY AND ADVANCEMENTS AS THE 1" TUBE SUPER SLAMS, THE SUPER SLAM EURO-STYLE SERIES BOAST A MORE ROBUST TUBE DIMENSION, ADDITIONAL MAGNIFICATION RANGES AND ILLUMINATED RETICLES.

FEATURES & BENEFITS

- Same great features as the 1-inch tube Super Slams
- 30mm tubes (Euro-Style)
- First focal plane reticles
- Expanded reticle offerings
- Side focus parallax adjustment (except for 1.5-6 model)

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
800375	1.5-6 x 24		Matte	ill. German #4	13-4.4	62.6-16/20.9-5.3	3.82/97	10.04/255	1/4 / 7.3	62.84/1.75	19.9/565
800378	3-9 x 56	Side Focus	Matte	ill. German #4	13-5.94	30.9-10.2/10.3-3.4	3.82/97	14.57/370	1/4 / 7.3	41.89/1.16	28.6/810
800370	4-20 x 50	Side Focus	Matte	Dual-X	9.52-2.44	25.1-5/8.4-1.7	3.94/100	14.88/378	1/4 / 7.3	41.89/1.16	28.0/795
800373	4-20 x 50	Side Focus	Matte	ill. Crosshair German #4	9.52-2.44	25.1-5/8.4-1.7	3.94/100	14.88/378	1/4 / 7.3	41.89/1.16	28.4/805




TOUGH SHOTS. ROUGH PLACES.



TOUGH SHOTS. ROUGH PLACES.



A portion of the proceeds of every Grand Slam scope sold goes to benefit the Rocky Mountain Elk Foundation.



DUAL-X

**FINE CROSSHAIR
1/4 MOA DOT**

VARMINTER

BALLISTIC-X

GRAND SLAM RIFLESCOPES

4.5-14 x 40 A/O
800475



3.5-10 x 50
800589



6-20 x 40 A/O
800476



GRAND SLAM RIFLESCOPES THE CLEAR CHOICE

OUR GRAND SLAM SCOPES PUSH ASIDE ALL DOUBT AND GIVE YOU THE CONFIDENCE YOU NEED TO MAKE THE SHOT. BASED ON DECADES OF OPTICS REFINEMENT, THE GRAND SLAM NAME CARRIES A PROUD HUNTING TRADITION. AND WHILE THE CRYSTAL CLEAR SIGHT PICTURE MAY REMOVE ALL DOUBT, IT'S UP TO YOU TO HANDLE YOUR POUNDING HEART.

WEAVER'S AWARD-WINNING GRAND SLAM®, WITH PATENTED MICRO-TRAC ADJUSTMENT SYSTEM, IS CONSISTENTLY RATED AS ONE OF THE BEST ALL-AROUND SCOPES AVAILABLE. COMBINING PRECISION TRACKING WITH RUGGED DEPENDABILITY, OUR FAMED MICRO-TRAC SYSTEM IS SIMPLY THE MOST RELIABLE ADJUSTMENT SYSTEM IN THE OPTICS INDUSTRY. WITH FULLY MULTI-COATED GLASS YIELDING 94% LIGHT TRANSMISSION, FANTASTIC EDGE-TO-EDGE CLARITY, REDUCED GLARE AND INCREDIBLE IMAGE BRIGHTNESS, THE GRAND SLAM SERIES IS THE PERFECT VARIABLE POWER SCOPE FOR ALL LOW LIGHT CONDITIONS. AND WITH EXPANDED RETICLE OFFERINGS, SHOOTERS EVERYWHERE HAVE ADDITIONAL CHOICES FOR THE WOODS, SWAMPS AND OPEN PLAINS.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses for optimum edge-to-edge clarity
- Nitrogen purged tubes to eliminate internal fogging
- One-piece construction
- Waterproof / fogproof / shockproof
- Ballistic-X reticle offering
- Micro-trac® adjustment system

SPECIFICATIONS


MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
800471	1.5-5 x 32		Matte	Dual-X	15.6-6.4	61.6-21.2/20.5-7.1	3.58/91	10.53/267.5	1/4 / 7.3	83.79/2.33	11.5/326
800472	3-10 x 40		Matte	Ballistic-X	12.2-4	34-10.8/11.3-3.6	3.46/88	12.05/306	1/4 / 7.3	48.17/1.34	13/369
800473	3-10 x 40		Matte	Dual-X	12.2-4	34-10.8/11.3-3.6	3.46/88	12.05/306	1/4 / 7.3	48.17/1.34	13/369
800588	3-10 x 40		Silver	Dual-X	12.2-4	34-10.8/11.3-3.6	3.46/88	12.05/306	1/4 / 7.3	48.17/1.34	13/369
800474	3.5-10 x 50		Matte	Dual-X	11.8-5	29.6-10.5/9.9-3.5	3.54/90	12.93/328.5	1/4 / 7.3	41.89/1.16	16.3/462
800589	3.5-10 x 50		Silver	Dual-X	11.8-5	29.6-10.5/9.9-3.5	3.54/90	12.93/328.5	1/4 / 7.3	41.89/1.16	16.3/462
800475	4.5-14 x 40	AO	Matte	Dual-X	8.9-2.85	23.6-7.5/7.9-2.5	3.15/80	14.49/368	1/4 / 7.3	37.70/1.05	16.5/468
800477	4.5-14 x 40	AO	Matte	Ballistic-X	8.9-2.85	23.6-7.5/7.9-2.5	3.15/80	14.49/368	1/4 / 7.3	37.70/1.05	16.5/468
800590	4.5-14 x 40	AO	Silver	Dual-X	8.9-2.85	23.6-7.5/7.9-2.5	3.15/80	14.49/368	1/4 / 7.3	37.70/1.05	16.5/468
800469	6-20 x 40	AO	Matte	Varminter	6.7-2.0	17-5.4/5.7-1.8	3.35/85	14.49/368	1/8 / 3.6	25.13/7.0	17.8/505
800476	6-20 x 40	AO	Matte	F/C Dot	6.7-2.0	17-5.4/5.7-1.8	3.35/85	14.49/368	1/8 / 3.6	25.13/7.0	17.8/505
800478	6-20 x 40	AO	Matte	Ballistic-X	6.7-2.0	17-5.4/5.7-1.8	3.35/85	14.49/368	1/8 / 3.6	25.13/7.0	17.8/505



TACTICAL



MIL DOT



CIRT
(CLOSE-INTERMEDIATE RANGE TACTICAL)



EMDR
(ENHANCED MILDOT RANGING)

NEW!



1-5 x 24
800364

NEW!



3-15 x 50
800363

TACTICAL THE CLEAR CHOICE

IF YOUR "DAY AT THE OFFICE" INCLUDES A DRAG BAG INSTEAD OF A BRIEFCASE; A MIL DOT INSTEAD OF A MOUSE; OR A DOOR BREACH INSTEAD OF A BOARDROOM, THEN WEAVER TACTICAL RIFLESCOPES ARE RIGHT UP YOUR BACK-ALLEY. OUR TACTICAL SCOPES ARE OPTICS FOR THOSE WHO VALUE MOLLE OVER ARMANI.

FOR THOSE INVOLVED IN THE SERIOUS EFFORT OF PROTECTING LIFE AND LIBERTY—BOTH HERE AND ABROAD—WEAVER® IS PROUD TO OFFER RUGGED RIFLESCOPES DESIGNED SPECIFICALLY FOR TACTICAL APPLICATIONS. AS PART OF THE SUPER SLAM® SERIES, THESE TACTICAL SCOPES ARE MANUFACTURED TO THE STRICTEST TOLERANCES IN ORDER TO PERFORM IN THE HARSHTEST ENVIRONMENTS.

FEATURES & BENEFITS


- Powerful 5 times magnification
- Fully multi-coated lenses w/ extra hard coating on exterior lenses
- First focal plane reticles
- Waterproof / shockproof / fogproof
- Side focus parallax adjustment
- Reset-to-zero turrets
- Argon purged tubes to eliminate internal fogging
- One-piece construction
- 30mm tubes

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
NEW! 800364	1-5 x 24	Illuminated	Matte	CIRT	11.4-4.9	100-19.9/33.3-6.6	4.25/108	10.31/262	1/4 / 7.3	95/2.64	27.33/775
800362	3-15 x 50	Side Focus	Matte	Mil Dot	10.52-3.34	33.9-6.8/11.3-2.3	3.98/101	13.50/343	1/4 / 7.3	70/1.94	27.5/780
NEW! 800363	3-15 x 50	Illuminated	Matte	EMDR	10.52-3.34	33.9-6.8/11.3-2.3	3.98/101	13.50/343	.36 / 9.1	100/2.78	14.46/410
800360	4-20 x 50	Side Focus	Matte	Mil Dot	9.52-2.44	25.1-5/8.37-1.7	3.94/100	14.88/378	1/4 / 7.3	55/1.53	28.0/795



TOUGH SHOTS, ROUGH PLACES.



TOUGH SHOTS. ROUGH PLACES.


CLASSIC V-SERIES




BALLISTIC-X



DUAL-X




FINE CROSSHAIR




FINE CROSSHAIR
1/4 MOA DOT



MIL DOT



VARMINTER



.223 BALLISTIC-X



CLASSIC V-SERIES THE CLEAR CHOICE

DOES THE "V" IN OUR V-SERIES STAND FOR VICTORY? OR DOES IT STAND FOR VISION? PERHAPS VENISON? GO AHEAD, FILL IN THE "V" WITH WHATEVER YOU WISH. ALL WE CAN SAY IS THAT OUR V-SERIES OFFERS SHOOTERS PROVEN PERFORMANCE AND TRUSTED SERVICE. MAYBE IT SHOULD STAND FOR "VALUABLE?"

BUILT TO DELIVER A LARGE FIELD OF VIEW, GENEROUS EYE RELIEF AND FAST POWER CHANGE ADJUSTMENTS, THE CLASSIC V-SERIES™ IS THE ULTIMATE IN VERSATILITY—HELPING HUNTERS SPOT GAME IN EARLY MORNING OR LATE EVENING SHADOWS. WEAVER® ALSO OFFERS RETICLE OPTIONS THAT ENHANCE A SHOOTER'S ABILITY TO ESTIMATE DISTANCE AND MAKE THE SHOT. FOR THOSE LOOKING FOR MORE CHOICES IN A PROVEN LINE OF SCOPES, CHECK OUT THE WEAVER V-SERIES.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- Hard coating on exterior lenses
- Nitrogen purged tubes to eliminate internal fogging
- Waterproof/shockproof/fogproof

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849400	1-3 x 20		Matte	Dual-X	14.3-6.7	87-29.5/29.0-9.8	4.13/105	9.15/232.5	1/4 / 7.3	52.36/1.45	8.5/241
849403	2-10 x 38		Matte	Ballistic-X	12.1-3.8	39-8.5/13.0-2.8	3.15/80	12.19/309.5	1/4 / 7.3	52.36/1.45	11/312
849406	2-10 x 38		Silver	Dual-X	12.1-3.8	39-8.5/13.0-2.8	3.15/80	12.19/309.5	1/4 / 7.3	52.36/1.45	11/312
849405	2-10 x 38		Matte	Dual-X	12.1-3.8	39-8.5/13.0-2.8	3.15/80	12.19/309.5	1/4 / 7.3	52.36/1.45	11/312
849399	2.5-7 x 32		Matte	Dual-X	11.6-4.6	40.3-14.6/13.4-4.9	3.62/92	10.98/279	1/4 / 7.3	52.36/1.45	10/284
849402	3-9 x 38		Matte	Dual-X	10.5-4.2	33.8-11.3/11.3-3.8	3.62/92	12.13/308	1/4 / 7.3	52.36/1.45	11.3/320
849407	4-16 x 42	AO; STT*	Matte	Ballistic-X	10.5-2.7	26-6.8/8.7-2.3	3.23/82	14.02/356	1/4 / 7.3	41.89/1.16	16.8/476
849410	4-16 x 42	AO; STT*	Matte	F/C Dot	10.5-2.7	26-6.8/8.7-2.3	3.23/82	14.02/356	1/4 / 7.3	41.89/1.16	16.8/476
849409	4-16 x 42	AO; STT*	Matte	F/C	10.5-2.7	26-6.8/8.7-2.3	3.23/82	14.02/356	1/4 / 7.3	41.89/1.16	16.8/476
849408	4-16 x 42	AO; STT*	Matte	Dual-X	10.5-2.7	26-6.8/8.7-2.3	3.23/82	14.02/356	1/4 / 7.3	41.89/1.16	16.8/476
849414	4-16 x 42	AO; STT*	Matte	.223 Ballistic-X	10.5-2.7	26-6.8/8.7-2.3	3.23/82	14.02/356	1/4 / 7.3	41.89/1.16	16.8/476
849412	6-24 x 42	AO; STT*	Matte	Mil Dot	7-1.75	15.3-4/5.1-1.3	3.74/95	13.94/354	1/8 / 3.6	27.23/76	17.6/499
849411	6-24 x 42	AO; STT*	Matte	Varminter	7-1.75	15.3-4/5.1-1.3	3.74/95	13.94/354	1/8 / 3.6	27.23/76	17.6/499
849413	6-24 x 42	AO; STT*	Matte	Ballistic-X	7-1.75	15.3-4/5.1-1.3	3.74/95	13.94/354	1/8 / 3.6	27.23/76	17.6/499
849416	6-24 x 42	AO; STT*	Matte	.223 Ballistic-X	7-1.75	15.3-4/5.1-1.3	3.74/95	13.94/354	1/8 / 3.6	27.23/76	17.6/499

*Semi Target Turret



DUAL-X

CLASSIC K-SERIES



6 x 38
849418

4 x 38
849415



4 x 38
849419
STEEL TUBE

CLASSIC K-SERIES THE CLEAR CHOICE

LAST YEAR WE BROUGHT BACK AN OLD FAVORITE—THE STEEL TUBE K4. IT WAS SUCH A HIT, WE DECIDED TO KEEP IT IN THE K-SERIES LINEUP. THIS IS THE ONLY STEEL TUBE OFFERED BY WEAVER OPTICS. A SCOPE THAT IS REMINISCENT OF THE GOOD 'OLE DAYS...YET LOADED WITH MODERN OPTIC TECHNOLOGY.

CRAFTED FROM A ONE-PIECE AIRCRAFT-GRADE ALUMINUM TUBE, THE CLASSIC K-SERIES™ FIXED POWER SCOPES ARE BUILT TO TAKE HEAVY RECOIL PUNISHMENT AND HOLD ZERO TO 10,000 ROUNDS FROM A .375 H&H MAGNUM RIFLE. CLASSIC K-SERIES FIXED SCOPES PRESENT A CONSISTENT FIELD OF VIEW THAT'S PERFECT FOR OPEN FIELD HUNTING AND ARE AMONG THE EASIEST SCOPES ANY INSTINCTIVE SHOOTER WILL EVER USE REGARDLESS OF THE RANGE. CLASSIC K-SERIES ALSO FEATURE FULLY MULTI-COATED OPTICS THAT DRAMATICALLY INCREASE IMAGE BRIGHTNESS AND CONTRAST WHILE ELIMINATING GLARE.

FEATURES & BENEFITS

- 1-inch tubes
- Fixed power for rugged recoil
- One-piece tube construction
- Fully multi-coated lenses
- Aircraft-grade aluminum tubes (most models)

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849417	4 x 28	Scout, 50 yd Parallax	Matte	Dual-X	7.0	8.5/2.8	9.45/240	9.17/233	1/4 / 7.3	52.36/1.45	14.2/402
849415	4 x 38		Matte	Dual-X	9.5	26.8/8.9	3.43/87	11.32/287.5	1/4 / 7.3	52.36/1.45	9.9/281
849419	4 x 38	Steel Tube	Matte	Dual-X	9.5	26.8/8.9	3.43/87	11.34/288	1/4 / 7.3	52.36/1.45	15.3/435
849418	6 x 38		Matte	Dual-X	6.33	18.3/6.1	3.15/80	11.32/287.5	1/4 / 7.3	52.36/1.45	9.8/278
849440	8 x 56		Matte	Dual-X	7	12.8/3.9	3.5/89	13.5/342	1/4 / 7.3	52.36/1.45	***

*** Not available at time of print.



TOUGH SHOTS. ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



TOUGH SHOTS. ROUGH PLACES.



DUAL-X

CLASSIC RIMFIRE



3-9x32
849398

2.5-7 x 28
849432



2.5-7 x 28
849431

CLASSIC RIMFIRE THE CLEAR CHOICE

FROM PUNCHING PAPER TO WHACKING VARMINTS, OUR CLASSIC RIMFIRE SERIES TRANSFORMS ANY RIMFIRE RIFLE INTO A TACK-DRIVING TOOL. SHOOTERS YOUNG AND OLD CAN VENTURE AFIELD IN SEARCH OF RIMFIRE ACTION KNOWING THAT WEAVER UNDERSTANDS YOUR PASSION...AND EVEN HAS A DEDICATED SCOPE FOR IT.


WEAVER TAKES RIMFIRE RIFLESCOPES AS SERIOUSLY AS ITS BIG GAME BRETHREN. EVERY CLASSIC™ RIMFIRE SCOPE INCORPORATES MANY OF THE EXACT SAME FEATURES FOUND ON WEAVER'S TOP-OF-THE-LINE MODELS. DESIGNED TO BRING OUT THE BEST IN RIMFIRE AND ADULT AIR RIFLES, THE CLASSIC RIMFIRE COMES IN VARIABLE AND FIXED POWER MODELS – WITH FULLY MULTI-COATED, NON-GLARE LENSES THAT PRODUCE EDGE-SHARP, LOW-LIGHT BRIGHTNESS, EVEN IN THE DUSKIEST OF CONDITIONS. ALL SCOPES FEATURE RUGGED, AIRCRAFT-GRADE ONE-PIECE ALUMINUM CONSTRUCTION. WATERPROOF, FOGPROOF AND SHOCKPROOF, THE CLASSIC RIMFIRE IS DESIGNED TO WITHSTAND THE MULTI-DIRECTIONAL RECOIL FROM THE HEAVIEST SPRING-LOADED ADULT AIRGUNS. PARALLAX IS SET AT 50 YARDS FOR IDEAL RIMFIRE TARGET ACQUISITION AND ACCURACY.

FEATURES & BENEFITS


- 1-inch tubes
- Fully multi-coated lenses
- One-piece tube construction
- Engineered specifically for rimfire and airgun use

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849431	2.5-7 x 28		Matte	Dual-X	9.9-4	40.3-14.6/13.4-4.9	3.62/92	11.00/279.5	1/4 / 7.3	52.36/1.45	9.75/278
849432	2.5-7 x 28		Silver	Dual-X	9.9-4	40.3-14.6/13.4-4.9	3.62/92	11.00/279.5	1/4 / 7.3	52.36/1.45	9.75/278
849398	3-9 x 32	Adj. Obj.	Matte	Dual-X	10.6	33.2-11/11.1-3.7	3.58/91	11.50/292	1/4 / 7.3	52.36/1.45	12/340
849430	4 x 28		Matte	Dual-X	7.0	25.2/8.4	3.58/91	10.22/259.5	1/4 / 7.3	52.36/1.45	8.5/241



FINE CROSSHAIR



FINE CROSSHAIR 1/8 MOA DOT

CLASSIC T-SERIES



36 x 40
849981

24 x 40
849976



36 x 40
849970

CLASSIC T-SERIES THE CLEAR CHOICE

RELY ON THE PRECISION POWER OF OUR EXCLUSIVE MICRO-TRAC® ADJUSTMENT SYSTEM AND ACHIEVE CLOVERLEAFS AT 200 YARDS. OUR T-SERIES ARE FIXED POWER SCOPES THAT BRING OUT THE BEST IN BOTH SHOOTER AND FIREARM. IF YOU HAVE LONG DISTANCE SKILL, YOU NEED A WEAVER T-SERIES TO BACK YOU UP.

WHETHER IT'S PUTTING REPEATED ROUNDS INTO THE SAME HOLE OR PICKING OFF SMALL VARMINTS AT HUNDREDS OF YARDS, WEAVER'S T-SERIES™ FIXED RIFLESOPES GIVE YOU THE EIGHTH MOA ACCURACY YOU NEED TO BE DEAD ON, SHOT AFTER SHOT. EACH T-SERIES SCOPE FEATURES THE INCREDIBLY ACCURATE MICRO-TRAC ADJUSTMENT SYSTEM THAT GIVES YOU MORE ACCURATE, COMPLETELY INDEPENDENT WINDAGE AND ELEVATION CONTROL. AN ADJUSTABLE OBJECTIVE PROVIDES PARALLAX-FREE SHOOTING – SO NO MATTER HOW OFF-CENTER YOUR EYEPIECE-TO-EYE ALIGNMENT IS, YOUR POINT OF IMPACT WON'T BE AFFECTED. FULLY MULTI-COATED OPTICS INCREASE BRIGHTNESS TO 94% AT 550NM. THESE SUPERIOR OPTICS PUNCH UP THE CONTRAST, ELIMINATE GLARE AND DELIVER UNPARALLELED CLARITY. EVERY T-SERIES SCOPE COMES WITH TRADITIONAL EYEPIECE FOCUS, A SUNSHADE, SCREW-IN METAL LENS CAPS AND AN EXTRA PAIR OF OVERSIZED BENCHREST ADJUSTMENT KNOBS.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- A/O adjustment for parallax-free shooting
- Micro-trac system for precise windage/elevation control
- 1/8 MOA accuracy

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE		ADJUSTMENT RANGE		WEIGHT (OZ./G)
									IN. @ 100 YDS/MM @ 100M	IN. @ 100 YDS/M @ 100M	IN. @ 100 YDS/M @ 100M	IN. @ 100 YDS/M @ 100M	
849976	24 x 40	AO/SunShade	Matte	1/8 MOA Dot	1.67	1.57/5	2.99/76	15.04/382	1/8 / 3.6		41.89/1.16	16/454	
849970	36 x 40	AO/SunShade	Matte	F/C	1.1	3/1.0	3.09/78.5	15.04/382	1/8 / 3.6		41.89/1.16	17/487	
849981	36 x 40	AO/SunShade	Silver	F/C	1.1	3/1.0	3.09/78.5	15.04/382	1/8 / 3.6		41.89/1.16	17/487	
849974	36 x 40	AO/SunShade	Matte	1/8 MOA Dot	1.1	3/1.0	3.09/78.5	15.04/382	1/8 / 3.6		41.89/1.16	17/487	
849969	36 x 40	AO/SunShade	Silver	1/8 MOA Dot	1.1	3/1.0	3.09/78.5	15.04/382	1/8 / 3.6		41.89/1.16	17/487	




TOUGH SHOTS. ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



TOUGH SHOTS. ROUGH PLACES.



DUAL-X

CLASSIC HANDGUN

4 x 28
849425



2 x 28
849424



2.5-8 x 28
849429



CLASSIC HANDGUN THE CLEAR CHOICE

HANDGUNNERS ARE A SPECIAL BREED. IT DOESN'T MATTER IF IT'S A HANDGUN HUNT FOR BIG WHITETAIL OR A BACK-UP REVOLVER ON A GRIZZLY HUNT, IF YOU BRING A HANDGUN INTO THE FIELD, WE HAVE SCOPES DESIGNED JUST FOR YOU. FROM SMALL RIMFIRES TO BIG BORES, EACH OF OUR CLASSIC HANDGUN SCOPES ARE ENGINEERED TO PERFORM NO MATTER WHAT HANDGUN YOU HAVE.

HANDGUNS DEMAND A SCOPE THAT IS BUILT TO WITHSTAND THE BRUTAL, SHOT-AFTER-SHOT POUNDING FROM TODAY'S MOST POWERFUL REVOLVERS AND SINGLE-SHOT PISTOLS. DESIGNED FOR THE TREMENDOUS RECOIL OF 1,000 ROUNDS FROM A .454 CASULL® REVOLVER, WEAVER'S CLASSIC™ HANDGUN SCOPES DELIVER THE GOODS ON RUGGED, RELIABLE, REPEATABLE ACCURACY. FULLY MULTI-COATED LENSES INCREASE BRIGHTNESS, ELIMINATE GLARE AND TRANSMIT CRISP, CLEAR, EDGE-TO-EDGE IMAGES. FEATURING A 50-YARD PARALLAX SETTING, THE FIXED POWER CLASSIC SCOPES PROVIDE UNLIMITED EYE RELIEF.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- One-piece tube construction
- Set for 50 yard parallax
- Torture tested to withstand the most powerful handgun calibers

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/M @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849427	1.5-4 x 20	Gloss	Dual-X	13.3-5	19.4-8.9/6.5-3	24.13/613	8.86/225	1/4 / 7.3	41.89/1.16	8.2/232
849424	2 x 28	Silver	Dual-X	15.7	21/6.7	28.86/733	8.44/214.5	1/4 / 7.3	52.36/1.45	6.7/190
849429	2.5-8 x 28	Matte	Dual-X	11.2-3.5	11.0-4.5/3.7-1.5	24.53/623	9.29/236	1/4 / 7.3	52.36/1.45	9.1/258
849446	2.5-8 x 28	Silver	Dual-X	11.2-3.5	11.0-4.5/3.7-1.5	24.53/623	9.29/236	1/4 / 7.3	52.36/1.45	9.1/258
849425	4 x 28	Gloss	Dual-X	7.3	8.5/2.8	23.31/592	8.19/208	1/4 / 7.3	52.36/1.45	6.4/181



DUAL-X



BALLISTIC-X



VARMINTER

40/44 SERIES

4-12 x 44
849540



3-9 x 40
849511



40/44 SERIES THE CLEAR CHOICE

DON'T LET A TIGHT BUDGET AFFECT YOUR HUNTING OR SHOOTING PASSION. IF YOU NEED A QUALITY SCOPE THAT IS EASY ON THE POCKETBOOK, WEAVER HAS A WHOLE SERIES OF RIFlescOPES THAT WILL MAKE YOU SMILE IN THE CHECKOUT LINE. AS A MATTER OF FACT, WE OFFER (18) DIFFERENT SCOPES THAT COST JUST ABOUT THE SAME AS A PAIR OF HUNTING BOOTS. BUT TRUST US, YOU'LL GET MORE MILEAGE FROM OUR AWARD-WINNING OPTICS.

WHEN IT COMES TO VALUE AND PERFORMANCE, WEAVER® OFFERS A LINE FOR THE COST-CONSCIOUS SHOOTER. THE 40/44 SERIES™ BOASTS AN INCREASE IN SCOPE OFFERINGS AND INCLUDE A VARIETY OF MAGNIFICATION RANGES AND INCREASED RETICLE CHOICES WHILE MAINTAINING THE SAME TRUSTED PERFORMANCE FOUND IN EACH AND EVERY WEAVER OPTIC.

WINNER OF FIELD & STREAM'S 2009 "BEST OF THE BEST AWARD."

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- Ballistic-X reticle (some models)
- Waterproof / shockproof / fogproof
- One-piece tube construction
- Aspherical lens system (some models)

SPECIFICATIONS

	MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
NEW!	849504	2-7 x 32		Matte	Dual-X	15-4.5	44.7-12.7/14.9-4.2	3.5/89	***	1/4 / 7.3	62.84/1.75	***
NEW!	849505	2-7 x 32		Matte	Ballistic-X	15-4.5	44.7-12.7/14.9-4.2	3.5/89	***	1/4 / 7.3	62.84/1.75	***
	849520	2.8-10 x 44	Aspherical	Matte	Dual-X	14.8-4.4	39.4-12.1/13.1-4	3/76	11.42/290	1/4 / 7.3	46.08/1.28	16.75
	849521	2.8-10 x 44	Aspherical	Silver	Dual-X	14.8-4.4	39.4-12.1/13.1-4	3/76	11.42/290	1/4 / 7.3	46.08/1.28	16.75
	849507	3-9 x 40	50 Yd Parallax	Matte	Dual-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4 / 7.3	62.84/1.75	14.2
	849508	3-9 x 40	50 Yd Parallax	Matte	Ballistic-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4 / 7.3	62.84/1.75	14.2
	849511	3-9 x 40		Matte	Dual-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4 / 7.3	62.84/1.75	14.2
	849512	3-9 x 40		Matte	Ballistic-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4 / 7.3	62.84/1.75	14.2
	849530	3-10 x 44		Matte	Dual-X	14.7-4.4	33.5-10.3/11.2-3.4	3/76	12.09/307	1/4 / 7.3	46.08/1.28	13.93
	849531	3-10 x 44		Silver	Dual-X	14.7-4.4	33.5-10.3/11.2-3.4	3/76	12.09/307	1/4 / 7.3	46.08/1.28	13.93
	849532	3-10 x 44		Matte	Ballistic-X	14.7-4.4	33.5-10.3/11.2-3.4	3/76	12.09/307	1/4 / 7.3	46.08/1.28	13.93
	849525	3.8-12 x 44	Aspherical; AO	Matte	Dual-X	11.6-3.7	29.8-10/10-3.3	3/76	12.95/329	1/4 / 7.3	46.08/1.28	21.52
	849527	3.8-12 x 44	Aspherical; AO	Matte	Varminter	11.6-3.7	29.8-10/10-3.3	3/76	12.95/329	1/4 / 7.3	46.08/1.28	21.52
	849540	4-12 x 44	AO	Matte	Dual-X	11-3.7	23.-7.9/7.7-2.7	3/76	12.64/321	1/4 / 7.3	46.08/1.28	17
	849541	4-12 x 44	AO	Silver	Dual-X	11.0-3.7	23.-7.9/7.7-2.7	3/76	12.64/321	1/4 / 7.3	46.08/1.28	17
	849542	4-12 x 44	AO	Matte	Ballistic-X	11.0-3.7	23.-7.9/7.7-2.7	3/76	12.64/321	1/4 / 7.3	46.08/1.28	17
	849550	6.5-20 x 44	AO	Matte	Dual-X	6.8-2.2	15.5-4.5/5.2-1.5	3/76	14.09/358	1/8 / 3.6	37.70/1.05	20.46
	849552	6.5-20 x 44	AO	Matte	Varminter	6.8-2.2	15.5-4.5/5.2-1.5	3/76	14.09/358	1/8 / 3.6	37.70/1.05	20.46

*** Not available at time of print.



TOUGH SHOTS. ROUGH PLACES.

OPTICS EXPERTS SINCE 1930

RED/GREEN DOT SIGHT



849250

RED/GREEN DOT SIGHT THE CLEAR CHOICE

SMALL, COMPACT AND HIGHLY EFFECTIVE IN THE FIELD, OUR RED/GREEN DOT SIGHT IS EXACTLY WHAT YOU NEED TO CLOSE THE DEAL ON GAME. JUST PUT THE DOT ON TARGET AND GET RESULTS. IT'S BIG TECHNOLOGY IN A SMALL PACKAGE.

THIS CUTTING-EDGE DOT SIGHT IS PERFECT FOR DEER, TURKEY OR VIRTUALLY ANY BIG GAME ADVENTURE. AND FOR SHOOTERS INVOLVED IN TACTICAL SHOOTING, IT'S THE PERFECT ADDITION TO ANY AR PLATFORM. MADE FOR INSTANT TARGET ACQUISITION, OUR RED/GREEN DOT SIGHT HAS FIVE RED AND FIVE GREEN BRIGHTNESS SETTINGS TO ENSURE ACCURACY IN ALL LIGHT CONDITIONS AND FEATURES FOUR DIFFERENT ILLUMINATION MODES: DOT, MICRO DOT, CIRCLE AND CIRCLE WITH DOT.

FEATURES & BENEFITS

- Waterproof / shockproof / fogproof
- Rugged, durable 30mm tube, one-piece construction
- Perfect for deer, big game or turkey hunting as well as shooting sports
- Five red, five green brightness settings for all light conditions
- Adjustments are 1 MOA and parallax is set for 50-yards
- Four different illumination modes: Micro dot, dot, circle and circle with dot
- True 1 times sight

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS/MM @ 100M	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
849250	1	Red & Green Dot Sight	Matte	4 Patterns	30	50-15.2	Any	5/127	1/29	80/2	8



TOUGH SHOTS, ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



CLASSIC SPOTTING SCOPES

NEW!



849680

CLASSIC SPOTTING SCOPES THE CLEAR CHOICE

SIT BACK. SETTLE IN. GET COMFORTABLE. AND BE PREPARED TO DISSECT EVERY INCH OF TERRAIN FOR SOMETHING TO CHASE. IT'S THE SPOT-N-STALK GAME AND IT ALL STARTS RIGHT HERE, RIGHT NOW, WITH QUALITY GLASS. GO WITH ANYTHING LESS AND YOU WILL SOON REGRET IT. SETTLE IN BEHIND OUR CLASSIC SERIES SPOTTING SCOPE AND LEARN JUST HOW SWEET IT IS TO LET YOUR EYES TO THE WALKING.

WHETHER IT'S SPENDING HOURS GLASSING FOR GAME OR NEEDING TO KNOW EXACTLY WHERE YOUR BULLET IS HITTING ON THE TARGET DOWNRANGE, YOU NEED TO SIT BEHIND A SPOTTING SCOPE THAT GETS RESULTS...AND NOW WEAVER FILLS THE NEED. OUR NEW CLASSIC™ SERIES SPOTTING SCOPES LET YOU COVER GROUND WITHOUT LEAVING YOUR TRUCK OR VANTAGE POINT AND IS ALSO IDEAL FOR RANGE WORK. NITROGEN FILLED FOR A CRYSTAL CLEAR PICTURE, THEY FEATURE LARGE OCULAR LENSES FOR COMFORTABLE VIEWING AND REDUCED EYE FATIGUE DURING LONG GLASSING SESSIONS. AVAILABLE IN EITHER STRAIGHT OR ANGLED EYEPIECE CONFIGURATIONS, OUR NEW CLASSIC SERIES SPOTTING SCOPES ARE QUALITY OPTICS AT AN AFFORDABLE PRICE.

FEATURES & BENEFITS

- 15-45x65mm magnification
- Large ocular lens for comfortable viewing and reduced eye fatigue
- Fast focus eyepiece for smooth transitions between magnifications
- Straight or angled eyepiece for viewing preference
- Nitrogen-filled for crystal clear images
- Waterproof and fogproof

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M@1000M	EYE RELIEF (IN./MM)	PRISM TYPE	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)
NEW! 849680	15-45x65	Straight Eye Piece ETE Microlux Coating	Matte	4.33/1.44	174/58-57/19	0.85/21.7-0.81/20.7	Roof	15.2/385	3.3/84	4.2/106
NEW! 849685	15-45x65	Angled Eye Piece ETE Microlux Coating	Matte	4.33/1.44	174/58-57/19	0.85/21.7-0.81/20.7	Roof	14.4/365	3.3/84	5.9/150



TOUGH SHOTS, ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



SUPER SLAM BINOCULARS



8.5 x 45
849630

SUPER SLAM BINOCULARS THE CLEAR CHOICE

OPEN YOUR EYES AND DISCOVER WHAT YOU'VE BEEN MISSING. OUR SUPER SLAM BINOCULAR SERIES PENETRATE THE SHADOW, TAME THE GLARE AND BRING CRYSTAL CLEAR IMAGES TO ANY HUNTING ADVENTURE. AS THE ELITE IN OUR LINE OF BINOCULARS, TRUST THE SUPER SLAM LINE TO DELIVER PREMIUM "BIG PICTURE" VIEWING THAT WILL MAKE FRIENDS JEALOUS AND GAME AFRAID.

AS THE PERFECT PARTNER TO THE SUPER SLAM® RIFLESCOPES, THE SUPER SLAM BINOCULARS UP THE ANTE WITH IMPROVEMENTS EVERY OUTDOOR ENTHUSIAST WILL APPRECIATE. FROM AN OPEN BRIDGE DESIGN AND MAGNESIUM BODY TO THE ROOF PRISM SYSTEM WITH SK AND BAK-4 GLASS, THE SUPER SLAM BINOCULARS ARE SLEEK, RUGGED AND READY FOR ANY OUTDOOR ADVENTURE. NITROGEN PURGED TUBES PROVIDE CRYSTAL CLEAR, FOG-FREE VIEWING WHILE THE EXTERIOR LENSES DELIVER SCRATCH RESISTANT SERVICE NO MATTER HOW NASTY THE ENVIRONMENT.

FEATURES & BENEFITS

- Torture tested from -20° to +150° Fahrenheit
- Focus lock so preferred adjustments can be locked in for viewer
- SHR lens coating for increased light transmission
- ED glass for the ultimate in light gathering ability
- Roof prism design with SK and BaK-4 prism glass
- Waterproof / fogproof performance
- Extendable eyecups for comfortable viewing sessions
- Binocular harness system included

SPECIFICATIONS

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
849630	8.5 x 45	Rubber Armor	5.3	367/122	0.73/18.5	6.3/160	5.6/143	6.30/160	31.2/885	Roof
849635	10.5 x 45	Rubber Armor	4.3	325/108	0.59/15	6.3/160	5.6/143	6.30/160	31.6/895	Roof



TOUGH SHOTS. ROUGH PLACES.



GRAND SLAM BINOCULARS



With just a turn of the dials, smoothly transition from 8x to 12x to 16x power



8-, 12-, 16 x 42
849669

GRAND SLAM BINOCULARS THE CLEAR CHOICE

CARRYING THE PROUD NAME OF GRAND SLAM, THESE BINOCULARS REPRESENT EVERYTHING THAT IS WEAVER. FROM 80 YEARS OF OPTICS EXPERIENCE TO GENERATIONS OF SATISFIED HUNTERS, THE GRAND SLAM BINOCULAR SERIES IS RIGHT AT HOME IN ANY HUNTING CAMP.

GRAND SLAM® BINOCULARS HAVE GONE AFIELD IN THE PURSUIT OF ALL TYPES OF GAME. AVAILABLE IN BOTH FULL-SIZE AND COMPACT DESIGNS, THE GRAND SLAM BINOS OFFER NITROGEN PURGED TUBES, RUGGED BODY ARMOR AND LENSES THAT GATHER EVERY BIT OF AVAILABLE LIGHT FROM DAWN TO DUSK. OUR GRAND SLAM LINE ALSO INCLUDES A 3-POSITION 8X, 12X, 16X42MM ZOOM BINOCULAR THAT GIVES VIEWERS A RAPID WAY TO MAGNIFY THEIR SURROUNDINGS. WITH JUST A TURN OF THE DIALS, SMOOTHLY TRANSITION FROM 8X TO 12X TO 16X POWER FOR THE ULTIMATE IN GLASSING OPTIONS.

FEATURES & BENEFITS

- Torture tested from -20° to +150° Fahrenheit
- Phase coated prisms for the ultimate in light transmission
- Roof prism design with BK-7/BaK-4 prism glass
- Waterproof / fogproof performance
- Extendable eyecups for comfortable viewing sessions

SPECIFICATIONS

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
849660	8 x 32	Rubber Armor	4	393/131	0.61/15.5	4.8/123	5/127	4.8/122	18.7/530	Roof
849663	8.5 x 45	Rubber Armor	5.3	314/105	0.77/19.5	5.9/150	5.2/133	6.0/152	24.7/700	Roof
849661	10 x 32	Rubber Armor	3.2	314/105	0.6/15.3	5/126	5/127	4.8/122	18.7/530	Roof
849667	10 x 50	Rubber Armor	5	262/87	0.77/19.5	6.7/170	5.4/136	6.7/170	27.2/770	Roof
849664	10.5 x 45	Rubber Armor	4.3	299/100	0.6/15.3	5.8/147	5.2/133	5.9/150	24.7/700	Roof
849668	12 x 50	Rubber Armor	4.2	251/84	0.61/15.5	6.6/167	5.4/136	6.6/167	26.8/760	Roof
849669	8-16 x 42	Rubber Armor	5.3-2.6	220/73 157/52	0.61/15.6	6.4/163	5.2/133	6.0/152	26/739	Roof



TOUGH SHOTS. ROUGH PLACES.



TOUGH SHOTS. ROUGH PLACES.

CLASSIC BINOCULARS



8 x 32
849670

CLASSIC BINOCULARS THE CLEAR CHOICE

A CLASSIC WAY TO GET IN THE FIELD WITH QUALITY BINOCULARS, OUR CLASSIC SERIES OFFER CLEAR VIEWING AT AN ATTRACTIVE PRICE. BUT DON'T LET THE PRICE TAG FOOL YOU...THESE BINOS CARRY THE SAME RESPECTED WEAVER TRADITION AND MUCH OF THE SAME TECHNOLOGY AS THEIR MORE PREMIUM BROTHERS.

OUR CLASSIC™ SERIES HAS SERVED HUNTERS WELL FOR YEARS—GIVING THEM THE VERSATILITY THEY NEED AT A REASONABLE PRICE AND OUR CLASSIC SERIES BINOCULARS ARE NO EXCEPTION. THESE BINOS ARE LIGHTWEIGHT, ACCURATE AND WON'T HURT THE POCKETBOOK. THE SLEEK ROOF PRISM DESIGN MEANS VIEWERS CAN SPOT ANY TYPE OF GAME IN EARLY MORNING OR LATE EVENING SHADOWS. NOW HUNTERS AND OUTDOOR ENTHUSIASTS CAN APPRECIATE THE BENEFITS OF MODERN TECHNOLOGY MADE BY OUR OPTICS EXPERTS.


FEATURES & BENEFITS

- Rugged exterior finish
- Sleek roof prism design
- Fully multi-coated lenses
- Extendable eyecups for comfortable viewing
- Waterproof / fogproof / shockproof
- Carry case & strap included


SPECIFICATIONS

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
849670	8 x 32	Rubber Armor	4	409/136	0.61/15.5	5.4/138	5.1/129	5.4/137	20.8/590	Roof
849671	8 x 36	Rubber Armor	4.5	341/114	0.63/16	6.1/155	5.1/129	6.1/155	25.0/720	Roof
849675	8 x 42	Rubber Armor	5.3	330/110	0.77/19.5	6.9/176	5.1/129	6.9/175	27.5/780	Roof
849676	10 x 42	Rubber Armor	4.2	314/105	0.61/15.5	6.8/173	5.1/129	7.0/178	27.5/780	Roof

TAKE COMMAND OF YOUR HUNT



BUCK COMMANDER OPTICS



DUAL-X COMMAND-X



2.5-10 x 42
94571

BUCK COMMANDER OPTICS THE CLEAR CHOICE

IF YOU ARE A SHOTGUN HUNTER, GIVE OUR SHOTGUN SCOPE WITH COMMAND-X RETICLE A SERIOUS LOOK. WITH A SET 100-YARD PARALLAX, THIS SCOPE ELIMINATES PARALLAX SHIFT AT THE MOST COMMON SHOTGUN RANGES AND HANDLES SHOTGUN RECOIL WITH NO PROBLEM.

CATCH THE WHITETAIL FEVER WITH THESE SCOPES AND BINOCULARS ENDORSED BY THE BUCK COMMANDER™. DESIGNED BY WEAVER® ENGINEERS WITH THE HELP OF WILLIE ROBERTSON AND HIS FANATIC BUCK COMMANDER CREW, THESE SCOPES FEATURE FOUR TIMES MAGNIFICATION RANGE AND SUPER FAST FOCUSING POWER. SELECT MODELS FEATURE OUR PROPRIETARY COMMAND-X BALLISTIC DROP CORRECTION RETICLE.

WEAVER BUCK COMMANDER BINOCULARS ARE DESIGNED TO GET YOU CLOSER TO THE ACTION THAN EVER BEFORE. AVAILABLE IN BOTH STANDARD AND COMPACT OFFERINGS, THESE BINOCULARS HELP YOU SPOT THAT MONSTER WHITETAIL BEFORE HE SLIPS INTO YOUR SHOOTING LANE.

FEATURES & BENEFITS

SCOPES

1-inch tubes

Each scope comes with four times zoom range
Easy to use reset-to-zero, finger adjustable turrets

Fully multi-coated lenses
Fogproof / shockproof / waterproof

BINOCULARS

Phase coated roof prism system
Fully multi-coated lenses
Rugged rubber-armored finish
Shockproof / fogproof / waterproof


SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE IN. @ 100 YDS	ADJUSTMENT RANGE IN. @ 100 YDS/M @ 100M	WEIGHT (OZ./G)
NEW! 94578	2-8 x 36		Matte	Dual-X	16.84-4.48	44.1-11.3/14.7-3.8	3.5/89	***	1/4 / 7.3	62.84/1.75	***
NEW! 94579	2-8 x 36		Matte	Command-X	16.84-4.48	44.1-11.3/14.7-3.8	3.5/89	***	1/4 / 7.3	62.84/1.75	***
94571	2.5-10 x 42		Matte	Command-X	16.12-4.2	35.1-9.1/11.7-3	3.5/89	11.9/302	1/4 / 7.3	62.84/1.75	13.6/385
94572	2.5-10 x 42		Matte	Dual-X	16.12-4.2	35.1-9.1/11.7-3	3.5/89	11.9/302	1/4 / 7.3	62.84/1.75	13.6/385
94573	3-12 x 50		Matte	Command-X	15.9-4.1	32.9-8.4/11-2.8	3.5/89	12.9/328	1/4 / 7.3	52.36/1.45	14.1/400
94574	3-12 x 50		Matte	Dual-X	15.9-4.1	32.9-8.4/11-2.8	3.5/89	12.9/328	1/4 / 7.3	52.36/1.45	14.1/400
94575	4-16 x 42	SF*	Matte	Command-X	10.5-2.6	22.0-5.5/7.33-1.8	3.5/89	13.3/338	1/4 / 7.3	52.36/1.45	15.9/450
94576	4-16 x 42	SF*	Matte	Dual-X	10.5-2.6	22.0-5.5/7.33-1.8	3.5/89	13.3/338	1/4 / 7.3	52.36/1.45	15.9/450

*Side Focus Parallax, ***Unavailable at time of print.

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	HEIGHT (IN./MM)	WEIGHT (OZ./G)	PRISM
NEW! 94585	8x25 Compact Binocular	Matte	3.1	273/91	0.7/18	4.3/109	4.1/105	***	10.8/308	roof+phase
NEW! 94586	10x25 Compact Binocular	Matte	2.5	262/87	0.67/17	4.3/109	4.1/105	***	10.8/308	roof+phase
NEW! 94587	8x42 Binocular	Matte	5.3	330/110	0.77/19.5	5.7/146	5/127	***	24.9/705	roof+phase
NEW! 94588	10x42 Binocular	Matte	4.2	314/105	0.61/15.5	5.6/143	5/127	***	24.9/705	roof+phase

***Unavailable at time of print.



BUCK COMMANDER POUCHES



42724



42725



42726



42727



42728



42735

NEW!

BUCK COMMANDER POUCHES THE CLEAR CHOICE

ATTACH OUR NEW BUCK COMMANDER POUCHES TO YOUR HIP OR USE OUR M.O.L.L.E. COMPATIBLE WEBBING SYSTEM AND S.T.R.I.K.E.® SPEED CLIPS™ (INCLUDED) TO ATTACH THEM TO JUST ABOUT ANYTHING. IT'S VERSATILITY THAT TRANSLATES INTO SUCCESS IN THE FIELD.

DESIGNED AND STITCHED WITH THE AVID WHITETAIL HUNTER IN MIND, THE NEW BUCK COMMANDER™ POUCHES SEND YOU INTO THE FIELD READY FOR ACTION. RANGEFINDER, BINOCULARS AND SMALL GEAR ITEMS ALL HAVE A HOME IN THIS LINEUP OF RUGGED, LIGHTWEIGHT HUNTING POUCHES. WRAPPED IN REALTREE® AP CAMO AND FEATURING EASY TO GRASP PULLS AND SMOOTH ROLLING ZIPPERS, HUNTERS CAN QUICKLY ACCESS THE ITEMS THEY NEED FOR A SUCCESSFUL HUNT.

S.T.R.I.K.E.® SPEED CLIPS™ SUPPLIED BY BLACKHAWK!™ TACTICAL PRODUCTS

FEATURES & BENEFITS


- Superior construction
- Easy access cover or heavyweight, wrap-around zipper
- Speed Clips for versatile attachment to Buck Commander Hunting Packs and Storage Gear

PRODUCTS

NEW!	42725	991305R2	SMALL OPTICS POUCH	\$15.49	•	NEW!	42735	991306R2	UTILITY POUCH	\$17.95
NEW!	42724	991289R2	LARGE OPTICS POUCH	\$24.49	•	NEW!	42726	991314R2	SMALL BINOCULAR POUCH	\$19.95
NEW!	42727	991309R2	LARGE BINOCULAR POUCH	\$24.49	•	NEW!	42728	991316R2	RANGEFINDER POUCH	\$18.95

THE WEAVER® DIFFERENCE

THE RUGGED RELIABILITY OF THE MICRO-TRAC™ SYSTEM



DOUBLE THE SPRINGS DOUBLE THE PRECISION


AVAILABLE IN BOTH OUR GRAND SLAM® AND CLASSIC T-SERIES™, THE WEAVER® MICRO-TRAC™ FOUR-POINT WINDAGE AND ELEVATION ADJUSTMENT SYSTEM IS ONE OF THE MOST RELIABLE AND ACCURATE IN THE WORLD. UNLIKE MOST RIFlescOPES WHICH USE JUST ONE LEAF SPRING AND THE WINDAGE AND ELEVATION DIALS TO MAKE ADJUSTMENTS, OUR MICRO-TRAC SYSTEM USES TWO COMPRESSION SPRINGS AND THE WINDAGE AND ELEVATION DIALS. AND THE EXTRA SPRING MAKES ALL THE DIFFERENCE. THIS EXTRA SPRING CREATES FOUR POINTS OF CONTACT FOR THE ULTIMATE IN RUGGED RELIABILITY...WHICH IS EXACTLY WHAT YOU WANT IF YOUR RIFLE EVER GETS BANGED AROUND IN A TRUCK, ABUSED BY THE AIRLINES OR DROPPED ON THE GROUND.

ONE-SCREW VS. TWO-SCREWS

WITH CONVENTIONAL ONE-SPRING SYSTEMS, ADJUSTING ONE SCREW TOO FAR CAN CAUSE THE SPRING TO AFFECT THE ADJUSTMENT OF THE OTHER SCREW. TWIST TOO MUCH AND YOU'VE JUST LOST YOUR ACCURACY. WITH MICRO-TRAC, THE TWO SPRINGS ARE ALIGNED DIRECTLY ACROSS FROM THE WINDAGE AND ELEVATION ADJUSTMENTS, SO EACH ADJUSTMENT CAN BE MADE INDEPENDENTLY—AND EVENLY—FOR PINPOINT ACCURACY.

THE INCREASED FORCE BEARING DOWN FROM THE SECOND SPRING ALSO HELPS HOLD ZERO 60% BETTER THAN MOST PREMIUM SCOPES. CLICK ADJUSTMENTS REMAIN CONSISTENT TO A QUARTER MINUTE OF ANGLE, AND ZERO IS MAINTAINED IN A VISE-LIKE GRIP

TO 10,000 ROUNDS FROM A .375 H&H MAGNUM RIFLE. OUR MICRO-TRAC ADJUSTMENT SYSTEM IS SIMPLY RUGGED PERFORMANCE THAT IS UNMATCHED BY THE COMPETITION.



HEAD-TO-HEAD COMPARISON
See for yourself the Micro-Trac™ Advantage

ACCESSORIES/OPTICS GEAR

POLAR CAPS

PROTECT YOUR GLASS WITH POLAR CAPS. LENS COVERS STAY PUT DURING STALKS AND POP-UP QUICK FOR EASY TARGET ACQUISITION.



\$12.49 each



CAPS PART #	CLEAR LENS PART #	SIZE	OUTSIDE DIAMETER OF OBJ. (INCHES)
71001	71003	A	1.00-1.09
71091	71093	B	1.095-1.10
71221	71223	C	1.22-1.29
71301	71303	D	1.30-1.341
71381	71383	E	1.387-1.429
71431	71433	F	1.432-1.485
71501	71503	G	1.50-1.55
71551	71553	H	1.558-1.66
71611	71613	J	1.612-1.66
71671	71673	K	1.675-1.735
71761	71763	M	1.760-1.820
71841	71843	N	1.840-1.919
71961	71963	P	1.96-2.043
72101	72103	R	2.10-2.22
72221	72222	S	2.225-2.36
72411	72413	T	2.41-2.515
72571	72573	U	2.575-2.725
-	72873	W	2.870-3.000

CLEANING CLOTH

DESIGNED TO GENTLY REMOVE DUST, DIRT AND DEBRIS FROM YOUR LENSES, THIS CLOTH IS A VALUABLE TOOL IN THE CARE AND ONGOING PERFORMANCE OF YOUR QUALITY WEAVER GLASS.

FEATURES & BENEFITS

- Large 6" x 6", micro-fiber cloth
- Embedded with an anti-fog chemical compound
- Excellent for dry application cleaning of all optics
- Long life—200+ uses per cloth
- Environmentally friendly



849710	CLEANING CLOTHS—1 PACK	\$6.95
849711	CLEANING CLOTHS—25 CT. BOX	\$153.95

SUPER SLAM™ SUNSHADE

SHIELD YOUR SHOT FROM THE DISTRACTING RAYS OF THE SUN WITH THE 4" WEAVER® SUNSHADE. DESIGNED FOR THE SUPER SLAM™ SERIES (NOT FOR USE ON 4-20 MODELS), THESE SUNSHADES BLOCK OUT GLARE REGARDLESS OF SUN ANGLE.



849731	4" SUPER SLAM SUNSHADE; 42MM—BLACK	\$44.49
849732	4" SUPER SLAM SUNSHADE; 42MM—SILVER	\$44.49
849733	4" SUPER SLAM SUNSHADE; 50MM—BLACK	\$49.49
849734	4" SUPER SLAM SUNSHADE; 50MM—SILVER	\$49.49

LENS CLEANING SYSTEM

KEEP YOUR QUALITY WEAVER® OPTICS FREE OF DIRT AND DEBRIS WITH THE WEAVER LENS CLEANING SYSTEM.

FEATURES & BENEFITS

- Soft brush for removing bulk of dust and debris
- Chemically treated chamois pad cleans smudges and fingerprints

849715	LENS CLEANING SYSTEM	\$10.95
--------	----------------------	---------



BINOCULAR SYSTEM

KEEP YOUR BINOCULARS READY FOR ACTION WITH OUR BINOCULAR SYSTEM. ERGONOMICALLY DESIGNED FOR HOURS OF COMFORTABLE WEAR AND CONSTRUCTED OF RUGGED NYLON, THIS SYSTEM GUARANTEES BINOCULARS ARE KEPT OUT OF THE WAY YET CLOSE AT HAND FOR FAST GLASSING ACTION.

FEATURES & BENEFITS

- Harness style binocular strap for comfortable carrying
- Tough, rugged nylon construction
- Perfectly places your binoculars for quick viewing
- Eliminates painful pressure on your neck
- Easily adjusts to custom fit your body style

849740	WEAVER® BINOCULAR SYSTEM	\$18.49
--------	--------------------------	---------



GUNSMITHING TOOLS & KITS



GUNSMITH MOUNTING CENTER

SAFELY TACKLE ALL YOUR GUN WORK NEEDS WITH THE GUNSMITH MOUNTING CENTER FROM WEAVER®. WHETHER YOU ARE MOUNTING OPTICS, CLEANING A FIREARM OR MAKING REPAIRS, THE GUNSMITH MOUNTING CENTER KEEPS YOUR FIREARM STABLE AND TOOLS ORGANIZED.

849725 GUNSMITH MOUNTING CENTER \$482.95



TOOL KITS

WHATEVER YOUR SKILL LEVEL. WHATEVER YOUR NEEDS. WE HAVE A GUNSMITH TOOL KIT FOR YOU. CHOOSE FROM AMONG THREE TOOL KIT MODELS CONTAINING PROFESSIONAL-GRADE TOOLS AND ATTACHMENTS FOR GUN CARE AND SCOPE MOUNTING WORK.

FEATURES & BENEFITS

Compact kit features 36 pieces to address the most common gunsmith needs

Multi Bit is a 77-piece kit for just about any at-home maintenance work

Deluxe kit offers a robust 88-piece gunsmith set for the most advanced and accomplished gunsmith

Each kit comes with quality bits and driver.

849717	COMPACT TOOL KIT	\$22.95
849718	MULTI BIT TOOL KIT	\$60.95
849719	DELUXE TOOL KIT	\$90.95



SURETHREAD™

WHEN MOUNTING OPTICS, OUR SURETHREAD™ ADHESIVE HELPS PREVENT THE LOOSENING OF MOUNTING SCREWS CAUSED BY THE SHOCK AND VIBRATIONS GENERATED FROM RECOIL. TAKE THE TIME TO MOUNT YOUR SCOPE PROPERLY AND THEN TAKE THE TIME TO ENSURE IT STAYS THAT WAY. USE WEAVER® SURETHREAD.

FEATURES & BENEFITS

- For use when mounting scopes and bases to assure locked-down optics
- Prevents shock and vibration from loosening screws
- Loosens easily with basic hand tools



849272 SURETHREAD \$15.49



TORQUE WRENCH

GET JUST THE RIGHT AMOUNT OF TORQUE ON YOUR RINGS AND BASES WITH OUR TORQUE WRENCH. EVERY MOUNTING SYSTEM OPERATES BEST AT PREDETERMINED MANUFACTURER'S SPECS AND WITH THE TORQUE WRENCH YOU CAN DIAL IN THAT CONSTANT SCREW PRESSURE QUICKLY AND EASILY.

FEATURES & BENEFITS

- Helps mount scopes and bases with consistent screw pressure to manufacturer's specs (torque range: 10-80 inch-pounds)
- Includes a variety of bits for different fasteners
- Helps protect riflescope tubes from over tightening
- Magnetized tip secures bits
- Rugged storage case

849728 TORQUE WRENCH \$72.95



HAMMER & PUNCH SET

TRICK OUT YOUR GUNSMITHING BENCH WITH OUR PROFESSIONAL TOOLS. THE HAMMER & PUNCH SET INCLUDES (8) STEEL PUNCHES TO FIT JUST ABOUT ANY PIN AND A HAMMER WITH BRASS AND PLASTIC FACES. FOR FAST, EASY, GENTLE DISASSEMBLY AND REASSEMBLY OF FIREARMS, WORK LIKE A PRO WITH OUR GUNSMITH TOOLS.

FEATURES & BENEFITS

- High quality steel punch set with brass punch for drifting sights
- Multiple sizes fit a variety of pins
- Assists the gunsmith in disassembly and assembly of firearms

849723 HAMMER & PUNCH KIT \$30.49



SCOPE MOUNTING KITS

IF YOU LIKE TESTING DIFFERENT SCOPES ON DIFFERENT FIREARMS, OR SIMPLY FIND YOURSELF BUYING AND MOUNTING A LOT OF OPTICS, THEN YOU NEED ONE OF OUR SCOPE MOUNTING KITS. CONTAINING EVERYTHING NEEDED FOR PRECISION SCOPE MOUNTING WE HAVE KITS FOR THE MOUNTING PROFESSIONAL OR BEGINNER GUNSMITHS.

FEATURES & BENEFITS

Standard kit features torque wrench, SureThread™, common bits and level system

Deluxe kit includes torque wrench, SureThread, common bits, level system, lapping bar, 1 inch alignment pins and lapping compound

Contains everything needed for precision scope mounting

Deluxe kit is excellent for the professional or novice gunsmith

Rugged storage case

849722	SCOPE MOUNTING KIT (W/O LAPPING TOOLS)	\$107.49
849721	DELUXE SCOPE MOUNTING KIT (WITH 1-INCH LAPPING TOOLS)	\$126.95



MODULAR LEVEL SYSTEM

WHEN MOUNTING OPTICS, PRECISION IS THE NAME OF THE GAME. AND THERE'S ONE PIECE OF GEAR THAT'S CRITICAL TO SUCCESS—OUR MODULAR LEVEL SYSTEM. THIS SYSTEM IS A SIMPLE, YET EFFECTIVE WAY TO GUARANTEE A SCOPE'S CROSSHAIRS ARE LEVEL TO THE RECEIVER. THIS ENSURES ACCURACY AND HELPS SHOOTERS MAXIMIZE THEIR OPTICS INVESTMENT.

FEATURES & BENEFITS

- Simple to use and extremely reliable
- High strength magnets for secure grip
- For use when mounting scopes on most types of firearms
- Indicates if scope crosshairs are level to receiver for optimum accuracy



849724 MODULAR LEVEL SYSTEM \$18.49



GRAND SLAM TOP MOUNT RINGS & BASES



STEEL TOP MOUNT RINGS

SOLID STEEL CONSTRUCTION MEANS THAT WEAVER® GRAND SLAM® RINGS PERFORM TIME AFTER TIME WHEN THE PRESSURE IS ON. THE TIME TESTED WEAVER CROSS LOCK DESIGN MEANS A TIGHT, SECURE FIT ON YOUR FAVORITE RIFLE.

49302	1" MED BLACK	\$27.49
49303	1" MED MATTE	\$27.49
49304	1" HIGH BLACK	\$27.49
49305	1" HIGH MATTE	\$27.49
49306	1" X-HIGH BLACK	\$27.49
49307	1" X-HIGH MATTE	\$27.49
49308	30MM HIGH BLACK	\$27.49
49309	30MM HIGH MATTE	\$27.49
49321	1" MED SILVER	\$29.49
49322	1" HIGH SILVER	\$29.49
49323	1" X-HIGH SILVER	\$29.49



LEVER LOK™ TOP MOUNT RINGS

THE QUICK DETACH FEATURE MAKES THIS RING AN IDEAL CHOICE FOR THE SERIOUS HUNTER ON THE GO. THIS DURABLE, RELIABLE RING EASILY DETACHES AND RE-MOUNTS WITHOUT TOOLS SO YOU CAN PROTECT YOUR OPTICS WHILE TRAVELING TO YOUR NEXT HUNT. THE RELIABLE WEAVER® CROSS LOCK DESIGN ALLOWS FOR SECURE, TIGHT FIT ON YOUR FAVORITE RIFLE. WITH SOLID STEEL CONSTRUCTION, YOU CAN REST ASSURED THAT THIS RING WILL PERFORM IN THE HEAT OF THE HUNT.

49325	1" MED MATTE	\$32.95
49326	1" HIGH MATTE	\$32.95
49327	1" X-HIGH MATTE	\$32.95
49328	1" MED BLACK	\$32.95
49329	1" HIGH BLACK	\$32.95
49330	1" X-HIGH BLACK	\$32.95
49335	30MM HIGH MATTE	\$32.95
49336	30MM HIGH BLACK	\$32.95



STEEL DOVETAIL RINGS

THESE RINGS FEATURE THE POSITIVE DOVETAIL LOCKING SYSTEM AND BOAST REAR MOUNT WINDAGE ADJUSTMENTS. THEY OFFER MAXIMUM STRENGTH IN STEEL CONSTRUCTION AND TOP-NOTCH RECOIL RESISTANCE FOR THE ULTIMATE HOLD ON YOUR SCOPE.

49200	1" LOW BLACK	\$27.49
49201	1" LOW MATTE	\$27.49
49202	1" MED BLACK	\$27.49
49203	1" MED MATTE	\$27.49
49239	1" MED NKL	\$28.95
49204	1" HIGH BLACK	\$27.49
49205	1" HIGH MATTE	\$27.49
49238	1" HIGH NKL	\$28.95
49206	1" X-HIGH BLACK	\$27.49
49207	1" X-HIGH MATTE	\$27.49
49226	30MM MED BLACK	\$30.95
49227	30MM MED MATTE	\$30.95
49208	30MM HIGH BLACK	\$30.95
49209	30MM HIGH MATTE	\$30.95



STEEL DOVETAIL BASES

OFFERED AS A ONE OR TWO-PIECE SYSTEM, THESE ALL-STEEL BASES PROVIDE RECOIL RESISTANCE AND FEATURE THE DOVETAIL LOCKING SYSTEM FOR AN ULTRA-SECURE, POSITIVE LOCK-ON RINGS.

SEE CHART ON page 54 for part numbers



TOP MOUNT WINDAGE ADJUSTABLE RINGS

GET THE LEGENDARY STRENGTH OF WEAVER® STEEL ALONG WITH THE VERSATILITY OF A WINDAGE ADJUSTABLE RING WITH THIS OFFERING.

49315	1" MED BLACK	\$31.49
49316	1" HIGH BLACK	\$31.49
49317	1" X-HIGH BLACK	\$31.49
49318	1" MED BLACK	\$31.49
49319	1" HIGH MATTE	\$31.49
49320	1" X-HIGH MATTE	\$31.49



WINDAGE ADJUSTABLE .22 RINGS

FOLLOWING IN THE TRADITION OF THE SOLID STEEL GRAND SLAM® RINGS, WEAVER® ADDS A SOLID STEEL, WINDAGE ADJUSTABLE .22 RING TO AN ALREADY IMPRESSIVE LINEUP. THE DESIGN MOUNTS TO A 3/8" GROOVED RECEIVER AND INCLUDES ALL OF THE FEATURES YOU HAVE COME TO TRUST IN THE GRAND SLAM LINE.

49313	1" .22 MEDIUM MATTE	\$32.49
49314	1" .22 HIGH MATTE	\$32.49



DOVETAIL EXTENSION RINGS

ADJUST THE EYE RELIEF ON YOUR FAVORITE SCOPE. THESE SOLID, ALL-STEEL RINGS ALLOW YOU TO MOVE YOUR SCOPE FORWARD OR BACK FOR OPTIMUM PLACEMENT.

49222	1" STR XTF MED BLACK	\$34.95
49210	1" STR XTF HIGH BLACK	\$34.95
49224	1" XTR XTF MED BLACK	\$47.49
49228	30MM STR XTF HIGH BLACK	\$46.49
49229	30MM STR XTF HIGH MATTE	\$46.49



STEEL TOP MOUNT BASES

OUR PRECISION-BUILT STEEL BASES ARE MACHINED TO TIGHT TOLERANCES FOR A CUSTOM FIT. A SQUARE-CUT NOTCH MATES TO THE STURDY CROSS BOLT IN EVERY WEAVER® TOP MOUNT RING. CUSTOM-HARDENED FASTENING SCREWS INCLUDED.

48223	S25	\$11.95
48224	S35	\$11.95
48225	S36	\$11.95
48243	S40A	\$11.95
48226	S45	\$11.95
48227	S46	\$11.95
48228	S47	\$11.95
48244	S49A	\$11.95
48230	S54	\$11.95
48231	S55	\$11.95
48234	S61	\$11.95
48241	S91	\$11.95
48247	S402	\$11.95
48249	S430	\$11.95
48275	S459	\$11.95
48276	S460	\$11.95
48282	S466	\$11.95



MISCELLANEOUS

49250	TORX SCREW ASSORTMENT	\$104.49
-------	-----------------------	----------

STEEL DOVETAIL SYSTEM

THIS PROVEN MOUNTING SYSTEM GIVES YOU EVERYTHING YOU NEED. SOLID STEEL RINGS AND BASES LOCK SCOPES IN PLACE.

49274	BR-ABOLT 1PC BASE BLACK	\$49.49
49265	BR-ABOLT 2PC BASE MATTE	\$49.49
49272	MARLIN 336 1PC BASE BLACK	\$49.49
49268	REM 7400 1PC BASE BLACK	\$49.49
49266	REM 700 1PC BASE BLACK	\$49.49
49260	REM 700 2PC BASE BLACK	\$49.49
49261	REM 700 2PC BASE MATTE	\$49.49
49270	SAV 110 2PC BASE BLACK	\$49.49
49262	WIN 70 2PC BASE BLACK	\$49.49
49263	WIN 70 2PC BASE MATTE	\$49.49



DOVETAIL HANDGUN SYSTEMS

USE THESE COMPLETE SYSTEMS TO OUTFIT YOUR TC ENCORE HANDGUN. STEEL DOVETAIL RINGS COME WITH SOLID STEEL RINGS AND BASES COMES WITH SOLID STEEL RINGS AND BASES THAT LOCK SCOPES INTO PLACE.

48980	TC ENCORE BLACK (3 RINGS)	\$61.49
48981	TC ENCORE MATTE (3 RINGS)	\$61.49



QUAD LOCK AND STEEL LOCK MOUNTS

QUAD LOCK® DETACHABLE RINGS

TWO STRAPS AND FOUR SCREWS PROVIDE ADDED GRIPPING POWER FOR THESE LIGHTWEIGHT, ALL-ALUMINUM RINGS. THUMBSCREWS ALLOW FOR QUICK DETACH.



49049	1" X-HIGH MATTE	\$13.95
49074	1" MED BLACK	\$13.95
49046	1" MED MATTE	\$13.95
49052	1" HIGH BLACK	\$13.95
49047	1" HIGH MATTE	\$13.95
49053	1" .22 TIP-OFF MATTE	\$13.95
49054	1" .22 TIP-OFF SILVER	\$13.95
49055	1" MED SILVER	\$13.95
49056	1" HIGH SILVER	\$13.95
49048	1" HIGH EXTENSION MATTE	\$15.49
49057	1" HIGH EXTENSION SILVER	\$15.49
49062	1" HIGH EXTENSION BLACK	\$15.49

STEEL LOCK MOUNTS

THESE RINGS ARE MADE TO MOUNT TO SPECIFIC FIREARM RECEIVERS TO ENHANCE FIT AND PERFORMANCE. NO BASES ARE NEEDED WHEN USING THESE RINGS. MOUNTS HAVE STEEL STRAPS FOR ADDED STRENGTH.



49720	1" BAR/LEVER BLACK	\$13.95
49721	1" FN SERIES BLACK	\$13.95
49727	1" KNIGHT MK-85 BLACK	\$13.95
49713	1" MARLIN 336 BLACK	\$13.95
49714	1" REM 7400/7600 BLACK	\$13.95
49712	1" REM 700 BLACK	\$13.95
49715	1" REM 742/760 BLACK	\$13.95
49711	1" RGR 10/22 BLACK	\$13.95
49734	1" RGR 10/22, SS	\$16.49
49724	1" RGR 77 BLACK	\$35.95
49732	1" RGR 77, SS	\$36.49
49723	1" RGR 77/22, MINI 14 BLACK	\$35.95
49735	1" RGR 77/22, MINI 14, SS	\$36.49
49717	1" SAVAGE 110 BLACK	\$18.95
49515	1" .22 SEE-THRU, BLACK	\$13.95
49733	1" .22 SEE-THRU, SS	\$16.49
49736	1" TC THUNDERHAWK BLACK	\$15.95
49718	1" WIN 70 BLACK	\$13.95
49725	1" WIN 88,100 BLACK	\$13.95
49716	1" WIN 94 A/E	\$18.95

FOUR HOLE SKELETON RINGS



WEAVER'S 4-HOLE SKELETON RINGS ARE AVAILABLE IN HEIGHTS THAT SATISFY JUST ABOUT ANY SHOOTER AND SHOOTING SITUATION. CHOOSE BETWEEN 1" OR 30MM AND FROM AMONG MEDIUM, HIGH, EXTRA-HIGH AND XX-HIGH. DRESSED IN MATTE BLACK AND FEATURING NO STRIP/SLIP TORX® SCREWS, THESE RINGS INCORPORATE WEAVER'S FAMOUS CROSS-LOCK DESIGN AND LIGHTWEIGHT AIRCRAFT GRADE ALUMINUM.

FEATURES & BENEFITS

- Choose between 1-inch or 30mm
- Cross-Lock design for maximum hold
- Skeletal design lessens weight without losing strength


48360	1" MED MATTE	\$36.95
48361	1" HIGH MATTE	\$36.95
48362	1" X-HIGH MATTE	\$36.95
48363	1" XX-HIGH MATTE	\$36.95
48364	30MM LOW MATTE	\$36.95
48365	30MM MED MATTE	\$36.95
48366	30MM HIGH MATTE	\$36.95
48367	30MM X-HIGH MATTE	\$36.95

SIX HOLE TACTICAL RINGS



IN THE TACTICAL WORLD, PERFORMANCE IS MANDATORY—THERE IS NO COMPROMISE. WHETHER IT'S INTENSE TRAINING OR REAL-LIFE ACTION, YOU NEED YOUR ZERO TO STAY TRUE. THESE AIRCRAFT-GRADE ALUMINUM TACTICAL RINGS FEATURE SIX POINTS OF CONTACT FOR MAXIMUM SECURITY AND ARE DESIGNED TO WITHSTAND THE MOST GRUELING ENVIRONMENTS IMAGINABLE. IF YOU DEMAND THE MOST FROM YOUR TACTICAL SCOPE, DEMAND WEAVER.

48349	1" MEDIUM	\$39.49
48350	1" HIGH MATTE	\$39.49
48351	1" X-HIGH MATTE	\$39.49
48352	30MM HIGH MATTE	\$39.49
48353	1" XX-HIGH MATTE	\$39.49
48355	30MM LOW MATTE	\$39.49
48356	30MM MEDIUM MATTE	\$39.49
48354	30MM X-HIGH MATTE	\$39.49



MUZZLELOADER & .22 TIP OFF RINGS & BASES

.22 TIP-OFF MOUNTS

THESE MOUNTS ARE MADE FOR .22S THAT HAVE FACTORY GROOVES IN THE RIFLE'S RECEIVER. THEY CLAMP DIRECTLY TO THE RECEIVER OR TIP-OFF BASES.



Sure Grip Rings shown

49819	1" SURE GRIP BLACK	\$15.49
49821	1" SURE GRIP SS	\$16.95
49440	1" .22 BLACK	\$29.49
49039	1" .22 SS	\$34.49
49514	1" .22 SEE-THRU BLACK	\$26.49
49517	1" .22 SEE-THRU SS	\$30.95

.22 TIP-OFF ADAPTOR BASES

ALLOWS .22 TIP-OFF MOUNTS TO BE USED ON NON-FACTORY DOVETAILED RIFLES. PROVIDE SURE, TIGHT FIT FOR THE ULTIMATE IN RELIABILITY.



48203	TO-1	\$16.95
48201	TO-9	\$6.49
48202	TO-10	\$8.49
48505	TO-9M	\$4.95
48511	TO-11	\$6.95
48009	TO-9S	\$7.49

* Fits 3/8" grooved receivers only



NEW! 48459 T22 BASE CONVERTER \$38.95

MUZZLELOADER RINGS & BASES

ANCHOR OPTICS TO YOUR MUZZLELOADER WITH WEAVER'S NEW LINE OF MUZZLELOADER RINGS & BASES. RINGS ARE MADE WITH LIGHTWEIGHT ALUMINUM SADDLES AND STRONG STEEL CAPS WHILE BASES FEATURE AIRCRAFT-GRADE ALUMINUM AND WEAVER'S PROVEN CROSSLOCK DESIGN. FOR MORE THAN 75 YEARS, WEAVER HAS BEEN KEEPING SCOPES ON FIREARMS AND HUNTERS ON TARGET. 100% RUGGED SERVICE, 100% OF THE TIME. AND THIS UNWAVERING DEDICATION TO PRESERVING BOTH YOUR OPTICS AND YOUR HUNT IS NOW AVAILABLE FOR MUZZLELOADERS.



MUZZLELOADER BASE W/RINGS

48530	TC ENCORE/OMEGA BASES W/ RINGS	\$38.95
48531	TRADITIONS IN-LINE/PRE-2010 CVA ROUND W/ RINGS	\$38.95
48532	KNIGHT MK-85, BK-92 BASES W/ RINGS	\$32.49



MUZZLELOADER BASES

48520	TC ENCORE/OMEGA BASES	\$13.49
48521	TRADITIONS IN-LINE/PRE-2010 CVA ROUND BASES	\$13.49
48522	KNIGHT MK-85, BK-92 ETC BASES	\$7.49



MUZZLELOADER INTEGRAL MOUNT SYSTEMS

SINGLE SHOT TRADITIONALIST WELCOME

GET THE LEGENDARY HOLDING POWER OF WEAVER® FOR YOUR MODERN IN-LINE MUZZLELOADER. THESE RING AND BASE SETS FEATURES LIGHTWEIGHT AIRCRAFT-GRADE ALUMINUM FOR

STRENGTH AND WEIGHT REDUCTION. AVAILABLE IN 1-PIECE OR 2-PIECE FORMATS. EASY MOUNTING FOR 1" SCOPES.



RING & BASE SET 1-PC MUZZLELOADER

48540	TC ENCORE/OMEGA MEDIUM	\$42.95
48541	TC ENCORE/OMEGA HIGH	\$42.95
48543	CVA/TRADITIONS/REMINGTON GENESIS MEDIUM	\$42.95
48544	CVA/TRADITIONS/REMINGTON GENESIS HIGH	\$42.95

RING & BASE SET-2-PC MUZZLELOADER

48545	TC ENCORE/OMEGA MEDIUM	\$38.95
48546	TC ENCORE/OMEGA HIGH	\$38.95
48548	CVA/TRADITIONS/WINCHESTER IN-LINE MEDIUM	\$38.95
48549	CVA/TRADITIONS/WINCHESTER IN-LINE HIGH	\$38.95
NEW! 48550	2010+ CVA MODEL BLACK POWDER MOUNT	\$38.95



DETACHABLE TOP MOUNT RINGS & BASES



DETACHABLE TOP MOUNT RINGS

GET THE BEST OF BOTH WORLDS WITH A STEEL STRAP FOR ADDED STRENGTH AND AN ALUMINUM SADDLE FOR REDUCED WEIGHT. THESE QUICK DETACH RINGS ARE THE ORIGINAL WEAVER-STYLE RINGS.



49030	1" LOW BLACK	\$25.95
49040	1" LOW MATTE	\$25.95
49034	1" LOW SS	\$39.49
49071	1" MED BLACK	\$25.95
49041	1" MED MATTE	\$25.95
49032	1" MED SS	\$39.49
49050	1" HIGH BLACK	\$25.95
49042	1" HIGH MATTE	\$25.95
49033	1" HIGH SS	\$39.49
49130	30MM HIGH SS	\$40.49
49080	1" X-HIGH BLACK	\$25.95
49044	1" X-HIGH MATTE	\$25.95
49036	1" X-HIGH SS	\$39.49
49122	30MM LOW BLACK	\$26.49
49121	30MM LOW MATTE	\$26.49
49131	30MM LOW SS	\$40.49
49110	30MM HIGH BLACK	\$26.49
49120	30MM HIGH MATTE	\$26.49

SURE GRIP WINDAGE ADJUSTABLE

THE FOUR-SCREW SYSTEM AND STEEL CAP OFFER SHOT-OF-A-LIFETIME DEPENDABILITY. WINDAGE ADJUSTABLE MODELS ENSURE THAT ZEROING IN YOUR SCOPE TO CRITICAL ACCURACY IS CERTAIN.

49140	1" MED BLACK	\$28.49
49143	1" MED MATTE	\$28.49
49141	1" HIGH BLACK	\$28.49
49144	1" HIGH MATTE	\$28.49
49142	1" X-HIGH BLACK	\$28.49
49145	1" X-HIGH MATTE	\$28.49



SURE GRIP DETACHABLE RINGS

THESE RINGS USE A FOUR-SCREW SYSTEM, AND HAVE STEEL CAPS AND AN ALUMINUM SADDLE FOR ADDED STRENGTH. ALSO FEATURES THE QUICK DETACH SYSTEM, ALLOWING YOU TO LOOSEN THE THUMB SCREWS AND GO TO IRON SIGHTS IN SECONDS.



49160	1" MED BLACK	\$25.95
49163	1" MED MATTE	\$25.95
49161	1" HIGH BLACK	\$25.95
49164	1" HIGH MATTE	\$25.95
49162	1" X-HIGH BLACK	\$25.95
49165	1" X-HIGH MATTE	\$25.95

DETACHABLE EXTENSION TOP MOUNT RINGS

TRY THESE TO GET THE IDEAL EYE RELIEF. THEY LET YOU POSITION YOUR SCOPE FORWARD OR REARWARD.



49090	1" MED EXT BLACK	\$30.95
49091	1" MED EXT MATTE	\$30.95
49092	1" MED EXT SILVER	\$40.49
49060	1" EXT HIGH BLACK	\$30.95
49043	1" EXT HIGH MATTE	\$30.95
49035	1" EXT HIGH SS	\$40.49
48448	1" EXT X-HIGH BLACK	\$30.95
48449	1" EXT X-HIGH MATTE	\$30.95
49061	1" DUAL EXT BLACK	\$33.49
49045	1" DUAL EXT MATTE	\$33.49
49038	1" DUAL EXT SS	\$40.49
49155	30MM LOW EXT BLACK	\$37.49
49150	30MM LOW EXT MATTE	\$37.49
49156	30MM HIGH EXT BLACK	\$37.49
49152	30MM HIGH EXT MATTE	\$37.49

TOP MOUNT BASE PAIRS

THERE'S NO LONGER A NEED TO SEARCH FOR FRONT AND REAR BASES FOR YOUR MOST POPULAR FIREARMS. WEAVER™ BASE PAIRS FEATURE TOUGH, LIGHTWEIGHT ALUMINUM CONSTRUCTION TO HOLD UP TO THE MOST POWERFUL RECOIL.

THE WEAVER CROSS LOCK DESIGN MEANS A TIGHT, SECURE FIT ON YOUR FIREARM. THESE BASES ACCEPT ALL WEAVER TOP MOUNT CROSS LOCK RINGS.



48460	REM 700 MATTE	\$7.49
48461	REM 700 SILVER	\$7.49
48462	BROWNING A-BOLT MATTE	\$7.49
48463	BROWNING A-BOLT SILVER	\$7.49
48464	MAUSER 98 MATTE	\$7.49
48465	SAVAGE 110 MATTE	\$7.49
48466	SAVAGE 110 ACCU TRIGGER MATTE	\$7.49
48467	SAVAGE 110 ACCU TRIGGER SILVER	\$7.49
48468	WIN 70 MATTE	\$7.49
48469	WIN 70 SILVER	\$7.49
48470	BROWNING BAR MATTE	\$7.49
48471	MARLIN 336 MATTE	\$7.49
48472	REM 7400 MATTE	\$7.49
48473	MOSSBERG 500/835 MATTE	\$7.49
48474	RUGER 10/22 MATTE	\$7.49
48475	WIN 94 MATTE	\$7.49
48476	REM 798 MATTE	\$7.49
48477	REM 799 MATTE	\$7.49
48493	BROWNING X-BOLT MATTE	\$7.49
48495	BROWNING X-BOLT SILVER	\$7.49

TOP MOUNT ALUMINUM BASES

EACH WEAVER BASE IS MACHINED TO TIGHT TOLERANCES FOR A CUSTOM FIT. THESE ALUMINUM BASES OFFER MAXIMUM STRENGTH FOR RINGS TO HOLD TIGHT.

REFER TO PAGE 58 FOR PART NUMBERS



MULTI SLOT BASES

THESE VERSATILE BASES FROM WEAVER™ HELP GIVE YOUR GUN A VERSATILE EDGE. MULTI SLOT BASES ARE CONSTRUCTED OF TOUGH, LIGHTWEIGHT ALUMINUM SO THEY CAN WITHSTAND THE MOST POWERFUL RECOIL. THEY ACCEPT ALL WEAVER TOP MOUNT RINGS AND ACCOMMODATE THE MOUNTING OF DEVICES SUCH AS SCOPES, RED DOTS AND LASER OPTICS, WHILE ALLOWING FOR OPTIMAL EYE RELIEF.

DETACHABLE SIDE MOUNTS

SIDE MOUNT BRACKETS DETACH AND ATTACH IN SECONDS, JUST LIKE OUR DETACHABLE TOP MOUNTS (THE BASES THEMSELVES DO NOT). SIDE MOUNT BRACKETS ARE AVAILABLE IN A "HIGH PROFILE" IN A STANDARD OR LONG LENGTH TO ACCEPT A VARIETY OF SCOPES.



48401	1	\$15.95
48402	2	\$15.95
48403	3A	\$15.95
48412	3B	\$16.95
48413	3C	\$15.95
48415	3D	\$20.49
48405	5	\$20.49
48407	7	\$15.95
48408	8	\$15.95
48416	10M	\$15.95
48409	M	\$20.49
49340	1" LONG HIGH BRACKET & RINGS	\$38.95
49350	1" HIGH BRACKET & RINGS	\$32.95

DETACHABLE COMPLETE RIFLE MOUNT SYSTEM

WEAVER COVERS EVERY ANGLE. THESE SYSTEMS PROVIDE EVERYTHING YOU NEED FOR THE BEST MOUNTING SOLUTION AVAILABLE FOR THESE SPECIFIC MODELS.

48763	MARLIN 336	\$33.95
48793	REM 4,6,7400,7600	\$33.95
48736	REM 700	\$33.95
48794	WIN 94	\$33.95



48329	MULTI SLOT SAVAGE ACCU-L/A	\$20.49
48330	MULTI SLOT REM 700 S/A	\$20.49
48331	MULTI SLOT SKS (STEEL)	\$36.49
48332	MULTI SLOT MINI 14/NO RINGS	\$44.95
48333	MULTI SLOT MOSSBERG 590	\$9.49
48334	MULTI SLOT REM 700 L/A	\$20.49
48335	MULTI SLOT RUGER 10/22	\$6.95
48336	MULTI SLOT REM 597	\$7.95
48337	MULTI SLOT WIN 1300	\$7.95
48338	MULTI SLOT SAVAGE ACCU-S/A	\$20.49
48339	MULTI SLOT BENELLI SBE II	\$15.95
NEW! 48345	MULTI SLOT 870 REMINGTON	\$9.49



SHOTGUN & PISTOL MOUNTING SYSTEMS



CONVERTA-MOUNT™ SHOTGUN SYSTEM

THEY LET YOU TRANSFORM YOUR BIRD GUN INTO A DEER HUNTING FIREARM ALONG WITH THE CHANGE IN SEASONS. TWO THUMB SCREWS PUT YOUR SCOPE ON OR TAKE IT OFF. OUR SEE-UNDER SYSTEMS LET YOU USE YOUR SCOPE OR BEAD.



MADE IN USA



48870	REM 870, 1100, 1187 MED RINGS	\$45.95
48881	SEE-UNDER REM 870, 1100 LOW RINGS	\$45.95
48883	SEE-UNDER WIN 1200, 1300 LOW RINGS	\$45.95

CONVERTA-MOUNT™ SIDE BASES

FOR USE WITH OUR CONVERTA-MOUNT LOW PROFILE OR SEE UNDER BRACKETS AND WEAVER TOP MOUNT RINGS. MAKES SCOPE MOUNTING ON SEVERAL DIFFERENT SHOTGUNS A BREEZE.



MADE IN USA



48302	REM 870, 1100	\$17.95
48303	MOSSBERG 500, 835	\$17.95
48307	WIN 1200	\$17.95

NO GUNSMITH SHOTGUN MOUNTS

MOUNT YOUR FAVORITE SIGHT DEVICE WITH EASE USING THE WEAVER™ NO GUNSMITH MOUNTS. THE MULTI SLOT BASES ALLOW YOU TO MOUNT A VARIETY OF OPTICS INCLUDING SCOPES, RED DOTS AND LASER SIGHTS WHILE OBTAINING THE OPTIMUM EYE RELIEF. THE LOW PROFILE, FORM FITTING DESIGN ALLOWS YOU TO SHOOT IN YOUR NATURAL POSITION WITHOUT "PEEKING." STRONG AND LIGHTWEIGHT, MADE OF TOUGH POLYMER COMPOSITE MATERIAL, THESE MOUNTS WILL OPERATE IN TEMPERATURES OF -40°F TO 150°F.



MADE IN USA



48340	REM 870, 1100, 1187 12 AND 20 GAUGE	\$28.49
48341	MOSSBERG 500, 835 12 GAUGE ONLY	\$28.49
48342	REM 870, 1100, 1187 12 AND 20 GAUGE HARDWOODS HD	\$48.49
48343	MOSSBERG 500, 835 12 GA ONLY HARDWOODS HD	\$48.49

PISTOL MOUNT SYSTEM

AN ALL STEEL YOKE TIGHTENS ON THE FRAME FOR RECOIL-PROOF PERFORMANCE. THIS SYSTEM, WITH QUICK DETACHABLE MEDIUM RINGS INCLUDED, OFFERS VERSATILITY FOR SCOPE CHANGES AND MAKES YOUR PISTOL A MORE ACCURATE TOOL FOR HUNTING AND SHOOTING.



MADE IN USA



48601	301	\$81.49
48610	301S	\$113.95
48602	302	\$81.49
48607	302S	\$113.95
48604	304	\$81.49
48605	305	\$81.49
48606	306	\$81.49
48609	307	\$81.49
48608	307S	\$113.95
48611	308S	\$113.95
48622	314	\$81.49

PISTOL MOUNT BASES

AVAILABLE WITHOUT RINGS, THESE BASES ALLOW YOU TO PURCHASE THE SPECIFIC RINGS YOU WANT TO SUIT YOUR APPLICATION. RUGGED STEEL YOKE DESIGN ALLOWS FOR EASY INSTALLATION.



MADE IN USA



48638	301 RUGER BLACKHAWK	\$47.49
48635	301S RUGER BLACKHAWK	\$47.49
48641	306 RUGER 22	\$47.49
48642	307 S&W	\$47.49
48648	308S RUGER REDHAWK	\$47.49
48643	314 RUGER SINGLE SIX	\$47.49
48497	RUGER SUPER REDHAWK 1-PC BASE-SILVER	\$47.49
48496	S & W X-FRAME 1-PC BASE-NICKEL PLATED	\$47.49

CONVERTA-MOUNT™ SHOTGUN BRACKETS

THESE BRACKETS GIVE YOU A CHOICE OF SCOPE MOUNTING POSITION AND FIT ANY CONVERTA-MOUNT SIDE BASE AVAILABLE IN LOW-PROFILE OR SEE-UNDER STYLE.



MADE IN USA



48310	SEE-UNDER WIN, MOSSBERG	\$24.49
48311	SEE-UNDER REM 870	\$24.49
48301	REM 870,1100	\$24.49



SCOUT SCOPE MOUNTS

WANT TO MOUNT A SCOPE ON YOUR FAVORITE LEVER-ACTION? WE HAVE THE MOUNTS THAT GET THE JOB DONE. OUR THREE NEW BASES ARE DESIGNED SPECIFICALLY FOR THREE SUCH RIFLES: MARLIN MODELS 1894, 1895 AND 336. THESE EASY-TO-INSTALL BASES DELIVER LEGENDARY WEAVER™ HOLDING POWER AND ARE THE PERFECT CHOICE FOR FORWARD MOUNTED SCOPES. PRECISION MACHINED TO TIGHT TOLERANCES EACH BASE PROVIDES A SECURE FIT AND IS CONSTRUCTED OF LIGHTWEIGHT AIRCRAFT-GRADE ALUMINUM FOR STRENGTH AND WEIGHT REDUCTION.



NEW!



FEATURES & BENEFITS

- Designed specifically for several models of Marlin lever-action rifles
- Comes with SureThread™ adhesive, brass punch & hardware
- Allows forward mounting of scope ahead of action
- For use with scopes that feature long eye relief capabilities
- Aircraft-grade aluminum for rugged, lightweight performance
- Accepts Weaver-style scope rings

NEW!	48560	SCOUT SCOPE MOUNT KIT - MARLIN 1894	\$44.49
NEW!	48561	SCOUT SCOPE MOUNT KIT - MARLIN 1895	\$44.49
NEW!	48562	SCOUT SCOPE MOUNT KIT - MARLIN 336	\$44.49

TACTICAL RINGS, MOUNTS, BASES

AR-15 MOUNTS

THESE STURDY, VERSATILE MOUNTS EASILY ATTACH TO VARIOUS AR-15 STYLE WEAPONS. PICATINNY STYLE RAILS ACCEPT WEAVER™ TOP MOUNT RINGS TO SECURE YOUR OPTICS. UTILIZE THE TRI RAIL DESIGN TO MOUNT A VARIETY OF ACCESSORIES INCLUDING TACTICAL LASERS OR FLASHLIGHTS.



48320	SINGLE RAIL MOUNT SYSTEM—CARRY HANDLE MOUNT	\$24.95
48321	SINGLE RAIL MOUNT SYSTEM— FLAT TOP MOUNT	\$24.95
48322	TRI RAIL MOUNT SYSTEM— CARRY HANDLE MOUNT	\$41.49
48323	TRI RAIL MOUNT SYSTEM— FLAT TOP MOUNT	\$41.49
48326	CARRY HANDLE/SIGHT FOR AR-15	\$102.49
48327	AR-15 BASE PAIR FOR HAND GUARD	\$25.49

PICATINNY SYSTEM

SHOOTERS CAN NOW ATTACH A WIDE VARIETY OF ACCESSORIES TO THEIR FIREARM WITH THE SWIVEL STUD PICATINNY RAIL ADAPTOR. THIS ADAPTOR CONNECTS TO THE SWIVEL STUD TO GIVE STANDARD RIFLES A PICATINNY RAIL OPTION.

48328 PICATINNY SYSTEM **\$14.49**



NEW! PICATINNY RISER SET

ENGINEERED TO PICATINNY SPECS AND ADDING AN OPTIMAL 1/2-INCH OF RAIL HEIGHT, OUR NEW WEAVER PICATINNY RISER SET IS A SLEEK, LIGHTWEIGHT OPTION FOR MOUNTING A WIDE RANGE OF OPTIC AND RING COMBINATIONS. THIS NEW RISER SET ALSO FEATURES AN ADDITIONAL MOUNTING SLOT SO YOU CAN POSITION YOUR OPTIC EXACTLY WHERE YOU NEED IT. MADE OF AIRCRAFT-GRADE 6061-T6 ALUMINUM WITH TYPE III HARD COAT ANODIZED FINISH, THIS ACCESSORY IS BUILT FOR DUTY.

NEW! 99658 PICATINNY RISER SET **\$37.95**



NEW! AR-15/M16 FIXED BACK-UP IRON SIGHT

WHETHER IT'S YOUR PRIMARY OPTIC GOING DOWN, OR SIMPLY THE DESIRE TO TRANSITION TO IRON SIGHTS, LET OUR NEW FIXED BACK-UP IRON SIGHT GET THE CALL. WITH NO VERTICAL OR HORIZONTAL POINT-OF-IMPACT SHIFT WHEN SWITCHING FROM PRECISION TO CQB APERTURE, THE WEAVER™ BACK-UP FIXED IRON SIGHT KEEPS YOU ON TARGET AND IN THE ACTION. THE MAIN BODY IS CONSTRUCTED FROM 6061-T6 ALUMINUM AND TYPE III HARD COAT ANODIZED WHILE THE STEEL COMPONENTS FEATURE A MANGANESE PHOSPHATE FINISH. FULLY COMPATIBLE WITH MIL-SPEC FRONT SIGHTS, THE 1/2 MOA CLICKS ARE CALIBRATED FOR CARBINE LENGTH SIGHT RADIUS.



NEW! 99482 AR-15/M16 FIXED BACK-UP IRON SIGHT **\$80.49**

FLAT TOP RISER RAIL—AR-15/M16

TURN YOUR FLAT TOP AR-15 OR M16 INTO THE PERFECT OPTICS PLATFORM WITH OUR FLAT TOP RISER RAIL. THIS RISER RAIL IS MADE FROM AIRCRAFT-GRADE 6061-T6, ALUMINUM AND HAS TYPE III HARD COAT ANODIZING FOR YEARS OF RUGGED USE. ENGINEERED TO PROVIDE THE OPTIMAL MOUNTING HEIGHT FOR ALL TYPES OF OPTIC AND RING COMBINATIONS, THE FLAT TOP RISER RAIL IS AVAILABLE IN BOTH STANDARD AND QUICK DETACH MODELS.



NEW!	99675	AR FLAT TOP RISER RAIL 20MOA	\$60.95
	99673	TACTICAL AR-15/M16 FLAT TOP RISER RAIL	\$57.49
	99659	TACTICAL AR-15/M16 FLAT TOP RISER RAIL QD	\$62.95

TACTICAL RINGS, MOUNTS, BASES



6-HOLE PICATINNY RINGS

THESE RINGS FEATURE SIX SCREWS FOR MAX SECURITY AND CLAMPING PRESSURE BUT GET SERIOUS UPGRADES FOR LE AND MILITARY USE. AN IMPROVED PICATINNY CROSSBOLT DESIGN (FROM WEAVER™ TO PICATINNY SPEC), TYPE III HARD COAT ANODIZED FINISH, NO STRIP/SLIP TORX SCREWS AND AN INCREASED NUMBER OF HEIGHT OPTIONS MAKE THESE 6-HOLE RINGS THE GO-TO MOUNTS FOR ALL TACTICAL PRECISION RIFLES.

FEATURES & BENEFITS

Improved crossbolt from Weaver® to Picatinny spec

Six screws for extra security and clamping pressure

Type-3 hard coat anodized finish

Increase height options for broad applications and firearms

99688	1" MED	\$47.95
99689	1" HIGH	\$47.95
99690	1" XHIGH	\$47.95
99691	1" XXHIGH	\$47.95
99692	30MM LOW	\$47.95
99693	30MM MED	\$47.95
99694	30MM HIGH	\$47.95
99695	30MM XHIGH	\$47.95



PICATINNY RING CAP

MAKE YOUR RINGS WORK HARDER WITH THE PICATINNY RING CAP. DESIGNED TO REPLACE THE TOP RING SECTION OF OUR TACTICAL 6-HOLE RING OR OUR 6-HOLE PICATINNY RINGS (IN EITHER 1" OR 30MM), THESE RING CAPS CLEVERLY INCORPORATE A SMALL PICATINNY RAIL SECTION THAT'S IDEAL FOR MOUNTING A SMALL DOT OPTIC OVER A MAGNIFIED SCOPE. DON'T LET YOUR NEED FOR SERIOUS MAGNIFICATION KEEP YOU FROM THE CLOSE QUARTER ACTION OF A DOT OPTIC. MOUNT OUR PICATINNY RING CAP AND GET THE BEST OF BOTH WORLDS.

FEATURES & BENEFITS

Replaces either Weaver® Tactical 6 Hole 1" or 30mm ring caps

Provides a small Picatinny rail section

Perfect for mounting small dot optics over a magnified scope



99665	TACTICAL PICATINNY RING CAP 1"	\$16.95
99664	TACTICAL PICATINNY RING CAP 30MM	\$16.95

TRIJICON® ACOG MOUNTS

COMBINE THE POWER OF TRIJICON'S FAMOUS ACOG WITH THE 80-YEAR EXPERIENCE OF WEAVER™. OUR TACTICAL TRIJICON® ACOG MOUNT IS CONSTRUCTED FROM AIRCRAFT-GRADE 6061-T6 ALUMINUM AND TREATED WITH TYPE III HARD COAT ANODIZING TO PERFORM IN THE HARSHTEST ENVIRONMENTS. DESIGNED FOR AR-STYLE FLAT TOP RIFLES, THIS MOUNT FEATURES WIDE, LOW PROFILE KNOBS THAT ALLOW RAPID REMOVAL AND REMOUNTING OF THIS POPULAR OPTIC—EVEN WITH GLOVES.

FEATURES & BENEFITS

For standard Trijicon® ACOG and Compact ACOG optics

For use on AR style flat top rifles

Easy removal and remounting of ACOG optics

Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized



99669	TACTICAL TRIJICON® ACOG MOUNT	\$52.49
99670	TACTICAL TRIJICON® COMPACT ACOG MOUNTS	\$41.95

OFFSET RAIL ADAPTOR

QUICKLY GO FROM A PRIMARY, MAGNIFIED OPTIC TO RED DOT ACTION—WITHOUT HEAD SHIFT—WITH THE OFFSET RAIL ADAPTOR. THIS MOUNT ATTACHES TO ANY PICATINNY SPEC RAIL AND ALLOWS SHOOTERS TO ATTACH A MINIATURE RED DOT IN THE OFFSET POSITION. THIS MOUNT CAN ALSO BE USED FOR LIGHTS OR OTHER ACCESSORIES THAT TYPICALLY ATTACH TO A PICATINNY SPEC RAIL.

FEATURES & BENEFITS

Mounts on Picatinny spec rails

Perfect for mounting miniature red dot scopes, lights or other accessories

Fast transition between magnified and reflex style optics

Aircraft Grade 6061-T6 Aluminum Type III Hard Coat Anodized



99671	TACTICAL OFFSET RAIL ADAPTOR	\$31.49
-------	------------------------------	---------

AIMPOINT® MOUNTS

FLAT TOP AR-15 OWNERS CAN NOW MOUNT THEIR AIMPOINT® OPTICS WITH THE LEGENDARY HOLD OF WEAVER™ RINGS & BASES. THESE TWO MOUNTS ACCOMMODATE BOTH THE MICRO AND 30MM AIMPOINT AND FEATURE 1/3RD CO-WITNESS WITH MIL-SPEC IRON SIGHTS, AIRCRAFT-GRADE 6061-T6 ALUMINUM AND TYPE-3 HARD COAT ANODIZING.

FEATURES & BENEFITS

TACTICAL AIMPOINT® MICRO MOUNT

For Aimpoint R1 and T1 Micro style dot optics on AR style flat top rifles

Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized

TACTICAL AIMPOINT® RING 30MM

For 30mm tube, Aimpoint style dot optics on AR style flat top rifles

Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized

Integral Storage for 1 spare DL1/3N battery



99668	TACTICAL AIMPOINT® MICRO MOUNT	\$47.49
99667	TACTICAL AIMPOINT® RING 30MM	\$89.49

NEW! SPR 30MM OPTICS MOUNT

DESIGNED FOR AR-STYLE RIFLES, OUR SPR (SPECIAL PURPOSE RIFLE) 30MM OPTIC MOUNT DELIVERS OPTIMAL HEIGHT AND FORWARD CANTILEVER FOR AR PLATFORM RIFLES. DESIGNED FOR 30MM TUBE OPTICS AND CONSTRUCTED OF AIRCRAFT-GRADE 6061-T6 ALUMINUM WITH TYPE III HARD COAT ANODIZED FINISH THIS NEW MOUNT IS ULTRA-DURABLE WITH MINIMAL WEIGHT AND BULK.

FEATURES & BENEFITS

Optimal height and forward cantilever for AR platform rifles

·Minimal weight and bulk

·Fits optics with 30mm tubes



NEW! 99674	SPR 30MM OPTIC MOUNT	\$99.95
------------	----------------------	---------

EXTENDED MULTI-SLOT BASES

ENJOY OPTICAL SUPERIORITY WITH OUR TACTICAL MULTI-SLOT BASES. THESE PICATINNY BASES ARE DESIGNED FOR SPECIFIC MODELS OF FIREARMS AND PROVIDE AN ADDITIONAL 1 INCH OF FORWARD LENGTH FOR MORE MOUNTING OPTIONS. MANUFACTURED FROM 6061-T6 ALUMINUM AND PROTECTED BY A MATTE, TYPE III HARD COAT ANODIZED FINISH, THESE MULTI-SLOT BASES ARE COMPATIBLE WITH PICATINNY OR WEAVER STYLE RINGS. AN INTEGRAL RECOIL LUG, NO SLIP/STRIP TORX® SCREWS ROUND OUT THE FEATURES OF THESE TACTICAL BASES. AVAILABLE WITH 20 MOA CANT FOR EXTENDED RANGE OPTIC ADJUSTMENT AS WELL AS STANDARD ZERO CANT.

FEATURES & BENEFITS

Available in either Long Action or Short Action

Made of 6061-T6 Aluminum with matte Type III hard coat anodize finish

Compatible with Picatinny or Weaver® style rings

Additional 1" of forward length provides more mounting options

20 MOA of cant version available for extended range optic adjustment



99483	448	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 LA	\$40.49
99484	447	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 SA	\$40.49
99478	449	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 SA 20MOA	\$40.49
99479	450	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 LA 20MOA	\$40.49
99499	440	EXTENDED MULTI SLOT BASE REMINGTON® 700 LA	\$40.49
99486	442	EXTENDED MULTI SLOT BASE REMINGTON® 700 LA 20MOA	\$40.49
99500	439	EXTENDED MULTI SLOT BASE REMINGTON® 700 SA	\$40.49
99485	441	EXTENDED MULTI SLOT BASE REMINGTON® 700 SA 20MOA	\$40.49
99493	451	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER LA	\$40.49
99494	452	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER LA 20MOA	\$40.49
99495	453	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER SA	\$40.49
99496	454	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER SA 20MOA	\$40.49



SIMMONS RINGS



SIMMONS RINGS THE CLEAR CHOICE

SIMMONS RINGS HAVE BEEN A PART OF HUNTING CAMPS FOR DECADES. AND WE CONTINUE THE TRADITION WITH OUR LINE UP OF QUALITY OFFERINGS.

SIMMONS RINGS HAVE LONG HELD A PLACE OF DISTINCTION AMONG SHOOTERS WHO DEMAND A RUGGED HOLD AND EASY INSTALLATION. AVAILABLE IN BOTH 1-INCH TUBE AND 30MM OFFERINGS, SHOOTERS CAN CHOOSE BETWEEN A VARIETY OF FINISHES OF MATTE, GLOSS OR SILVER.

FEATURES & BENEFITS

- Precisely machined for excellent fit
- Variety of styles to fit all of your shooting needs
- Made of strong aircraft grade aluminum
- Lightweight, yet rock solid mounting options

S I M M O N S R I N G C H A R T

49166	1" SILVER/MEDIUM	\$7.49	49170	1" SILVER/22 MEDIUM	\$7.49	49174	30MM/MATTE BLACK/MEDIUM	\$13.95
49167	1" BLACK GLOSS/MEDIUM	\$7.49	49171	1" BLACK GLOSS/HIGH	\$7.49	49175	30MM/MATTE BLACK/HIGH	\$13.95
49168	1" MATTE BLACK/MEDIUM	\$7.49	49172	1" MATTE BLACK/HIGH	\$7.49	49176	1" MATTE BLACK/SEE-THRU	\$9.49
49169	1" MATTE BLACK/22 MEDIUM	\$7.49	49173	1" SILVER/HIGH	\$7.49	49178	1" BLACK GLOSS/22 MEDIUM	\$7.49



CHARTS / MOUNT CHARTS



GRAND SLAM STEEL-DOVETAIL BASES: FROM PAGE 43

48964 2PC ANSCHUTZ BLACK	48916 1PC MAUSER 98 BLACK	48906 2PC SAV 110 LA/SA ACU-TRIGGER MATTE
48904 2PC BR-A-BOLT LA/SA BLACK	48910 2PC MAUSER 98 BLACK	48918 1PC SAV 110 LA BLACK
48905 2PC BR-A-BOLT LA/SA MATTE	48900 2PC REM 700 LA/SA & HOWA/VANGUARD	48920 1PC SAV 110 SA BLACK
48922 1PC BR-A-BOLT LA	48901 2PC REM 700 LA/SA & HOWA/VANGUARD MATTE	48966 1PC SPRINGFIELD BLACK
48923 1PC BR-ABOLT LA MATTE	48971 2PC REM 700 LA/SA & HOWA/VANGUARD NKL	48968 1PC SPRINGFIELD 03A BLACK
48924 1PC BR-A-BOLT SA	48912 1PC REM 700 LA & HOWA/VANGUARD	48926 1PC TC ENCORE
48925 1PC BR-ABOLT SA MATTE	48913 1PC REM 700 LA & HOWA/VANGUARD MATTE	48976 2PC WEATHERBY MARK V BLACK
48932 1PC BR-MARK II BLACK	48930 1PC REM 700 SA BLACK	48908 2PC WIN 70 (.860 SPACING) BLACK
48933 1PC BR-MARK II MATTE	48931 1PC REM 700 SA MATTE	48909 2PC WIN 70 (.860 SPACING) MATTE
48911 2PC BR WSSM MATTE	48948 1PC REM 760	48935 2PC WIN 70 (.435 SPACE & PRE-64) MATTE
48960 2PC COLT SAUER BLACK	48978 1PC REM 788 LA BLACK	48907 2PC WIN 70 WSSM MATTE
48970 2PC CVA BLACK	48946 1PC REM 788 XLA BLACK	48940 1PC WIN 70 SA-1984 BLACK
48974 1PC HUSQVARNA BLACK	48914 1PC REM 7400, 486	48936 1PC WIN 70 (PRE-64) BLACK
48928 1PC MARLIN 336	48915 1PC REM 7400, 486 MATTE	48938 1PC WIN 70 (.860 SPACE) BLACK
48929 1PC MARLIN 336 MATTE	48962 2PC SAKO BLACK	48942 1PC WIN 88, 100 BLACK
48954 1PC MAUSER FN BLACK	48956 1PC SAV 99 BLACK	48944 1PC WIN 94-AE BLACK
48952 2PC MAUSER FN BLACK	48902 2PC SAV 110 LA/SA BLACK	
48958 1PC MARLIN 1894 BLACK	48903 2PC SAV 110 LA/SA MATTE	
48950 1PC MAUSER SM 95 BLACK	48972 2PC SAV 110 LA/SA NKL	

DOVETAIL RING HEIGHT GUIDE: FROM PAGE 43

RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE
1" LOW	0.150	UP TO 40MM
1" MED	0.270	THRU 50MM
1" HIGH	0.400	THRU 56MM
1" X-HIGH	0.520	OVER 56MM
30MM MED	0.320	THRU 56MM
30MM HIGH	0.490	THRU 56MM
1" MED .22 RINGS	0.262	THRU 40MM
1" HIGH .22 RINGS	0.382	THRU 44MM
1" EXTRA HIGH .22 RINGS	0.512	THRU 50MM
1" MED MOD. 77/22 & NO.1	0.453	THRU 50MM
1" MED MOD. 77	STEPPED	THRU 50MM
1" HIGH MOD. 77	STEPPED	THRU 56MM

TOP MOUNT ALUMINUM BASES: FROM PAGE 49



48011 11	48028 28	48044 44	48059 59	48075 75	48093 93	48000 407S	48435 418M
48012 12	48029 29	48045 45	48064 60A	48076 76	48094 94	48112 408	48453 418S
48013 13	48030 30	48510 45S	48061 61	48079 79	48095 95	48513 410	48437 419M
48014 14	48031 31	48046 46	48060 61A	48080 80	48096 96	48452 410S	48438 420M
48015 15	48032 32	48004 46S	48002 61S	48081 81	48097 97	48632 411	48439 420S
48016 16	48035 35	48502 46M	48504 61M	48082 82	48098 98	48633 411S	48444 421M
48017 17	48006 35S	48047 47	48062 62	48083 83	48099 99	48512 412S	48443 423M
48018 18	48500 35M	48003 47S	48069 63B	48084 84	48109 401	48425 413	48446 424
48019 19	48036 36	48503 47M	48447 63BS	48085 85	48001 401S	48441 413S	48445 424M
48020 20A	48005 36S	48048 48	48065 65	48086 86	48108 402	48442 413M	48450 427
48021 21	48501 36M	48049 49A	48067 67	48087 87	48429 402M	48426 414M	48451 428
48022 22	48039 39	48050 50	48068 68	48088 88	48430 402S	48427 414S	48454 429M
48023 23	48040 40A	48053 53	48070 70	48073 89	48107 403	48431 415	48506 93AM
48024 24	48428 40AM	48054 54	48071 71	48090 90	48106 404	48432 415M	48455 430M
48025 25	48041 40AS	48055 55	48010 71A	48091 91	48105 405	48433 415S	48456 432M
48026 26	48042 42	48057 57	48072 72	48092 92A	48110 406	48434 416M	
48027 27	48043 43	48058 58	48074 74	48007 92AS	48111 406S	48440 417M	

DETACHABLE TOP MOUNT HEIGHT GUIDE: FROM PAGE 48

RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE	RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE
1" LOW	0.089	THRU 38MM	30MM LOW	0.288	THRU 33MM
1" MEDIUM	0.169	THRU 40MM	30MM HIGH	0.500	THRU 44MM
1" HIGH	0.332	THRU 44MM	1" TIP-OFF	0.25	THRU 36MM
1" EXTRA HIGH	0.560	THRU 50MM	1" TIP-OFF SEE-THRU	0.750	THRU 50MM
1" SEE-THRU	0.750	THRU 50MM			

NOTE: Chart also applies to the Grand Slam Steel Top Mount Rings, pg 42

WEAVER™ MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD			EXTENSION				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
ANSCHUTZ														
▶ MARK 12		16	16											
▶ 54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES		91	91							S91	S91			48964
▶ 153 DELUXE		19	19											
▶ 1568		61	46			402		1						
▶ MATTE		61M	46M			402M				S61	S46		S402	
▶ SILVER		61S	46S			402S								
AUTO SHOTGUNS														
▶ ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPTSMN 48	4							7						
BENELLI														
▶ NOVA SHOTGUN (MATTE)					423M									
▶ SUPER BLACK EAGLE, SUPER BLACK EAGLE II, M1 & M2 FIELD GUNS	25				93AM									
BERETTA														
▶ MATO RIFLE		49A	46							S49A	S46			
▶ PINTAL SLUG GUN		35	35		40A	40A								
▶ MATTE		35M	35M		40A-M	40A-M				S35	S35	S40A	S40A	
▶ SILVER		35S	35S		40A-S	40A-S								
BRITISH 303														
▶ WITH ENFIELD ACTION	4, 15				TO-1									
BROWNING														
▶ 1885 HIGH WALL (OCTAGON BARREL)	1, 3	11	29											
▶ 22 AUTO	18			60A										
▶ SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.		72	71											
▶ A-BOLT, A-BOLT 22 STALKER; MEDALLION		47	47											48922 L/A 48904
▶ BLACK														48924 S/A 48904
▶ MATTE		47M	47M							S47	S47			48923 L/A 48905
▶ MATTE														48925 S/A 48905
▶ SILVER		47S	47S											
▶ A-BOLT SHOTGUN														
▶ MATTE		47M	419M											
▶ A-BOLT (EUROPEAN MODEL), MOD 52, 52C	5	85	85											
▶ BOLT ACTION BBR, HI-POWER, OTHER CAL. (OLDER MOD.)		45	46		402	49721	5	S45	S46		S402			
▶ SILVER		45S	46S		402S									
▶ BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR	5	54	54			49720								48932
▶ MATTE										S54	S54			48933
▶ BLR (LEVER ACTION)		25	25							S25	S25			
▶ BLR WITH FLAT TOP RECEIVER (OLDER MODELS)		28	28											
▶ BBR (BOLT ACTION), LONG & SHORT ACTIONS		47	46		402	49718								
▶ MATTE		47M	46M		402M					S47	S46		S402	
▶ SILVER		47S	46S		402S									
▶ A-BOLT WSSM		427	47											48911
▶ BAR MATTE						432M								
BSA														
▶ MONARCH MEDIUM ACTION IN 222, 243 & 308	25	36	35	97	40A									
▶ MATTE		36M	35M		40A-M	49712				S36	S35		S40A	
▶ SILVER		36S	35S		40A-S									
▶ CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06	25	36	35	98	40A									
▶ MATTE		36M	35M		40A-M	49712				S36	S35		S40A	
▶ SILVER		36S	35S		40A-S									
▶ OTHER HIGH-POWERS		28	28											
CARCANO														
▶ CARCANO	4, 6							1						
CARL GUSTAF														
▶ MOD 2000										S460	S460			
CHURCHILL														
▶ HIGHLANDER		36	35		40A									
▶ MATTE		36M	35M		40A-M	49712				S36	S36		S40A	
▶ SILVER		36S	35S		40A-S									
▶ CIL														
▶ 830								1						

MOUNT CHARTS



WEAVER™ MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT		
CHURCHILL (CONTINUED)															
▶ 871				62			49715								
▶ 900		19	19												
▶ 950 & 950-C		61	46			402		1							
▶ MATTE		61M	46M			402M	49717		S61	S46		S402			
▶ SILVER		61S	46S			402S									
▶ 972-C		45	46			402	49721		S45	S46		S402			
▶ SILVER		45S	46S			402S									
COLT															
▶ 57		45	46			402	49721		S45	S46		S402			
▶ SILVER		45S	46S			402S									
▶ COLTSMAN IN 223, 243 & 308 CAL. (ROUND RECEIVER)		25	25						S25	S25					
▶ COLTSMAN IN 264 & 30-06 CAL. (ROUND RECEIVER)		54	54				49720		S54	S54					
▶ COLTSMAN WITH SAKO STYLE ACTION IN 223 & OTHER CAL		67	65												
▶ H BAR	10														
▶ SHARPS		85	85												
▶ ANACONDA, PYTHON & KING COBRA PISTOLS (SILVER)	8, 17			412S											
▶ SAUER		35	35		40A	40A							48960		
▶ MATTE		35M	35M		40A-M	40A-M			S35	S35	S40A	S40A			
▶ SILVER		35S	35S		40A-S	40A-S									
COONEY															
▶ 60 & 600								2							
▶ 71		47	46			402	49718	1	S47	S46		S402			
▶ MATTE		47M	46M			402M			S47	S46		S402			
▶ SILVER		47S	46S			402S									
CVA															
▶ OCTAGON BARRELS / RECEIVERS	17	61A	61A												
▶ PRE-2010 ROUND BARRELS / RECEIVERS (POST '96 MODELS)		418M	418M										48970		
▶ SILVER		418S	418S												
ENFIELD WITH RECEIVER CUT DOWN LIKE:															
▶ REMINGTON 30		11	11					1							
▶ WINCHESTER 70		47	46			402									
▶ MATTE		47M	46M			402M	49718		S47	S46		S402			
▶ SILVER		47S	46S			402S									
▶ REMINGTON 721		36	35			40A									
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A			
▶ SILVER		36S	35S			40A-S									
GARCIA															
▶ 73				53			49725								
▶ 74		67	65												
GOLDEN EAGLE															
▶ 7000		71	71												
GROOVED RECEIVER WITH 3/8" DOVETAILS															
▶ SEE .22 RING INFORMATION	12						49515								
▶ SILVER							49733								
H & R															
▶ 65, 165, 150 & 151 (AUTO)		18	18					2							
▶ 250, 251, 264, 265, 365, 450 & 550		18	16					2							
▶ 232C SHOTGUN (10 GA.) & 980 ULTRA		19	19												
▶ 155, SB2 ULTRA (.22-250), TOPPER 158C (1973+), 157				82											
▶ 300, 301, 330 & 370 (PRE 1973)		45	46			402	49721	5	S45	S46		S402			
▶ SILVER		45S	46S			402S									
▶ 300 & 301 S.A. IN 22-250, 243 & 308 (1973+)		83	84												
▶ 300 & 301 L.A. IN 270, 30-06, 7MM & 300 WIN (1973+)		54	46			402			S54	S46		S402			
▶ 317 & 322		11	35			40A									
▶ 317 (PRE 1975)		67	65												
▶ 360 & 361				81											
▶ 700				87A											

WEAVER™ MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT		
H & R (CONTINUED)															
▶ 755, 765, 852 & 865		17	21					2							
▶ 800		12	12												
▶ TOPPER 30, 22 JET, & MOD 158 (PRE 1973)	18			60A											
HERTERS															
▶ J9		45	46			402	49721	5	S45	S46		S402			
▶ SILVER		45S	46S			402S									
▶ U9 BSA ACTION	4	28	28												
▶ U9 ROUND RECEIVER		36	35			40A									
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A			
▶ SILVER		36S	35S			40A-S									
HIGH-STANDARD															
▶ HIGH-POWER		55	46			402		1	S55	S46					
▶ AUTO SHOTGUN								8							
HOWA															
▶ HOWA		36	35			40A							48912	48900	
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A	48913	48901	
▶ SILVER		36S	35S			40A-S									
INTERARMS															
▶ 92 CARBINE (REPLICA OF WIN. 92)	4												3A		
▶ ATD	18			60A											
▶ MARK X	1	55	20A												
▶ MINI MARK X	1	23	71A												
▶ VISCOUNT	1	45	46			402	49721		S45	S46		S402			
ITHACA															
▶ DEERSLAYER, 37 & 87 (12, 16, 20 GA.)				62			49715								
▶ LSA-55 & LSA-65		61	61				49727								
▶ MATTE		61M	61M						S61	S61					
▶ SILVER		61S	61S												
▶ 49SS, .22	4												3A		
▶ LIGHTNING X3		39	39												
JAPANESE															
▶ 6.5MM & 7.7MM	6			70				1							
KNIGHT MUZZLELOADERS															
▶ KNIGHT MK-85, BK-92 & T-BOLT (FLAT RECEIVERS)		61	61				49727		S61	S61					
▶ MATTE		61M	61M												
▶ SILVER		61S	61S												
▶ LK-93, WOLVERINE, LEGEND, DISC, AMERICAN, REVOLUTION		45	45						S45	S45					
▶ SILVER		45S	45S												
KRAG															
▶ (OFFSET TO LEFT FOR EASY EJECTION)	4							2							
LAKEFIELD															
▶ 22 RIMFIRE	12														
LEE-ENFIELD															
▶ LEE-ENFIELD	4, 15			TO-1											
MAGNUM RESEARCH															
▶ LONE EAGLE SSP 91 PISTOL		16	16												
MARLIN															
▶ 45, 30AS 336 (ALL MODELS) 444, 1893, 1895, CAMP 9, 922M, 989, .22 AUTO						63B		49713						48928	
▶ SILVER						63BS									
▶ MATTE									S466	S466				48929	
▶ A1 & 50		15	15					2							
▶ 39A, 39D & CENTURY (OCTAGON BARREL)		28	31												
▶ 39A (ROUND BARREL)	21	29	16	90				2							
▶ 57 MAGNUM				58											



WEAVER™ MOUNT APPLICATIONS CHART		TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER	NOTES	STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
MARLIN (CONTINUED)														
▶ 88, 89 & 98		18	18				2							
▶ 80, 81 & 980		12	12				2							
▶ 455		45	46			402	49721	5	S45	S46	S402			
▶ SILVER		45S	46S			402S								
▶ 512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)								10M						
▶ 60, 990L, 70, 995, 882, 25MN, 883	12													
▶ MR7		47	46			402								
▶ MATTE		47M	46M			402M	49718		S47	S46	S402			
▶ SILVER		47S	46S			402S								
▶ MLS-50 & MLS-54, (BASES SOLD 2/PACK)		406	406				49736							
▶ SILVER		406S	406S											
▶ 1894				63B								48958		
▶ 900 SERIES IN .17 & .22 CALIBERS	12													
MAUSER														
▶ RECEIVER RING ABOUT 1.410" DIAMETER (98FN)	1, 2	45	46			402	49721	5	S45	S46	S402	48954	48952	
▶ SILVER		45S	46S			402S								
▶ RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)	1, 2	55	46			402		1	S55	S46	S402	48950		
▶ BAUER 3000 & 4000		68	46			402								
▶ MARK X	1	55	20A											
▶ 98												48916	48910	
MOSSBERG														
▶ 25, 26, 42, 46M, 140, 142 & 146, 45-46 W/ 3/4" DIA. BBLs		12	13					2						
▶ 40		16	21					2						
▶ 43, 44, 144, 46BT & 35		12	16					2						
▶ 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs		12	16					2						
▶ 320, 340, 342 & 620		21	21					2						
▶ 640				63B			49713							
▶ 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)		55	55						S55	S55				
▶ 50, 51, 151, 152, 350 & 352		12	12					2						
▶ 400		20A	42											
▶ 472, 479 & 679				80										
▶ 500AS (PRE 1997) & 600 SHOTGUNS				88										
▶ 500 (1997+), 590 & 835 SHOTGUNS (MATTE)	25			417M										
▶ 810 & RM7		25	11											
▶ 100 ATR, 1500, 1700		36	35			40A						48912	48900	
▶ MATTE		36M	35M			40A-M	49712		S36	S35	S40A	48913	48901	
▶ SILVER		36S	35S			40A-S								
▶ 935 (MATTE)				430M										
MUSGRAVE														
▶ MARK I & MARK II		54	46			402			S54	S46	S402			
▶ MARK III & MARK IV		45	46			402	49721		S45	S46	S402			
▶ SILVER		45S	46S											
NAVY ARMS														
▶ COUNTRY BOY MUZZLELOADER		46	46	53	402	402								
▶ MATTE		46M	46M		402M	402M	49725		S46	S46	S402	S402		
▶ SILVER		46S	46S		402S	402S								
NEW ENGLAND FIREARMS (H & R)														
▶ HANDY RIFLE, HORNET (USE EXTRA HIGH RINGS)				82										
▶ N.E.F. 10 GAUGE SHOTGUN		19	19											
▶ HUNTSMAN MUZZLELOADER	8			82										
NEW HAVEN														
▶ 495B (MATTE)								10M						
NORINCO														
▶ 22 AUTO (REPLICA OF BROWNING 22 AUTO)	18			60A										
▶ JW-15	12													
OCTAGON BARREL OR FLAT TOP RECEIVERS														
▶ CAN BE FITTED WITH THE FOLLOWING BASES:		61	61	50										
PARKER-HALE														
▶ 1000, 1000C, 1100, 1200 & 1700		45	46			402	49721		S45	S46	S402			

WEAVER™ MOUNT APPLICATIONS CHART		TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER	NOTES	STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
PARKER-HALE (CONTINUED)														
▶ SILVER		45S	46S			402S								
▶ 2600		71	85											
▶ MIDLAND		71	75											
PEDER SOLI														
▶ LIGHTNING		75	75											
PUMP SHOTGUNS														
▶ ALL PUMPS EXCEPT WIN. 42	4											8		
RAPTOR ARMS														
▶ SAME AS REMINGTON 700 LONG ACTION	25	36	35	98		40A		1	S36	S35	S40A			
▶ MATTE		36M	35M			40A-M	49712		S36	S35	S40A			
▶ SILVER		36S	35S			40A-S								
REMINGTON														
▶ 700, 78, 40X-L, 721 & 725 (ALL LONG ACTIONS)	25	36	35	98		40A		1					48912	48900
▶ MATTE		36M	35M			40A-M	49712		S36	S35			48913	48901
▶ SILVER		36S	35S			40A-S								48971
▶ 700, 78, 40X-S, 722 & 725 (ALL SHORT ACTIONS), 700 MZL. LDR.	25	36	35	97		40A		1	S36	S35	S40A	48930	48900	
▶ MATTE		36M	35M			40A-M	49712		S36	S35	S40A	48931	48901	
▶ SILVER		36S	35S			40A-S								
▶ 710		71	71											
▶ 788 ALL CALIBERS		76	75											
▶ 788 IN .222 MAG, .22/.250, .30/.30 CAL													48978	
▶ 788 IN .243, 6MM, .308 CAL													48946	
▶ 7 W/3 HOLES, 600, 660, XP-100 XR-100				70				1						
▶ 7 W/4 HOLES (NEW IN 1999), 673 (MATTE)		421M	35M						S430	S460				
▶ 740, 742 & 760				62								49715		48948
▶ 4, 6, 74, 76, 7400, 7600 750				93								49714		48914
▶ MATTE														48915
▶ 8 & 81								7						
▶ 10, 11, 12, 34", 341", 510, 511, 512 & 521T	6	43	42					2						
▶ 12A, 121 WITH 3/4" DIAMETER BARRELS		18	13					2						
▶ 121 WITH 13/16" DIAMETER BARRELS		18	17					2						
▶ 12C OCTAGON BARREL		18	31					2						
▶ 14 & 141		20A	27											
▶ 41	6	17	17					2						
▶ 24 & 241	18			60A										
▶ 25		18	21					2						
▶ 30 & 720		11	11					1						
▶ 33	6	17	13					2						
▶ 513S & 513T		43	44					2						
▶ 514		16	21					2						
▶ 514 (NOT DRILLED & TAPPED) & 550	4	12	12											
▶ 541S & 541T		15	15											
▶ 522 VIPER	11													
▶ 5, 552, 572 & 581(S)	12													
▶ 597, 597LSS (MATTE)	25			414M										
▶ SILVER				414S										
▶ 798		55	20A											
▶ 799		71A	23											
▶ 870, 1100, 11-87 SHOTGUNS (SEE CONVERTA MOUNT SYSTEM)	24			429M										
▶ 11-48, 1100, SPORTSMAN 48 & 58 SHOTGUNS								8						
▶ GENESIS		418M	418M											
ROSSI (ALSO SEE INTERARMS)														
▶ .410/.22 LR & .410/.17 HMR SMALL FRAME MATCHED PAIR COMBOS ONLY	7			92A										
RUGER														
▶ NO. 1	1, 3, 4	85	89											
▶ NO. 3	1, 3, 4	85	86											
▶ 10/22 IN 22 LONG RIFLE CAL. (GROOVED & DRILLED)		16				T0-9								
▶ MATTE		16, 25				T0-9M						49711		
▶ SILVER		16												

MOUNT CHARTS



WEAVER™ MOUNT APPLICATIONS CHART		TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER	NOTES	STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
RUGER (CONTINUED)														
▶ 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML							49723							
▶ SILVER							49735							
▶ 96/22 & 96/22 MAGNUM	16			TO-11										
▶ 44 CARBINE MAGNUM DEERSTALKER		47	68									48912	48900	
▶ M77 (ROUND TOP DRILLED)		79	35			40A						48913	48901	
▶ MATTE														
▶ M77, (W/BUILT-IN INTEGRAL MOUNTS)							49724							
▶ SILVER							49732							
▶ MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT)							49723							
▶ SILVER							49735							
▶ SINGLE SIX & SUPER SINGLE SIX (314)	8			48643										
▶ BLACKHAWK & SUPER BLACKHAWK (301)	8			48638										
▶ SILVER (301S)	8			48635										
▶ REDHAWK (308S) SILVER	8			48648										
▶ MARK II PISTOL, STANDARD MODELS (306)	8, 13			48641										
SAKO														
▶ L579		72	71											
▶ 72, 75 & 78		85	85											
▶ FINNWOLF				53			49725							
▶ FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)		67	65										48962	
▶ WHITETAIL HUNTER		61	61											
▶ MATTE		61M	61M				49727	S61	S61					
▶ SILVER		61S	61S											
SAUER														
▶ 200		35	35			40A								
▶ MATTE		35M	35M		40A-M	40A-M		S35	S35	S40A	S40A			
▶ SILVER		35S	35S		40A-S	40A-S								
▶ 202								S459	S460					
▶ SHR 970		25	25				49720	S25	S25					
SAVAGE														
▶ 3		16	21					2						
▶ 4 & 5		12	13					2						
▶ 6 & 7		12	12					2						
▶ 29 (ROUND BARREL)		11	22											
▶ 19 & 23		15	16					2						
▶ 20, 340, 340E, 342, 840 & 842E	14							1						
▶ 24	17			74										
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)	12													
▶ 25 (OCTAGON BARREL)		19	31											
▶ 40 & 45		11	11					2						
▶ 67 SHOTGUN				93			49714							
▶ 93F HEAVY BARREL		16	16											
▶ 99, 1895 & 1899		14	19									48956		
▶ 170				62			49715							
▶ 219		12	30					2						
▶ 10, 12 & 16 (SHORT ACTIONS), STRIKER, PSTL, 510, 512, 516 S/A, 10 ML (2-PIECE ONLY) PRE 2003 MODELS	22	61	46			402						48920	48902	
▶ MATTE	22	61M	46M			402M		S61	S46	S402			48903	48903
▶ SILVER	22	61S	46S			402S							48972	48972
▶ 110, 112, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS	22	61	46	413		402		1				48918	48902	
▶ MATTE	22	61M	46M			402M	49717	S61	S46	S402			48903	48903
▶ SILVER	22	61S	46S			402S							48972	48972
▶ 2400		67	65											
▶ 10, 12, 110, 112 SERIES, W/ ACCUTRIGGER,, STEVENS 200, 10 ML II	22, 25	46	46			402								
▶ MATTE	22	46M	46M			402M		S46	S46	S402	S402		48906	48906
▶ SILVER	22	46S	46S			402S								
SCHULTZ & LARSEN														
▶ SCHULTZ & LARSEN		54	45			402		1	S54	S45	S402			

WEAVER™ MOUNT APPLICATIONS CHART		TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER	NOTES	STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
SEARS														
▶ 42 & 43		12	21											
▶ 50 & 51		45	46			402	49721	5	S45	S46	S402			
▶ SILVER		45S	46S			402S								
▶ 51L		55	46			402		1	S55	S46	S402			
▶ 53		47	46			402	49718	1				48908		
▶ MATTE		47M	46M			402M			S47	S46	S402		48909	
▶ SILVER		47S	46S			402S								
▶ 54 & 100								3B						
SHILEN														
▶ FLAT TOP RECEIVER		61	61				49727							
▶ MATTE		61M	61M						S61	S61				
▶ SILVER		61S	61S											
▶ ROUND RECEIVER		35	35			40A	40A							
▶ MATTE		35M	35M			40A-M	40A-M		S35	S35	S40A	S40A		
▶ SILVER		35S	35S			40A-S	40A-S	49725						
SMITH & WESSON														
▶ MAUSER ACTIONS W/SMALL REC. RING ABOUT 1.30" DIA		55	46			402		1	S55	S46	S402			
▶ 1500, 1600 & 1700		36	35			40A						48912	48900	
▶ MATTE		36M	35M			40A-M	49712		S36	S35	S40A	48913	48901	
▶ SILVER		36S	35S			40A-S								
▶ 29, 629, 625, 686 & L, K & N FRAME RVLRS (FACTORY DRILLED)	8, 17, 23					401								
▶ SILVER	8, 17, 23					401S								
▶ L & K FRAME RVLRS (307)	8					48642								
▶ 41 PISTOL						62								
▶ 2206 TGT PSTL (SILVER)	17					407S								
▶ X FRAME (SILVER)	25					48496								
SPRINGFIELD														
▶ 03		6	54	55				1	S54	S55				
▶ 03-A3		8	59	45										
SPRINGFIELD ARMORY														
▶ 1911 A-2 SASS CONVERSION				26										
STEVENS														
▶ 26		22	22					2						
▶ 27 OCTAGON		31	31											
▶ 53		16	21					2						
▶ 56 & 66		12	13					2						
▶ 57, 76, 4171/2 & 762		12	12					2						
▶ 110E		61	46			402		1						
▶ MATTE		61M	46M			402M	49717		S61	S46	S402			
▶ SILVER		61S	46S			402S								
▶ 322 & 325								1						
▶ 416		18	17					2						
▶ 417		15	15					2						
▶ 418 & 418 1/2		16	16					2						
▶ SAVAGE/STEVENS 200	22	46	46			402	402							
▶ MATTE	22	46M	46M			402M	402M		S46	S46	S402	S402		48906
▶ SILVER	22	46S	46S			402S	402S							
STEVENS - SPRINGFIELD														
▶ 83		16	21					2						
▶ 85, 87 & 872		4	12	12				2						
▶ 840		14						1						
TAURUS														
▶ L, K & N FRAME RVLRS (LIKE S&W, FACTORY DRILLED)	8, 17, 23					401								
▶ SILVER	8, 17, 23					401S								
▶ L & K FRAME RVLRS (307)	8					48642								



BASES IN PC

4422

4421

55'

4420

4419

4418

4417

0 000 FEET

WEAVER™ MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT <small>USE ONLY WITH SIDE MT BRACKET</small>	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		
		STANDARD			EXTENSION				COMPLETE SYSTEM	REAR	FRONT	REAR	FRONT	1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT									
THOMPSON CENTER (CONTINUED)															
▶ CONTENDER HANDGUN & CONTENDER CARBINE RIFLE				92A											
▶ SILVER				92AS											
▶ SCOUT RIFLE & SCOUT PISTOL				404											
▶ TCR				405											
▶ THUNDERHAWK & FIREHAWK (2EA. PER PKG.)		406	406			49736									
▶ SILVER		406S	406S												
▶ TRADITIONAL STYLE MUZZLELOADERS, NEW ENGLANDER	19			408											
▶ ENCORE, OMEGA				410							48926				
▶ SILVER				410S											
▶ SYSTEM 1 & BLACK DIAMOND (2EA. PER PKG.)		411	411												
▶ SILVER		411S	411S												
TIKKA															
▶ TIKKA W/FLAT RECEIVER		61	61												
▶ MATTE		61M	61M			49727		S61	S61						
▶ SILVER		61S	61S												
▶ SAKO DESIGN W/TAPERED DOVETAIL		67	65												
TRADITIONS															
▶ WHITETAIL W/OCTAGON RECEIVERS	17	61A	61A												
▶ IN-LINE MUZZLELOADERS W/ROUND RECEIVERS - MATTE		418M	418M												
▶ SILVER		418S	418S												
U. S. CARBINE															
▶ M1 CARBINE 30 CAL.	20						M								
VALMET															
▶ TAPERED DOVETAIL, SAKO DESIGN		67	65												
VOERE															
▶ 2130	4	28	28												
▶ 2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)		45	46		402	49721		S45	S46		S402				
▶ SILVER		45S	46S												
WEATHERBY															
▶ VANGUARD	1, 22	36	35		40A						48912	48900			
▶ MATTE	1, 22	36M	35M		40A-M			S36	S35		S40A	48913	48901		
▶ SILVER	1, 22	36S	35S		40A-S										
▶ MARK V STD. CAL INCL. 240MAG, CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT		36	415												
▶ MATTE		36M	415M												
▶ SILVER		36S	415S												
▶ FN MAUSER STYLE ACTIONS		45	46		402	49721	5	S45	S46		S402				
▶ SILVER		45S	46S		402S										
▶ MARK V MAG. CAL EXCEPT 240 MAG.		424	35										48976		
▶ MATTE		424M	35M		40A-M										
WESTERN FIELD															
▶ 712	6						1								
▶ 730		25	11												
▶ 740				63B		49713									
▶ SILVER				63BS											
▶ 750		67	65												
▶ 770		55	20A												
▶ 772				80											
▶ 775 & 780		55	55					S55	S55						
WINCHESTER (INCLUDES RANGER MODELS)															
▶ 03 & 63		19	22				2								
▶ 06, 62, 62A & 90 W/OCTAGON BARREL		32	32												
▶ 05, 07 & 10		20A	17												
▶ 42															
▶ 43		18	18												
▶ 52 (HOLE SPACING DIFFERENT)	6, 9	25	57												
▶ 52 (HOLE SPACING SAME)	6, 9	46	46		402										
▶ MATTE	6, 9	46M	46M		402M	402M		S46	S46	S402	S402				
▶ SILVER	6, 9	46S	46S		402S	402S									

WEAVER™ MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT <small>USE ONLY WITH SIDE MT BRACKET</small>	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		
		STANDARD			EXTENSION				COMPLETE SYSTEM	REAR	FRONT	REAR	FRONT	1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT									
WINCHESTER (CONTINUED)															
▶ LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4						3A								
▶ 54, & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48	46		402		1								
▶ 57 & 69		12	13				2								
▶ 60, 67 & 68	6	21	21												
▶ 61 W/ROUND BARREL		19	13				2								
▶ 61 W/OCTAGON BARREL		25	32				2								
▶ 69A, 72 & 47		12	17				2								
▶ 70 LONG ACTION (HOLE SPACING SAME), 670, 770	9	47	46	96		402	1					48938	48908		
▶ MATTE		47M	46M		402M	49718		S47	S46		S402		48909		
▶ SILVER		47S	46S		402S										
▶ 70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9	49A	46		402			S49A	S46		S402				
▶ 70 SHORT ACTION (1984+)		47	46	99	402		1					48940	48908		
▶ MATTE		47M	46M		402M	49718		S47	S46		S402		48909		
▶ SILVER		47S	46S		402S										
▶ 70 WSSM		428	46										48907		
▶ 70 W/SERIAL NO BELOW 66 350 (PRE '64)													48936		
▶ 74		12	12				2								
▶ 75 SPORTER		15	30				2								
▶ 75 TARGET		15	16				2								
▶ 77		15	32				2								
▶ 88 & 100				53									48942		
▶ 94 PRE '64							3D								
▶ 94 POST '64 & 94 TRAPPER							3B								
▶ 94 BIG BORE 375							3C								
▶ 94 ANGLE-EJECT BIG BORE		95	403												
▶ 94 ANGLE-EJECT (EXCEPT EARLIEST MODELS)		95	94			49716							48944		
▶ 94/22	16			TO-10											
▶ 520		85	85												
▶ 777		71	71												
▶ 1200 & 1500 SHOTGUNS (SEE CONVERTA MOUNT SYSTEMS)															
▶ 1300 & 1400 SHOTGUNS (ALSO SEE CONVERTA MOUNT SYS) MATTE	25			416M											
▶ 50 SHOTGUN							8								
▶ X-150, APEX MUZZLELOADERS (MATTE)		418M	418M												
▶ SILVER		418S	418S												

NOTES

- Shimming is probably required for perfect scope alignment.
- Rear base may require modifications for correct fit to military actions.
- Front base may require modification for correct fit.
- Gun will have to be drilled and tapped.
- Front base screws must be shortened by grinding.
- May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
- BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
- Remove rear sight to use.
- The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:

HOLE SPACING THE SAME	HOLE SPACING IS DIFFERENT
Model 52 Use 46+ 46	Model 52 Use 25+ 57
Model 70 Use 47+ 46	Model 70 Use 49A+ 46
- The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
- The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
- Rifle has Grooved Receiver for Tip-Off Rings.
- Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
- Bolt Clearance problem may exist and scope will not be centered.
- Base accepts Tip-Off Rings only.
- TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
- Must be factory drilled and tapped.
- One-Piece base attaches to barrel and extends back over receiver.
- Requires the use of Thompson/Center base adapter.
- Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
- Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
- For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
- WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
- Top mount base is designed to fit 12GA models only.
- Can be used with Tactical Multi Slot bases.

Redfield® — When performance counts

Use the charts on the following pages to match your firearm with the right rings and bases for your next hunting or shooting adventure. These quality Redfield® mounts are manufactured to rigorous tolerances and provide guaranteed performance time after time, hunt after hunt, year after year. If your next day afield requires a rock solid hold, mount your scope with Redfield.

Aluminum Base Pairs		MRSP	
NEW!	47510	Savage 110 ACU black matte	\$6.95
NEW!	47511	Redfield Remington 700 black matte	\$6.95
NEW!	47512	Ruger 10/22 black matte	\$6.95
NEW!	47513	Winchester 70 black matte	\$6.95
NEW!	47514	Marlin 336 black matte	\$6.95
NEW!	47515	Mauser 98 black matte	\$6.95
NEW!	47516	Browning X-Bolt black matte	\$6.95
NEW!	47517	Browning A-Bolt black matte	\$6.95
NEW!	47518	Browning Bar black matte	\$6.95
NEW!	47519	Remington 870 black matte	\$6.95
NEW!	47520	Traditions / CVA In-Line black matte	\$6.95
NEW!	47521	Winchester 1894 black matte	\$6.95
NEW!	47522	Remington 7400 black matte	\$6.95
NEW!	47523	Mossberg 500 black matte	\$6.95



47510
Redfield Base Pair Savage 110

Redfield Twin-Dovetail Style Rings		MSRP
47425	1" med td matte	\$36.95
47426	1" high td matte	\$36.95
47427	1" x-high td matte	\$36.95
Rotary Dovetail Steel Rings (30mm)		MSRP
47250	30mm med black matte	\$51.49
47251	30mm high black	\$49.49
47254	30mm std rear ext front high blk matte	\$70.49
47255	30mm std rear ext front high black	\$66.95
47256	30mm high black matte	\$50.49
47383	30mm med black	\$50.49

Redfield Aluminum Rings		MSRP
47311	1" medium gloss	\$7.49
47312	1" medium matte	\$7.49
47313	1" medium silver	\$7.49
47315	1" high gloss	\$7.49
47316	1" high matte	\$7.49
47317	1" high silver	\$7.49
47320	1" .22 matte	\$7.49
47321	1" 22 silver	\$7.49
47322	1" 22 gloss	\$7.49
47323	30mm med.matte	\$13.95
47324	30mm high matte	\$13.95
47325	1" see-thru matte	\$9.49

Redfield 4 Hole Aluminum Rings		MSRP
47330	1" med matte 4 hole	\$13.49
47332	1" high matte 4 hole	\$13.49
47334	1" x-high matte 4 hole	\$13.49
47331	1" med silver 4 hole	\$13.49
47333	1" high silver 4 hole	\$13.49
47335	1" x-high silver 4 hole	\$13.49

Ruger Rifle Steel Rings		MSRP
47234	1" med ruger 77 black	\$44.49
47236	1" high ruger 77 black matte	\$49.49
47237	1" high ruger 77 black	\$44.49
47240	30mm high ruger 77 black matte	\$58.49

.22 Caliber Ring Mounts (Grooved Receiver)		MSRP
47432	1" med .22 black	\$37.95
47430	1" med .22 matte	\$40.49
47428	1" med .22 nickel	\$40.49
47285	1" high .22 black	\$37.95
47287	1" high .22 matte	\$40.49
47433	1" x-high .22 black	\$37.95
47431	1" x-high .22 matte	\$40.95

See-Thru Rings		MSRP	
NEW!	47327	3/8" Dovetail	\$10.95



Redfield 4 Hole Aluminum Rings.

Redfield Aluminum Rings.

Rotary Dovetail Steel Rings (1")		MSRP
47214	1" high, nickel	\$34.95
47215	1" std rear ext front high, nickel	\$50.49
47218	1" std rear/ext front med black	\$44.95
47249	1" std rear ext front med black matte	\$49.49
47220	1" std rear ext front high black	\$44.95
47221	1" ext rear ext front med black	\$57.95
47223	1" low black	\$30.49
47224	1" med black	\$30.49
47226	1" high black	\$30.49
47228	1" high black matte	\$32.49
47230	1" med black matte	\$32.49
47231	1" extra high black	\$32.49
47232	1" extra high black matte	\$34.95
47233	1" med nickel	\$34.95
47378	1" low black matte	\$32.49
47379	1" std rear ext front high black matte	\$49.49


Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
ANSCHUTZ											
54, 64, 153, 1400, 1500	-	-	-	47365	-	-	-	-	-	-	-
BROWNING											
.264 thru.458 FN Mauser Action	47154	-	-	47345	-	-	-	-	-	-	-
Semi-Auto (BAR), Mark II, BPR, BA	47174	-	-	-	-	-	-	-	-	-	-
BBR Long & Short Actions	-	-	-	47347	47353	-	-	-	-	-	-
A-Bolt LA (Use SR models for Left Hand)	-	-	-	47183	47352	-	-	-	-	-	47449
A-Bolt SA	-	-	-	47183	47352	-	-	-	-	-	47449
A-Bolt 22	-	-	-	47183	47352	-	-	-	-	-	47449
BSA											
Monarch LA Round Receiver	47152	47266	-	47193	47270	47350	-	-	-	47441	-
Monarch SA	47169	47273	-	47193	47270	47350	-	-	-	4744	-
CHURCHILL											
Long & Short Action	-	-	-	47193	47270	47350	-	-	-	47441	-
COLT											
57, 30-06 & FN Mauser	47154	-	-	47345	-	-	-	-	-	-	-
Coltsman Sako Action (med. & short)	-	-	-	47349	-	-	-	-	-	-	-
Sauer	-	-	-	47185	-	-	-	-	-	-	-
DICKSON-HOWA											
Golden Bear	-	-	-	47349	-	-	-	-	-	-	-
H & R											
300, 301, 330, 370 (Prior to 1973)	47154	-	-	47345	-	-	-	-	-	-	-
INTERARMS											
Mark X	47154	-	-	47345	-	-	-	-	-	-	-
HOWA 1500	47152	47266	-	47193	47270	47350	-	-	-	47441	-
ITHACA (Tikka)											
.37	47170	-	-	-	-	-	-	-	-	-	-
KNIGHT											
Disc Rifle (round receivers)	-	-	-	-	47422	-	-	-	-	-	-
MARLIN											
36, 36A, 336,444 Sporter, 336T, 375 1895, 9, 922	47343	-	-	-	-	-	-	-	-	-	-
455	47154	-	-	47345	-	-	-	-	-	-	-
1894, 1894C, 1894M	47166	-	-	-	-	-	-	-	-	-	-

Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
MAUSER											
98	47156	-	-	-	-	-	-	-	-	-	-
FN, Mark 10	47154	-	-	47345	-	-	-	-	-	-	-
Kar & Swedish after 1906 & Small Ring 95, Mexican & Matte Black	47157	-	-	-	-	-	-	-	-	-	-
MOSSBERG											
1500, 1700 (Short Action)	47169	47273	-	47193	47270	47350	-	-	-	47441	-
1500, 1700 (Long Action)	47152	47266	-	47193	47270	47350	-	-	-	47441	-
MUSGRAVE											
Mark III, Mark IV	-	-	-	47345	-	-	-	-	-	-	-
PARKER HALE											
1000, 1100, 1200	47154	-	-	47345	-	-	-	-	-	-	-
REMINGTON											
7 Lightweight; 600, 660, XP100	47169	47273	-	-	-	-	-	-	-	-	-
4, 6, 74, 7400, 7600	47171	47274	-	-	-	-	-	-	-	-	-
700 (Short Action); 40X, 78, 722, 725, 22/250, 222, 243, 308, 6mm, 6.5, 350 Mag.; 700 Varmint Cals.: 222 Mag., 223, 243, 6mm, 22/250, 308	47169	47273	-	47193	47270	47350	-	-	-	47441	-
700 (Long Action - Right Hand): 40X, 78, 721, 725, 270, 280, 30-06 & 264, 7mm, 300 Mag.	47152	47266	-	47193	47270	47350	-	-	-	47441	-
700 (Long Action - Left Hand) 270, 30-06, 7mm Mag.	-	-	-	47193	47270	47350	-	-	-	47441	-
740, 742, 760	47170	-	-	-	-	-	-	-	-	-	-
788 (Long Action Cals.): 222 Mag., 22/250, 30/30	47162	-	-	-	-	-	-	-	-	-	-
788 (X-Long Action Inc. LH) Cals: 243, 6mm, .308	47163	-	-	-	-	-	-	-	-	-	-
710	-	-	-	47396	-	-	-	-	-	-	-
RUGER											
77 Round Receiver (Long Action)	47152	47266	-	47193	47270	47350	-	-	-	47441	-
SAKO											
Tapered Dovetail (short+med action), A-1, L-416-All, L579(Long action) AV, L61	-	-	-	47349	-	-	-	-	-	-	-
Finnwolf	47148	-	-	-	-	-	-	-	-	-	-
Mauser Actions	47159	-	-	47345	-	-	-	-	-	-	-
SAUER											
90, 200 (Sigrams)	-	-	-	47185	-	-	-	-	-	-	-
SAVAGE											
Anschutz 64MS	-	-	-	47365	-	-	-	-	-	-	-
Anschutz 153 & 54	-	-	-	47365	-	-	-	-	-	-	-

Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
SAVAGE											
110, 110C, 111LA (pre 2003 models)	47150	-	-	47191	47269	-	-	-	-	-	-
110, 110C, 112-V SA (pre 2003 models)	-	-	-	47191	47269	-	-	-	-	-	-
110 Long & Short Action (LH) (pre 2003 models)	-	-	-	47191	47269	-	-	-	-	-	-
SEARS											
(J.C. Higgins) 53	-	-	-	47347	47353	-	-	-	-	-	-
(J.C. Higgins) 50, 51 (Before Jan. 1955)	47154	-	-	47345	-	-	-	-	-	-	-
SPRINGFIELD											
03	47386	-	-	-	-	-	-	-	-	-	-
03A3, A4	47159	-	-	-	-	-	-	-	-	-	-
SMITH & WESSON											
1500,1600,1700	47152	47266	-	47193	47270	47350	-	-	-	47441	-
TED WILLIAMS											
73	-	-	-	47347	47353	-	-	-	-	-	-
THOMPSON / CENTER											
Contender & Carbine (with 3 rings)	47203	47202	-	-	-	-	-	-	-	-	-
Encore (with 3 rings)	47376	47210	-	-	-	-	-	-	-	-	-
Encore	47173	-	-	-	-	-	-	-	-	-	-
Contender	-	-	-	-	-	-	-	-	-	-	-
WEATHERBY											
Mark V mag. cal except 240 mag	-	-	-	-	-	-	47451	-	-	-	47450
Mark V std cal inc 240 mag, Ctrfire Pistol	-	-	-	-	-	-	-	-	-	-	-
Vanguard	47152	47266	-	47193	47270	47350	-	-	-	47441	-
FN	-	-	-	47345	-	-	-	-	-	-	-
224 Varmintmaster	-	-	-	-	-	-	-	-	-	-	-
WESTERN FIELD											
30-06	47154	-	-	47345	-	-	-	-	-	-	-
740	47343	-	-	-	-	-	-	-	-	-	-
WINCHESTER											
70 Target	47146	-	-	-	-	-	-	-	-	-	-
70 in .300 Win Mag & .375 H&H Only	-	-	-	-	-	-	-	-	-	-	-
Serial # 66,350 to 700,000 (one hole in rear of action)	47146	-	-	-	-	-	-	-	-	-	-
Serial # 1,896,476 and up &/or rear hole spacing .860	-	-	-	47347	47353	-	-	-	-	-	-
70 (rear hole spacing .860) Includes M70, M70XTR, 670, 770, Ranger & Lightweight. Also .458 Win Mag & Weatherby Mags above serial #66,350.	-	-	-	47347	47353	-	-	-	-	-	-
70 Short Actions introduced in 1984	-	-	-	47347	47353	-	-	-	-	-	-
88, 100	47148	-	-	-	-	-	-	-	-	-	-
BLANK GUNSMITHING SR BASES	-	-	-	-	-	-	-	-	-	-	-




Look for these other fine products to complement your purchase:



Federal Premium®
Trophy Bonded® Tip



BLACKHAWK!®
Knox Stocks



Champion®
DuraSeal® Varmint Spinner



ATK Security and Sporting features a unique collection of brands that gives shooting, tactical and outdoor enthusiasts everything they need in one place. From ammunition, optics and reloading equipment to gun care and tactical gear, we offer advanced, high-performance products. Look for these leading brands.

A M M U N I T I O N & R E L O A D I N G

O P T I C S & A C C E S S O R I E S



www.federalpremium.com
1-800-322-2342



www.cci-ammunition.com
1-800-256-8685



www.speer-ammo.com
1-800-256-8685



www.speer-bullets.com
1-800-256-8685



www.rcbs.com
1-800-533-5000



www.alliantpowder.com
1-800-276-9337



www.weaveroptics.com
1-800-635-7656



www.blackhawk.com
1-800-694-5263



www.championtarget.com
1-800-635-7656
1-800-441-4971 (Clays)



www.buckcommander.com
1-800-635-7656



www.outers-guncare.com
1-800-635-7656



www.gunslickpro.com
1-800-635-7656

Your purchase helps us financially support many outdoor conservation organizations that protect our habitats and heritage.

Thank you.

Onalaska Operations • PO Box 39 • Onalaska, WI 54650 • 1-800-635-7656

www.weaveroptics.com

© 2010 Weaver Inc. • Printed in U.S.A.