
Crimson  **Trace**

Owner's Manual

Model: VF 302

Vertical Foregrip Laser — Beretta

L A S E R G R I P S[®]

Thank you for selecting the finest laser sighting system: Crimson Trace Lasergrips.

When it comes to speed, accuracy and security, Crimson Trace is the top choice of law enforcement, militaries and legally armed citizens around the world.

Feel free to contact us at 1.800.442.2406 with any questions you may have regarding your Lasergrips.

We also encourage you to visit us online at ***www.crimsontrace.com***. Here you can register your product, find valuable information on training and tactics or join fellow Crimson Trace users on our online forums.

Before installing Lasergrips, please read the entire manual.

Failure to follow these instructions and procedures may result in injury or death.

- Always follow firearms safety rules as outlined by the firearms manufacturer.
- Do not point the laser beam at eyes. Permanent eye damage can result.
- Keep this and all firearm related products locked and secured from children or other unauthorized users.

INSTALLATION INSTRUCTIONS

1. Make sure firearm is unloaded. Remove magazine and double check that chamber is empty.
2. Remove existing grips. Screws will be reused with Lasergrips.
3. Place one battery in each Lasergrips panel with positive (+) side up.
4. Install dust guard panels between Lasergrips and frame of pistol.
(Hi-Power does not use dust shields. See fit notes on page 8)
5. Wrap Lasergrips around frame of pistol. Replace and tighten screws.
6. Attach laser “Danger” sticker to outside of pistol.
7. Ensure that master ON/OFF switch is in “ON” position. (See pages 4 through 8 for details)

Crimson  Trace

8089 SW Cirrus Drive, Beaverton, OR 97008

Phone: (800) 442-2406 or (503) 627-9992

Fax: (503) 627-0166

Customer Service E-mail: customer@crimsontrace.com

Website: www.crimsontrace.com

US PATENT 5,435,091, 5,179,235 and 5,706,600; Other patents pending